DAILY RAINFALL
DEVON 1911 — 1920

ABBOTSHAM.	HIGH. PARK	1911 - 1914
ARLINGTON COURT		1911 - 1920
ASHBURTON	DRUID HOUSE	1911 - 1920
ASHBURTON.	LEUSDON VICARAGE	1912 - 1920
ABBOTSHAM		1911 - 1915
ABBOTSKERSWELL	COURT GRANGE	1911, 14, 15.
ASHBURTON	DOLBEAR.	1911 - 1920
ASHBURTON	LANDSCOVE	1912 - 13.
ASHBURTON	7, WEST ST	1914 - 1916
ALPHINGTON		1912 - 1914.
ASHPRINGTON	MYRTLE COTTAGE	1920
AXMINSTER.	COAXDON HALL	1920
AXMINSTER	LEA COMBE HSE	1919.
AXMINSTER	TEMPEST'S HSE	1920
AXMOUTH.	MILLMEAD	1911 - 1915.
AYLESBEARE	ROSAMONDFORD	1911 - 1920
~~BARNSTAPLE~~	~~CASTLE HILL~~	~~1911 - 1920~~
BARNSTAPLE	FORT HILL	1914 - 1918
BARNSTAPLE.	ATHENAEUM.	1911 - 1919
BARNSTAPLE	PILTON	1913, 15,
BEAFORD	WHARE KOA.	1911 - 1920
BERE ALSTON		1911 - 1920
BERE ALSTON	MOUNT TAMAR	1912 - 1920
BIDEFORD RECTORY		1911 - 1920
BIDEFORD	BEECHCROFT.	1911 - 1930
BIDEFORD	GAMMON RES	1911 - 1915.
BIDEFORD	WEBBERY HSE	1911 - 1920.
BICKLEY	ROBOROUGH. RES	1911 - 1920
BOVEY TRACEY	COLEHAYS. GDNS	1911 -
BOVEY TRACEY	BLENHEIM HSE	1912 - 1919
BOVEY TRACEY	HEDGE BARTON	1920
BRADNICH.	DUNMORE HSE	1920
BRAMPFORD SPEKE		1911 - 1919.

BRAUNTON.		1914 - 1918.
BRIXHAM	LINDTHORPE	1911, 13-15
BROAD CLYST	BROCK HILL	1919 - 1920
BROADHEMPSTON		1911 - 1920
BUCKFASTLEIGH	HAREWOOD	1912 - 1917
BUDLEIGH SALTERTON	UNDENWOOD	1914 - 1920
BUDLEIGH SALTERTON	KNOWLE HO	1911-1912, 15
BUDLEIGH SALTERTON	WEST HILL LODGE	1911-1913.
BUDLEIGH SALTERTON	SQUABMOOR	1911, 18, 1920
BUCKLAND BREWER		1920
BURLESCOMBE VIC		1920
CHAGFORD	DARTMOOR SANATORIUM	1911, 14, 1915.
CHAGFORD	THORNWORTHY.	1916 - 1918.
CHALLACOMBE		1911 - 1920
CHARDSTOCK.		1911 - 1919.
CHERITON BISHOP		1911 - 1913
CHRISTOW.	SMITHACOTT	1913 - 1920
CHRISTOW.	LAPLOYD	1911 - 1920
CHRISTOW	KENNICK.	1911 - 1920
CHRISTOW	BARNE HOUSE	1911 - 1913.
CHUDLEIGH KNIGHTON	VICARAGE	1918 - 1920
CHUDLEIGH	HEATHFIELD	1919 - 1920
CHUMLEIGH.	LEIGH HOUSE	1912 - 1920
CHAGFORD	MILLHOLME	1914 - 1915
CLOVELLY COURT		1912 - 1920
COPPLESTONE	COPLESTONE HSE	1911 - 1920
CORYTON MANOR		1913 - 1919
CORYTON RECTORY		1911 - 1912
CREDITON	TROBRIDGE HSE.	1911 - 1916
CREDITON.	HOOKWAY	1915 - 1920
CREDITON	OKEFIELD.	1911 - 1914 - 17-1920
CULLOMPTON		1911 - 1920
CULMSTOCK	NICHOLASHAYNE	1916 - 1920
DARTMOOR	COWSIC VALLEY	1911 - 1920.
DARTMOOR	DEANCOMBE FARM.	1911 - 1920

DARTMOOR	LOWERY	1911, 16 —1920
DARTMOOR	LEATHER TOR FARM.	1911 - 1920
DAWLISH.	THE LAWN.	1911, 1913 - 1916
DAWLISH.	BLYTH.	1911
DAWLISH.	THE BURROWS	1911-1913, 1916
DEVONPORT.	ROWDEN'S RES	1911 — 1920
DOUSLAND RES		1911 — 1920
EAST ALLINGTON	FALLAPIT. GDNS.	1911 - 1920
EAST. BUDLEIGH.	BICTON	1911 - 1916 - 1919-1920
EAST ANSTEY	RHYLL MANOR	1911 - 1920
ERMINGTON	STRODE	1919
EXETER	DEVON & EXETER. INST.	1911-1920
EXETER.	ELMFIELD HSE.	1911-1920
EXETER	HELE'S SCHOOL	1914 -1920
EXETER	THE CLOSE	1913 - 1920
EXETER	FRANKLYN	1916-1917, 1919
EXMOUTH.	BEVERLEY	1915 - 1917
EXMOUTH	DOUGLAS AVENUE	1918
EXMOUTH.	FILTERS SALTERTON. RD	1913, 1917-1918
EXMOUTH.	MANOR GROUNDS	1917-1920
EXMOUTH.	MARPOOL HALL	1911. -1914
EXMOUTH.	NIDDERDALE	1911 - 1920
FILLEIGH.		1911
* GREAT TORRINGTON	ENFIELD	1911, 14, — 1920
HARTLAND ABBEY.		1911 - 1920
HARTLEY RES.		1911 - 1920
HALBERTON		1911 - 1916
HEANTON PUNCHARDON	CHIVENOR Hse.	1914 - 1917
HEANTON SATCHVILLE		1911 - 1912; 1914 - 1915
HEMYOCK	WINDLEHURST	1917 - 1920
HENNOCK VICARAGE		1911 - 1914, 1916-1917.
HOLNE VICARAGE		1911 — 1920
HOLNE MOOR.		1911
HONITON.	COMBE - RALEIGH.	1911 — 1915
HUNTSHAM COURT.		1911 - 1917
* FILLEIGH CASTLE HILL GDNS		1911 -1920

IDE		1914
IDDLESLEIGH	ASH.	1914
IDEFORD RECTORY		1911 - 1917
ILFRACOMBE	BICKLEIGHSCOMBE	1911 - 1920
ILFRACOMBE	HIGHER COUNCIL SCH.	1914.
ILFRACOMBE	LANGLEIGH	1914 - 1920
ILFRACOMBE	MET. STATION	1912 . 1920
ILFRACOMBE RES		1911 - 1920
ILSINGTON		1911 - 1920
INSTOW		1911 - 1917
IPPLEPEN VICARAGE		1915 - 1920
IVYBRIDGE	FILHAM HSE	1917 - 1920
IVY BRIDGE	LANGHAM HILL	1911 - 1913
IVY BRIDGE	WOODHAYE	1911 - 1916
KENTON.		1914 - 1920
KILMINGTON	HADDON CORNER	1911 - 1920
KINGSBRIDGE	BANK HSE	1917 - 1920
KINGSBRIDGE	COLLAPIT CREEK	1911 - 1915
KINGSKERSWELL	SOUTH HILL	1911 - 1915
LANDCROSS		1915 - 1920
LAUNCESTON	POLAPIT TAMAR	1911 - 1920
LEE MAJOR	CLAY WORKS	1911-1912, 16-1919.
LIFTON	KELLY HSE GDNS.	1911 - 1920
LITTLEHAM	ORLEIGH COURT	1919 - 1920
LUSTLEIGH.	ROCKMEAD	1914 - 1920
LYDFORD	LAY RIDGE	1913 - 1914
LYME REGIS	PINHAY	1911 - 1920
LYME REGIS	WARE	1917 - 1920
LYME REGIS	ROUSDON	1911 - 1920
LYMPSTONE	NEWLANDS	1915, 1918, 1920.
LYNMOUTH	ROCK HOUSE	1911 - 1920
LYNMOUTH.	GWYNALLT.	1911 - 1920
MANATON SCH.		1916 - 1920
MAMHEAD		1913 - 1914
MARTINHOE RECTORY		1911 - 1920

IDE		1914
IDDLESLEIGH	ASH	1914
IDEFORD RECTORY		1911 - 1917
ILFRACOMBE	BICKLEIGHSCOMBE	1911 - 1920
ILFRACOMBE	HIGHER COUNCIL SCH.	1914.
ILFRACOMBE	LANGLEIGH	1914 - 1920
ILFRACOMBE	MET. STATION	1912 - 1920
ILFRACOMBE RES		1911 - 1920
ILSINGTON		1911 - 1920
INSTOW		1911 - 1917
IPPLEPEN VICARAGE		1915 - 1920
IVYBRIDGE	FILHAM HSE	1917 - 1920
IVY BRIDGE	LANGHAM HILL	1911 - 1913
IVY BRIDGE	WOODHAYE	1911 - 1916
KENTON.		1914 - 1920
KILMINGTON	HADDON CORNER	1911 - 1920
KINGSBRIDGE	BANK HSE	1917 - 1920
KINGSBRIDGE	COLLAPIT CREEK	1911 - 1915
KINGSKERSWELL	SOUTH HILL	1911 - 1915
LANDCROSS		1915 - 1920
LAUNCESTON	POLAPIT TAMAR	1911 - 1920
LEE MAJOR	CLAY WORKS	1911-1912, 16-1919.
LIFTON	KELLY HSE GDNS.	1911 - 1920
LITTLEHAM	ORLEIGH COURT	1919 - 1920
LUSTLEIGH.	ROCKMEAD	1914 - 1920
LYDFORD	LAY RIDGE	1913 - 1914
LYME REGIS	PINHAY	1911 - 1920
LYME REGIS	WARE	1917 - 1920
LYME REGIS	ROUSDON	1911 - 1920
LYMPSTONE	NEWLANDS	1915, 1918, 1920.
LYNMOUTH	ROCK HOUSE	1911 - 1920
LYNMOUTH.	GWYNALLT.	1911 - 1920
MANATON SCH.		1916 - 1920.
MAMHEAD		1913 - 1914
MARTINHOE RECTORY		1911 - 1920

MEMBURY.	GREEN DOWN.	1917 – 1920
MEMBURY	YARTY HSE	1920
MOLLAND		1911 - 1920
MOREHARD BISHOP	HARTNOLL	1911 - 1913
MORETON HAMPSTEAD	RECTORY.	1911 - 1920
MORETON HAMPSTEAD	BLACKINGSTONE	1911 - 1920
MORETONHAMPSTEAD	BULLATON.	1911 - 1920
MORETON HAMPSTEAD	MARDON	1911 - 1920
MORETON HAMPSTEAD	TOWER PARK	1916 - 1920
MOREHOE	TWITCHEN HSE	1911 - 1920
NEWTON. ABBOT		1911 - 1920
NEWTON ABBOT.	SCALE HAYNE COLLEGE	1915, 1917 - 1918
NEWTON ST. CYRES		1911-12, 1914-1915
NORTHAM	FAIRLEA	1911 - 1920
NORTHAM VICARAGE		1911 - 1916
NORTH BOVEY.	MANOR HSE	1912
NORTHLEIGH RECTORY		1911 - 1915
OAKFORD		1916
OKEHAMPTON	BELSTONE WATCHET	1920
OKEHAMPTON	GRAMMA SCH.	1919
OKEHAMPTON	OAKLANDS	1911 - 1920
OTTERTON VICARAGE		1911-1913, 1915
OTTERY ST MARYS.	WEST HILL	1911 - 1920
OTTERY ST MARY		1911-1912, 1914-1918
OTTERY ST MARY	BROAD STREET.	1911 - 1918
PAIGNTON	SUMMERLANDS	1916 - 1920
PAIGNTON	ST MAWES	1915 - 1920
PAIGNTON	QUEENS PARK.	1911 - 1920
PARKHAM	MELBURY COTTAGE.	1911-1916, 1918-1920
PARKHAM	MELBURY RES	1911 - 1920
PLYMOUTH.	THE HOE	1911 - 1920
PLYMOUTH	R.A.F. MET. STATION	1918.
PLYMOUTH.	BOVEYSAND LODGE	1917 - 1920
PLYMOUTH	MENTAL HOSPITAL	1918 - 1919
PLYMOUTH.	CATTEWATER.	1920
PETROCKSTOW	HEANTON SATCHVILLE	1911-12, 1914-15

PLYMOUTH.	FREEDOM FIELDS	1911 - 1920
PLYMOUTH	DRAKE'S RES.	1911 - 1920
PLYMPTON.	LEIGHAM,	1911 - 1914
POSTBRIDGE	REDGATE.	1914 - 1916
PRINCETOWN	MOOR LODGE	1911 - 1914, 15, 17, 19
PRINCETOWN.	H.M. PRISON	1912 - 1917, 1919 - 1920
PRINCETOWN.	HUCCABY HSE	1911 - 1920
RACKENFORD MANOR -		1915, 1917, 1919,
REVELSTOKE	MEMLAND.	1911 - 1914
ROBOROUGH.	EBBERLEY	1911 - 1915
ROCKBEARE	THE GRANGE	1912 · 1913
SALCOMBE	THE PARK	1912 - 1916, 1919 - 1920
SALCOMBE REGIS		1911 - 1920
SALCOMBE	SANDHILLS	1911 - 1920
SALCOMBE	SPRINGFIELDS	1912 - 1915
SEATON	THE COPSE	1920
SEATON.		1911 - 1920
SHEEPSTOR	BURRATOR	1911 - 1920
SHEEPSTOR	HEAD WEIR	1911 - 1920
SHEEPSTOR	REDSTONE	1911 - 1920
SHEEPSTOR.	VICARAGE	1911 - 1912, 1915 - 1919
SIDMOUTH	SIDMOUNT.	1911 - 1920
SIDMOUTH	SIDMOUNT	1917 - 1920
SIDMOUTH.	EAGLEHURST	1911
SILVERTON	KILLERTON	1911 - 1912, 1914 - 1920
SOUTH. BRENT	BLACKDOWN ASYLUM	1911 - 1917, 1920
START. BAY	SLAPTON.	1911 - 1916
SOUTH BRENT	GREAT ASH.	1911 - 1920
SOUTH BRENT	GLAZEBROOK.	1915, 1917 - 1920
SOUTH BRENT	SOMERSWOOD	1919
SOUTH MOLTON		1912 - 1916, 1919 - 1920
SPREYTON	LYNDERIES	1911 - 1916
STARCROSS	COFTON VICARAGE	1911 - 1917
STOKE FLEMING	RAVENSBOURNE	1911 - 1917
STOKE - IN - TEIGNHEAD	RECTORY	1913

TAVISTOCK.		1911 - 1920
TAVISTOCK	PUBLIC LIBRARY	1911 - 1916
TEIGNMOUTH.	BENTON	1912, 1914.
TEIGNMOUTH	DEN GARDENS	1911 - 1920
TEIGNMOUTH.	BONNICLIFF	1911 - 1918.
TEIGNMOUTH.	HAZELDOWN. RES	1911 - 1920
TEIGNMOUTH	LANDSCORE RES	1911 - 1919
TEIGNMOUTH.	SHALDON RES	1911 - 1920
TEIGNMOUTH.	THE SHRUBBERY	1912 - 1920
TEIGNMOUTH	WOODLANDS	1911 - 1912
TIVERTON	BROOMHILL	1912 - 1914.
TIVERTON	HIGHFIELD	1911 - 1912
TIVERTON	TEMPLETON RECTORY	1911 - 1912
TIVERTON	SOUTHWOOD	1912 - 1914
TIVERTON	ST. PETERS STREET	1911 - 1920
TIVERTON	BLUNDELL'S SCH	1911
TIVERTON	HARTNOLLS	1914-1915, 1918-1920
TORQUAY	COCKINGTON COURT	1911 - 1913.
TORQUAY	CARY GREEN	1911 - 1920
TORQUAY	LEICESTER LODGE	1920
TORQUAY	W. W.	1920
TORQUAY	STOODLEY KNOWLE GDNS	1914 - 1919
TORQUAY	ROBY HALL	1911 - 1917
TORQUAY	KILMORIE	1913 - 1916
TORQUAY	BARTON ROAD	1911 - 1912
TORRINGTON	LITTLE SILVER	1911 - 1913
TOTNES.	BERRY POMEROY VIC.	1911 - 1914
TOTNES	NORTH GATE HSE	1911 - 1912
TOTNES	BERRY POMEROY	1911 - 1920
TOTNES	STAVERTON	1912 - 1920
UFFCULME	BULLMOOR	1911 - 1917.
UGBOROUGH VENN.		1912
UPTON PYNE.		1911-1914, 1916-1917
VENN.		1913
WARKLEIGH REC		1911 - 1920

WESTWARD HO	BELLE VUE	1911 - 1920
WESTWARD HOE	R.N.D GOLF CLUB	1914 - 1917
WHITECHURCH	ASHBROOK	1911 - 1920
WHITCHURCH	STATSFORD	1911
WITHERIDGE		1912 - 1920
WOOLACOMBE	HOTEL GROUNDS	1911-1912, 1914 - 1920

DL
S. made

2/19

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

ASHBURTON.

DRUID HOUSE

DEVON

1911 - 1920

Kept at Ashb
in.

in the County of
Ground ft. in.
Sea Level ft.

by J. S. An
ame
istance Direction

IMPORTANT
the result entered to the previous day. If
rsal rule, he is earnestly requested to add th
r in the space provided for it at the end
nt of rain, the selection and
sh Rainfall Organization are giv
plication to Dr. H. R. Mill, 62

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·23			·01		·01	·08		1
2			·02	·18	·80			·41		·10	·13	·74	2
3				·01	·44			·01	·06		·38	·13	3
4	·01		·02					·23		·02	·35	·88	4
5	·39		·11					·65		·07	·30	·02	5
6	·58		·30					·01		·11	·10	1·60	6
7				·03							·82	·04	7
8	·01		·06								·09	1·09	8
9	·03										·48	1·10	9
10	·11	·04	·75		·12				·02		·05	·81	10
11	·53				·01				·02		1·31	·13	11
12			·56						·18		·18	·35	12
13			·04						·12	·01	·06	·46	13
14		·09	·03							·10	·12	·70	14
15		·02	·05			·05					·65	·12	15
16		·02				·82				·01	·55	1·25	16
17		·04	1·10	·04		·38				·02	·32	1·54	17
18		·35	·45	·33		·39				·24	·40	1·16	18
19		·08	·13			·32			·60	·28	·20	·76	19
20	·07	·07	·15	·12		·02			·07	·80	·02	·83	20
21	·03	·32		·02		·16			·25	·58		·19	21
22	·12	·19	·02	·07		·13			·62	·32		·94	22
23		·30	·05	·01		·08			·06	·56	·09	·73	23
24	·02	·20				·19		·22		·23		·38	24
25		·14		·11		·02		·02	·30	·20		·30	25
26		·13		·42				·09		·63	·02	·29	26
27		·70	·03	·15				·28	·15	·44	·03	·22	27
28		·25	·01	·56				·04			·16		28
29				·15	·15	·40	·79		·25	·55			29
30			·02			·02	·10		·02	·67	·38	·02	30
31			·03				·24			·06			31
Total	1·90	2·94	3·93	2·20	1·75	2·98	1·13	1·97	2·72	6·01	7·27	16·78	TOTAL for year 51·58
No. of Rain Days	11	16	20	14	6	13	3	11	14	22	25	27	182

9,000, IX. '10.

DL S. made ✓

FORM A2. BRITISH RAINFALL. 20 JAN 1912

2/19

REGISTER OF RAINFALL IN 1911

Kept at Ashburton, Druid House

in the County of South Devon S4

by J. S. Amery

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·23			·01		·01	·08		1
2			·02	·18	·80			·41		·10	·13	·74	2
3				·01	·44			·01	·06		·38	·13	3
4	·01		·02					·23		·02	·35	·88	4
5	·39		·11					·65		·07	·30	·02	5
6	·58		·30					·01		·11	·10	1·60	6
7				·03							·82	·04	7
8	·01		·06								·09	1·09	8
9	·03										·48	1·10	9
10	·11	·04	·75		·12				·02		·05	·81	10
11	·53				·01				·02		1·31	·13	11
12			·56						·18		·18	·35	12
13			·04						·12	·01	·06	·46	13
14		·09	·03							·10	·12	·70	14
15		·02	·05			·05					·65	·12	15
16		·02				·82				·01	·55	1·25	16
17		·04	1·10	·04		·38				·02	·32	1·54	17
18		·35	·45	·33		·39				·24	·40	1·16	18
19		·08	·13			·32			·60	·28	·20	·76	19
20	·07	·07	·15	·12		·02			·07	·80	·02	·83	20
21	·03	·32		·02		·16			·25	·58		·19	21
22	·12	·19	·02	·07		·13			·62	·32		·94	22
23		·30	·05	·01		·08			·06	·56	·09	·73	23
24	·02	·20				·19		·22		·23		·38	24
25		·14		·11		·02		·02	·30	·20		·30	25
26		·13		·42				·09		·63	·02	·29	26
27		·70	·03	·15				·28	·15	·44	·03	·22	27
28		·25	·01	·56				·04			·16		28
29				·15	·15	·40	·79		·25	·55			29
30			·02			·02	·10		·02	·67	·38	·02	30
31			·03				·24			·06			31
Total	1·90	2·94	3·93	2·20	1·75	2·98	1·13	1·97	2·72	6·01	7·27	16·78	TOTAL for year 51·58
No. of Rain Days	11	16	20	14	6	13	3	11	14	22	25	27	182

9,000, IX. '10.

DL ✓

cnd 21·11·13

2/19

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Ashburton, Druid House

in the County of South Devon S.4

by J. S. Amery

RAIN GAUGE	Pattern
	Diameter of top in.
	Height of top above Ground ft. in.
	" " " Sea Level ft.
Time of Observation	
Nearest Railway Station	Name
	Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·25			·47	·02		·12	1·21		·45	1
2			·42	·02		·98	·03	·05		·09			2
3			·48			·40	·05	2·27	·04			·20	3
4	·18	·13	1·26		·03	·81		·35			·13		4
5	·81	·35	·18		·12	·01	·13	·85				·26	5
6	·83	·11	·03		·35	·18		·19				·02	6
7	·11	·92	·35		·13	·40		·07				·41	7
8	1·07	·20	·45			·26	·15					·02	8
9	·12	·16	·25	·23		·06	·06	·16				·50	9
10	·27	·13	·11	·01			·02	·04			·28	·27	10
11	·03	·12	·11				·13	·07			·55	·95	11
12	·03	·50	·16		·03		·06	·45			·03	·03	12
13	·55					·04	·27	·02		·11		·34	13
14	·20	·18	·65		·06			·06		·02		·04	14
15	1·07	·24	·07		·40	·42		·01				·28	15
16	·34	·01	·82		·18			·30		·12	·02	·10	16
17	·01		·27		·01	·07		1·27			·02	·14	17
18		·03	·21					·65		·03	·02	·03	18
19	·05	·24	·70			·03	·06	·32		·03		·09	19
20	·09	·13	·58		·17			·15		·37	·07		20
21	·01	·50	·55		·68		·02	·11		·28			21
22	·68	·77	·21				·09	·09		·09	·01	·28	22
23	·61	·34	·21			·12	·02	·75		·03	·10	·38	23
24	·15	·10	·04			·68	·01	·02		·02		·49	24
25	·24	·06				·09	·18	·34		·29	·48	·50	25
26		·10	·01				·05	·10		·88	1·20	·90	26
27		·03				·67	·41	·11		2·54		1·11	27
28		·23				·34	·22	1·25	·51	·60	·55	·52	28
29		·65				·02	·21	·29	·49	·94		·15	29
30			·02			·08	·30		·24	·68			30
31			·23				·84	·01		·05		·11	31
Total	7·45	6·23	8·62	·26	2·16	6·13	3·33	10·35 10·35	1·40	8·38	3·46	8·57	TOTAL for year 66·34
No. of Rain Days	21	24	26	3	11	20	22	25	5	19	13	26	218

9,000, IX. '10.

4/19

FORM A. BRITISH RAINFALL.

28 JAN 1914

Cnd for auth 20.III.14

REGISTER OF RAINFALL IN 1913

Kept at Druid House, Ashburton

in the County of S. Devon 4

by J. S. Amery

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 584 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.10	.40	.16	.07				.03	.14	.70	.05	1
2	.35	.13	.08	.08	.27				.01	.99	.36	.02	2
3	.84	.41	.17	.07	.26				.34	.23		.47	3
4	1.38	.02	.24	.03	.06	.04			.41	.68	.23	.56	4
5	.13	.03	.04		.21	.18			1.44	.10	.34	.31	5
6	.60	.04	.24		.20	.16	.04		.06	.52	.23	.05	6
7	.09	.21	.07		1.16	.15	.20			.50	.50		7
8	.10	1.15			.34		.01	.02		.05	.07	.01	8
9	.28	.62			.08	.03	.11	.13			.65	.03	9
10	1.12	.02		.02	.07	.02		.04		.17	.27		10
11	.72			.03	.85	.06				.11	1.20	.03	11
12	.09				.08				.04			.03	12
13	.10		.25	.03			.01	.03	.55		.14		13
14	.48		.36	.04	.25				.10		.19		14
15	.35		.85	1.65					.22		.10		15
16	.40		.82	.09			.01	.68	1.21				16
17	.05		.08	.17				.02			.08		17
18	.09		.75	.17	.01						.20		18
19	.74		.10			.28			.35	.11			19
20	.18		.26	.55						.04	.85		20
21	.03		.31	.25	.05					.07	.38		21
22	.30		.65			.11		.12	.03	.11		.31	22
23	.02		.05			.02		.10			.12	1.05	23
24	.04			.07		.03					.08		24
25	.01	.28		.62					.03	.08	.01	.03	25
26		.02		2.14				.05		.03		.41	26
27	.74		.31	.37	.03			.03		.25		.03	27
28	.34		.20	.47	.02				.03	.55		.18	28
29	.14		.88	.48	.02					.36			29
30	1.19			.04	.05		.10	.02	.02	.77	.04		30
31	.10		.12		.04			.38		.09			31
Total	11.00	3.03	7.23	7.53	4.12	1.08	.48 ~~.45~~	1.62	4.57	5.95	6.74	3.57	YEAR'S TOTAL 57.22
Rain Days.	29	12	22	21	20	11	7	12	16	21	21	16	208

8L 6K 9R8

2/19

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

23 JAN 1915

Kept at Druid House, Ashburton

in the County of S. Devonshire S4

by J. S. Amery

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 584 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05	·13		·08	·28	·23			·85	·08	1
2			·07	·05	·13	·01	·10	·04			·54	·73	2
3	·02		·33	·21	·96						·01	·09	3
4	·07		·10	·53	·15		·65	·33			·62	1·06	4
5	·14		·25	·27	·08				·03		·14	·06	5
6		·10	·22	·15	·15		·04	·12			·06	1·29	6
7		1·65	·40	·22	·23	·07	·25	·25	·22			·66	7
8	·07		·82	·27	·08	·43		·38	·01			·08	8
9	·04	·07	·47	·42	·01	·46		·34	·99				9
10	·05	1·15	·11	·30		·10			·19			·26	10
11		·23	·71			·10			·03		·12	·95	11
12		·55	·10						·21	·17	·08	·92	12
13		1·21	·87				·09		·26	·12	·51	·25	13
14		1·15	·71			·08	·01	·70	·03	·02	·83	·03	14
15			·22				·06	·61	·03	·12	·26	·23	15
16			·07						·73			·03	16
17		·66	·34						·02			1·75	17
18		·12	·10				·06		·15			·26	18
19		·05	·94				2·11		·05		·10	·18	19
20		·65	·10			·12					·12	·23	20
21		·60	·02							·49		·10	21
22		·13			·21	·07		·03		·53			22
23		·07	·45		·01		·04			·36			23
24	·02		·02		·03		·04	·08		·11	·06		24
25	·13		·33		·01		·04	·65		·57	·08	·88	25
26	·07	·08	·11				·05	·15		·05	·45	·98	26
27	·05	·15								·07	·62	·80	27
28	·02	·05	·46		·08		·06			·15	·39	1·00	28
29	·50		·37		·10		·20			·07	1·65	·08	29
30	·03		·25				·01			·26	1·10	1·40	30
31	·41						·70			1·05		·50	31
													YEAR'S TOTAL
Total	1·62	8·67	8·99	2·55	2·23	1·52	4·79	3·91	2·95	4·14	8·59	14·88	64·84
Rain Days.	14	18	28	10	14	10	18	13	14	15	20	27	201

W.7,000, XI. 13

82 ✓

1831
2/19

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Ashburton, Druid House
in the County of S. Devon
by J. S. Amery.

Entd

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.41	.38						1.00	.37	.41	.06	.23	1
2	.29	.41	.12	.06		.05		.60	.04	.03	—	.83	2
3	.10	.62	.15	.12	.32			.03				.60	3
4	.04	.27			.07							.70	4
5	.05	1.10		.20	.01			.29				1.03	5
6	1.07	.15		.66			.60	.02				.38	6
7	.46	.85		.16			.16			.27	.04	.42	7
8	.15	.58					.03	.08		.02	.14	.38	8
9		.16		.14				.01		.02	.57	1.34	9
10	.44	.50	.01	.04	—			.02		.17	.11	.10	10
11	.20	.15	.14					.18		.34	1.42	.08	11
12	.06	.60		.06	.75			.16		.13	.56	.02	12
13	.01	1.48			1.12			.02	.05		.14	.05	13
14	.09	.02					.19	.03	.04	.18		2.15	14
15	.21				.40		.28			.12	.05	.19	15
16	.01	2.95			.38		1.10				—	.23	16
17	.03	.44	.03		.07	—							17
18	.02	.33	.02	—									18
19	.02	.04			.92		.11						19
20	.41			.09	.08	.11				.10		.02	20
21	.19	.11			.10	.03	.34			.06		.05	21
22	.20	.09	.55			.01	.45		.03	.04		.85	22
23	.01	.01	.07			.24	.14		.17	1.64		.76	23
24				.02		.14	.09		.10	.38		1.12	24
25	.04			.03		.45	.12		.02		.03	.72	25
26	.03	.50				.18	.04		.14			1.44	26
27	.05	.05				.05	.03			.95		.01	27
28		.10		—		.12		.02	.39	.14	.02	.14	28
29						.38			.12		.38	.32	29
30	.34	X				.06	.01		.02	1.04	.57	.68	30
31	.04	X		X		X	.30		X	1.30	X	.67	31
Total	4.97	11.89	1.09	1.58	4.22	1.82	3.99	2.46	1.49	7.34	4.09	15.51	YEAR'S TOTAL 60.45
Rain Days.	27	24	8	11	11	12	16	13	12	19	13	28	194

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
30. JAN 1917

Kept at Druid, Ashburton

in the County of S. Devonshire

by J. S. Amery

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.30		.06		.10	.06	.07		.07	.45	.12		1
2	.48	.18	.10						.07	.26	.52		2
3	.05	1.80			.49	.06			.02	.87	.44		3
4	.26	.20			.08	.41	.02		.07	.24	1.32	.02	4
5	.03	.25	.04		.07	.17				.44	.33		5
6	.06	.27	.02		.20		.83			.41	1.74		6
7	.10	.30	.16		.10	.01				.06	.83	.09	7
8	.01	.48	.41		.32	.50					.18	.29	8
9		.15	.04		.03	.16				.08	.11	.30	9
10		.51		.04	.06	.01	.01			.12	.03		10
11		.02		.08	.04	.02			.03			.02	11
12	.09	.59	.13	.05	.10		.10	.09		.05			12
13		.37	.20	.08			.02	.24	.01	.01		.10	13
14		.76	.13		.05			.43		.22			14
15	.01	.51	.28	.05				.09		.04		.03	15
16	.40	.19		.08			.01	.56		.12		.05	16
17	.47	.16		.10					.20	.35	1.22		17
18	.06	.28	.55	.10					.19	.08	.01	.10	18
19	.31	.34	.22	.14							.19	.16	19
20	.15	1.40	.24	.02							.12	1.23	20
21	.04	.07	.07		.05							.17	21
22			.02			.32		.06		.38	.04	.78	22
23	.06	.02	.01	.11		.13		.28		.35	.87	.19	23
24		.18	.04	.51	.25	.01		.12		.67	.05	.40	24
25	.04	.53	.11			.02		.54		.02	.33		25
26	.01	.20	.08		.07	.17		.71	1.20	1.22	.08	.05	26
27			1.62					.35	.08	.52			27
28		.05	.02					.12	1.20	.75	.01	.46	28
29		.14	.04			.62		2.11	.13	.37		.52	29
30		X	.01			.10		.02		.89			30
31		X		X		X		.08	X	.66	X	.02	31
Total	2.93	9.95	4.60	1.36	2.01	2.77	1.06	5.80	3.27	9.63	8.54	4.98	YEAR'S TOTAL 56.90
Rain Days.	19	26	24	12	15	16	7	15	12	26	20	19	211

W. 8,000. X. 15.

8L ~~W. D.~~ and [illegible]

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Druid House, Ashburton

in the County of S. Devonshire

by J. S. Amery

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05			.20		.57		.22	.05		.02	.01	1
2	.02		.09	.11		.03							2
3	.06			.14			.09			.58	.85		3
4		.05	.83				.02		.04	.54	.01		4
5	.15		.26	.13		.96			.10	.24	.23		5
6			.24			.08		.01	.67	.13	.16	.04	6
7	.54			—			.37	.10		.30	.16	.02	7
8	.17		.39	.11		.01	.27	.50	.02	.60	.17	.30	8
9			.15	.10	.05		.05	.03	.02	.32	.44		9
10	.18		.69	.45				.50	.18	.02	.04	.06	10
11	.02		1.08	.28				.12	.02	.56	.20		11
12	.28				.55			.05		.65	.01		12
13			.33	.04		.03		.67	.16	.10			13
14				.05			.21	.34	.03	.05			14
15	.18						.24	.06		.61		.44	15
16		.13		.05				.02	.02	.34	.01	.24	16
17		.03		.12	.05		.42	.20	.65	.08			17
18		.12		.02	.90	.12	.36	.01	.77	.02			18
19		.51	.10			.44			.10		.03		19
20		.12			.60	.06			.06		.01		20
21			.05							.05	.01	.04	21
22			.04		.03			1.00		.09	.01		22
23	.02	.05			.21			.51		.27			23
24						.04	.30	.12		.39	.08	.02	24
25			.08					.30	.12	.14	.06		25
26					.28	.18	.01	.34		.16	.02		26
27						1.18		1.44		.04			27
28			.18		.05	.24		.96				.01	28
29			.28			.27		.05		1.35		.12	29
30		×	.26				.75	.32		.07	.03		30
31		×	.05	×	.37	×		.08	×	.34	×	.04	31
Total	1.67	1.01	5.10	1.80	3.09	4.21	3.09	7.95	3.01	8.04	2.55	1.34	YEAR'S TOTAL 42.86
Rain Days.	11	7	17	13	10	14	12	24	16	26	20	12	182

W. 8,000, VIII. 16

97

81

53
2/19

FORM A.
BRITISH RAINFALL.

23. 1 19

REGISTER OF RAINFALL IN 1918

Kept at Druid House, Ashburton

in the County of S. Devonshire

by J. S. Amery

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·34		·13	·04			·57	01	·02	1·34	·02	1
2		·54		·04					·07	·04	·02	·77	2
3		·54		1·05	·03			·02	·07	·12	·26	·02	3
4		·09		·02				·26	·59		2·05	·65	4
5		·03	·19	·09	·41			1·05	·67	·53	·02	10	5
6	·12	·45	·10	·22				·02		·35		·22	6
7		·29		·04		·03			·56	·13	·69	·50	7
8	·01	·25					·06		·26	·33			8
9	·19	·02				·24	·36		1·08	·03		·67	9
10	·08			·31			·33		·44	·24		·55	10
11				·06	·03		·45		·30		·08	·12	11
12		·20	·04		·19		·06		·26		·04	·05	12
13					·16		·35		·71	·21		·17	13
14	·70				·07	·12	·06		·22	·06		·36	14
15	1·40				·06	·14	·75		·11	·12		·51	15
16	·88		·02	·33		·06	·10		·23			·14	16
17	·25		·01	·20			·50		·19			·43	17
18	1·81		·04			1·02	·17		1·22	·44		·44	18
19	·35		·16				·27		·11			·37	19
20	·47	·16		·18		·03	·10		·43	·07			20
21	·16	·07				·06	·04		·85	·08		·57	21
22	·04	·02			·11		·67	·02	·31	·14	·08	·49	22
23	·24	·03			·16		·37		·14		·06	·28	23
24	·05	·12					·20	·19	·04		·20	·22	24
25	·02			·16			·27	·73		·06	·26		25
26	·04	·06		·08			·22	·04	·13	·01	·05	·37	26
27	·05	·12	·25					·08	·16	·03	·21	·02	27
28		·15	·47						·05	·05	·08	·06	28
29			·31						1·69	·03		·12	29
30			·28	·01				·01	·02	·20	·07	·12	30
31			·18							·05			31
Total	6·86	3·48	2·05	2·92	1·26	1·70	5·33	2·99	10·92	3·34	5·51	8·34	YEAR'S TOTAL 54·70
Rain Days.	18	18	12	15	10	8	19	11	28	23	16	27	205

W. 8,000, VIII. 16

8L 1612

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Druid House, Ashburton
in the County of S. Devonshire
by J. S. Amery.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.69		.46		.10		.28		.16	.18		1.44	1
2	.22		.03		.02		.02		.06	.07		.05	2
3	.28		.37						.27		.04	.14	3
4	.65	.91	.58		.02	.01	.16	.08	1.22		.08	.05	4
5	.06	.29	1.06						.36		.06	.22	5
6	.67	1.81	.27									.77	6
7	.45		.69	.06					.01			.20	7
8	.53		.13			.01					.33		8
9	.33		.04	.12	.14						.48	.08	9
10	.09		1.32	.03						.09		.90	10
11	.08		.73	.12	.54		.08			.02		.36	11
12	.50		.05			.08				.08	.09	.02	12
13	.45	.24	.18	.89						.04		.42	13
14	1.14	.37		.79	.72				.10	.12		.33	14
15	.53	.16		.10					.03	.13		.32	15
16	.14	1.72			.04						.28		16
17	.04	.42						.01			.71	.02	17
18	.03	.50	.40				.27	.27			.52	.01	18
19	.75	.91	.12			.20	.45	.45	.15		.34	.02	19
20	.66	.07	.07			.40		.19	.21		.54	.06	20
21	.12	1.51			.01		.10		.07	.02	.01	.20	21
22		.02	.02		.01		.02		.29		.04	.10	22
23			.03					.13	.01	.50	.12	.33	23
24						.20		.12		.61	.25	.45	24
25	.08	.08		.03		.05		.42			.04	.13	25
26	.13	.02	.10	.06				.06	.08	.04	.08	.73	26
27	.33			.36				2.07				.04	27
28	.02		.30	.06				.08			.50	.56	28
29				.05				.09		.19		.16	29
30		X	.06	.04		.04		.20	.05		.92	1.37	30
31	.01	X	.02	X		X			X		X	.70	31
Total	8.98	9.03	7.03	2.71	1.60	.99	1.38	4.17	3.07	2.09	5.43	10.18	YEAR'S TOTAL 56.66
Rain Days.	26	15	22	13	9	8	8	13	15	13	19	.29	190
Days with ·04 in.	23	13	18	11	5	6	6	12	12	11	18	25	160

W, 6,500, VII. 18. W W C

read in mm. RL 1527

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Druid, Ashburton (MO)
in the County of Devon
by J. S. Amery.

Lat. 50° 30′ N Long. 3° 46′ W
Time of Observation 9h GMT.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 583 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	4.1	-	0.4	1.5	31.0	-	17.5	0.2	0.7	1.0	0.5	26.6	1
2	8.9	-	-	2.2	-	-	3.0	4.2	0.5	2.5	-	10.6	2
3	19.0	1.2	-	2.3	-	-	1.0	-	-	25.4	-	10.4	3
4	-	-	0.3	-	-	-	-	28.5	-	11.5	-	-	4
5	-	1.0	7.0	-	2.0	-	3.0	5.8	-	4.8	-	-	5
6	-	-	10.0	1.0	7.5	-	5.0	-	-	3.0	-	-	6
7	1.2	-	0.7	3.7	-	-	14.5	-	-	-	-	1.1	7
8	3.3	1.0	-	9.2	-	-	1.0	0.8	-	1.0	-	4.4	8
9	41.9	2.5	-	0.5	-	3.5	9.2	0.3	-	-	-	-	9
10	54.2	7.0	1.5	1.5	-	8.7	7.2	-	-	-	-	-	10
11	21.6	0.7	5.5	26.0	8.2	1.5	6.6	-	-	-	-	-	11
12	7.0	6.3	8.4	13.2	0.3	2.2	1.5	-	-	0.5	6.1	4.8	12
13	3.8	-	15.0	1.8	-	1.0	-	-	-	5.8	-	2.6	13
14	2.0	2.0	14.0	33.3	-	-	1.2	-	4.0	13.5	19.0	1.0	14
15	0.3	6.0	2.5	18.2	1.2	-	-	-	1.5	28.5	2.7	-	15
16	-	1.7	-	1.8	-	1.5	9.2	-	4.7	2.0	1.7	-	16
17	0.3	-	0.6	1.2	13.4	1.8	-	-	16.2	-	-	-	17
18	5.5	2.5	-	3.0	2.7	11.7	0.6	3.0	2.5	-	-	-	18
19	1.0	-	-	13.2	-	6.5	-	-	0.3	0.7	-	-	19
20	1.0	1.0	-	12.5	1.3	3.7	0.3	-	-	11.5	-	21.5	20
21	-	-	-	2.2	-	-	0.5	-	-	1.2	-	4.2	21
22	1.0	-	-	2.5	-	-	3.0	-	-	-	-	9.1	22
23	0.8	-	1.0	-		-	7.0	0.5	-	-	-	22.5	23
24	1.5	1.6	15.5	-	-	-	-	-	-	-	8.6	8.5	24
25	2.5	0.6	5.0	-	-	-	26.4	-	-	-	-	4.0	25
26	11.5	-	11.6	-	-	-	3.0	-	-	-	7.3	2.6	26
27	38.3	-	5.6	4.2	-	5.0	1.5	-	-	-	11.8	13.0	27
28	23.0	-	2.8	0.5	-	3.8	1.5	-	-	-	-	3.8	28
29	32.0	-	21.5	2.5	-	-	-	-	-	-	17.0	28.5	29
30	7.2	X	-	1.0	1.5	9.4	1.7	-	25.0	-	13.3	36.5	30
31	(4.4)	X	5.7	X	-	X	-	-	X	12.9	X	7.5	31
TOTAL	297.3	35.1	134.6	159.0	69.1	60.3	125.4	43.3	55.4	125.8	88.0	223.2	YEAR'S TOTAL 1416.5
Days with 0·2 mm. or more	26	14	20	24	10	13	23	8	9	16	10	20	193
	22	14	15	22	9	13	20	4	6	14	9	20	170

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M 3203.

ABBOTSHAM

HIGH PARK

DEVON

1911 - 1914

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

I 11

Kept at High Pa 5 in.

ove Ground ft. 10½ in.

in the County of De ,, Sea Level 300 ft.

A.M

by Gilbert Shel Name Bideford

Distance 3 m. Direction E.

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the r year in the space provided for it at the end of rement of rain, the selection and pla British Rainfall Organization are given n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	–	·01	·39	·20	·05	–	·53	–	·02	·10	·03	1
2	–	–	–	·01	·13	–	–	·23	–	·68	·33	·21	2
3	–	–	·04	–	·54	–	–	·05	·02	·01	·31	·17	3
4	–	–	·09	–	·02	–	–	·19	–	·01	·44	·75	4
5	·42	–	·17	–	–	–	–	·16	–	·06	·60	·06	5
6	·23	–	·02	–	–	–	–	·04	–	–	·37	·94	6
7	·06	–	–	–	–	–	–	–	–	–	·53	·01	7
8	·09	–	·09	–	–	–	–	–	–	–	·50	·93	8
9	·15	–	·04	–	–	–	–	–	–	–	·46	·31	9
10	·05	·03	·70	–	·12	–	–	–	–	–	·16	·55	10
11	·38	–	–	–	·03	–	–	–	·06	–	·39	·25	11
12	–	–	·48	–	–	–	–	–	·53	–	·32	·23	12
13	–	–	·06	–	·03	–	–	–	·14	·04	·05	·11	13
14	–	·06	·02	–	–	–	–	–	–	·06	·08	·23	14
15	·06	·04	·09	–	–	·04	–	–	–	–	·37	·07	15
16	–	·02	·01	–	–	·17	–	–	–	–	·16	·31	16
17	·03	·04	·01	·01	–	·44	·03	–	–	–	·22	·72	17
18	–	·45	–	·17	–	·07	–	–	–	·16	·35	·55	18
19	–	·05	·03	·13	–	·57	–	–	·50	·07	·21	·83	19
20	–	·07	·07	·25	–	–	–	·02	·46	·55	–	·21	20
21	·03	·25	–	–	–	·09	–	·54	·19	·24	–	·09	21
22	·02	·15	·01	·15	–	·14	–	–	·18	1·16	–	·31	22
23	–	·12	–	–	–	·24	–	·16	·15	·19	·18	·12	23
24	–	·26	–	–	–	·79	–	·04	–	·35	–	·17	24
25	·03	·03	·02	·26	–	·04	–	–	·07	·16	–	·09	25
26	–	·11	–	·37	·06	–	·24	·25	–	·45	·01	·25	26
27	–	·76	–	–	–	·02	–	·47	·20	·32	–	·18	27
28	–	·15	–	·56	–	–	–	·07	–	–	·30	·01	28
29	–		·03	·07	–	·81	·15	·04	·33	·30	–	–	29
30	–		–	–	–	·03	·03	–	·06	·29	·07	·04	30
31	–		–		–		·05	–		·09		·02	31
Total	1·65	2·59	1·99	2·37	1·13	3·50	·50	2·79	2·89	5·21	6·51	8·75	TOTAL for year ✓ 39·88
No. of Rain Days.	13	16	19	11	8	14	5	14	13	20	23	30	186 ✓

W. 8,000, X. '11.

11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at High Park, Littleham, Bideford

in the County of Devon N.3

by Gilbert Sheldon

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10½ in.
" " " Sea Level 300 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Bideford
Distance 3 m. Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	–	·01	·39	·20	·05	–	·53	–	·02	·10	·03	1
2	–	–	–	·01	·13	–	–	·23	–	·68	·33	·21	2
3	–	–	·04	–	·54	–	–	·05	·02	·01	·31	·17	3
4	–	–	·09	–	·02	–	–	·19	–	·01	·44	·75	4
5	·42	–	·17	–	–	–	–	·16	–	·06	·60	·06	5
6	·23	–	·02	–	–	–	–	·04	–	–	·37	·94	6
7	·06	–	–	–	–	–	–	–	–	–	·53	·01	7
8	·09	–	·09	–	–	–	–	–	–	–	·50	·93	8
9	·15	–	·04	–	–	–	–	–	–	–	·46	·31	9
10	·05	·03	·70	–	·12	–	–	–	–	–	·16	·55	10
11	·38	–	–	–	·03	–	–	–	·06	–	·39	·25	11
12	–	–	·48	–	–	–	–	–	·53	–	·32	·23	12
13	–	–	·06	–	·03	–	–	–	·14	·04	·05	·11	13
14	–	·06	·02	–	–	–	–	–	–	·06	·08	·23	14
15	·06	·04	·09	–	–	·04	–	–	–	–	·37	·07	15
16	–	·02	·01	–	–	·17	–	–	–	–	·16	·31	16
17	·03	·04	·01	·01	–	·44	·03	–	–	–	·22	·72	17
18	–	·45	–	·17	–	·07	–	–	–	·16	·35	·55	18
19	–	·05	·03	·13	–	·57	–	–	·50	·07	·21	·83	19
20	–	·07	·07	·25	–	–	–	·02	·46	·55	–	·21	20
21	·03	·25	–	–	–	·09	–	·54	·19	·24	–	·09	21
22	·02	·15	·01	·15	–	·14	–	–	·18	1·16	–	·31	22
23	–	·12	–	–	–	·24	–	·16	·15	·19	·18	·12	23
24	–	·26	–	–	–	·79	–	·04	–	·35	–	·17	24
25	·03	·03	·02	·26	–	·04	–	–	·07	·16	–	·09	25
26	–	·11	–	·37	·06	–	·24	·25	–	·45	·01	·25	26
27	–	·76	–	–	–	·02	–	·47	·20	·32	–	·18	27
28	–	·15	–	·56	–	–	–	·07	–	–	·30	·01	28
29	–		·03	·07	–	·81	·15	·04	·33	·30	–	–	29
30	–		–	–	–	·03	·03	–	·06	·29	·07	·04	30
31	–		–		–		·05	–		·09		·02	31
Total	1·65	2·59	1·99	2·37	1·13	3·50	·50	2·79	2·89	5·21	6·51	8·75	TOTAL for year 39·88
No. of Rain Days.	13	16	19	11	8	14	5	14	13	20	23	30	186

W. 8,000, X. '11.

Small

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

2 JAN 1913

Kept at Abbotsham* (High Park)

in the County of Devon N3

by Gilbert Sheldon

* Actually in Littleham parish, but this is the nearest village

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground - ft. 10 in.
" " " Sea Level 300 ft.

Time of Observation 9.0 A.M.

Nearest Railway Station
Name Bideford
Distance 3 m. Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·44		·04	·45	·03		·10	1·62		·32	1
2			·28	·02		1·53	·01			·07	·06	·01	2
3	·03	·08	·52		·02	·09	·05	1·29	·10			·03	3
4	·38		1·02		·02	·15		·16	·01		·18		4
5	·75		·16	·01	·02		·03	·63				·06	5
6	·59	·12	·02		·27			·46				·09	6
7	·05	·35	·19	·01	·06	·40	·17	·22				·08	7
8	·37	·10	·02	·04		·35		·01					8
9	·01	·25	·29	·02		·15	·11	·75	·03		·03	·67	9
10	·31		·08			·09	·06	·11			·17	·04	10
11	·62						·02				·22	·73	11
12	·04	·03	·16	·01	·15	·03	·17	·12			·04	·04	12
13	·29	·02	·02				·20	·15		·09		·42	13
14	·15	·03	·49		·16			·42		·03	·02	·06	14
15	·12	·05	·04		·06	1·18		·03			·02	·65	15
16	·14		·28		·08	·08		·14		·09	·02	·13	16
17			·24			·18		·45		·02	·03	·38	17
18			·34					·31		·17	·02	·09	18
19		·13	·16		·03	·05	·02	·68		·04	·01	·07	19
20	·04	·06	·27		·03			·33		·63	·09		20
21		·11	·47		·44			·27		·15	·01		21
22	·31	·31	·26			·07	·02	·39		·13	·04	·11	22
23	·11	·45	·24		·03	·45		·83		·22	·14	·37	23
24	·03	·07	·04			·36	·10			·23	·01	·15	24
25	·03		·01			·40		·22		·20	·81	·75	25
26		·12	·01				·07	·07		·32	·45	·25	26
27		·02	·01			·42	·45	·02		·83	·04	·81	27
28		·12	·01			·39	·29	·70	·26	·15	·51	·62	28
29		·27			·02	·17	·91	·21	·35	·27	·02	·13	29
30			·09			·20	·27	·01	·02	·64	·01	·03	30
31			·39				·18	·02		·05		·12	31
Total	3·77	2·69	6·55	·11	1·43	7·19	3·16	9·00	·87	5·95	2·95	7·21	TOTAL for year 50·88
No. of Rain Days	19	19	29	6	15	21	19	27	7	20	23	27	232

9,000, IX. '10.

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
2 - JAN 1914

Kept at High Park, Littleham, Bideford

in the County of N Devon 3 Ex BR

by Gilbert Sheldon

RAIN GAUGE:
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 300 ft.

Time of Observation 9 A.M.

Nearest Railway Station: Name Bideford
Distance 3 m. Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08	·25	·28	·06	·11	—	—	—	·02	—	·26	·22	1
2	·03	·25	·02	·03	·15	·02	—	—	—	·32	·22	·04	2
3	·07	·02	·06	—	·20	—	—	—	—	·04	·02	·30	3
4	·89	—	·05	—	—	·05	·07	—	·08	·33	·11	·28	4
5	·18	·02	·05	—	·27	·72	·06	—	·28	·01	·65	·79	5
6	·09	·12	·19	—	·03	·22	—	—	—	·12	·41	·22	6
7	·02	·71	·04	—	·59	·13	·02	—	—	·46	·15	·03	7
8	·03	·34	·02	—	·12	·02	·01	·04	—	—	—	·02	8
9	·01	—	·04	·03	·12	·23	·11	·20	·05	—	·52	·06	9
10	·60	—	·03	·03	·09	·06	·01	·04	—	·51	·25	—	10
11	·47	—	—	·06	·16	·20	·03	·02	·07	·04	·70	·10	11
12	·31	—	·02	·12	·03	·07	·02	—	·35	—	·52	·10	12
13	·13	—	·35	·01	—	·01	·02	·08	·47	—	·18	—	13
14	·18	—	·24	—	—	—	—	·01	·13	·19	·13	·04	14
15	·08	—	·57	1·42	—	—	—	—	—	—	·30	·06	15
16	·19	—	·83	·08	—	—	·01	—	·06	—	·04	—	16
17	·28	—	·02	·09	—	—	·05	—	—	—	·12	—	17
18	·26	—	·23	·16	·01	·04	·02	—	—	—	·11	—	18
19	·53	—	·11	—	·09	—	·04	—	·28	·44	·02	—	19
20	·11	—	·42	·10	·01	—	—	—	·07	·22	·55	—	20
21	·01	—	·23	·32	·11	—	·12	·03	·01	·07	·25	—	21
22	·48	—	·81	·05	·02	·24	·01	·33	·09	—	—	·15	22
23	·04	—	·04	—	—	—	—	·04	·02	—	·16	·63	23
24	·11	—	—	·18	—	·01	—	—	·01	—	·18	—	24
25	—	·08	—	·43	—	—	—	—	·06	·02	·14	·22	25
26	—	·02	—	·87	—	·01	—	·02	·02	—	·05	·61	26
27	·29	—	·23	·19	—	—	—	·01	—	·32	·02	·03	27
28	·09	—	·05	·27	·34	—	—	—	·06	·22	·03	·10	28
29	·02		·22	·67	·03	—	—	—	—	·12	·04	—	29
30	·54		—	·01	·01	—	—	—	—	·39	·02	—	30
31	·34		·86		·24		—	·14		·05		—	31
Total	6·46	1·81	6·01	5·18	2·73	2·03	·60	·96	2·13	3·87	6·25	4·00	TOTAL for year 42·03
No. of Rain Days.	29	9	26	21	20	15	15	12	18	18	28	19	230 days

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

21 SEP 1914

Kept at High Park, Littleham, Bideford
in the County of Devon N 3.
by Gilbert Sheldon

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Bideford (3 miles)
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·03	·15	—	·23	·02	·66	—				1
2	·03	—	—	—	·02	·01	·72	·29	—				2
3	·06	—	·16	·30	·51	—	—	·14	—				3
4	·47	—	·12	·34	·02	—	·61	·76	—				4
5	·11	—	·32	·38	·01	—	·25	·02	—				5
6	—	·05	·15	·32	·09	·02	·34	·05	—				6
7	·05	·58	·37	·08	·13	·05	·38	·22	·23				7
8	·13	—	1·08	·02	·12	·27	·07	·09	·01				8
9	·13	·05	·23	·08	·13	·80	—	·24	·35				9
10	·07	·31	·09	·38	·04	·02	—	—	·27				10
11	—	·16	·59	—	—	·13	—	—	·01				11
12	—	·67	·10	—	—	—	—	—	·34				12
13	—	·57	·67	—	—	—	·07	—	·38				13
14	—	·71	·39	—	—	·02	·17	1·08	·03				14
15	—	·02	·23	—	—	—	·02	·23	·12				15
16	—	—	—	—	—	—	—	—	·14				16
17	—	·50	·30	—	—	—	·02	—	·06				17
18	—	·19	·35	—	—	—	·11	—	·33				18
19	—	·02	·25	—	—	—	1·12	—					19
20	—	·40	·12	—	—	·20	—	—					20
21	—	·20	—	—	—	·03	·11	—					21
22	—	·25	·06	·03	·04	·10	·01	·03					22
23	—	·10	·13	—	—	·03	·09	·03					23
24	—	—	·12	—	—	·03	·09	·04					24
25	·35	·02	·23	—	—	—	·22	·44					25
26	·11	·01	·04	—	—	—	·08	·02					26
27	·13	·03	—	—	—	—	·01	—					27
28	·03	·08	·13	—	·10	—	—	—					28
29	·36		·48	—	·09	—	—	—					29
30	·03		·23	—	—	—	—	—					30
31	·11		—		·08		·43	—					31
Total	2·17	4·92	6·97	2·08	1·38	1·94	4·94	4·34					YEAR'S TOTAL
Rain Days.	15	20	26	10	13	14	21	16					

W. 7,500, XI. ·12

ARLINGTON COURT.

DEVON

1911 – 1920

mo

R... 11

FORM A2 BRITISH RAINFALL

JAN 1912

Kept at Arlingt... ...ella L^n Crasella

...5 ins

in the County of ...

...e Ground 1 ft. in.

Sea Level 613 ft.

by W W ...

...a^m Name Chelfham

Distance 4 miles Direction SW

IMPORTANT NO... ...d the result entered to the previous day. If an O... ...lversal rule, he is earnestly requested to add the re... ...year in the space provided for it at the end of th... ...ement of rain, the selection and plac... ...British Rainfall Organization are given ... application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19	—	—	.30	—	—	—	.37	—	—	.17	—	1
2	—	—	.03	—	.35	—	—	.24	—	.28	.44	.21	2
3	—	—	.15	—	.72	—	—	.07	.05	—	.24	.19	3
4	—	—	.28	—	—	—	—	.23	—	—	.70	.68	4
5	.16	—	.23	—	—	—	—	.24	—	.08	.50	.13	5
6	.36	—	.20	.03	—	Dew .02	—	.10	—	—	.50	.59	6
7	.35	—	—	—	—	—	Dew .02	—	—	—	.52	—	7
8	.51	—	.31	—	—	—	—	—	—	—	.60	16 1.06	8
9	.31	—	.06	—	—	—	—	—	—	—	.76	.28	9
10	.09	.15	.74	—	.48	—	—	—	—	—	—	.56	10
11	.63	—	—	—	—	—	—	—	—	—	.57	.55	11
12	—	—	.80	—	—	—	—	—	.30	—	.30	.25	12
13	—	—	—	—	.27	Dew .01	—	.06	.59	—	.12	.11	13
14	—	.47	—	—	—	—	—	—	—	—	.06	.28	14
15	.07	.12	—	—	—	.07	—	—	—	—	.50	.13	15
16	—	.06	—	—	Dew .03	.17	—	—	—	—	.16	.22	16
17	—	.16	—	—	—	.26	—	—	—	—	.52	.47	17
18	—	.50	—	.21	—	.07	—	—	—	.06	.27	.30	18
19	—	.11	—	.28	—	.88	—	—	.64	.18	.50	.70	19
20	—	.18	—	.56	—	—	—	.01	81	.30	—	.19	20
21	.05	.78	—	—	—	.08	—	.06	.14	.35	—	.12	21
22	.04	.03	—	55	—	.22	—	—	.25	.32	—	.49	22
23	.04	.24	—	—	—	.08	—	.01	.64	.13	—	.09	23
24	.05	.55	—	—	—	.93	—	.32	—	.45	—	.32	24
25	.25	.10	—	.57	—	.13	—	.05	.08	.36	—	.11	25
26	.05	.27	—	.70	—	—	.40	.85	—	.46	.02	.65	26
27	—	1.85	.07	—	—	—	—	.66	.26	.24	—	.42	27
28	—	.29	—	.60	—	.07	—	.05	—	—	56	.09	28
29	—		—	.50	—	1.50	.19	11	.62	1..	—	.05	29
30	—		—	—	Dew ~~.06~~ 9	.16	.09	—	—	.24	.05	.15	30
31	—		—		—		—	—		.23	~~.05~~	.05	31
Total	3.15	5.86	2.87	4.30	1.82 1.85	4.65 4.65	.68 .70	3.33 3.43	4.38	4.68	8.09 8.06	9.46 9.44	TOTAL for year 53.37
No. of Rain Days.	19	16	10	10	6 5	15	4	16	11	~~14~~ 15	21	29	167

W. 8,000, X. '11.

mo

FORM A2 BRITISH RAINFALL
JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Arlington Court

in the County of Devon N2

by W W Pike

Rain Gauge:
Pattern L' Casella L' Casella
Diameter of top 5 ins
Height of top above Ground 1 ft. in.
" " " Sea Level 613 ft.

Time of Observation 9 a m

Nearest Railway Station: Name Chelfham
Distance 4 miles Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	—	—	·30	—	—	—	·37	—	—	·17	—	1
2	—	—	·03	—	·35	—	—	·24	—	·28	·44	·21	2
3	—	—	·15	—	·72	—	—	·07	·05	—	·24	·19	3
4	—	—	·28	—	—	—	—	·23	—	—	·70	·68	4
5	·16	—	·23	—	—	—	—	·24	—	·08	·50	·13	5
6	·86	—	·20	·03	—	dew ·02	—	·10	—	—	·50	·59	6
7	·35	—	—	—	—	—	dew ·02	—	—	—	·52	—	7
8	·51	—	·31	—	—	—	—	—	—	—	·60	1·06 1·06	8
9	·31	—	·06	—	—	—	—	—	—	—	·76	·28	9
10	·09	·15	·74	—	·48	—	—	—	—	—	—	·56	10
11	·63	—	—	—	—	—	—	—	—	—	·57	·55	11
12	—	—	·80	—	—	—	—	—	·30	—	·30	·25	12
13	—	—	—	—	·27	dew ·01	—	·06	·59	—	·12	·11	13
14	—	·47	—	—	—	—	—	—	—	—	·06	·28	14
15	·07	·12	—	—	—	·07	—	—	—	—	·50	·13	15
16	—	·06	—	—	dew ·03	·17	—	—	—	—	·16	·22	16
17	—	·16	—	—	—	·26	—	—	—	—	·52	·47	17
18	—	·50	—	·21	—	·07	—	—	—	·06	·27	·30	18
19	—	·11	—	·28	—	·88	—	—	·64	·18	·50	·70	19
20	—	·18	—	·56	—	—	—	·01	·81	·30	—	·19	20
21	·05	·78	—	—	—	·08	—	·06	·14	·35	—	·12	21
22	·04	·03	—	·55	—	·22	—	—	·25	·32	—	·49	22
23	·04	·24	—	—	—	·08	—	·01	·64	·13	—	·09	23
24	·05	·55	—	—	—	·93	—	·32	—	·45	—	·32	24
25	·25	·10	—	·57	—	·13	—	·05	·08	·36	—	·11	25
26	·05	·27	—	·70	—	—	·40	·85	—	·46	·02	·65	26
27	—	1·86	·07	—	—	—	—	·66	·26	·24	—	·42	27
28	—	·29	—	·60	—	·07	—	·05	—	—	·56	·09	28
29	—		—	·50	—	1·50	·19	·11	·62	1··	—	·05	29
30	—		—	—	dew ~~·06~~ 7	·16	·09	—	—	·24	·05	·15	30
31	—		—		—		—	—		·23	~~·05~~	·05	31
Total	3·15 3.15	5·86	2·87	4·30	1·85 1·85	4·65 4·65	·78 ·70	3·33 3.43	4·38	4·68	8·09 8·06	9·46 9·44	TOTAL for year 53·37
No. of Rain Days.	17	16	10	10	6 5	15	4	16	11	~~14~~ 15	21	29	167

W. 8,000, X. '11.

cord fr auth 22·11·13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

6 JAN 1913

Kept at Arlington Court

in the County of Devon N2

by Henry Worth.

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Bratton Fleming

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 613 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.21	—	.31	—	.11	.43	.13	.18	.07	1.00	—	.25	1
2	.96	—	.30	.05	—	.97	.11	—	—	—	.10	—	2
3	.2183	—	.24	.05	.01	.07	.19	1.14	.57	—	—	.14	3
4	.9677	—	.83	—	—	—	—	.12	—	—	.47	—	4
5	.8306	.06	.28	.05	.11	—	—	.36	.31	—	—	.02	5
6	.7750	.10	.04	—	.33	—	—	1.15	—	—	.20	.12	6
7	.0607	.29	.20	—	.45	.38	.12	.44	—	—	.20	.05	7
8	.5009	.09	.22	—	—	.13	.02	.14	—	—	—	—	8
9	— 00	.25	.05	.18	—	.58	.18	.82	—	—	—	.80	9
10	.4315	—	—	—	—	.35	.13	.17	—	—	.44	—	10
11	— 19	—	—	—	—	—	.02	—	—	—	.28	.65	11
12	.0706	.30	.35	—	.05	.02	.22	—	—	—	—	.10	12
13	.0970	—	.05	—	—	.03	—	.30	—	.15	—	.57	13
14	.1013	.04	.68	—	.31	—	—	.57	—	—	—	.27	14
15	.15	.07	.08	—	.17	1.60	—	.05	—	—	—	1.23	15
16	.19	—	.38	.01	—	.08	—	.35	—	.28	.01	.14	16
17	.06	.01	.24	—	.03	.41	—	.61	—	—	—	.66	17
18	—	.08	.58	—	—	—	—	.34	—	.47	.04	.05	18
19	—	.25	.11	—	—	.08	.03	.87	—	.12	—	.03	19
20	—	.07	.68	—	.04	.01	—	.12	—	.70	.13	—	20
21	—	.15	.50	—	.34	—	—	.58	—	.17	—	—	21
22	.70	.16	.18	—	—	—	.05	.97	—	.13	.10	.22	22
23	.05	.49	.40	—	—	1.27	.04	1.52	—	.63	.39	.37	23
24	—	.09	.14	—	—	.27	.09	—	—	.34	—	.21	24
25	.02	—	.03	—	—	.29	—	.28	—	.26	.92	.67	25
26	—	.17	—	—	—	.01	—	.13	—	.63	.54	.23	26
27	—	—	.14	—	—	.85	.70	—	—	1.03	.06	1.00	27
28	—	.15	—	—	—	.68	.72	.82	.14	.34	.50	.47	28
29	—	.20	—	—	—	.29	.81	.30	.34	.34	—	.17	29
30	—		.18	—	.06	.87	.31	—	.10	.27	—	.07	30
31	—		.54	—	—		.23	.22		—		.12	31
Total	5.19	3.02	~~8~~7.93	.34	2.01	9.67	4.10	12.49	1.47	6.86	4.38	8.61	YEAR'S TOTAL 66.07
Rain Days.	16	19	26	5	12	22	18	25	6	16	15	25	66.07

W. 7,500, XI. 12

7.93

203

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
5 JAN 1914

Kept at N Arlington Court

in the County of N Devon 2

by H. Worth

Lat. 51. 8.45 Long. 3 58 52.

Time of Observation 9 am

Nearest Railway Station Chelfham Lynton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 613 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	.33	.24	.13	—	—	—	—	—	—	.20	.75	1
2	.04	.28	—	.06	.22	.05	—	—	—	—	.21	.20	2
3	—	—	.08	.05	.58	.02	—	—	—	—	.03	.40	3
4	1.10	—	—	.07	—	.11	.01	—	.07	.03	.20	.58	4
5	.10	.07	.16	—	.32	.85	.07	—	.06	—	.75	.50	5
6	.07	.10	.17	—	.07	.58	—	—	—	.20	.29	.73	6
7	—	.40	—	—	.40	.34	.06	—	—	.65	.17	.02	7
8	—	.20	—	—	.20	—	.03	.02	—	.03	—	.18	8
9	—	.09	.32	.07	.18	.70	—	.08	.06	.05	.25	.30	9
10	.80	—	.36	—	.02	.15	—	.13	—	.80	.15	—	10
11	.82	—	—	.20	.12	.10	—	.11	.13	.13	.89	.30	11
12	.22	—	—	—	.05	.10	—	—	.10	—	.51	.03	12
13	—	—	.60	—	—	—	.09	.23	.43	—	.35	—	13
14	.54	—	.30	—	—	—	—	—	.04	.24	.27	.28	14
15	.16	—	.37	1.69	—	—	—	—	—	—	.46	.23	15
16	.20	—	.85	.14	—	—	.10	—	.20	—	.40	—	16
17	.27	—	.08	.15	—	—	.17	—	—	—	.50	—	17
18	.12	—	.30	.40	—	—	.04	—	—	—	.15	—	18
19	.50	—	.09	—	.22	.06	.19	—	.40	.43	.09	—	19
20	.44	—	.27	.15	—	—	—	—	.15	.27	.56	—	20
21	—	—	.13	.47	.23	.02	.16	.11	—	.02	.38	—	21
22	1.60	—	1..	—	.16	.30	—	.36	.16	—	—	—	22
23	.02	—	—	—	—	.01	—	.25	.03	—	.22	.48	23
24	.11	.10	—	.33	—	—	—	.07	—	—	.20	—	24
25	—	—	—	.33	—	—	—	—	.12	—	.30	.26	25
26	—	.04	—	.70	—	.03	—	—	.03	—	.04	.60	26
27	.14	—	.13	.35	—	—	—	—	—	.34	.02	.07	27
28	.15	—	.30	.22	.17	—	—	—	—	.53	.04	.05	28
29	—		.33	.43	.06	—	—	—	—	.16	.20	—	29
30	.56		—	—	—	—	—	—	—	.43	.46	—	30
31	.31		.53		.36		—	.29		—		—	31
Total	8.32	1.61	6.61	5.94	3.36	3.42	.92	1.65	1.98	4.33	8.29	5.96	YEAR'S TOTAL 52.39
Rain Days.	22	9	20	18	16	15	10	10	14	15	28	18	195

W.7,000. XI. 13

[illegible] W.D. 20.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Arlington Court
in the County of Devonshire N2
by Miss Chichester

Lat. 51. 8. 45 Long. 3. 58. 52
Time of Observation 9. am
Nearest Railway Station Bratton Fleming
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 613 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	14	10	—	—	·17	—	·53	—	—	·43	·88	1
2	—	—	·10	·12	—	·20	·09	1·05	—	—	·21	·15	2
3	·04	—	—	—	·03	—	·45	·36	—	—	·02	·40	3
4	·05	—	·61	·30	·56	—	—	·03	—	—	·39	·09	4
5	·45	—	·30	·35	·22	—	·43	·37	—	—	·08	·97	5
6	·14	—	·65	·60	·08	—	·05	—	—	—	·35	·15	6
7	—	·04	·17	·35	·14	·65	·26	30	—	—	·01	·32	7
8	·18	·34	·50	·54	·34	·07	·70	·42	·02	—	—	·27	8
9	·45	—	1·10	·10	·34	·56	·01	·14	—	—	—	~~·0~~	9
10	·65	·05	·21	·15	·26	·75	—	·27	·72	—	·08	·04	10
11	·25	·40	·04	·56	·50	—	—	—	·69	—	·24	·64	11
12	—	·26	1·10	—	·10	·17	—	—	—	—	·33	·15	12
13	—	·42	·30	—	—	—	—	—	·67	·03	·68	·13	13
14	—	·43	·50	—	—	—	·09	—	1·06	·31	·50	·01	14
15	—	·50	·55	—	—	·10	·03	·30	—	·36	·60	·13	15
16	—	·05	·48	—	—	—	·04	1·14	·18	·04	—	·14	16
17	—	—	·03	—	—	—	·11	—	·30	—	—	·53	17
18	—	·41	·32	—	—	—	·20	—	·08	—	—	·68	18
19	—	·23	·30	—	—	—	·09	—	·20	—	·07	·11	19
20	—	·25	·25	—	—	—	1·00	—	—	—	—	·18	20
21	—	·31	·15	—	—	·12	—	—	—	—	—	·65	21
22	—	·16	—	—	—	—	·09	—	—	·10	—	—	22
23	—	·13	·06	·06	0·4	·59	—	·24	—	·20	—	—	23
24	—	·10	·22	—	—	—	·17	·02	—	·20	·69	·02	24
25	—	—	·10	—	—	·02	—	·15	—	—	·05	·30	25
26	·32	—	·28	—	—	—	·24	1·27	—	·64	·43	·43	26
27	·10	—	·05	—	—	—	·33	·05	—	·22	·61	·25	27
28	·14	0·5	—	—	—	—	·03	—	—	·22	·33	1·05	28
29	·06		·15	—	·10	—	—	—	—	·48	·31	·15	29
30	·40	✕	·40	—	·11	—	—	—	—	·28	·02	·22	30
31	·04	✕	·11	✕	—	✕	—	—	✕	·12	✕	·32	31
	·14	·10	-	-	·17	-	·53		-	·43	·88		YEAR'S TOTAL
Total	3·27	4·27	9·13	3·13	2·82	2·80	4·41	6·44	3·86	3·09	6·44	8·88	58·52 58·72
Rain Days.	15	18	28	10	13	10	19 20	15	9	12	21	28	days [illegible]
W. 8,000	3·41	4·23	9·03	3·13	2·99	2·63	4·94	6·11	3·86	3·63	6·88	7·88	200

cod pr auth 17·11·16

1959

FORM A.
BRITISH RAINFALL.

6 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Arlington Court

in the County of Devonshire N2

by Miss Chichester

Lat. 51·8·45 Long. 3·58·52

Time of Observation 9 a.m.

Nearest Railway Station ~~Bratton Fleming~~ Blackmoor Gate

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 613 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01 ~~·06~~	·55	—	·01	·35	—	—	·40	·82	·31	·15	·58	1
2	·48	·14	·63	·28	—	·14	—	·77	·03	·06	—	·34	2
3	·30	·03 ·63	·31	·65	·09	·02	·02	—	—	—	—	·51	3
4	·16	·58	·16	·01	·10	—	·20	—	—	—	—	·78	4
5	·01	·43 ·43	·06	·07	—	·04	—	·46	—	—	—	·55	5
6	·16	·12	—	·68	—	—	·30	·21	—	—	—	·35	6
7	·57	·80	—	·07	—	—	·39	·18	—	·19	·07	·48	7
8	·47	·60	—	—	—	—	·01	·23	—	·02	·46	·07	8
9	·44	·49	—	·22	—	—	—	·14	—	—	·96	1·27	9
10	·04	·13	·20	·11	—	—	—	·35	—	·11	·02	·02	10
11	·84	·25	·65	—	·03	—	·02	·03	—	—	1·17	·09	11
12	·12	·25	—	·09	·33	—	·05	—	—	·13	·37	·22	12
13	·40	·62	—	·01	·61	—	·14	·07	·18	·05	·16	·20	13
14	·12	·01	—	—	—	—	·07	·22	·46	·02	·06	1·57	14
15	·18	·0	—	—	·31	—	·33	—	·38	·06	·21	·17	15
16	·34	·87	—	·04	·16	—	1·34	—	·03	—	—	—	16
17	·0	·20	·02	—	·03	—	—	—	—	—	—	·02	17
18	·02	·68	·01	—	—	—	·11	—	—	—	—	—	18
19	·0	·05	—	·10	·29	—	·75	—	—	—	—	—	19
20	·63	·02	—	·12	—	·03	·01	—	—	·13	—	·11	20
21	·98	·26	—	—	·08	·61	·23	—	·02	·55	—	·51	21
22	·18	·10	·21	·04	—	·14	·50	—	·01	·20	—	·32	22
23	·17	·02	·14	—	—	·03	·15	—	·07	·64	—	1·29	23
24	·13	·0	·02	·04	—	—	·20	—	·18	·38	—	·39	24
25	·0	·0	·02	—	—	·16	·40	—	—	·04	·05	·30	25
26	·0	·16	—	—	—	·30	·12	—	·57	—	—	·37	26
27	·0	·19	—	—	—	·26	·13	—	—	·67	—	·08	27
28	·0	·08	·01	—	—	·05	·01	·03	·38	·18	—	—	28
29	·0		—	—	—	·11	—	·01	·11	·02	·32	·05	29
30	·0	X	—	·03	—	·09	—	—	·04	·42	·48	·33	30
31	·15	X	—	X	—	X	·09	·47	X	·37	X	·29	31
Total	6·30 6·30	7·77 7·63	1·84	2·57	2·26 2·38	1·75 1·38	5·57	3·57	3·28	4·55	4·48	11·26	YEAR'S TOTAL ~~55·36~~ 54·81
Rain Days.	23	25	13	17	11	13	23	14	14	20	13	27	213

W. 8,000. X. 15.

FORM A. BRITISH RAINFALL.

2 JAN 1

REGISTER OF RAINFALL IN 1916

Kept at Arlington Court

in the County of Devon

~~By~~ for Mis Chichester. Frost is away in France.

Lat. 51.0.45 Long. 3 58 52

Time of Observation 9 am

Nearest Railway Station Chelfham. Lynton Railway 4 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 613. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.24	—	.26	—	.20	.61	.41	—	.01	66	—	—	1
2	1.14	.10	.28	—	.07	.01	.11	—	23	.79	.13	—	2
3	.01	1.10	.56	03	.22	.23	.56	—	.03	49	.10	02	3
4	.42	30	—	03	.16	.97	.60	—	.18	.09	(.82)	—	4
5	.25	.05	—	—	.10	.08	—	—	—	.17	.90	—	5
6	.34	.47	—	.02	.18	.05	.46	—	—	.25	.50	—	6
7	.04	.85	.07	—	.55	.06	—	—	—	—	.71	.31	7
8	—	.23	.33	.02	.17	.25	—	—	—	—	.40	.10	8
9	—	.11	.07	—	.09	.01	.14	—	—	.15	.10	.40	9
10	—	1.11	—	.24	.04	—	—	—	—	.03	.05	—	10
11	—	—	.02	.46	.12	—	—	—	.15	.04	.05	—	11
12	.12	.23	.02	.14	.70	—	.33	.08	—	.75	—	—	12
13	—	.61	—	.04	.02	—	.01	.30	—	.22	—	—	13
14	.20	.51	.14	—	.22	—	—	.55	—	.08	—	—	14
15	.07	.64	.01	.23	.07	—	.02	.86	.02	.04	—	—	15
16	—	.07	—	.71	.05	—	21	.41	.07	.14	—	—	16
17	.35	.46	—	.08	—	—	—	—	1.42	.33	.27	—	17
18	.04	.75	.14	.08	—	—	—	—	.11	.20	—	—	18
19	.32	.12	.05	.35	—	—	—	.05	—	—	37	.25	19
20	.10	.22	.15	.01	—	—	—	—	—	—	.32	.25	20
21	.14	.09	.28	—	.03	06	—	—	—	—	.11	.30	21
22	—	—	.01	—	—	07	—	.07	—	10	.08	.46	22
23	.10	—	.01	.24	—	.39	—	35	—	.09	.18	.37	23
24	—	.13	.20	.07	.20	.01	—	.06	—	.36	.03	.29	24
25	.04	.10	.43	—	.02	.18	—	70	03	.13	.34	06	25
26	.22	.18	.28	—	.02	.11	—	—	55	.36	.03	—	26
27	.21	.43	.32	—	.19	.01	—	27	39	.55	—	—	27
28	—	.03	.25	—	—	.02	—	.02	.01	.31	—	1.13	28
29	—	.16	.22	—	—	.88	—	104	.08	.90	—	63	29
30	—	✗	—	—	—	.02	—	.07	—	.52	—	10	30
31	—	✗	—	✗	—	✗	—	.37	✗	.27	✗	15	31
Total	4.35	8.55	4.10	2.75	3.42	4.02	2.86	5.20	3.28 ~~3.65~~	8.02 ~~8.00~~	4.99	4.82	YEAR'S TOTAL 56.35
Rain Days.	19	25	22	16	21	19	10	15	14	26	19	15	221

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Arlington Court

in the County of Devon

~~by~~ for Mrs Chichester

Lat. 51. 8 45 Long. 3. 58 52

Time of Observation 9 am

Nearest Railway Station Chelfham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 613 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	MM	MM	MM	MM	MM	MM	Ins	Ins	Ins	Ins	Ins	Ins	
1	6.2	—	6-	—	4.9	16.	44	—	.01	67	—	—	1
2	28.5	9.9	6.8	—	1.8	.3	10	—	24	80	14	—	2
3	.4	29.4	14.4	-8	5.6	5.9	59	—	.03	50	12	02	3
4	11.8	7.5	—	.8	3.6	20.6	57	—	18	10	36	—	4
5	7.3	1.2	—	—	2.5	2.	—	—	—	20	92	—	5
6	9.0	11.8	—	.6	4.5	.9	49	—	—	29	54	—	6
7	.8	8.5	1.8	—	13.5	1.	—	—	—	—	72	33	7
8	—	6.0	7.9	.6	4.5	7.	—	—	—	—	40	120	8
9	—	1.5	1.9	—	2.2	.4	15	—	—	16	10	44	9
10	—	20.8	—	55	1.6	—	—	—	—	05	.05	—	10
11	—	—	-6	116	3.1	—	—	—	16	04	.06	—	11
12	2.8	6.2	-6	2.7	17.5	—	36	07	—	79	—	—	12
13	—	16.1	—	-8	.6	—	.02	31	—	23	—	—	13
14	5.	15.1	3.5	—	5.4	—	—	50	—	10	—	—	14
15	1.4	14.8	-4	6.	2.	—	.02	87	03	04	—	—	15
16	—	1.5	—	183	1.5	—	.22	45	.07	14	—	—	16
17	9.5	11.5	—	1.2	—	—	—	—	1.43	35	30	—	17
18	1.1	18.3	4.	1.6	—	—	—	—	11	20	—	—	18
19	8.2	3.7	1.4	7.6	—	—	—	.06	—	—	38	26	19
20	2.6	6.7	3.8	.3	—	—	—	—	—	—	32	26	20
21	4.1	2.4	7.	—	.7	1.4	—	—	—	—	11	31	21
22	—	—	.4	—	—	1.8	—	.08	—	12	10	49	22
23	2.9	—	.4	6.4	—	9.6	—	35	—	10	20	39	23
24	—	3.3	4.6	1.8	4.8	.4	—	.07	—	38	04	30	24
25	1.1	2.5	11.9	—	.5	4.3	—	71	.04	14	34	07	25
26	6.	4.4	5.2	—	.5	2.7	—	—	57	39	.03	—	26
27	5.5	11.1	7.8	—	4.1	.4	—	26	40	60	—	—	27
28	—	.6	12.9	—	—	.7	—	.02	.01	32	—	1.15	28
29	—	15.9	5.2	—	—	22.5	—	1.03	.08	90	—	64	29
30	—	X	—	—	—	Ins .02	—	.08	—	53	—	11	30
31	—	X	—	X	—	X	—	40	X	27	X	16	31
Total	114.2	223.7	108.5	66.6	85.4	97.9	2.96	5.28	3.36	8.41	5.23	5.05	YEAR'S TOTAL 57.72
Rain Days.	4.50 19	8.81 25	4.27 22	2.62 16	3.36 21	3.85 .02 3.87 16	16	15	14	26	19	15	221

W. 8,000, X. 15.

1828

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Arlington
in the County of Devon
by

Lat. 51. 8. 45 Long. 3. 58. 52
Time of Observation 9 am
Nearest Railway Station Chelfham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 613 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	–	.17	.22	–	.46	–	.48	.08	–	.36	–	1
2	.07	–	.06	.20	–	.17	–	.05	–	.18	.25	–	2
3	.26	–	–	.13	–	–	.42	–	–	1.55	.50	–	3
4	–	.05	.30	–	–	–	.04	–	.05	.35	–	–	4
5	.50	–	.30	.54	–	.31	–	–	.04	.39	.20	–	5
6	.04	–	.34	.01	–	.05	–	.10	–	.27	.45	.21	6
7	.54	–	–	–	–	–	.14	.13	–	.31	.10	.09	7
8	.07	–	.12	.15	–	.26	.13	.60	.21	1.00	1.53	.32	8
9	–	–	.02	.09	.08	–	.02	.34	–	.50	.17	–	9
10	.37	–	.24	.36	–	.03	–	11	–	.33	.05	–	10
11	.05	–	.13	.48	–	–	–	.10	–	.74	.31	–	11
12	.15	–	–	.03	.22	–	–	.13	–	1.23	.01	.01	12
13	.05	–	.22	.16	–	.11	–	.16	.72	.16	–	.04	13
14	–	–	–	.11	–	–	–	.42	.06	.17	.03	.05	14
15	–	–	–	.09	–	–	–	–	.05	.26	–	.22	15
16	–	.06	–	.04	–	.05	–	–	–	.10	.08	.50	16
17	–	.02	.12	.65	–	–	.46	.23	.40	.18	.05	–	17
18	–	–	–	–	.06	.02	.75	.03	1.40	.02	.08	–	18
19	–	.78	.06	–	–	.29	–	.21	.02	–	.04	–	19
20	–	.30	–	–	.33	.41	–	–	.03	–	.04	–	20
21	–	.01	.11	–	–	–	–	.18	–	.15	.55	–	21
22	–	–	–	–	.33	–	–	.30	–	.40	–	–	22
23	–	.43	–	–	.10	.09	–	.98	–	.24	.10	.06	23
24	–	.02	.01	–	–	.14	.31	.25	–	.77	.37	–	24
25	–	.10	.11	–	–	.03	.05	.40	.25	.45	.05	–	25
26	–	–	–	–	.50	.08	.02	.60	.70	.26	.23	–	26
27	–	–	–	–	.01	.08	.07	1.50	–	.15	.05	–	27
28	–	.21	.20	–	.12	2.10	.03	.26	–	.15	.10	.01	28
29	–	–	.23	–	–	.15	–	.12	–	.58	.08	.16	29
30	–	X	.02	–	–	–	.04	.78	–	.20	.06	–	30
31	–	X	.02	X	.36	X	–	.44	X	.31	X	–	31
Total	2.13✓	1.98✓	2.78 2.78	3.26✓	2.17✓	4.83✓	2.48✓	8.90✓	4.01✓	11.50✓	4.84✓	1.67✓	YEAR'S TOTAL 50.49 50.49
Rain Days	11✓	10✓	19✓	15✓	10✓	18✓	13✓	25✓	13✓	28✓	26✓	11✓	199✓

W. 8,000, IX. 17.

57

Exa 8L

24

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

7.1.19

Kept at Arlington Court

in the County of N Devon

by H. Worth

Lat. 57. 8. 45 Long. 3. 58. 52

Time of Observation 9 a.m.

Nearest Railway Station Chelfham (B. & L. Ry)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 613 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	.14	–	.18	.05	–	–	1.50	.04	.02	.53	–	1
2	–	.20	–	.03	–	–	–	.42	.03	–	.03	.50	2
3	–	.11	–	.05	.06	–	–	–	.07	.11	.09	.13	3
4	–	.20	–	–	–	–	–	.14	.26	.37	.90	.63	4
5	–	.04	.07	.38	.03	–	–	.90	1.00	.56	.15	–	5
6	.23	1.26	–	.34	–	.14	–	–	.02	.24	–	.15	6
7	.02	.53	–	–	.11	.04	–	.05	1.01	.59	.33	.12	7
8	.15	.10	–	–	–	.17	.27	–	.51	.42	.04	–	8
9	.16	.12	–	.08	–	.21	.17	–	.55	.42	.07	.44	9
10	.20	.05	–	.20	–	–	1.17	–	.39	.12	.09	.64	10
11	.12	.49	.25	–	–	–	.28	–	.39	.05	.16	.42	11
12	.03	.18	.08	–	.37	.01	.07	–	.20	–	–	.11	12
13	.30	.03	–	–	–	.19	.05	–	.90	.31	–	.75	13
14	.47	–	–	–	.10	.14	.22	.03	.94	.18	–	.13	14
15	1.42	–	–	–	–	.14	.69	–	.05	.16	–	.78	15
16	.43	–	–	1.15	–	–	.13	.25	.18	.15	–	.38	16
17	.68	–	–	.06	–	–	.21	.22	.19	–	–	.14	17
18	1.55	–	.14	–	–	.60	.02	.06	1.20	.15	–	.40	18
19	.08	.11	.25	.06	–	–	.16	.18	.21	.05	–	.12	19
20	.08	.45	–	.47	–	.10	.10	.02	.38	–	–	–	20
21	.10	.03	–	.02	–	.10	.35	–	.80	–	–	.24	21
22	.04	–	–	–	.91	–	.51	–	.45	–	–	.74	22
23	.13	.07	–	–	.09	-08	.44	–	.04	–	.04	.40	23
24	–	.58	–	–	–	–	.32	.35	1.19	–	.63	.08	24
25	–	–	–	–	.40	–	.78	.97	–	.04	.17	.02	25
26	–	.11	–	–	–	–	.30	.04	.34	.06	.43	.78	26
27	–	.18	.12	–	–	.01	–	.40	.28	.03	.52	.27	27
28	–	.14	.06	–	–	–	–	–	.15	.01	.43	.75	28
29	–		.40	–	–	–	–	–	1.63	–	–	.15	29
30	–	X	.48	–	–	–	–	.24	–	.08	.11	.44	30
31	–	X	.72	X	–	X	–	.14	X	–	X	.03	31
Total	6.19	5.12	2.57	3.02	2.12	1.93	5.94	5.91	13.40	4.12	4.72	9.74	YEAR'S TOTAL 64.78
Rain Days.	18	21	10	12	9	13	19	17	28	21	17	27	212

W. 6,500, VII. 18. w w c

1716

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Arlington Court

in the County of Devon

by Rosalie Chichester (Miss)

Lat. 51. 8. 45 Long. 3. 58. 52

Time of Observation 9 a.m.

Nearest Railway Station Chelfham (Lynton & Barnstaple line)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 613. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.87	–	.14	.23	.28	–	.10	–	.18	.61	–	.98	1
2	.34	–	.15	–	.05	–	.05	–	.28	.18	.05	.75	2
3	.04	–	.13	–	.50	–	–	–	.02	–	.08	1.08	3
4	.28	.32	.35	–	–	.16	–	27	.24	–	–	.08	4
5	.14	.35	.51	–	.11	–	–	–	.03	–	–	.63	5
6	.20	.06	.36	–	–	–	–	–	–	–	–	.45	6
7	.18	–	.41	.25	–	.02	–	–	.11	–	–	.15	7
8	.14	–	.35	.07	–	.15	–	–	.02	–	–	–	8
9	.21	–	.08	.22	.04	–	–	–	–	–	.52	–	9
10	.22	–	1.01	.07	–	.02	–	–	–	.15	.11	.18	10
11	.37	–	.47	.17	.20	.10	.23	–	–	.03	–	.02	11
12	.34	.05	.29	.02	–	.63	–	–	–	.29	.09	–	12
13	.22	–	.05	.44	–	–	.12	–	.08	.12	–	.08	13
14	.74	.03	–	.22	.13	–	.14	–	.17	–	–	.14	14
15	.26	–	–	.09	.03	–	–	–	–	.06	–	.91	15
16	.22	.85	–	–	–	.06	.01	–	–	–	.45	.05	16
17	–	.52	.02	–	–	.13	–	.03	–	–	1.04	.17	17
18	.06	.10	.80	–	–	–	.21	1.04	.15	–	.77	.09	18
19	.42	.20	.49	–	–	.20	.05	.57	.56	–	.36	.11	19
20	.44	.22	.26	–	.05	.05	–	.05	.18	–	.17	.47	20
21	.12	.95	–	–	.06	–	.84	.08	.24	–	.03	.25	21
22	–	.20	–	–	–	.12	.13	–	.71	–	.05	.26	22
23	–	–	–	–	–	–	–	–	–	.38	.08	.32	23
24	–	–	–	–	–	.22	–	.04	.18	.62	.25	.56	24
25	.45	–	–	–	–	–	–	.97	.06	–	.28	.06	25
26	.22	–	.29	.45	–	.06	–	.09	.42	.18	.03	.63	26
27	.20	.07	–	.08	–	–	–	.30	–	–	–	.12	27
28	–	–	.47	.05	–	–	–	.05	–	–	.09	1.21	28
29	–		.04	.22	–	–	–	.05	–	.32	.08	.24	29
30	–	✕	.05	.26	–	.24	–	.29	.03	.02	.25	.54	30
31	–	✕	.10	✕	–	✕	.17	–	✕	–	✕	.27	31
TOTAL	6.68	3.92	6.82	2.84	1.45	2.16	2.05	3.83	3.66	296	4.78	10.80	YEAR'S TOTAL 51.95
Days with ·01 in. or more	23	13	22	15	10	14	11	13	18	12	19	28	198

1716

MAR 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Arlington Court [M.O]

in the County of Devonshire

by

Lat. 51°9'N Long. 3°59'W

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 613 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·87	-	0·14	0·23	0·28	-	0·10	-	0·18	0·61	-	0·98	1
2	0·34	-	0·15	-	0·05	-	0·05	-	0·28	0·18	0·05	0·75	2
3	0·04	-	0·13	-	0·50	-	-	-	0·02	-	0·08	1·08	3
4	0·28	0·32	0·35	-	-	0·16	-	0·27	0·24	-	-	0·08	4
5	0·14	0·35	0·51	-	0·11	-	-	-	0·03	-	-	0·63	5
6	0·20	0·06	0·36	-	-	-	-	-	-	-	-	0·45	6
7	0·18	-	0·41	0·25	-	0·02	-	-	0·11	-	-	0·15	7
8	0·14	-	0·35	0·07	-	0·15	-	-	0·02	-	-	-	8
9	0·21	-	0·08	0·22	0·04	-	-	-	-	-	0·52	-	9
10	0·22	-	1·01	0·07	-	0·02	-	-	-	0·15	0·11	0·18	10
11	0·37	-	0·47	0·17	0·20	0·10	0·23	-	-	0·03	-	0·02	11
12	0·34	0·05	0·29	0·02	-	0·63	-	-	-	0·29	0·09	-	12
13	0·22	-	0·05	0·44	-	-	0·12	-	0·08	0·12	-	0·08	13
14	0·74	0·03	-	0·22	0·13	-	0·14	-	0·17	-	-	0·14	14
15	0·26	-	-	0·09	0·03	-	-	-	-	0·06	-	0·91	15
16	0·22	0·85	-	-	-	0·06	0·01	-	-	-	0·45	0·05	16
17	-	0·52	0·02	-	-	0·13	-	0·03	-	-	1·04	0·17	17
18	0·06	0·10	0·80	-	-	-	0·21	1·04	0·15	-	0·77	0·09	18
19	0·42	0·20	0·49	-	-	0·20	0·05	0·57	0·56	-	0·36	0·11	19
20	0·44	0·22	0·26	-	0·05	0·05	-	0·05	0·18	-	0·17	0·47	20
21	0·12	0·95	-	-	0·06	-	0·84	0·08	0·24	-	0·03	0·25	21
22	-	0·20	-	-	-	0·12	0·13	-	0·71	-	0·05	0·26	22
23	-	-	-	-	-	-	-	-	-	0·38	0·08	0·32	23
24	-	-	-	-	-	0·22	-	0·04	0·18	0·62	0·25	0·56	24
25	0·45	-	-	-	-	-	-	0·97	0·06	-	0·28	0·06	25
26	0·22	-	0·29	0·45	-	0·06	-	0·09	0·42	0·18	0·03	0·63	26
27	0·20	0·07	-	0·08	-	-	-	0·30	-	-	-	0·12	27
28	-	-	0·47	0·05	-	-	-	0·05	-	-	0·09	1·21	28
29	-		0·04	0·22	-	-	-	0·05	-	0·32	0·08	0·24	29
30	-	✕	0·05	0·26	-	0·24	-	0·29	0·03	0·02	0·25	0·54	30
31		✕	0·10	✕	-	✕	0·17	-	✕	-	✕	0·27	31
TOTAL	6·68	3·92	6·82	2·84	1·45	2·16	2·05	3·83	3·66	2·96	4·78	10·80	YEAR'S TOTAL 51·95
Days with ·01 in. or more	23	13	22	15	10	14	11	13.	18	12	19	28	198

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from [M.O] 3203.

1628

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Arlington Court (M.O)
in the County of Devonshire
by Miss Chichester.

Lat. 51° 9' N Long. 3° 59' W
Time of Observation 9h G.M.T
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 613 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.08	-	0.01	0.09	0.23	-	1.20	0.15	0.23	0.24	0.10	0.45	1
2	0.10	-	-	0.45	0.08	-	0.30	0.39	0.50	0.11	-	0.15	2
3	0.13	0.14	-	0.04	-	-	0.54	0.04	0.30	0.85	-	0.18	3
4	—	-	0.05	0.31	0.06	-	-	0.58	0.07	0.26	-	-	4
5	—	-	0.06	-	0.55	-	0.62	0.15	0.03	0.20	-	-	5
6	—	-	0.28	0.02	0.95	-	0.19	-	-	0.15	0.03	-	6
7	0.18	-	0.14	0.28	0.08	-	0.07	-	-	-	0.09		7
8	0.12	0.10	-	0.79	0.33	-	1.40	0.27	-	-	-	-	8
9	1.25	0.48	0.11	0.34	-	0.21	0.72	-	0.07	-	0.04	-	9
10	1.37	0.85	0.44	0.36	-	0.14	0.26	-	-	-	0.12	-	10
11	0.17	0.03	0.14	0.38	0.33	-	0.19	-		-	-	-	11
12	0.65	0.15	0.04	0.13	0.03	0.09	0.07	0.32	-	0.05	0.31	-	12
13	0.11	0.10	0.53	0.16	-	-	-	-	-	0.69	0.07	-	13
14	0.38	0.02	0.55	0.50	-	0.05	0.22	-	0.55	0.59	0.62	-	14
15	0.19	0.22	0.04	0.40	0.09	0.01	-	-		0.29	0.18	-	15
16	—	-	0.13	0.05	0.10	0.49	0.05	0.05	0.50	0.59	0.21	-	16
17	0.50	-	0.02	0.18	0.32	0.09	0.01	0.27	1.55	-	-	0.02	17
18	0.43	0.02	0.03	0.03	0.07	0.10	-	0.31	0.30	-	-	0.03	18
19	0.13	0.13		0.70	0.07	0.28	0.03	0.14	-	-	-	-	19
20	0.08	-	-	0.30	-	0.25	0.12	-	-	0.02	-	0.20	20
21	—	-	-	0.08	-	-	0.15	-	-	0.05	-	0.64	21
22	0.06	-	-	0.11	-	0.04	0.11	0.07	-	-	-	0.50	22
23	—	-	0.17	-	-	-	0.78	0.04	-	-	-	0.75	23
24	0.05	0.05	0.34	0.06	-	0.11	0.10	-	-	-	0.07	0.56	24
25	—	0.11	0.18	-	-	0.11	0.93	-	0.02	-	-	-	25
26	0.38	-	0.25	0.02	-	0.22	0.04	-	0.01	-	0.05	-	26
27	0.44	0.17	0.23	0.39	0.08	1.13	0.10	-	-	-	0.67	0.37	27
28	0.65	0.05	0.52	0.19	-	0.30	0.30	-	-	-	0.11	0.09	28
29	0.24	0.02	0.36	0.13	0.33	0.17	0.40	-	-	-	0.20	0.49	29
30	0.47		0.08	-	0.03	0.38	0.37	-	0.74	0.20	0.40	0.32	30
31	0.21		0.47		-		0.05	-		0.33		0.31	31
TOTAL	8.37	2.64	5.17	6.49	3.73	4.17	9.32	2.78	4.87	4.62	3.27	5.06	YEAR'S TOTAL 60.49
Days with ·01 in. or more	24	16	24	26	17	18	27	13	13	15	16	15	224

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M.O 3203 17 35 13 10 14 15 13 202

FORM A2.
BRITISH RAINFALL.

3 JAN 1913

ASHBURTON
LEUSDON VICARAGE
DEVON
1912 - 1920

912

lish association

Kept at Leusd

in the County of De

by Arthur Woo

op 5 in.
above Ground 1 ft. in.
„ Sea Level 900 ft.
9.15

ion { Name Ashburton
Distance miles 5 Direction E

IMPORTANT and the result entered to the previous day. If a universal rule, he is earnestly requested to add the g year in the space provided for it at the end o surement of rain, the selection and e British Rainfall Organization are give on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	·30	0	0	·42	·03	·0	·18	·96	0	·54	1
2	0	0	·57	0	0	1·0	·04	·05	·0	·03	0	0	2
3	·04	0	·53	0	0	·40	·06	2·71	·13	0	0	·13	3
4	·32	0	1·57	0	0	·70	·0	·40	0	0	0	0	4
5	·78	·46	·29	0	·11	0	·12	1·19	0	0	·18	·35	5
6	1·04	·10	·83	0	·35	0	·0	·31	0	0	0	·02	6
7	·03	(·52)	·65	·06	·22	·73	·0	·11	0	0	0	·36	7
8	1·05	·24	·43	·06	0	·35	·08	·02	0	0	0	0	8
9	·13	·21	·34	0	0	·08	·08	·19	0	0	0	·65	9
10	·20	·18	·05	·23	0	·17	·08	·03	0	0	·37	·26	10
11	·08	·10	·23	0	0	0	·01	·10	0	0	·71	·95	11
12	·02	·50	·20	0	0	0	·04	·30	0	0	·02	·04	12
13	·60	0	0	0	0	·03	·29	·02	0	·08	0	·71	13
14	·32	·22	·61	0	·05	·0	·0	·11	0	·03	0	·20	14
15	1·50	·18	·11	0	·35	·66	·0	·01	0	0	0	·62	15
16	·63	0	·85	0	·22	·08	·0	·30	0	·08	·04	·15	16
17	0	0	·33	0	·03	0	·0	1·16	0	0	0	·13	17
18	0	0	·28	0	0	0	·0	·65	0	·09	·03	·11	18
19	·07	·42	0	0	·18	0	·08	·79	0	·08	·0	·11	19
20	·16	0	1·15	0	·0	0	·0	·35	0	·44	·16	·0	20
21	0	·65	·58	0	·78	0	·02	·17	0	·33	0	·0	21
22	·60	·73	·28	0	·03	0	·05	·26	0	·10	·03	·34	22
23	·48	·98	·28	0	0	·12	·02	1·02	0	·03	·15	·38	23
24	·10	·08	·08	0	0	·70	·05	·0	0	0	0	·57	24
25	·20	·08	0	0	0	·14	·11	·21	0	·31	·66	·66	25
26	0	·12	0	0	0	0	·07	·11	0	·87	1·24	·96	26
27	0	0	·03	0	0	·70	·57	·10	0	2·48	0	1·17	27
28	0	·29	0	0	0	·29	·38	1·25	·55	·34	·65	·53	28
29	0	·72	0	0	0	·04	·30	·35	·66	·62	0	·18	29
30	0		0	0	0	·12	·26	·0	·20	·71	0	0	30
31	0		·33		0		·71	·02		·06	·	·11	31
~~Total~~	8·35	5·88	10·04	·35	2·32	6·73	3·46	12·29 12·29	1·72	7·64	4·24	10·18	73·19 TOTAL for year. 73·19
No. of Rain Days.	20	19	24	3	10	18	22	28	5	18	12	~~26~~ 25	204

W. 8,000, X. '11.

912

FORM A2.
BRITISH RAINFALL.

3 JAN 1913

Kept at Leusdon Vicarage

in the County of Devon S4

by Arthur Woollcombe

RAIN GAUGE
Pattern British association
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 900 ft.

Time of Observation 9.15

Nearest Railway Station
Name Ashburton
Distance 5 miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	·30	0	0	·42	·03	·0	·18	·96	0	·54	1
2	0	0	·57	0	0	1·0	·04	·05	·0	·03	0	0	2
3	·04	0	·53	0	0	·40	·06	2·71	·13	0	0	·13	3
4	·32	0	1·57	0	0	·70	·0	·20	0	0	0	0	4
5	·78	·46	·29	0	·11	0	·12	1·19	0	0	·18	·35	5
6	1·04	·10	·23	0	·35	0	·0	·31	0	0	0	·02	6
7	·03	(·52)	·65	·06	·22	·73	·0	·11	0	0	0	·36	7
8	1·05	·24	·43	·06	0	·35	·08	·02	0	0	0	0	8
9	·13	·21	·34	0	0	·08	·08	·19	0	0	0	·68	9
10	·20	·18	·05	·23	0	·17	·08	·03	0	0	·37	·26	10
11	·08	·10	·23	0	0	0	·01	·10	0	0	·71	·95	11
12	·02	·50	·20	0	0	0	·04	·30	0	0	·02	·04	12
13	·60	0	0	0	0	·03	·29	·02	0	·08	0	·71	13
14	·32	·22	·61	0	·05	·0	·0	·11	0	·03	0	·20	14
15	1·50	·18	·11	0	·35	·66	·0	·01	0	0	0	·62	15
16	·63	0	·85	0	·22	·08	·0	·30	0	·08	·04	·15	16
17	0	0	·33	0	·03	0	·0	1·16	0	0	0	·13	17
18	0	0	·28	0	0	0	·0	·65	0	·09	·03	·11	18
19	·07	·42	0	0	·18	0	·08	·79	0	·08	·0	·11	19
20	·16	0	1·15	0	·0	0	·0	·35	0	·44	·16	·0	20
21	0	·65	·58	0	·78	0	·02	·17	0	·33	0	·0	21
22	·60	·73	·28	0	·03	0	·05	·26	0	·10	·03	·34	22
23	·48	·08	·28	0	0	·12	·02	1·02	0	·03	·15	·38	23
24	·10	·08	·08	0	0	·70	·05	·0	0	0	0	·57	24
25	·20	·08	0	0	0	·14	·11	·21	0	·31	·66	·66	25
26	0	·12	0	0	0	0	·07	·11	0	·87	1·24	·96	26
27	0	0	·03	0	0	·70	·57	·10	0	2·48	0	1·17	27
28	0	·29	0	0	0	·29	·38	1·25	·55	·34	·65	·53	28
29	0	·72	0	0	0	·04	·30	·35	·66	·62	0	·18	29
30	0		0	0	0	·12	·26	·0	·20	·71	0	0	30
31	0		·33		0		·71	·02		·06	·	·11	31
~~Total~~	8·35	5·88✓	10·04	·35	2·32	6·73	3·46	12·29 12·29	1·72	7·64	4·24	10·18	73·79 TOTAL for year 73·19
No. of Rain Days.	20	19	24	3	10	18	22	28	5	18	12	~~26~~ 25✓	204

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
3 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Leusdon Vicarage
in the County of S Devon 4
by Arthur Woollcombe

Lat. Long.
Time of Observation 9.15
Nearest Railway Station Ashburton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.18	.47	.12	.06	0	0	0	02.	.26	.49	.14	1
2	.39	.43	.67	.13	.24	0	0	0	0	.72	.35	.03	2
3	.95	.04	.33	.09	.30	0	.03	0	.65	.05	.01	.75	3
4	1.26	0	.26	0	.04	.05	0	0	.31	.04	.45	.60	4
5	.15	0	.85	0	.17	.31	0	0	1.16	.08	.30	.35	5
6	.55	.28	.26	0	.25	.20	0	0	.04	.67	.35	.10	6
7	.15	1.23	.19	0	1.33	0.12	.15	0	0	.96	.39	0	7
8	.9	.53	.01	0	.39	0	.01	0	0	.06	.03	0	8
9	.33	.02	.04	0	.10	.10	.06	.17	0	0	.83	.11	9
10	1.17	0	.10	.03	.13	.02	0	.02	0	.16	.31	0	10
11	.86	0	0	.09	1.14	.10	0	0	0	.18	1.31	.07	11
12	.16	0	0	0	.06	0	0	0	.06	0	.37	0	12
13	.13	0	.34	0	.04	0	0	.04	.29	0	.16	0	13
14	.50	0	.40	.09	.21	0	0	0	.06	0	.23	0	14
15	.40	0	.83	1.44	0	0	0	0	.24	0	.22	0	15
16	.45	0	.96	.34	0	0	.02	.75	1.65	0	.03	0	16
17	.12	0	.09	.22	0	0	0	0	0	0	.17	0	17
18	.15	0	.69	.27	.02	.28	0	0	0	0	.27	0	18
19	1.10	0	.15	0	.01	0	0	0	.36	.14	0	0	19
20	.31	0	.22	.63	0	0	0	0	0	.09	.96	0	20
21	0	0	.46	.33	.15	0	0	.03	0	.05	.37	0	21
22	.43	0	.89	.22	0	.07	.02	.15	.03	.03	0	.35	22
23	.03	0	.04	0	0	0	0	.09	0	.11	.12	.91	23
24	.06	.32	0	.18	0	.04	0	0	0	0	.11	.02	24
25	0	0	0	.85	0	0.	0	0	.07	.09	.04	.14	25
26	0	.03	0	2.16	0	0	0	.02	0	.02	0	.57	26
27	.67	0	.38	.32	.01	0	0	.03	0	.44	0	.06	27
28	.20	0	.19	.57	0	0	0	0	.02	.33	0	.16	28
29	.13		1.08	.60	.04	0	0	0	0	.57	.03	0	29
30	1.25		0	.06	.05	0	.12	.04	.04.	1.03	.13	0	30
31	.13		.10		.0		0	.36.		.10		0	31
Total	12.14	3.06	8.50	8.64	4.94	1.29	.41.	1.70	5.00	6.18	8.04	4.34.	YEAR'S TOTAL 64.04
Rain Days.	28	9	25	20	20	10	7	11	15	22	~~26~~ 25	15.	~~208~~ 207

W. 7,500, XI. ·12

Exeter

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

4

Kept at Leusdon Vicarage

in the County of Devon

S 4

by Arthur Woollcombe

Lat. Long.

Time of Observation 9.15

Nearest Railway Station Ashburton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .47

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	0	.16	.14	0	07	.64	.26	0	0	.89	.09	1
2	0	0	.11	.03	.10	0	.11	.09	0	0	.26	.53	2
3	.03	0	.47	.17	.98	0	0	0	0	0	.03	.19	3
4	.20	0	.33	.53	.27	.0	.99	.30	0	0	.63	1.06	4
5	0	0	.49	.39	.19	0	0	0	0	0	.13	.07	5
6	.16	.21	.33	.22	.18	0	.44	.10	0	0	.02	1.80	6
7	.08	2.[illegible]7	.56	.29	.43	.06	.29	.30	.21	0	.01	.53	7
8	.09	0	1.12	.27	.08	.40 3	0	.36	0	0	0	.18	8
9	.16	.08	.39	.50	.03	.48	0	.21	.98	0	.02	0	9
10	.06	1.20	0	.37	0	.11	0	0	.30	0	0	.35	10
11	0	.25	.91	0	0	.10	0	0	.04	0	.21	.83	11
12	0	.56	.18	0	0	0	.12	0	.38	.13	.20	.51	12
13	0	1.20	1.09	0	0	0	0	0	.49	.06	.64	.27	13
14	0	1.32	.76	0	0	.26	0	.71	.04	.04	.77	.44	14
15	0	0	.26	0	0	0	.07	.65	.01	.11	.29	.02	15
16	0	0	.08	0	0	0	0	0	.70	0	0	0	16
17	0	.74	.53	0	0	0	0	0	.02	0	0	1.96	17
18	0	.25	.12	0	0	0	.05	0	.17	0	0	.31	18
19	0	.05	.48	0	0	0	2.55	0	0	0	.10	.31	19
20	0	.95	.12	0	0	.09	0	0	0	0	0	.30	20
21	0	.68	.02	0	0	0	0	0	0	.60	0	.14	21
22	0	.11	.06	.02	.21	.11	0	.03 3	0	.54	0	0	22
23	0	.19	.40	0	0	0	.10	0	0	.26	0	0	23
24	0	0	.05	0	0	0	.04	.05	0	.06	.22	0	24
25	.14	0	.47	0	.09	0	.08	.65	0	.52	.10	.77	25
26	.09	.15	.08	0	0	0	.06	0	0	.05	.57	1.08	26
27	.08	.12	.45	0	0	0	.02	0	0	.09	.57	.09	27
28	.04	.05	.04	0	.09	0	.18	0	0	.31	.36	1.0	28
29	.54		.44	0	.11	0	0	0	0	.08	1.95	.21	29
30	04		.33	0	.01	0	0	0		.29	.99	1.08	30
31	.47		0		0		.74	0		.80		.58	31
Total	2.12	10.54	10.77	2.53	2.77	1.71	6.48	3.65	3.34	3.94	8.96	16.06	YEAR'S TOTAL 73.27
Rain Days.	14.	18.	29.	11	13.	9	16.	12.	11	15	21.	20	195

W.7,000, XI. 13

1832

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Leusdon Vicarage

in the County of Devon 54

by Rev Arthur Woollcombe

Lat. Long.

Time of Observation 9.30

Nearest Railway Station Ashburton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·29

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·47	·47	0	·08	0	0	0	1·35	·40	·37	·10	·54	1
2	·50	·52	·10	0	0	·04	0	·48	·04	·02	0	·81	2
3	·10	·78	·21	·34	·31	0	0	·02	0	0	0	·64	3
4	·05	·37	·01	0	·05	0	0	0	0	0	0	·62	4
5	·04	1·38	·02	·27	·3	0	0	·29	0	0	0	1·22	5
6	1·12	·22	0	·61	0	0	·81	·05	0	·32	0	·36	6
7	·01	·58	0	·17	0	0	·26	0	0	·02	·04	·40	7
8	·21	·53	0	·02	0	0	·01	·10	0	0	·20	·37	8
9	·02	·34	0	·21	0	0	0	0	0	·03	·61	1·29	9
10	·60	·35	0	·04	0	0	0	0	0	·21	·15	·13	10
11	·20	·08	·11	0	0	0	0	·48	0	·34	1·43	·13	11
12	·05	·65	0	·08	·80	0	0	·09	0	·11	·60	·05	12
13	·03	1·60	0	0	1·08	0	0	0	0	·0	·19	·09	13
14	·16	0	0	0	0	0	·32	·33	0	·22	0	0	14
15	·31	0	0	0	·37	0	·34	0	·04	·11	0	2·02	15
16	·02	2·50	0	0	·36	0	·97	0	0	·01	0	·38	16
17	·04	·73	·04	0	·04	0	0	0	0	0	0	·20	17
18	0	·27	0	0	0	0	0	0	0	0	0	0	18
19	·02	·07	0	·02	·75	·09	·12	0	0	0	0	0	19
20	·71	0	0	·10	·35	·02	0	0	0	·11	0	0	20
21	·29	·09	0	0	·12	0	·36	0	0	·38	0	·15	21
22	·16	·10	·45	·07	0	·03	·64	0	0	·04	0	·97	22
23	0	0	·04	·08	0	·16	·10	0	·13	1·45	0	·81	23
24	0	0	0	·01	0	·22	·10	0	·09	·43	0	1·07	24
25	0	0	0	·08	0	·32	·18	0	0	0	0	·69	25
26	0	·45	0	0	0	·25	0	0	·06	0	·10	1·37	26
27	0	·86	0	0	0	·13	·04	0	·02	·77	0	·02	27
28	0	·11	0	0	0	·13	0	0	·25	·19	·06	·10	28
29	0		0	0	0	·52	0	0	·14	0	·40	·78	29
30	·44	X	0	0	0	·07	·07	0	·02	1·23	·42	·90	30
31	·03.	X	0	X	0	X	·30	·13	X	1·23	X	·69	31
Total	6·21	12·97	·95	2·04	3·86	1·98	4·62	3·32	1·16	7·59	4·30	16·74	YEAR'S TOTAL 65·87
Rain Days.	23.	22	8	14	11	12	15	10	10	20	12	27	184

W. 8,000. X. 14.

1789

FW [illegible]

REGISTER OF ~~RAINFALL~~ IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Leusdon Vicarage
in the County of Devon
by Mr Allen Woollcombe

Lat. Long.
Time of Observation 9.30
Nearest Railway Station Ashburton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·12

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·29	0	0	0	·11	·07	·07	0	·05	·57	·17	0	1
2	·83	·20	·15	0	02	0	0	0	·10	·18	·75	0	2
3	·03	2·26	0	0	·57	0	0	0	·09	·89	·17	·03	3
4	·33	·20	0	0	·02	·46	0	0	·12	·34	1·45	0	4
5	·07	·19	·04	0	·14	·11	·04	0	0	·40	·52	0	5
6	·17	·31	·02	0	·20	·02	·91	0	0	·59	1·99	0	6
7	·10	·44	·33	0	·21	·06	0	0	0	·05	·97	·10	7
8	·01	·20	·02	0	·39	·48	0	0	0	0	·20	·41	8
9	0	·24	0	·07	0	·19	0	0	0	·11	·10	·35	9
10	·02	·53	0	·12	·04	0	0	0	0	0	0	0	10
11	0	·02	·04	·26	·02	·02	·16	0	·05	·21	0	·01	11
12	·13	·08	·16	0	·10	0	0	·04	·0	·11	0	0	12
13	0	·58	·19	·08	·03	0	0	·41	·07	·02	0	0	13
14	·02	·77	·09	0	·13	0	0	·28	0	·19	0	0	14
15	·01	·90	·31	·05	0	0	0	·10	0	0	0	0	15
16	·45	·21	0	·14	0	0	0	·46	0	·14	0	0	16
17	·43	·22	0	·08	0	0	0	0	·40	·39	1·48	0	17
18	·05	·47	·55	0	0	0	0	0	·29	·13	·10	·11	18
19	·36	·35	·31	·41	0	0	0	0	0	·01	·38	~~1·48~~	19
20	·35	1·67	·26	0	0	0	0	0	0	0	·88	1·48	20
21	·16	·14	0	0	·03	0	0	0	0	0	0	·05	21
22	0	0	·03	0	0	·41	0	0	0	·61	·06	·79	22
23	·09	·07	0	·14	0	·17	0	·31	0	·40	·68	·24	23
24	0	·12	·05	·25	·23	·04	0	·19	0	·85	04	·86	24
25	0	·69	·21	0	0	0	0	·86	0	·02	·40	0	25
26	·06	·27	·25	0	·05	·17	0	·71	·68	1·21	·09	0	26
27	·01	0	1·01	0	0	0	0	·28	·52	·67	0	0	27
28	0	·11	·04	0	0	0	0	·12	1·48	·82	0	·86	28
29	0	·22	·07	0	0	·56	0	2·20	·14	·45	0	·83	29
30	0	X	0	0	0	·09	0	·03	0	·63	0	·63	30
31	0	X	0	X	0	X	0	·12	X	·71	X	·07	31
Total	3·97	11·46	4·63 4·43	1·60	2·23	2·85	1·18	6·21 6·11	3·26	~~9·35~~ 10·67	9·57	5·72 5·72	YEAR'S TOTAL 63·75 63·75
Rain Days.	21	26	20	10	16	14	4	14	12	26	18	17	29 198

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

8. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Leusdon Vicarage

in the County of Devon

by Mr Acton Woollcombe

Lat. Long.
Time of Observation 9.30
Nearest Railway Station Ashburton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	0	·32	·30	0	·53	0	·19	·03	0	·04	·02	1
2	0	0	10	·29	0	·07	0	0	0	0	·02	0	2
3	·04	0	0	·22	0	0	0	0	0	·72	1·09	·0	3
4	·14	0	·98	·0	0	0	·09	0	0	·74	·02	0	4
5	·21	·08	·30	·20	0	·92	0	0	·12	·30	·22	0	5
6	0	0	·27	·0	0	·10	0	·12	·77	·15	·25	·05	6
7	·08	0	·02	·02	0	0	·43	·03	0	·39	·17	·03	7
8	·21	0	·30	·0	0	0	·31	·46	0	·79	·30	·34	8
9	0	0	·18	·25	·07	0	0	·01	·05	·41	·52	0	9
10	·15	0	·71	·31	0	0	0	·74	·09	·05	·02	·05	10
11	·41	0	1·01	·57	0	0	0	0	0	·63	·22	0	11
12	·21	0	01	0	·63	0	0	·71	·05	·83	0	·01	12
13	·04	0	·33	·09	0	·03	0	·03	·29	·12	0	0	13
14	0	0	0	·09	0	0	·14	·23	·06	·14	0	·02	14
15	·16	·08	0	·03	·03	0	·24	·08	0	·54	0	·33	15
16	0	·06	0	·10	0	0	~~·01~~	·01	·03	·29	0	·49	16
17	0	·0	·02	·19	·06	0	·41	·24	·53	·17	0	0	17
18	0	·11	0	0	1·03	·09	·38	·03	·60	·03	0	0	18
19	0	·49	·17	0	0	·53	0	0	·17	0	·08	0	19
20	0	·11	0	0	·50	·04	0	·03	·08	0	·0	·08	20
21	0	·01	·08	0	0	·03	0	0	0	·06	·02	0	21
22	0	0	0	0	0	0	0	·26	0	·13	·02	0	22
23	0	·04	0	0	·24	·03	0	·37	0	·27	·03	0	23
24	0	·0	0	0	0	·03	·27	·13	0	·61	·79	0	24
25	0	·04	·08	0	0	0	0	·03	·10	·19	·15	0	25
26	0	0	0	0	0	0·3	0	·44	·12	·16	·09	0	26
27	0	0	0	0	0	1·17	0	1·57	0	·04	·01	0	27
28	0	0	25	0	0	·30	0	1·05	0	0	·03	0	28
29	0	X	·28	0	0	·32	0	·07	0	1·39	·02	0	29
30	0	X	·19	0	·47	0	·49	·34	0	·18	·03	·27	30
31	0	X	·03	X		X	0	·10	X	·34	X	0	31
Total	2·37	1·02	5·33	2·59	3·03	4·22	2·76	7·21	3·09	9·47	3·54	1·69	YEAR'S TOTAL 46·32
Rain Days.	11	9	20	12	8	15	9	24	15	26	22	~~20~~ 11	~~191~~ 182

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
6 · 1 · 19

Kept at Leusdon Vicarage
in the County of S Devon
by Rev Arthur Woollcombe

Lat. Long.
Time of Observation 9·30
Nearest Railway Station Ashburton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·89

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	·33	0	0	06	0	0	·55	0	0	1·84	0	1
2	0	·70	0	·17	0	0	0	0	·05	0	·05	·60	2
3	0	·57	0	0	·01.	0	0	0	·07	·16	·36	0	3
4	0	·37	·02	0	0	0	0	·34	·41	0	1·99	0	4
5	0	0	·6	·62	·38	0	0	1·08	·66	·50	0	·71	5
6	·16	·54	·40	·12	0	0	0	0	0	·49	0	·21	6
7	0	·33	0	·33	0	0	0	0	·60	·23	·80	·70	7
8	0	·37	0	·05	0	0	0	0	·35	·28	0	0	8
9	·25	·04	0	0	0	·30	·38	0	·91	·12	·04	·59	9
10	·10	0	0	·24	0	0	·39	0	·48	·23	0	·65	10
11	0	0	·14	·05	·02	·30	·20	0	·63	0	0	·31	11
12	0	·24	0	0	·23	0	·19	0	·32	0	0	·16	12
13	0	·01	04	0	·13	·20	·41	0	·63	·21	0	·31	13
14	·87	0	0	0	·04	0	·05	0	·34	·05	0	·40	14
15	1·48	0	0	0	·01	·24	·78	0	·15	·13	0	·63	15
16	1·10	0	·02	0	0	0	·06	0	·30	·04	0	·20	16
17	·29	0	·02	·34	0	0	·28	·05	·26	0	0	·47	17
18	2·02	0	·14	·36	0	1·16	·15	0	·88	·37	0	·54	18
19	·52	0	0	0	0	0	·32	0	·11	0	0	·42	19
20	·36	·18	0	·20	0	0	·04	0	·54	·10	0	0	20
21	·24	·15	0	0	0	·16	·07	0	·94	·06	0	0	21
22	·05	·04	0	0	·21	0	1·31	0	·32	·20	·09	1·27	22
23	·23	0	0	0	·07	0	0	0	·17	0	·06	·27	23
24	·08	·22	0	0	0	0	·24	·09	·09	0	·20	·13	24
25	·01	0	0	·02	·05	0	·31	1·0	0	·08	·29	0.	25
26	·08	·11	0	·19	0	0	0	0	·16	·0	0	·65	26
27	0	·33	·43	0	0	0	0	·02	·18	0	·32	·15	27
28	0	·13	·34	0	0	0	0	·08	·13	·08	·18	·29	28
29	0		0	0	0	0	0	0	1·29	0	0	·19	29
30	0	╳	·40	0	0	0	0	0	0	·25	·06	·17	30
31	0	╳	·30	╳	0	╳	0	·02	╳	·05	╳	0	31
Total	7·93	✓ 4·36	✓ 2·31	✓ 2·09	✓ 1·21	✓ 2·36	✓ 5·14	✓ 3·23	✓ 10·97	✓ 3·63	✓ 6·28	✓ 10·02	YEAR'S TOTAL 59·53 ✓
Rain Days.	✓ 16	✓ 17	✓ 12	✓ 12	✓ 11	✓ 6	✓ 10	✓ 9	✓ 26	✓ 19	✓ 13	✓ 23	✓ 180 ✓

W. 8,000, IX. 17.

Devon

Leusdon, Ashburton. Rainfall for the year 1919

17 FEB 20

Day	Jany	Feby	March	April	May	June	July	Augt	Sept	Oct	Novr	Decr	
1	·73		1·60				·30		·20				
2	·21								·10	·02		1·60	
3	·26	1·55	·70						·30		·09	1·13	
4	1·03		·96						1·30		·20	1·57	
5	·65				·08				·32			·47	
6	·55	2·07	1·50									·47	
7	·80	·46											
8			·24			·02					·45	1·05	
9			·70	·50	·50		·20					1·20	
10			1·10	·36							·48	·75	
11	·70		·75	·54		·16	·28					·51	
12					·57					·08			
13	·60	·40		·90					·05			·47	
14	·98	·27		·84	·54					·16	·74	·40	
15	1·02	·26		·60	·06				·06	·14			
16		1·74				·03						·50	
17	·56	·74						·10			·90		
18		1·06	·34				·85	·02			1·08	·25	
19	·74		·20			·40		·51	·39				
20		1·46				·20	·46	·52	·19		·42		
21		·27	·10					·03		·80			
22		·06						·03		·35	·12	·35	
23					·06			·18	·19			·30	
24	·12					·15						·42	
25	·10							·93	·05			·24	
26													
27								2·04				·52	
28								·42				·78	
29								·11				·80	
30				·90		·10		·21	·40			1·15	
31				·36								·78	
Total	9·05	10·34	~~9·19~~ 8·19	5·00	1·81	1·06	2·09	5·10	~~4·55~~ 3·55	1·55	4·78	~~15·71~~ 15·71	68·23
	~~15~~	~~12~~	~~11~~	~~8~~	~~6~~	~~7~~	~~5~~	~~12~~	~~12~~	~~6~~	~~9~~	~~22~~	~~125~~

Entered 19-3-0

Corr per auth

1613

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

5 JAN 20

Kept at Leusdon Vicarage

in the County of Devon

by Arthur Woollcombe

Lat. Long.

Time of Observation 9·30

Nearest Railway Station Ashburton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·23

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·89	0	·45	0	·29	0	·35	0	·19	·25	0	1·32	1
2	·22	0	·04	0	·03	0	0	0	·04	·04	0	·10	2
3	0	0	·39	0	·06	0	0	0	·24	0	·04	·33	3
4	0	1·05	·64	0	·01	0	·45	·14	1·38	0	·08	·03	4
5	1·5	·39	1·20	0	0	0	0	0	·40	0	·06	·37	5
6	·85	1·84	·37	·04	0	0	0	0	0	0	·01	·79	6
7	·53	0	·56	·06	0	0	0	0	0	0	0	·20	7
8	·76	0	·13	·02	·02	0	0	0	0	0	·32	0	8
9	·31	0	·06	·22	·12	0	0	0	0	0	·53	0	9
10	·17	0	1·27	0	·01	0	0	0	0	0	0	1·53	10
11	·10	0	·95	·22	·50	0	·66	0	0	·03	·08	·46	11
12	0	0	·07	·05	0	·11	0	0	0	·08	0	0	12
13	·84	·58	·26	1·08	0	0	0	0	0	·04	0	·41	13
14	·92	·35	0	·96	·50	0	0	0	·05	·27	0	·50	14
15	·63	·16	0	·03	0	0	0	0	0	·15	0	·35	15
16	·13	1·87	0	·0	·05	0	0	·02	0	0	·45	0	16
17	·65	·50	0	0	0	0	0	0	0	0	·96	0	17
18	·06	·62	·36	0	·01	0	·19	·32	0	0	·70	0	18
19	·70	·85	·13	0	0	·19	·50	·52	·24	0	·46	·07	19
20	·97	·13	·07	0	0	·36	0	·13	·30	0	·33	·24	20
21	·12	1·66	0	0	0	0	·40	·03	·07	0	0	·23	21
22	0	·07	0	0	0	0	·03	0	·25	0	·11	·25	22
23	0	0	0	0	0	0	0	·16	0	·48	·18	·41	23
24	0	·04	0	·01	0	·14	0	·16	·03	·87	·24	·43	24
25	·15	·07	0	·02	0	0	0	·71	0	0	0	0	25
26	0	·04	·20	·02	0	0	0	·07	·09	·07	·20	·87	26
27	·60	0	·04	·35	0	0	0	2·27	0	0	0	·07	27
28	0	·01	·38	·30	0	0	0	·03	0	·02	·41	·66	28
29	0		0	·04	0	0	0	·13	0	·18	0	·22	29
30	0	X	·06	·08	0	·03	0	·20	0	0	1·02	1·53	30
31	0	X	·03	X	0	X	0	0	X	0	X	·72	31
Total	10·05	10·23	~~6·66~~ 7·66	3·50	1·60	·83	1·98	4·89	3·28	2·48	6·18	12·09	YEAR'S TOTAL ~~63·27~~ 64·77
Rain Days.	20	17	21	16	11	~~4~~ 5	7	~~13~~ 14	12	12	18	29	187

W. 6,500, VII. 18. W W C

[illegible] W A.W.

1528

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Leusdon Vicarage
in the County of Devon
by Rev A. Woollcombe

Lat. Long.
Time of Observation 9.30
Nearest Railway Station Ashburton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
„ „ „ „ Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 1.12

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	0	·03	·05	1.22	0	·68	0	·02	·12	·02	1·06	1
2	·49	0	0	·66	0	0	·23	·18	·0	·06	·0	·40	2
3	·81	0	0	0	0	0	0	0	·0	1·75	·0	·50	3
4	0	0	·03	0	0	0	·09	1·05	·0	·52	·0	·0	4
5	0	·10	·40	0	·08	0	·12	·35	·0	·31	·0	·0	5
6	0	0	·0	·16	·30	0	·29	0	·0	·15	·0	·0	6
7	0	0	·04	·22	·03	0	·62	0	·0	·0	·0	·0	7
8	·22	·08	0	·38	·04	0	·08	0	·0	·04	·0	·16	8
9	1·96	·21	·02	·06	0	·11	·35	0	·0	·0	·0	·07	9
10	2·35	·0	·06	·02	0	·34	·20	0	·0	·0	·20	·0	10
11	·78	·03	·16	1·18	·27	·06	·27	0	·0	·0	·0	·0	11
12	·56	·18	·30	·48	·01	0	·06	0	·0	·0	·0	·13	12
13	·19	·04	·68	·05	0	·03	·0	0	·0	·0	·0	·0	13
14	·11	·10	·63	1·40	0	0	·06	0	·15	·0	1·61	·03	14
15	·02	·42	0	1·06	·11	0	·0	0	·01	·37	·23	·0	15
16	0	·08	·21	·10	0	·07	·34	0	·30	·37	·0	·0	16
17	·05	0	·10	·03	0	·08	0	0	·80	1·05	·04	·0	17
18	·25	0	0	·09	·53	·39	0	[illegible]	·07	·06	·0	·0	18
19	·07	0	·0	·63	·09	·22	0	0	·0	·02	·0	·0	19
20	·08	0	0	0	·12	·11	0	0	·0	·56	·0	1·21	20
21	·0	0	0	·16	0	0	·41	·0	·15	·05	·0	·0	21
22	·05	0	0	·06	0	0	·13	0	·0	·0	·0	·30	22
23	·02	0	·02	0	0	0	·38	0	·0	·0	·38	·83	23
24	0	0	·71	0	0	0	0	0	·0	·0	·0	·49	24
25	·28	·12	·25	0	0	0	1·03	0	·0	·0	·38	·20	25
26	·58	·04	·51	0	0	0	·12	0	·0	·0	·0	·10	26
27	1·50	·10	·27	·25	0	·29	·08	0	·0	·0	·0	·96	27
28	1·16	0	·15	·05	0	·14	·0	0	·0	·0	·41	·19	28
29	1·27	0	·76	·10	0	·02	·0	0	·0	·0	·66	1·23	29
30	·31		0	0	0	·96	·23	0	1·03	·04	·40	1·45	30
31	·23		·29		·10		0	0		·53		·37	31
Total	13·58 ~~13·51~~	1·50	5·62	6·59	2·90 ~~2·96~~	2·27	5·23	1·89	2·53	6·00	4·33	9·68	Year's Total ~~62·12~~ 62·21
Days with ·01 in. or more	24	12	20	21	12	13	20	4	8	16	10	18	~~143~~·178
	17	11	16	19		12	19	4	6	15	9	17	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 1921

Kept at Leusdon, Ashburton

in the County of Devon

by J. Bancroft.

Lat. 49½° N. Long. 4° W.

Time of Observation 9 a. m

Nearest Railway Station Ashburton G. W.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 900 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·08	1·50		·50	·23		~~2~~·25		·98	1
2				·09			·10					·69	2
3			·35	·27				·45				(·50)	3
4								·90		1·80			4
5	·50		·58	·06	·11		·13	·34					5
6				·16						1·15			6
7	·35		·05								·03		7
8	·25	·47		·26	·12				·20			(·16)	8
9	2·24		·06			·12	·98				·15	(07)	9
10	2·19	·08		✓+		·14	·15						10
11	·70			✓+									11
12	·58		·97	✓+							·40		12
13	·47			✓+	·31				·34				13
14		·90		1·90 ✓+					·25	·55	1·36		14
15	·16			2·10 ✓+					·28	1·43	·24		15
16	·29			·63					·32	·04			16
17				·05		·02			·21				17
18				·26	·81	·48		·24				·06	18
19				·75			·24						19
20	·47											·24	20
21				·85			·16					1·34	21
22				·24	·02		·98		~~·90~~				22
23	~~88~~					·22			·33			·95	23
24	~~2·~~		·60				·99						24
25	~~2~~·28		·64	·05								·24	25
26		·10					·32					·10	26
27				·26		·32	·13				·45	(96)	27
28	2·10		·24			·52	·25				·12	·19	28
29	1·14	·15	·48		·11	·24					·71	1·24	29
30		✕		·11		·28			1·03	·06	·62	1·51	30
31	·13	✕		✕		✕			✕	·65	✕	·98	31
TOTAL	11·85 ~~12·73~~	1·70	3·97	8·12	2·98	2·34 ~~2·34~~	4·93	2·16	2·96 ~~2·87~~	5·93 ~~7·93~~	3·08	(10·21) ~~8·52~~	YEAR'S TOTAL (60·23) ~~65·34~~
Days with ·01 in. or more	~~21~~	~~5~~	~~9~~	~~22~~	~~7X~~	~~9X~~	~~12~~	~~5~~	~~9~~	~~8~~	~~X9~~	~~16~~	~~119~~
Days with ·04 in. or more	~~17~~	~~5~~	~~9~~	~~22~~	~~6 8~~	~~8~~	~~12~~	~~5~~	~~8~~	~~8~~	~~8 9~~	~~16~~	~~115~~ ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Copy

Fo A. 1. ~~METEOROLOGICAL~~ OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Figures in Black = Rusdon Ashburton
" " ~~Red = Rusdon Vicarage~~
~~in the County of~~ " " Green = Holne, Church Park Cottage
~~by~~

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	JANUARY.			APRIL			SEPTEMBER			OCTOBER			NOVEMBER			DECEMBER			Date
		in.	in.		in.	in.		in.	in.		in.	in.		in.	in.		in.	in.	
1	-	·23	·14							2·25	·12	·04							1
2	-	·49	·56																2
3	-	·81	·74													-	·50	·63	3
4	-	-	-																4
5	·50	-	-																5
6		1·23																	6
7																			7
8																-	·16	·19	8
9																-	·07	-	9
10				-	·02	·05													10
11				-	1·18	1·21													11
12				-	·48	·44													12
13				-	·05	·05													13
14				1·90	1·40	1·39							1·36	1·61	1·27				14
15				2·10	1·06	·87													15
16				·63	·10	·11													16
17					4·21	3·12													17
18																			18
19																			19
20																			20
21																			21
22																			22
23	·88	·02	·02				·90	-	-										23
24	2·	-	·09				·33	-	-										24
25	2·26	·28	·24																25
26																			26
27		1·9														-	·96	·68	27
28																			28
29																			29
30	-	·31	·39				1·03	1·03	·99										30
31																			31
TOTAL																			YEAR'S TOTAL
Days with ·01 in. or more																			
Days with ·04 in. or more																			

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

School House, Leusdon, Ashburton
Devon
29 March 1921

Dear Sir

I think I made a mistake for January 24th and 23rd I put the figures 2. and ·88. and 25th 2·28. instead of ·28 for April I must have put the 5 days in one total, as I was away I think at the time Nov. 14th should have been 1·26. You may call Leusdon vicarage correct figures for December. My rainfall varies much some times with the vicarage. Rev. A. Woollcombe was buried 2 weeks ago and a new vicar has not yet been appointed

A/c

Yours faithfully.
J Bancroft.

Carlo Salter Esq.
Superintendent
B. R. O. London.

FORM A2. BRITISH RAINFALL.

4 - JAN 1912

REC 911

DEVON

ABBOTSHAM

1911 - 1915

Kept at Abbotsh rowdon

op 5 in.

in the County of Dev above Ground 1 ft. — in.

„ Sea Level 87 ft.

by Mrs C. L 9 a.m.

on { Name Bideford
Distance 2 m. Direction E 18°S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	—	—	·32	·18	·03	—	·49	—	·02	·11	·02	1
2	·01	—	·01	·01	·13	·01	—	·24	—	·45	·39	·22	2
3	—	—	·03	—	·52	—	—	·07	·05	—	·26	·23	3
4	—	—	·13	—	·01	—	—	·17	—	—	·47	·68	4
5	·33	—	·22	·01	—	—	—	·11	·01	·05	·32	·09	5
6	·18	—	·01	·01	—	—	—	·03	—	—	·28	·76	6
7	·06	—	—	—	—	—	—	—	—	—	·59	·01	7
8	·10	—	·08	—	—	—	—	—	—	—	·47	·81	8
9	·16	—	·07	—	—	—	—	—	—	—	·41	·26	9
10	·04	·01	·59	—	·23	—	—	—	—	—	·09	·54	10
11	·25	—	·01	—	·02	—	—	—	·07	—	·31	·36	11
12	—	—	·48	—	—	—	—	—	·45	—	·28	·21	12
13	—	—	·06	—	·03	—	—	—	·18	·01	·03	·10	13
14	—	·06	·01	—	—	—	—	—	—	—	·08	·20	14
15	·06	·03	·07	—	·01	·04	—	—	—	·05	·33	·07	15
16	·02	·01	—	—	—	·13	—	—	—	—	·16	·34	16
17	—	·05	·01	·01	—	·32	—	—	—	—	·12	·54	17
18	—	·36	·04	·15	—	·16	—	—	—	·16	·43	·47	18
19	—	·01	—	·13	—	·50	—	—	·38	·07	·09	·72	19
20	·02	·06	·10	·20	—	—	—	·01	·63	·58	—	·21	20
21	·02	·24	·01	·01	—	·08	—	·75	·24	·23	—	·02	21
22	·03	·13	—	·09	—	·15	—	—	·18	·31	—	·32	22
23	·02	·14	·06	·01	—	·05	—	·10	·14	·12	·17	·11	23
24	·01	·20	—	—	—	·70	—	·18	·03	·20	—	·20	24
25	·02	·04	—	·23	—	·05	—	·04	·08	·10	—	·03	25
26	·01	·08	—	·30	·01	—	·11	·14	—	·44	·02	·22	26
27	—	·61	—	·01	—	—	—	·38	·15	·25	—	·20	27
28	—	·12	·01	·48	—	—	—	·16	—	—	·24	·01	28
29	—		·02	·13	—	·86	·15	·01	·28	·25	·01	—	29
30	—		—	—	—	·03	·04	—	—	·37	·06	·05	30
31	—		—		—		·04	—		·13		·02	31
Total	1·43	2·15	2·02	2·10	1·14	3·11	·34	2·88	2·77	3·79	5·72	8·02	TOTAL for year 35·47
No. of Rain Days	18	16	20	16	9	14	4	15	14	18	24	30	198

9,000, IX. '10.

REC 911

nowdon

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Abbotsham

in the County of Devon N.3

by Mrs C. Hibbert

RAIN GAUGE	Diameter of top	5 in.
	Height of top above Ground	1 ft. — in.
	" " " Sea Level	87 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bideford
Distance 2 m. Direction E 18°S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	—	—	·32	·18	·03	—	·49	—	·02	·11	·02	1
2	·01	—	·01	·01	·13	·01	—	·24	—	·45	·39	·22	2
3	—	—	·03	—	·52	—	—	·07	·05	—	·26	·23	3
4	—	—	·13	—	·01	—	—	·17	—	—	·47	·68	4
5	·33	—	·22	·01	—	—	—	·11	·01	·05	·32	·09	5
6	·18	—	·01	·01	—	—	—	·03	—	—	·28	·76	6
7	·06	—	—	—	—	—	—	—	—	—	·59	·01	7
8	·10	—	·08	—	—	—	—	—	—	—	·47	·81	8
9	·16	—	·07	—	—	—	—	—	—	—	·41	·26	9
10	·04	·01	·59	—	·23	—	—	—	—	—	·09	·54	10
11	·25	—	·01	—	·02	—	—	—	·07	—	·31	·36	11
12	—	—	·48	—	—	—	—	—	·45	—	·28	·21	12
13	—	—	·06	—	·03	—	—	—	·18	·01	·03	·10	13
14	—	·06	·01	—	—	—	—	—	—	—	·08	·20	14
15	·06	·03	·07	—	·01	·04	—	—	—	·05	·33	·07	15
16	·02	·01	—	—	—	·13	—	—	—	—	·16	·34	16
17	—	·05	·01	·01	—	·32	—	—	—	—	·12	·54	17
18	—	·36	·04	·15	—	·16	—	—	—	·16	·43	·47	18
19	—	·01	—	·13	—	·50	—	—	·38	·07	·09	·72	19
20	·02	·06	·10	·20	—	—	—	·01	·63	·58	—	·21	20
21	·02	·24	·01	·01	—	·08	—	·75	·24	·23	—	·02	21
22	·03	·13	—	·09	—	·15	—	—	·18	·31	—	·32	22
23	·02	·14	·06	·01	—	·05	—	·10	·14	·12	·17	·11	23
24	·01	·20	—	—	—	·70	—	·18	·03	·20	—	·20	24
25	·02	·04	—	·23	—	·05	—	·04	·08	·10	—	·03	25
26	·01	·08	—	·30	·01	—	·11	·14	—	·44	·02	·22	26
27	—	·61	—	·01	—	—	—	·38	·15	·25	—	·20	27
28	—	·12	·01	·48	—	—	—	·16	—	—	·24	·01	28
29	—		·02	·13	—	·86	·15	·01	·28	·25	·01	—	29
30	—		—	—	—	·03	·04	—	—	·37	·06	·05	30
31	—		—		—		·04	—		·13		·02	31
Total	1.43	2.15	2.02	2.10	1.14	3.11	·34	2.88	2.77	3.79	5.72	8.02	TOTAL for year 35.47
No. of Rain Days	18	16	20	16	9	14	4	15	14	18	24	30	198

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
16 JAN 1913

N3

Kept at Abbotsham
in the County of Devon
by Mrs C. Hibbert

Lat. 51° 1' Long. 4° 15'
Time of Observation 9 a.m.
Nearest Railway Station Bideford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·47	—	·06	·38	·01	·01	·09	1·19	—	—	1
2	—	—	·29	·03	—	1·46	·01	—	—	·09	·05	·10	2
3	·05	·02	·48	·02	—	·08	·03	1·21	·11	—	—	·09	3
4	·33	—	1·23	—	·03	·06	—	·07	·01	—	—	—	4
5	·61	·06	·19	·01	·02	—	·07	·47	—	—	·22	—	5
6	·53	·10	·01	·01	·22	—	—	·52	—	—	·01	·08	6
7	·04	·33	·13	·02	·07	·40	·14	·23	·01	—	·01	·01	7
8	·36	·09	·08	·06	·01	·34	—	·01	—	—	—	·03	8
9	·01	·20	·30	·02	—	·19	·10	1·13	—	—	·02	·57	9
10	·41	·02	·10	—	—	·05	·03	·03	—	—	·33	·07	10
11	·01	·02	·01	—	—	—	·01	—	—	—	·03	·72	11
12	·04	·02	·12	—	·16	·01	·17	·13	—	—	·27	·08	12
13	·20	·01	—	—	—	·01	·16	·06	—	·09	—	·07	13
14	·12	·01	·59	—	·15	·02	—	·41	—	·03	—	·09	14
15	·10	·03	·04	—	·10	1·11	—	·03	—	—	·01	·65	15
16	·15	—	·14	—	·16	·09	—	·09	—	·09	·03	·55	16
17	·01	—	·16	—	·03	·18	—	·45	—	·04	·03	·15	17
18	—	·04	·28	—	—	—	—	·30	—	·13	·01	·18	18
19	—	·10	·11	—	·02	·05	—	·57	—	·09	·03	·06	19
20	·03	·03	·23	—	·01	·01	—	·22	—	·45	·03	—	20
21	—	·08	·33	—	·39	—	—	·20	—	·12	·03	—	21
22	·38	·24	·23	—	·01	·03	·02	·33	—	·08	·03	·08	22
23	·10	·47	·19	—	·02	·16	—	·80	—	·17	·01	·33	23
24	·03	·06	·06	—	—	·39	·08	·01	—	·24	·09	·19	24
25	·03	—	—	—	—	·31	—	·17	—	·26	·67	·79	25
26	—	·09	·02	—	—	·01	·05	·12	—	·33	·55	·31	26
27	—	·03	·03	—	—	·37	·40	·01	—	·74	—	·65	27
28	—	·10	·03	—	—	·11	·15	·62	·26	·27	·04	·50	28
29	—	·24	—	—	·02	·26	·77	·13	·29	·37	·03	·09	29
30	—		·08	·02	—	·22	·28	·01	·01	·61	·05	·02	30
31	—		·40		—		·15	·02		·04		·08	31
Total	3·54	2·39	6·33	·19	1·48	6·30	2·63	8·33	·78	5·43	2·58	6·54	YEAR'S TOTAL 46·52
Rain Days.	20	23	28	8	17	25	18	29	7	20	23	26	244

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
14 JAN 1914

Kept at Abbotsham

in the County of N Devon 3

by Mrs C. Hibbert

Lat. 51° 1' Long. 4° 15'
Time of Observation 9 a.m.
Nearest Railway Station Bideford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·25	·25	·06	·25	—	—	—	·02	·01	·24	·01	1
2	·02	·23	·02	·03	·18	·01	—	—	—	·46	·25	·20	2
3	·06	—	·06	—	·24	—	—	—	—	·01	·02	·25	3
4	·84	—	·06	—	·01	·02	·06	—	·08	·19	·13	·29	4
5	·15	·01	·02	—	·24	·62	·03	—	·26	·01	·65	·73	5
6	·09	·23	·26	—	·03	·16	—	—	·01	·12	·27	·23	6
7	·01	·06	·06	—	·59	·13	—	—	—	·41	·14	·22	7
8	·04	·63	·25	—	·12	·01	·02	·04	—	·01	·01	·07	8
9	—	·22	·02	·04	·14	·27	·02	·12	·03	—	·55	·03	9
10	·60	·08	·04	·06	·10	·04	·01	·08	—	·42	·16	·15	10
11	·42	—	·02	·06	·15	·18	·04	·04	·05	·04	·65	—	11
12	·33	—	·13	·15	·02	·03	·03	—	·12	—	·45	—	12
13	·04	—	·06	—	—	—	·02	·09	·49	—	·14	—	13
14	·15	—	—	—	—	—	—	·04	·16	·21	·12	—	14
15	·11	—	·26	1.26	—	—	—	—	—	—	·27	·05	15
16	·18	—	·58	·08	—	—	—	—	·05	—	·02	—	16
17	·16	—	·80	·04	—	—	·03	—	—	—	·05	—	17
18	·16	—	·03	·12	·06	·02	·01	—	—	—	·09	—	18
19	·46	—	—	—	·11	·02	·06	—	·30	·45	·01	—	19
20	·13	—	·06	·09	·01	—	—	—	·05	·25	·45	—	20
21	·01	—	·09	·41	·07	—	·10	·02	—	·03	·27	—	21
22	·43	—	·16	·07	·02	·23	—	·35	·08	—	—	·08	22
23	·03	—	·83	·01	—	—	—	·07	·02	—	·16	·70	23
24	·15	—	·06	·11	—	—	—	·08	—	—	·15	—	24
25	—	—	—	·50	—	—	—	—	·07	·02	·10	·11	25
26	—	—	—	·96	—	·02	—	·02	·03	—	·02	·52	26
27	·25	—	·18	·18	—	—	—	—	—	·33	·01	·05	27
28	·08	—	·10	·33	·30	—	—	—	—	·23	—	·15	28
29	·01		·18	·60	·02	—	—	—	—	·12	·01	—	29
30	·47		—	·01	—	—	—	—	—	·34	—	—	30
31	·32		·85		·12		—	·11		·01		—	31
Total	5·76	1·71	5·43	5·17	2·78	1·76	·43	1·06	1·82	3·67	5·39	3·84	YEAR'S TOTAL 38·82
Rain Days.	28	8	26	21	20	14	12	12	16	20	27	17	221

W.7,000, XI. 13

f

Esc [illegible]

REGISTER OF RAINFALL IN, 1914

FORM A.
BRITISH RAINFALL.
13 JAN 1915

Kept at Abbotsham

in the County of Devon N 3

by Mrs C. Hibbert

Lat. 57°1' Long. 4°15'

Time of Observation 9 a.m.

Nearest Railway Station Bideford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·03	—	—	·25	·03	·59	—	—	·16	·10	1
2	·02	—	—	—	·01	·01	·55	·11	—	—	·02	·48	2
3	·06	—	—	·25	·47	—	·01	·15	—	·01	·02	·23	3
4	·39	—	·15	·28	·01	—	·61	·67	—	—	·28	·96	4
5	·13	—	·26	·37	·01	—	·05	—	—	—	·18	·22	5
6	·01	—	·13	·32	·08	·01	·31	·08	—	—	·06	·27	6
7	·05	·50	·35	·30	·15	·07	·47	·18	·30	—	·01	·21	7
8	·07	·03	·99	·02	·05	·19	·07	·10	—	—	—	·08	8
9	·16	·03	·25	·09	·12	·71	—	·21	·45	—	·01	·07	9
10	·07	·03	·33	·37	·09	·04	—	—	·25	—	·02	·02	10
11	—	·13	·15	—	·05	·12	—	—	·01	—	·15	·40	11
12	—	·60	—	—	—	—	—	—	·27	—	·17	·06	12
13	—	·53	·17	—	—	—	·06	—	·35	·09	·30	·11	13
14	—	·73	·33	—	—	·01	·17	·64	·02	·01	·31	·05	14
15	—	·50	·50	—	—	—	·01	·27	·12	·01	·46	·09	15
16	·01	—	·09	—	—	—	—	—	·18	—	—	·01	16
17	—	·50	·06	—	—	—	·02	—	·02	—	—	·75	17
18	—	·15	·08	—	—	—	·04	—	·28	—	—	·40	18
19	—	·30	·50	—	—	—	1·20	—	·08	—	·11	·20	19
20	—	·17	·06	—	—	·19	—	—	—	—	—	·15	20
21	—	·01	·09	—	—	·03	·09	—	—	·17	—	·07	21
22	—	·03	·27	·02	·06	·17	·06	·02	—	·52	—	—	22
23	—	·13	·30	—	—	·01	·12	·04	—	·12	·02	—	23
24	—	—	·12	—	—	·02	·11	·03	—	·01	·11	—	24
25	·27	—	·13	—	—	—	·16	·44	—	·39	·04	·36	25
26	·10	—	·10	—	—	—	·07	·02	—	·13	·45	·47	26
27	·12	—	·50	—	—	—	—	—	—	·19	·40	·27	27
28	·10	—	·17	—	·11	—	—	—	—	·27	·07	·88	28
29	·29	—	·29	—	·08	—	—	—	—	·15	·58	·05	29
30	·03	✕	·04	—	—	—	—	—	—	·11	·67	·30	30
31	·01	✕	·16	✕	·07	✕	·38	—	✕	·62	✕	·33	31
Total	1·89	4·37	6·60	2·02	1·36	1·83	4·59	3·55	2·33	2·80	4·60	7·59	YEAR'S TOTAL 43.53
Rain Days.	17	16	28	9	14	14	21	15	12	15	23	28	212

W. 8,000. X. 14.

esi 75

1971

FORM A.
BRITISH RAINFALL.
8-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Abbotsham

in the County of Devon N

by Mrs C. Hibbert

Lat. 57° 1' Long. 4° 15'

Time of Observation 9 a.m.

Nearest Railway Station Bideford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·13	—	—	·09	—	—						1
2	·29	·29	·11	·07	—	·02	—						2
3	·05	·09	·11	·18	·21	—	·02						3
4	·04	·57	·01	·01	·02	—	·65						4
5	·09	·47	—	·12	·02	·01	—						5
6	·49	·05	·01	·25	—	—	·32						6
7	·31	·72	—	·04	·80	—	·20						7
8	·30	·48	—	—	—	—	·01						8
9	·04	·41	—	·15	—	—	—						9
10	·31	·37	·17	·07	—	·05	—						10
11	·09	—	·10	·01	·01	—	·04						11
12	·08	·24	·01	·03	·38	—	—						12
13	·05	·40	—	·05	·61	—	·22						13
14	·08	—	—	—	·01	—	·18						14
15	·18	—	—	—	·32	—	·18						15
16	·02	1.06	—	·02	·09	—	1.26						16
17	·04	·22	—	—	·07	—	·01						17
18	·01	·30	—	—	·03	—	·01						18
19	·04	·01	—	·13	·13	—	·17						19
20	·62	—	—	·11	—	·06	·01						20
21	·32	·34	—	—	·12	·03	·21						21
22	·06	·08	·15	·05	—	·02	·40						22
23	·08	·03	·03	—	—	·06	·12						23
24	—	—	·02	·02	—	—	·58						24
25	—	—	·04	—	—	·25	·11						25
26	·01	·23	—	—	—	·07	·21						26
27	—	·07	—	—	—	·60	·07						27
28	—	·03	—	—	—	·02	—						28
29	—		—	—	—	·32	—						29
30	·15	X	—	·02	—	·06	—						30
31	·01	X	—	X	—	X	·10		X		X		31
Total	4.11	6.53	·76	1.33	2.91	1.57	5.08						YEAR'S TOTAL
Rain Days.	26	22	11	17	15	13	22						

Discontinued owing to
removal to Landcross

W. 8,000. X. 15.

REGIS

DEVON.
ABBOTSK~~ER~~SWELL
COURT GRANGE

1911, 14, 15

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Court Gr

in the County of Devon

by Mrs Marcus

5¼ in.

e Ground 1 ft. 1 in.

Sea Level 150 ft.

. a. m.

Name Newton Abbot

Distance 2½ miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0-00	0-00	0-31	0-16	0-00	0-00	0-00	0-05	0-00	0-00	0-02	0-20	1
2	0-00	0-00	0-00	0-00	0-08	0-00	0-00	0-00	0-00	0-02	0-03	0-01	2
3	0-00	0.00	0-00	0-00	0-50	0-00	0-00	0-17	0-00	0-29	0-19	0·48	3
4	0-00	0-00	0-02	0-00	0-30	0-00	0-00	0-00	0-03	0-00	0-31	0·10	4
5	0-00	0-00	0-02	0-00	0-00	0-00	0-00	0-03	0-00	0-00	0-34	0-77	5
6	0-21	0-00	0-12	0-00	0-00	0-00	0-00	0-22	0-00	0-08	0-17	0-00	6
7	0-38	0·00	0-42	0-00	0-00	0-00	0-00	0-01	0-00	0-15	0-12	1-41	7
8	0-03	0·00	0-00	0-00	0-00	0-00	0-00	0-00	0-00	0-00	0-53	0-02	8
9	0·01	0-00	0-08	0-00	0-00	0-00	0-00	0-00	0-00	0-00	0-12	0-66	9
10	0-00	0·00	0-00	0-00	0-00	0-12	0-00	0-00	0-00	0-00	0-41	1-05	10
11	0-04	0-04	0-60	0-00	0-00	0-00	0-00	0-00	0-00	0-00	0-00	0·37	11
12	0-41	0-00	0-00	0-00	0-00	0-00	0-00	0-00	0-02	0-00	1-22	0-01	12
13	0-00	0-00	0-55	0-00	0-00	0-00	0-00	0-00	0-18	0-00	0-06	0-24	13
14	0-00	0·00	0-04	0-00	0-00	0-00	0-00	0-00	0-24	0-00	0-00	0-73	14
15	0-00	0-05	0-00	0-00	0-00	0-00	0-00	0-00	0-00	0-21	0-03	0-90	15
16	0-00	0-02	0-00	0-00	0-00	0-04	0-00	0-00	0-00	0·00	0-40	0-06	16
17	0-00	0·01	0-07	0-00	0-00	0-42	0·00	0-00	0-00	0-00	0·75	0-91	17
18	0-00	0-00	0-80	0-01	0-00	0-31	0-00	0-00	0-00	0-00	0-34	0·94	18
19	0-00	0-28	0·74	0-29	0-00	0-27	0-00	0-00	0-00	0-20	0-21	0·85	19
20	0-00	0-03	0-04	0-03	0-00	0·70	0-00	0-00	0-60	0-21	0-02	0-65	20
21	0-03	0-21	0-26	0-07	0·00	0-01	0-00	0-00	0-13	0·77	0-00	1-20	21
22	0·02	0-29	0-01	0-01	0-00	0-05	0-00	0-01	0-15	0·44	0-00	0-03	22
23	0-15	0-07	0-01	0-03	0-00	0-13	0-00	0-00	0-52	0-16	0-00	0·75	23
24	0-00	0-39	0-03	0-00	0·00	0-11	0-00	0-00	0-02	0-32	0-14	0-55	24
25	0-00	0-21	0-00	0-00	0·00	0-35	0-00	0-05	0-00	0·39	0-00	0-40	25
26	0-00	0-12	0-00	0-05	0-00	0-00	0-00	0·03	0-13	0-18	0-00	0·09	26
27	0·00	0-17	0-00	0-45	0-00	0-00	0-00	0-11	0-00	0·63	0·01	0·30	27
28	0-00	0·75	0-04	0-03	0-00	0-00	0-00	0-08	0-17	0·39	0-02	0-19	28
29	0-00		0-02	0-55	0-00	0-00	0-00	0-0[illegible]	0-00	0-00	0-04	0-00	29
30	0-00		0-00	0-07	0-00	2-23	0-58	0-00	0-10	0-35	0-00	0-00	30
31	0-00		0-00		0-00		0-00	0·00		0-50		0-00	31
		·31	·16				·05			·82	·20		
Total	1-28	2·64	4-16	1-75	0-88	2·74	0·58	0·81	2-29	5·29	5-48	13-81	TOTAL for year 41-77
No. of Rain Days	1·28 9	2·95 15	4·01 18	1·59 11	·88 3	2·74 12	·63 2	·76 10	2·29 12	5·31 18	5·66 22	13·67 26	158

5

REGIS

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Court Grange
in the County of Devon S.5
by Mrs. Marcus Hare

RAIN GAUGE Diameter of top 5¼ in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 150 ft.
Time of Observation 9 a. m.
Nearest Railway Station Name Newton Abbot
Distance 2½ miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0-00	0-00	0-31	0-16	0-00	0-00	0-00	0-05	0-00	0-00	0-02	0-20	1
2	0-00	0-00	0-00	0-00	0-08	0-00	0-00	0-00	0-00	0-02	0-03	0-01	2
3	0-00	0·00	0-00	0-00	0-50	0-00	0-00	0-17	0-00	0-29	0-19	0·48	3
4	0-00	0·00	0-00	0-00	0-30	0-00	0-00	0-00	0-03	0-00	0-31	0·10	4
5	0-00	0-00	0-02	0-00	0-00	0-00	0-00	0-03	0-00	0-00	0-34	0-77	5
6	0-21	0·00	0-12	0-00	0-00	0-00	0-00	0-22	0-00	0-08	0-17	0-00	6
7	0-38	0·00	0-42	0-00	0-00	0-00	0-00	0-01	0-00	0-15	0-12	1-41	7
8	0-03	0·00	0-00	0-00	0-00	0-00	0-00	0-00	0-00	0-00	0-53	0-02	8
9	0·01	0-00	0-08	0-00	0-00	0-00	0-00	0-00	0-00	0-00	0-12	0-66	9
10	0-00	0·00	0-00	0-00	0-00	0-12	0-00	0-00	0·00	0-00	0-41	1-05	10
11	0-04	0-04	0-60	0-00	0-00	0-00	0-00	0-00	0-00	0-00	0-00	0·37	11
12	0-41	0·00	0-00	0-00	0-00	0-00	0-00	0-00	0-02	0-00	1-22	0-01	12
13	0-00	0·00	0-55	0-00	0-00	0-00	0-00	0-00	0-18	0-00	0-06	0-24	13
14	0-00	0·00	0-04	0-00	0-00	0-00	0-00	0-00	0-24	0-00	0-00	0-73	14
15	0-00	0-05	0-00	0-00	0-00	0-00	0-00	0-00	0-00	0-21	0-03	0-90	15
16	0-00	0-02	0-00	0-00	0-00	0-04	0-00	0-00	0-00	0·00	0-40	0-06	16
17	0-00	0·01	0-07	0-00	0-00	0-42	0·00	0-00	0-00	0-00	0·75	0-91	17
18	0-00	0-00	0-80	0-01	0-00	0-31	0-00	0-00	0-00	0-00	0-34	0·94	18
19	0-00	0-28	0-74	0-29	0-00	0-27	0-00	0-00	0-00	0-20	0-21	0·85	19
20	0-00	0-03	0-04	0-03	0-00	0·70	0-00	0-00	0-60	0-21	0-02	0-65	20
21	0-03	0-21	0-26	0-07	0·00	0-01	0-00	0-00	0-13	0·77	0·00	1-20	21
22	0·02	0-29	0-01	0-01	0-00	0-05	0-00	0-01	0-15	0-44	0-00	0-03	22
23	0-15	0-07	0-01	0-03	0-00	0-13	0-00	0-00	0-52	0-16	0-00	0·75	23
24	0-00	0-39	0-03	0-00	0-00	0-11	0-00	0-00	0-02	0-32	0-14	0-55	24
25	0-00	0-21	0-00	0-00	0·00	0-35	0-00	0-05	0-00	0-39	0-00	0-40	25
26	0-00	0-12	0-00	0-05	0-00	0-00	0-00	0·03	0-13	0·18	0-00	0·09	26
27	0·00	0-17	0-00	0-45	0-00	0-00	0-00	0-11	0-00	0·63	0-01	0·30	27
28	0-00	0·75	0-04	0-03	0-00	0-00	0-00	0-08	0-17	0·39	0-02	0-19	28
29	0-00		0-02	0-55	0-00	0-00	0-00	0-09	0-00	0-00	0-04	0-00	29
30	0-00		0-00	0-07	0-00	2-23	0-58	0-00	0-10	0-35	0-00	0-00	30
31	0-00	·31	0-00 ·16		0-00	–	0-00 ·05	0-00		0-50 ·82	·20	0-00	31
Total	1-28 1·28	2·64 2·95	4-16 4·01	1-75 1·59	0·88 ·88	2·74 2·74	0·58 ·63	0·81 ·76	2-29 2·29	5·29 5·31	5·48 5·66	13-81 13·67	TOTAL for year 41-77
No. of Rain Days	9	15	18	11	3	12	2	10	12	18	22	26	15

9,000, IX. '10.

cont pr auth the WD 19.IV.15 ~~W. W9~~

Ack WD

winter 20 III 15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 22 JAN 1915

Kept at Court Grange

in the County of Devon S5

by Mrs Marcus Hare

Lat. Long.

Time of Observation

Nearest Railway Station Newton Abbot

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ~~200~~ 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		23	3					50			83	80	1
2			2	14		8	20	50			60	41	2
3			3	3	6						35	52	3
4			10	13	70		20					2	4
5	7		3	41	29		50	22			36	80	5
6	12		10	16	12				2			4	6
7	3	4	3	17	11							104	7
8	3	162	29	31	2	4		4	30			68	8
9	11		106	13	3	46		31				11	9
10	3	3	36	22	5	50		37	1.40				10
11	6	67	3	18	1	5			72			20	11
12		15	55			15						103	12
13		27	10						18	17		76	13
14		102	46				9		3	27	30	16	14
15		80	46			10		1.17	20	6	62	7	15
16			15								30	5	16
17	4		1						56		9	105	17
18		57	31									25	18
19		9	14						18			5	19
20		3	93				221		2		7	5	20
21		44	15			5					4	27	21
22		67								45		7	22
23		7	2	2		5		3		25			23
24		5	49	5						44			24
25		11	1	3				3		4	6		25
26	16		22				2	41		49	7	65	26
27	3	3	0								25	86	27
28		2								4	28	47	28
29			50	3	5					4	45	71	29
30	39	X	19		9					4	109	5	30
31	2	X	13	X		X			X	33	X	{112	31
	·23	·03	–	–	–	–	·50	–	–	·83	·80	{(–)	YEAR'S TOTAL
Total	~~109~~	~~691~~	~~690~~	198	153	148	~~322~~	~~358~~	361	~~262~~	~~576~~	~~1229~~	50·97
Rain Days.	1·32 13	6·71 19	6·87 27	13	11	9	3·72 8	3·08 9	10	3·45 13	5·73 16	11·49 27	174

W. 8,000. X. 14.

cwd for auth 15.III.16

1847

FORM A. BRITISH RAINFALL

17 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Court Grange Newton Abbot

in the County of Devon

55

by Mrs Marcus Hare

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Newton Abbot

Diameter of Funnel of Rain Gauge 5 1/4 in.

Height of top of Gauge above Ground 1 ft. in.

" 150 ft " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	31	25	~~3~~					64	24		3	69	1
2	40	23	8					37				61	2
3	8	15	16	3	39			—	—	3		44	3
4	4	16			4							64	4
5	112	119		16				32				22	5
6	54	12		44			60					45	6
7		54		9		—	14			10		31	7
8	7	30						11		4	11	96	8
9	20	14									24	8	9
10	16	52	3	6					—	19	7	.	10
11	17	15	27							19	120	.	11
12	4	72		2	63			12		4	35	.	12
13	.	80			136				2	8	8	143	13
14	9	.					28		2	8		125	14
15	14	.			40		27			3	2	15	15
16		178			20							10	16
17		66										2	17
18		29										.	18
19					43			—				.	19
20	9	2		18		11				20		4	20
21	20	6			5		55			4		2	21
22	9		54	6			48			3		47	22
23		2	10						12	160		65	23
24				2						15		57	24
25	12			6		66	16					50	25
26	2	39				26	12		5			117	26
27	4	3				11	2		57	67			27
28		3				15					39	7	28
29						61	6		4		64	12	29
30	21	X				8	6			157	25	45	30
31	4	X		X		X	20	23	X	131	X	35	31
Total	4.17	8.55	1.88	1·12	3.~~4~~50 3·50	1.98	2.94	1.7~~0~~9 1·79	1.06	6.35	3.38	11.76	YEAR'S TOTAL 47.~~6~~78 47·78
Rain Days.	21	22	6	10	8	7	12	6	7	17	11	25	152

W. 8,000. X. 15.

DEVON.
ASHBURTON
"DOLBEAR"
1911 – 1920
1913 A/B

REG 11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

WDON.

Kept at DOLBEAR, AS

5 in.

ve Ground 1 ft. in.

in the County of DEVON.

Sea Level 300 ft.

5 a.m., G.M.T. (9 a.m. local time).

by Major W. W. BATT

Name ASHBURTON
Distance 4½ Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date:	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·01	·02	·21	–	–	–	–	–	·05	–	1
2	–	–	–	·17	·74	–	–	·32	–	·15	·08	·72	2
3	–	–	–	–	·41	–	–	–	·03	–	·44	·08	3
4	–	–	–	–	–	–	–	·14	–	·02	·36	·90	4
5	–	–	·15	–	–	–	–	·72	–	·06	·28	·01	5
6	·50	–	·24	–	–	–	–	–	–	·12	·10	1·56	6
7	·02	–	–	·02	–	–	–	–	–	–	·83	·02	7
8	·02	–	·08	–	–	–	–	–	–	–	·10	·90	8
9	·01	–	–	–	–	·48	–	–	–	–	·45	1·13	9
10	–	·03	·73	–	·10	–	–	–	·01	–	·05	·68	10
11	·15	–	–	–	–	–	–	–	–	–	1·24	·07	11
12	·46	–	·56	–	–	–	–	–	·18	–	·13	·27	12
13	–	–	·03	–	–	–	–	–	·11	·01	·05	·60	13
14	–	·05	·01	–	–	–	–	–	–	·10	·13	·60	14
15	–	·01	·02	–	–	·04	–	–	–	–	·62	·07	15
16	–	·01	·01	–	–	·70	–	–	–	–	·54	1·21	16
17	·02	·02	·89	·02	–	·25	–	–	–	·01	·40	1·44	17
18	–	·35	·38	·38	–	·31	–	–	·52	·27	·37	·92	18
19	–	·11	·12	·10	–	·34	–	–	·02	·21	·13	·72	19
20	–	·05	·17	·15	–	–	–	–	–	·62	–	·76	20
21	·06	·36	–	·01	–	·11	–	·01	·27	·44	–	·15	21
22	·03	·18	·02	·07	–	·11	–	–	·61	·17	–	1·00	22
23	·11	·38	·08	–	–	·04	–	–	·05	·65	·09	·81	23
24	–	·16	–	–	–	·21	–	·17	–	·30	–	·31	24
25	–	·11	–	·11	–	·01	–	·03	·25	·26	–	·25	25
26	–	·14	–	·42	–	–	–	·11	–	·56	·01	·30	26
27	–	·78	·02	·12	·09	–	–	·24	·16	·47	·02	·21	27
28	–	·23	·01	·51	–	–	–	·02	–	–	·15	–	28
29	–		–	·13	·13	·36	·77	–	·19	·52	–	–	29
30	–		·01	–	–	·01	·10	–	·02	·62	·32	–	30
31			·04		–		·15	–		·03			31
Total	1·38	2·97	3·52	2·23	1·68	2·97	1·02	1·76	2·41	5·59	6·94	15·69	TOTAL for year 48·16
No. of Rain Days	10	16	20	14	6	13	3	9	13	20	24	26	174

9,000, IX. '10.

REG 11.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at DOLBEAR, ASHBURTON,

in the County of DEVON. S. 4

by major W. W. BATTISCOMBE

RAIN GAUGE
Pattern SNOWDON.
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 300 ft.

Time of Observation 9-18 a.m., G.M.T. (9 a.m. local time).

Nearest Railway Station
Name ASHBURTON
Distance 4½ Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·01	·02	·21	–	–	–	–	–	·05	–	1
2	–	–	–	·17	·74	–	–	·32	–	·15	·08	·72	2
3	–	–	–	–	·41	–	–	–	·03	–	·44	·08	3
4	–	–	–	–	–	–	–	·14	–	·02	·36	·90	4
5	–	–	·15	–	–	–	–	·72	–	·06	·28	·01	5
6	·50	–	·24	–	–	–	–	–	–	·12	·10	1·56	6
7	·02	–	–	·02	–	–	–	–	–	–	·83	·02	7
8	·02	–	·08	–	–	–	–	–	–	–	·10	·90	8
9	·01	–	–	–	–	·48	–	–	–	–	·45	1·13	9
10	–	·03	·73	–	·10	–	–	–	·01	–	·05	·68	10
11	·15	–	–	–	–	–	–	–	–	–	1·24	·07	11
12	·46	–	·56	–	–	–	–	–	·18	–	·13	·27	12
13	–	–	·03	–	–	–	–	–	·11	·01	·05	·60	13
14	–	·05	·01	–	–	–	–	–	–	·10	·13	·60	14
15	–	·01	·02	–	–	·04	–	–	–	–	·62	·07	15
16	–	·01	·01	–	–	·70	–	–	–	–	·54	1·21	16
17	·02	·02	·89	·02	–	·25	–	–	–	·01	·40	1·44	17
18	–	·35	·38	·38	–	·31	–	–	·52	·27	·37	·92	18
19	–	·11	·12	·10	–	·34	–	–	·02	·21	·13	·72	19
20	–	·05	·17	·15	–	–	–	–	–	·62	–	·76	20
21	·06	·36	–	·01	–	·11	–	·01	·27	·44	–	·15	21
22	·03	·18	·02	·07	–	·11	–	–	·61	·17	–	1·00	22
23	·11	·38	·05	–	–	·04	–	–	·05	·65	·09	·81	23
24	–	·16	–	–	–	·21	–	·17	–	·30	–	·31	24
25	–	·11	–	·11	–	·01	–	·03	·25	·26	–	·25	25
26	–	·14	–	·42	–	–	–	·11	–	·56	·01	·30	26
27	–	·78	·02	·12	·09	–	–	·24	·16	·47	·02	·21	27
28	–	·23	·01	·51	–	–	–	·02	–	–	·15	–	28
29	–		–	·13	·13	·36	·77	–	·19	·52	–	–	29
30	–		·01	–	–	·01	·10	–	·02	·62	·32	–	30
31			·04		–		·15	–		·03			31
Total	1·38	2·97	3·52	2·23	1·68	2·97	1·02	1·76	2·41	5·59	6·94	15·69	TOTAL for year 48·16
No. of Rain Days	10	16	20	14	6	13	3	9	13	20	24	26	174

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
8 JAN 1913

Kept at Dolbeare, Ashburton

in the County of Devon S·4

by Major W. W. Battiscombe

RAIN GAUGE
Pattern SNOWDON.
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 300 ft.

Time of Observation 9.15 a.m. (G.M.T.), 9 a.m. local mean time.

Nearest Railway Station
Name Ashburton
Distance 4½ Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·27	–	–	·46	·03	–	·13	1·06 ~~·99~~	–	·47	1
2	–	–	·37	–	–	·68	·02	·02	–	·06	·02	–	2
3	–	–	·40	–	–	·30	·06	1·79	–	~~·07~~	–	·16	3
4	·14	·19	1·16	–	·02	·67	–	·25	·02	–	·09	–	4
5	·77	·42	·21	–	·08	–	·15	·71	–	–	–	·25	5
6	·72	·11	·02	–	·34	·19	–	·12	–	–	–	·02	6
7	·13	·93	·31	–	·09	·32	·01	·05	–	–	–	·32	7
8	1·12	·18	·48	·01	–	·11	·11	–	–	–	–	–	8
9	·07	·13	·26	·18	–	·16	·05	·17	–	–	–	·50	9
10	·26	·12	·05	–	–	·16	·06	·03	–	–	·20	·25	10
11	·01	·09	·15	–	–	–	–	·03	–	–	·42	·87	11
12	·01	·51	·17	–	·01	–	·06	·46	–	–	·02	–	12
13	·44	–	·01	–	–	·02	·27	·01	–	·11	–	·34	13
14	·15	·16	·50	–	·06	–	–	·02	–	–	–	·03	14
15	·95	·28	·12	–	·48	·33	–	–	–	–	–	·25	15
16	·33	·01	·75	–	·17	–	–	·33	–	·10	·02	·18	16
17	–	–	·27	–	·02	·04	–	1·27	–	–	·01	·10	17
18	–	·03	·20	–	–	–	–	·50	–	·01	–	·04	18
19	·04	·12	·54	–	–	·01	·04	·36	–	·01	–	·04	19
20	·09	·10	·65	–	·21	–	–	·12	–	·35	·01	–	20
21	–	·55	·40	–	·53	–	·05	·11	–	·22	–	–	21
22	·75	·80	·24	–	–	·02	·11	·10	–	·09	·01	·26	22
23	·60	·32	·24	–	–	·07	·01	·64	–	·02	·07	·41	23
24	·18	·08	·04	–	–	·69	–	–	–	·02	–	·41	24
25	·14	·02	·01	–	–	·04	·10	·37	–	·31	·46	·45	25
26	–	·12	–	–	–	–	·05	·05	–	·82	1·16	·87	26
27	–	·04	–	–	–	·63	·36	·13	–	2·44	–	1·06	27
28	–	·22	–	–	–	·23	·24	1·07	·39	·57	·51	·59	28
29	–	·59	·02	–	–	–	·19	·43	·56	·81	–	·10	29
30	–		–	–	–	·05	·24	–	·29	·49	–	–	30
31	–		·22		–		·73	–		·03		·15	31
Total	6·90	6·12	8·06	·19	2·01	5·18	2·94	9·14	1·39	7·52	3·00	8·12	TOTAL for year 60·57
No. of Rain Days.	19	24	27	2	11	20	21	25	5	18	13	24	209

W. 8,000, X. '11.

1

no MS.

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL

18 MAY 1915

Kept at Dolbear. Ashburton

in the County of Devon. S4

by Wm. W. W. Battiscombe.

Lat. 50° 32' N Long. 3° 45' W

Time of Observation 9. 15 a m G.M.T.

Nearest Railway Station Ashburton G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·39

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·36	·02	·09	–	·08	·20	·18	–	–	–	·12	1
2	.08	–	·06	·10	.12	–	·09	·02	–	–	·72	·69	2
3	.13	–	·21	·34	1·05	–	–	–	–	·57	·32	·06	3
4	–	–	·06	·41	·15	–	·72	–	–	·56	·70	·89	4
5	.06	–	·25	·24	·08	–	–	·33	·03	·51	·08	·05	5
6	–	.11	·13	·19	·14	–	·03	·12	–	·58	–	1·45	6
7	.03	2·03	·45	·32	·15	–	·25	·22	·23	–	·07	·64	7
8	.03	–	·81	·35	·03	·06	–	·33	–	–	–	·16	8
9	–	.05	·62	·21	–	·41	–	·38	·81	–	–	–	9
10	–	1·06	·09	·36	·03	·40	–	–	·22	–	–	·25	10
11	–	·20	·75	–	–	·10	–	–	·02	–	–	·93	11
12	–	·38	·10	–	–	·10	–	–	·16	·11	·05	·87	12
13	–	1·40	·80	–	–	–	·05	–	·20	·17	·47	·25	13
14	–	1·22	·73	–	–	–	·03	·43	·01	–	·80	·02	14
15	–	–	·16	–	–	·08	·03	–	–	·09	·38	·26	15
16	–	–	·05	–	–	–	–	–	·68	–	–	–	16
17	–	·70	·35	–	–	–	–	–	–	–	–	1·73	17
18	–	·13	·12	–	–	–	·06	–	·17	–	–	·24	18
19	–	–	·91	–	–	–	2·07	–	·03	–	·06	·15	19
20	–	·60	·12	–	–	·12	–	–	–	–	·10	·21	20
21	–	·45	·02	–	·20	–	–	–	–	·44	–	·10	21
22	–	·09	·06	–	–	·04	–	·03	–	·47	–	–	22
23	–	·04	·38	–	·02	–	·02	·06	–	·57	–	–	23
24	–	·01	·02	–	–	–	·02	·60	·51	·04	·04	–	24
25	–	·02	·34	–	–	–	·02	·09	·52	·56	·10	·85	25
26	·10	·05	·11	–	–	–	–	–	–	–	–	·97	26
27	·18	·12	–	–	–	–	–	–	–	·03	·36	·78	27
28	·01	·03	·43	–	·08	–	·01	–	–	·04	1·50	·98	28
29	–		·34	–	–	–	–	–	–	·03	·40	·06	29
30	·50		·30	–	·02	–	·03	–	–	·23	1·10	1·38	30
31	·03				–		·67	–		1·04		·48	31
Total	1.15	9.05	8.79	2.61	2·07	1·39	4.30	2·79	3·59	6·04	7·23	14·57	YEAR'S TOTAL = 63·58
Rain Days.	10	20	29	10	12	9	16	12	13	17	17	26	= 191

W.7,000, XI. 13

1830

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL

4 - FEB 1916

Kept at Dolbear. Ashburton

in the County of Devon.

by Mr. W. W. Battiscombe

Lat. 50 32 N. Long. 3 . 45 W

Time of Observation 9.15 a.m. G M T

Nearest Railway Station Ashburton. G W R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .29 ~~40~~ ~~29~~

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.39	.35	nil	nil	nil	nil	nil	.29	nil	.44	.95	.14	1
2	.28	.36	.14	–	–	.04	–	.50	.01	.03	.03	.80	2
3	.09	.48	.15	–	.34	nil	–	.45	nil	.01	nil	.46	3
4	.04	.30	nil	–	.03	–	–	nil	–	nil	–	.66	4
5	.05	1.13	–	~~03~~ 13	nil	–	–	nil	–	–	–	.98	5
6	1.06	.18	–	~~07~~ 54	–	–	.65	.30	–	–	–	.34	6
7	.46	.83	–	~~nil~~ 17	–	–	.10	nil	–	.29	–	.43	7
8	.11	.43	–	nil	–	–	.01	.25	–	.03	–	.43	8
9	.35	.11	–	~~17~~	–	–	nil	.25	–	.01	.18	1.33	9
10	nil	.57	–	.09	–	–	–	nil	–	.14	.48	.09	10
11	.18	.12	.16	nil	–	–	–	.30	–	.31	.17	.04	11
12	.05	.57	nil	.03	.68	–	–	.16	–	nil	1.23	.03	12
13	nil	1.23	–	nil ~~02~~	1.12	–	–	nil	.03	.06	.50	.05	13
14	.09	.03	–	nil	nil	–	.26	nil	.01	.09	.11	2.15	14
15	.30	nil	–	~~03~~ nil	.37	–	.23	nil	nil	.03	nil	.33	15
16	nil	–	–	–	.36	–	1.10	–	–	nil	.04	.17	16
17	.03	2.84	.01	–	.04	–	nil	–	–	–	nil	.01	17
18	nil	.27	nil	–	nil	–	nil	–	–	–	–	nil	18
19	–	.03	–	.07	.70	–	.11	–	–	–	–	–	19
20	.28	nil	–	nil	.07	.10	nil	–	–	.09	–	.03	20
21	.18	.05	–	–	.08	.03	.43	–	–	.04	–	nil	21
22	.19	.07	.53	–	nil	nil	.45	–	–	nil	–	–	22
23	nil	nil	.05	–	–	.30	.09	–	.21	.06	–	.51	23
24	–	nil	nil	–	–	.35	.06	–	.01	1.00	–	.25	24
25	.04	–	–	.01	–	.23	.10	–	nil	.26	–	.76	25
26	.03	.53	–	nil	–	.18	.05	–	.46	nil	–	.53	26
27	.05	.03	–	–	–	.03	.03	–	nil	–	–	1.43	27
28	nil	.06	–	–	–	.11	nil	–	.45	.93	.04	nil	28
29	–		–	–	–	.30	–	–	.05	.13	.33	.16	29
30	.27	X	–	–	–	.04	–	.04	.03	nil	.50	.60	30
31	.03	X	–	X	–	X	–	.25	X	.86	X	.64	31
Total	4.43	10.44	1.04	1.09	3.89	1.59	3.66	2.79	1.34	4.67	4.56	13.32	YEAR'S TOTAL 52.71
Rain Days.	23	22	6	7	10	11	14	10	9	19	13	26	=168

W. 8,000. X. 15.

EX 9118 and for auth 1787

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 25. 1917

Kept at Dolbear. Ashburton
in the County of Devon.
by Mrs W. W. Battiscombe

Lat. 50 32 n Long. 3 45 w
Time of Observation 9.15 a m G M T
Nearest Railway Station Ashburton G W
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	nil	nil	nil	·06	·04	·03	nil	·09	·44	·17	nil	1
2	·63	-	·05s	-	nil	nil	nil	-	·06	·15	·33	-	2
3	·07	·19	·04	-	·45	·38	-	-	·06	·78	·38	-	3
4	·33	1·75	nil	-	·07	·13	·09	-	·06	·13	1·10	-	4
5	·01	·31	-	-	·06	·01	nil	-	nil	·40	·21	-	5
6	·07	·38	·03s	-	·19	nil	·79	-	-	·33	1·76	-	6
7	nil	·24	nil	-	·08	·53	nil	-	-	·04	·77	·11	7
8	-	·31	·09s	-	·27	·12	-	-	-	nil	·13	·28	8
9	-	·39s	·31	-	·02	nil	-	-	-	·04	·15	·39	9
10	-	·15	·07	-	·04	·02	-	-	-	·07	·90	·03	10
11	-	·41	nil	·02	·05	nil	·06	-	-	nil	·02	·03	11
12	·12	·03	-	·08	·09	-	·01	·03	-	·03	nil	nil	12
13	nil	·04	·11	·02	·02	-	nil	·23	-	nil	-	·11	13
14	-	·41	·19	·05	nil	-	-	·34	-	·23	-	nil	14
15	-	·78	·16	nil	-	-	-	·05	-	nil	-	·06	15
16	·40	·50	·26	·09	-	-	-	·66	5	·14	-	nil	16
17	·45	·14	nil	·08	-	-	-	nil	·11	·30	1·10	-	17
18	·13	·10	-	·05	-	-	-	-	·14	·05	nil	-	18
19	·43	·20	·49	·03	-	-	-	-	nil	nil	·16	·11	19
20	·14	·30	·19	·09	-	-	-	-	-	-	·07	1·50	20
21	·04	·59	·23	·01	·08	·24	-	·08	-	-	nil	·08	21
22	nil	·05	·06	nil	nil	-	-	·29	-	·30	·02		22
23	-	nil	nil	-	-	-	-	nil	-	·35	·82	·84	23
24	-	-	-	·06	-	·07	-	·12	-	·68	·05	·39	24
25	-	·16s	·01	·47	·10	-	-	·54	-	nil	·24	nil	25
26	-	·14s	·08	nil	nil	·19	-	·35	·90	1·19	·04	·04	26
27	-	·02	·11	-	-	nil	-	·34	·10	·35	-	nil	27
28	-	·02	1·50	-	-	-	-	·14	1·33	·69	-	·52	28
29	-	·14	·03	-	-	·55	·	1·96	·11	·28	-	·45	29
30	-		·03	-	-	·07	-	·25	nil	·86	-	nil	30
31	-		·01		-			·05		·68		·84	31
Total	3.11	4·75	4·05	1·05	1·58	2·35	·98	5·53	2·96	8·50	8·43	5·78	YEAR'S TOTAL 52·86
Rain Days.	13.	25.	.21	.12	·14	·12	.5	.15	.10	23	.19	14	=186

W. 8,000, VIII. 16

exist 1708

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

4 MAR 1918

Kept at Dolbear Ashburton
in the County of Devon.
by Mrs W. W. Battiscombe

Lat. 50° 32' N Long. 3° 45' W
Time of Observation 9.15. a.m. G M T
Nearest Railway Station Ashburton G W R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
·35

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	nil	nil	·14s	-	·39	nil	nil	·05	nil	nil	-	1
2	-	-	·02	·24	-	·02	-	-	·01	-	-	-	2
3	·03	-	nil	·08	-	nil	·09	-	nil	·59	-	-	3
4	·01	·04	·80	nil	-	-	·06	-	-	·46	-	-	4
5	·09	nil	·21	·07	-	·91	nil	-	·04	·21	·23	-	5
6	nil	-	·22	nil	-	·06	-	·09	·05	·18	·11	-	6
7	·54	-	nil	-	-	nil	·24	·34	·28	·50	·09	-	7
8	·14	-	s ·46	·09	-	-	·21	·14	nil	·33	·12	·25	8
9	nil	-	·14	·07	·03	-	·03	·04	-	·48	·29	nil	9
10	·19	-	·62	·40	nil	-	nil	·50	-	nil	·03	·03	10
11	·01	-	1·10	·15	-	-	-	·04	-	·49	·20	nil	11
12	·25	-	nil	nil	·48	-	-	nil	-	·56	nil	-	12
13	nil	-	·41	·02	nil	-	-	·21	·09	·10	-	-	13
14	-	-	nil	·04	-	-	·13	nil	nil	nil	-	-	14
15	·16 s.	-	-	nil	-	-	·26	·18	-	·65	-	·23	15
16	nil	·13	-	·04	-	-	nil	·05	-	·37	-	·24	16
17	-	nil	-	·05	·10	-	·43	·01	·71	·06	-	nil	17
18	-	·60	-	nil	·74	·07	·30	·16	·78	·01	-	-	18
19	·01	·09	·07	-	nil	·26	nil	nil	·11	nil	-	-	19
20	nil	nil	·02	-	·62	·06	-	-	·03	·03	-	·03	20
21	-	·05	nil	-	nil	nil	-	-	nil	·06	-	nil	21
22	-	nil	-	-	·03	-	-	-	-	·24	-	-	22
23	-	-	-	-	nil	-	-	·93	-	nil	-	-	23
24	-	-	-	-	-	·03	·29	·29	-	·76	·04	-	24
25	-	-	·05	-	-	nil	nil	·03	·09	·08	·06	-	25
26	-	-	nil	-	·25	·13	-	·38	·11	·06	nil	-	26
27	-	-	-	-	nil	·95	-	·23	nil	nil	-	-	27
28	-	-	·18	-	·02	·26	-	1·24	-	-	-	-	28
29	-	-	·26	-	nil	·20	-	·66	-	1·27	-	·16	29
30	-	X	·22	-	-	nil	·19	·01	-	·04	·02	-	30
31	-	X	·04	X	·30	X	·13	·27	X	·24	X	-	31
Total	1·43	·91	4·82	1·39	2·57	3·34	2·36	5·80	2·35	7·77	1·19	·94	YEAR'S TOTAL 34·87
Rain Days.	10	5	16	12	9	12	12	20	12	23	10	6	147

W. 8,000, IX. 17.

32

52

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL
16 4 19

Kept at Dolbear. Ashburton
in the County of S. Devon.
by Mrs. W. W. Battiscombe

Lat. 50° 32′ Long. 3. 45 W
Time of Observation 9. 15 a.m. G.M.T.
Nearest Railway Station Ashburton G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·52

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	35	nil	nil	nil	nil	nil	nil	55	nil	01	1·28	nil	1
2	nil	34	–	–	–	–	–	nil	01	10	nil	85	2
3	–	46	–	89	02	–	–	–	03	nil	–	nil	3
4	–	37	–	02	nil	–	–	25	03	–	32	58	4
5	–	04	18	10	42	–	–	74	67	50	1·89	10	5
6	11.	nil	09	17	nil	–	–	nil	50	30	nil	20	6
7	nil	42	nil	02	–	01	–	04	53	08	46	40	7
8	–	26	–	nil	–	nil	03	nil	27	29	nil	nil	8
9	16	18	–	02	–	12	30	–	70	02	–	67	9
10	03	02	18	35	–	nil	31	–	06	23	–	55	10
11	04	nil	03	02	01	–	46	–	38	nil	03	09	11
12	nil	17	nil	nil	16	–	03	–	24	–	08	02	12
13	–	nil	–	–	nil	–	nil	–	74	20	nil	18	13
14	64	–	–	–	23	06	05	–	16	06	–	28	14
15	1·26	–	–	–	02	10	73	–	13	11	–	37	15
16	82	–	–	–	nil	01	05	–	28	nil	–	06	16
17	31	–	–	35	–	nil	58	–	11	–	–	42	17
18	1·62	–	07	nil	–	92	12	–	96	41	–	41	18
19	30	–	14	–	–	nil	16	–	07	nil	–	30	19
20	46	17	nil	15	–	–	nil	–	36	04	–	nil	20
21	17	05	–	nil	–	01	05	–	68	10	–	51	21
22	03	nil	–	–	–	–	1·01	–	27	nil	03	46	22
23	25	02	–	–	–	–	nil	02	09	–	05	20	23
24	04	09	–	–	–	–	01	nil	02	–	22	16	24
25	01	nil	–	55	–	–	30	27	nil	04	25	nil	25
26	03	03	–	02	–	–	16	42	10	nil	03	34	26
27	~~nil~~ 04	06	46	nil	–	–	nil	03	11	02	nil	nil	27
28	–	13	16	–	–	–	–	07	11	04	03	04	28
29	–		30	–	–	–	–	nil	1·60	nil	nil	07	29
30	–	✕	33	02	–	–	–	–	nil	16	07	08	30
31	–	✕	13	✕	–	✕	–	–	✕	04	✕	06	31
Total	6·67	2·81	2·04	2·68	·86	1·23	4·35	2·39	9·21	2·75	4·74	7·40	YEAR'S TOTAL 47·13
Rain Days.	19	16	11.	13	6	7.	16	9	27	19.	13.	25	= 181

W, 6,500, VII. 18. W W C

1611

28 FEB 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 19~~20~~19

Kept at Dolbear, Ashburton
in the County of Devon.
by Mrs. W. W. Battiscombe

Lat. 50° 32″ N. Long. 3° 45′ W
Time of Observation 9.15 a.m. G.M.T.
Nearest Railway Station Ashburton G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·16.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·52	nil	·34	nil	·08	nil	·18	nil	·11	·18	nil	1·15	1
2	·19	-	·02	-	·03	-	nil	-	·05	·05	-	·08	2
3	·37	-	·37	-	·02	-	·41	-	·20	nil	-	·10	3
4	·63	1·34	·87	-	nil	-	nil	·09	1·00	-	-	·03	4
5	·05	·31	·77	-	-	-	-	nil	·33	-	-	·14	5
6	·63	1·36	·27	-	-	-	-	-	nil	-	-	·73	6
7	·46	nil	·55	·03	-	-	-	-	-	-	-	·10	7
8	·45	-	·13	·05	-	-	-	-	-	-	·32	nil	8
9	·28	-	·03	nil	-	-	-	-	-	-	·45	·07	9
10	·11	-	1·38	-	·10	-	-	-	-	-	nil	·75	10
11	·09	-	·57	-	nil	-	·05	-	-	-	-	·32	11
12	·50	-	·02	·10	·48	·06	-	-	-	·08	·07	·02	12
13	·43	·22	·20	·77	nil	nil	-	-	-	·01	nil	·42	13
14	1·13	·37	nil	·58	-	-	-	-	·08	·07	-	·25	14
15	·45	·19	-	·08	·48	-	-	-	·01	nil	-	·23	15
16	·11	1·43	-	nil ~~·47~~	nil	-	-	-	nil	-	·19	nil	16
17	·02	·32	-	nil ~~·49~~	-	-	-	-	-	-	·48	-	17
18	·02	·38	·50	-	-	-	·28	·23	-	-	·42	·02	18
19	·77	·77	·09	-	-	-	·45	·44	-	-	·23	nil	19
20	·68	·07	·02	-	-	·19	nil	·14	·29	-	·25	·08	20
21	·09	1·23	nil	-	-	·36	·02	nil	·08	-	nil	·12	21
22	nil	nil	-	-	-	nil	nil	-	·11	-	-	·03	22
23	-	-	-	-	-	-	-	·11	nil	·46	·11	·31	23
24	-	-	-	-	-	·18	-	·39	·02	·46	·22	·41	24
25	·06	·03	-	·02	-	·06	-	·41	nil	nil	·04	·10	25
26	·10	·03	-	·08	-	nil	-	·03	-	·01	·05	·71	26
27	·40	nil	·09	·07	-	-	-	2·02	·04	nil	nil	·01	27
28	nil	-	nil	·19	-	-	-	·03	nil	-	·56	·53	28
29	-		-	·03	-	-	-	·03	-	·14	nil	14	29
30	-	✕	-	nil	-	-	-	·15	·05	nil	·80	1·34	30
31	-	✕	-	✕	-	✕	-	nil	✕		✕	·69	31
Total	8·54	7·95	6·22	2·00	1·19	·85	1·39	4·07	2·37	1·46	4·19	8·88	YEAR'S TOTAL =49.11
Days with ·01 in. or more	24	14	17	11	6	5	6	12.	13	9	14	27	=158

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

corky A RR obs agrees 1526

11 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dolbear. Ashburton
in the County of Devon.
by Mrs W. W. Battiscombe

Lat. 50° 32' N. Long. 3° 45' W
Time of Observation 9.15 am GMT
Nearest Railway Station Ashburton. G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
„ „ „ „ Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 1·13

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	·17	nil	·05	1·00	nil	·81	·03	nil	·88	·01	1·08	1
2	·33	nil	·02	·07	nil	–	·03	·10	–	·11	nil	·40	2
3	·42	·05	nil	·10	·02	–	·05	nil	–	·97	–	·23	3
4	nil	nil	·03	nil	nil	–	nil	1·07	–	·31	–	nil	4
5	–	·03	·26	–	·06	–	·13	·31	–	·16	–	–	5
6	–	nil	·36	–	·24	–	·11	nil	–	·07	–	–	6
7	·03	–	·02	·13	nil	–	·54	–	–	nil	–	–	7
8	·11	·02	nil	·23	–	–	·03	·02	–	·04	–	·26	8
9	1·62	nil	–	·04	–	·14	·34	nil	–	nil	–	nil	9
10	2·13	–	–	nil	–	·26	·23	–	–	–	–	–	10
11	·83	·22	·10	·98	·27	·06	·23	–	–	–	–	nil	11
12	·26	·01	·30	·13	nil	·06	·06	–	–	–	–	Snow ·18	12
13	·13	·30	·53	·02	–	nil	nil	–	·13	·15	·21	·09 snow	13
14	·08	nil	·51	1·16	–	–	·03	–	·04	·58	·84	nil	14
15	·01	·06	·08	·41	·03	–	nil	–	·10	·87	·08	–	15
16	nil	·16	·09	·04	nil	·06	·27	–	·62	·06	nil	–	16
17	·01	·04	nil	·01	·50	nil	·02	–	–	nil	–	–	17
18	·20	nil	–	·09	nil	·46	nil	·12	–	–	–	–	18
19	·01	·05	–	·51	–	·29	–	nil	–	·02	–	–	19
20	·01	·03	–	·27	–	·10	–	–	–	·32	–	1·31	20
21	nil	nil	–	nil	–	nil	–	–	–	·05	–	·08	21
22	·02	–	–	–	–	–	·12	–	–	nil	–	·36	22
23	·01	–	–	–	–	–	·25	–	–	–	–	·84	23
24	·04	·03	·58	–	–	–	·06	·05	–	–	·30	·48	24
25	·08	·02	·20	–	–	–	·92	–	–	–	nil	·16	25
26	·43	nil	·33	–	–	–	·10	–	–	–	·27	·07	26
27	1·50	·09	·18	·11	–	·10	·05	–	–	–	·46	·37	27
28	·90	nil	·11	nil	–	·11	·05	–	–	–	nil	·15	28
29	1·23	nil	·81	·03	·03	nil	nil	–	–	–	·64	·95	29
30	·25	✕	nil	nil	nil	·34	·04	–	–	–	1·49	1·29	30
31	·19	✕	·26	✕	–	✕	nil	–	✕	·48	✕	·33	31
TOTAL	11·28	1·28	4·46	4·64	2·15	1·98	4·49	1·70	·89	5·07	4·30	~~4·68~~ 8·68	YEAR'S TOTAL ~~50·25~~ 51·25
Days with ·01 in. or more	26	15	18	16	8	11	22	7	4	15	9	18	~~146~~ 170
Days with ·04 in. or more	19	9	15	15	5	11	18	5	4	14	8	18	~~140~~ 141

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

526

Holbeam Ashburton
March 6th/21 S. Devon

The mistake is mine.
apologies. 8.68 Dec.
Total for the year.
51.25 in.

Yrs
M. E. Battiscombe

wrote for Jan & Feb, 25 I

3:0 B

FORM A2. BRITISH RAINFALL.

25 JAN 1913

DEVON.

ASHBURTON.

LANDSCOVE

1912-1913

REG 12

Kept at Landscove, in.

ove Ground ft. in.

in the County of Devons , Sea Level ft.

by A. F. Parbury

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·13			·55	·02		·11	1·08		·26	1
2			·23			·79	·01			·06			2
3			·30			·29	·09	1·42					3
4			·76	—	·03	·60		·22	·03			·12	4
5			·22		·04			·72					5
6			·02		·36	·21		·07					6
7		·94	·30		·11	·35		·11				·33	7
8		·49	·39	·01		·05	·07	·01					8
9		·13	·25	·14		·10	·12	·15				·48	9
10		·09	·05	·01		·07	·07	·07			·20	·25	10
11		·08	·11				·02	·05			·35	·47	11
12		·20	·15				·08	·56			·03	·05	12
13		·45	·01				·27	·01				·20	13
14	3·15	·12	·67		·07	·01	·02	·04		·15		·04	14
15		·27	·05		·43	·31						·20	15
16		·01	·66		·14	·04		·39		·13	·15	·06	16
17	1·08		·18		·03			1·32			·03	·16	17
18		·03	·17					·27				·15	18
19		·06	·50			·05	·03	·23				·06	19
20		·11	·59		·19		·01	·25		·35	·02		20
21	·09	·62	·22		·44		·05	·15		·10			21
22		·41	·25			·01	·08	·14		·10	·03	·30	22
23		·34	·25			·04	·01	·68		·10	·06	·35	23
24	1·37	·06	·06			·51		·03		·07		·45	24
25		·02	·01			·03	·09	·25		·50	·40	·38	25
26		·07					·06	·03		·45	·68	·42	26
27		·05				·52	·36	·36		1·90	·25	·64	27
28		·1~~5~~4				·44	·16	·90	·46	·50		·55	28
29		·48				·05	·20	·48	·56	·50		·10	29
30	·01		·05			·04	·21		·29	·30			30
31			·1~~0~~8				·80	·01		·03		·25	31
Total	5·70	5·17	6·76	·16	1·84	5·06	2·83	8·92	1·45	6·32	2·20	6·27	TOTAL for year 52·68
No. of Rain Days.	(19)	(25)	27	3	10	21	22	27	5	16	11	23	(209)

W. 8,000, X. 11.

Wrote for Jan & Feb.
25 II 13

FORM A2.
BRITISH RAINFALL.
25 JAN 1913
3.0

REGISTER OF RAINFALL IN 1912

Kept at Landscove, Ashburton

in the County of Devonshire S4

by A. F. Parbury

Rain Gauge	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	" " " Sea Level	ft.
Time of Observation		
Nearest Railway Station	Name	
	Distance	Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·13			·55	·02		·11	1·08		·26	1
2			·23			·79	·01			·06			2
3			·30			·29	·09	1·42					3
4			·76		·03	·60		·22	·03			·12	4
5			·22		·04			·72					5
6			·02		·36	·21		·07					6
7		·94	·30		·11	·35		·11				·33	7
8		·49	·39	·01		·05	·07	·01					8
9		·13	·25	·14		·10	·12	·15				·48	9
10		·09	·05	·01		·07	·07	·07			·20	·25	10
11		·08	·11				·02	·05			·35	·47	11
12		·20	·15				·08	·56			·03	·05	12
13		·45	·01				·27	·01				·20	13
14	3·15	·12	·67		·07	·01	·02	·04		·15		·04	14
15		·27	·05		·43	·31						·20	15
16		·01	·66		·14	·04		·39		·13	·15	·06	16
17	1·08		·18		·03			1·32			·03	·16	17
18		·03	·17					·27				·15	18
19		·06	·50			·05	·03	·23				·06	19
20		·11	·59		·19		·01	·25		·35	·02		20
21	·09	·62	·22		·44		·05	·15		·10			21
22		·41	·25			·01	·08	·14		·10	·03	·30	22
23		·34	·25			·04	·01	·68		·10	·06	·35	23
24	1·37	·06	·06			·51		·03		·07		·45	24
25		·02	·01			·03	·09	·25		·50	·40	·38	25
26		·07					·06	·03		·45	·68	·42	26
27		·05				·52	·36	·36		1·90	·25	·64	27
28		·1~~5~~4				·44	·16	·90	·46	·50		·55	28
29		·48				·05	·20	·48	·56	·50		·10	29
30	·01		·05			·04	·21		·29	·30			30
31			·1~~9~~8				·80	·01		·03		·25	31
Total	5·70	5·17	6·76	·16	1·84	5·06	2·83	8·92	1·45	6·32	2·20	6·27	TOTAL for year 52·68
No. of Rain Days.	(19)	(25)	27	3	10	21	22	27	5	16	11	23	(209)

W. 8,000, X. 11.

88 ✓

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL, FORM A.

27 JAN 1914

319

Kept at Landscove, Ashburton

in the County of S. Devon 4

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·10	·23		·20									1
2	·23	·37		·21									2
3	1·10			·09									3
4	1·09			·11		·06							4
5	·08	·06				·09							5
6	·42	·21				·21							6
7	·04	1·10											7
8	·06	·76				·16							8
9	·26	·07				·16							9
10	1·11					·05							10
11	·48					·09							11
12	·13					·06							12
13	·10			·02									13
14	·37			·06									14
15	·43			1·52									15
16	·47			·16									16
17	·17			·18									17
18	·29												18
19	·21			·16		·11							19
20	·41			·52									20
21				·16									21
22	·32												22
23													23
24		23		·17									24
25	·02	·01		·51									25
26				1·62									26
27	·88			·53									27
28	·14			·31									28
29	·19			·52									29
30	1·09			·03									30
31	·21												31
													YEAR'S TOTAL
Total	10·40 ✓	3·04 ✓		7·08 ✓		·99							
Rain Days.	27	9		19		9							

W. 7,500, XI. 12

88/

302

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGIS

DEVON
ASHBURTON.
"7, WEST ST.
1914-1916

Kept at Ashburton

in the County of S Devon

by W. J. O Evans

in.

ve Ground ft. in.

Sea Level ft.

IMPORTANT NOTE.— the result entered to the previous day. If an Observe conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·12		·07	·24	·26			·79	·10	1
2			·07	·04	·12		·11	·02			·31	·66	2
3	·005		·27	·29	1·01						·01	·05	3
4	·03		·10	·48	·16		·68	·33			·62	·91	4
5	·15		·27	·24	·08				·02		·10	·05	5
6	·01	·06	·14	·17	·14		·03	·12			·07	1·42	6
7	·05	1·93	·40	·27	·20	·08	·25	·22	·21			·64	7
8	·065		·77	·19	·04	·47		·36				·16	8
9	·02	·05	·61	·36	·01	·45		·35	1·01				9
10	·03	·99	·10	·27	·04	·09			·16			·21	10
11		·18	·75			·10			·03		·10	·86	11
12		·43	·10						·20	·15	·05	·88	12
13		1·33	·80				·07		·22	·14	·54	·23	13
14		1·13	·75			·07	·02	·43		·02	·77	·02	14
15			·21				·04	·27		·09	·30	·24	15
16	·01		·05				·08		·64			·02	16
17		·74	·35						·01			1·77	17
18		·10	·10				·05		·15			·26	18
19		·04	1·01				2·14		·03		·06	·12	19
20		·52	·12			·10	·01				·09	·22	20
21		·46	·01							·43		·12	21
22		·09	·01		·19	·04		·03		·46			22
23		·03	·41		·01		·02			·39			23
24					·02		·01	·08		·06	·04	·01	24
25	·14		·30		·01		·03	·54		·53	·08	·78	25
26	·07	·06	·09				·04	·10		·04	·37	·91	26
27	·02	·09								·04	·49	·65	27
28	·01	·04	·45		·06					·14	·43	·87	28
29	·51		·30		·09		·02			·04	1·55	·05	29
30	·025		·25			·01	·03			·23	1·92	1·27	30
31	·340						·60			1·03		·51	31
													YEAR'S TOTAL
Total	1·485	8·27	8·82	2·43	2·18	1·48	4·47	3·11	2·68	3·79	7·89	13·99	60595
Rain Days.	16	18	28	10	15	10	19	13	11	15	20	28	202

W.7,000, XI. 13

88/

REGIS

302

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Ashburton

in the County of S. Devonshire S4

by W. J. O. Evans

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·12		·07	·24	·26			·79	·10	1
2			·07	·04	·12		·11	·02			·31	·66	2
3	·005		·27	·29	1·01						·01	·05	3
4	·03		·10	·48	·16		·68	·33			·62	·91	4
5	·15		·27	·24	·08				·02		·10	·05	5
6	·01	·06	·14	·17	·14		·03	·12			·07	1·42	6
7	·05	1·93	·40	·27	·20	·08	·25	·22	·21			·64	7
8	·065		·77	·19	·04	·47		·36				·16	8
9	·02	·05	·61	·36	·01	·45		·35	1·01				9
10	·03	·99	·10	·27	·04	·09			·16			·21	10
11		·18	·75			·10			·03		·10	·86	11
12		·43	·10						·20	·15	·05	·88	12
13		1·33	·80				·07		·22	·14	·54	·23	13
14		1·13	·75			·07	·02	·43		·02	·77	·02	14
15			·21				·04	·27		·09	·30	·24	15
16	·01		·05				·08		·64			·02	16
17		·74	·35						·01			1·77	17
18		·10	·10				·05		·15			·26	18
19		·04	1·01				2·14		·03		·06	·12	19
20		·52	·12			·10	·01				·09	·22	20
21		·46	·01							·43		·12	21
22		·09	·01		·19	·04		·03		·46			22
23		·03	·41		·01		·02			·39			23
24					·02		·01	·08		·06	·04	·01	24
25	·14		·30		·01		·03	·54		·53	·08	·78	25
26	·07	·06	·09				·04	·10		·04	·37	·91	26
27	·02	·09								·04	·49	·65	27
28	·01	·04	·45		·06					·14	·43	·87	28
29	·51		·30		·09		·02			·04	1·55	·05	29
30	·025		·25			·01	·03			·23	1·12	1·27	30
31	·340						·60			1·03		·51	31
Total	1·485 ✓	8·27	8·82	2·43	2·18	1·48	4·47	3·11	2·68 ✓	3·79	7·89	13·99	YEAR'S TOTAL 60·595
Rain Days.	16 ✓	18	28	10	15	10	19	13	11 ✓	15	20	28	202

W.7,000, XI. 13

8l

cadly run stats 15.III.16

1829
299

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at 7. West St: Ashburton
in the County of S. Devonshire
by W. J. O. Evans

S4

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·42	·32						·85	·12	·39	·03	·18	1
2	·29	·35	·14	·04		·05		·61	·03	·03		·78	2
3	·06	·39	·17	·08	·33			·02		·01		·58	3
4	·02	·20	·01		·05							·66	4
5	·03	1·02		·16				·31				·93	5
6	1·18	·14		·61	·01		·67	·01				·36	6
7	·52	·80		·12			·16			·27	·01	·42	7
8	·14	·47					·02	·06		·02	·15	·37	8
9		·11		·09				·01		·03	·55	1·37	9
10	·37	·53		·02						·16	·10	·10	10
11	·21	·11	·14					·35		·26	1·52	·05	11
12	·04	·52		·03	·66			·18		·08	·69	·02	12
13		1·32			1·21			·01	·01		·15	·04	13
14	·08	·01					·24	·02	·03	·10		2·17	14
15	·22				·38		·26			·03	·03	·25	15
16		2·81			·33		1·12					·23	16
17	·03	·47	·02		·07							·01	17
18		·29	·01										18
19		·01		·01	·71		·10						19
20	(·42)			·08	·05	·10				·09		·01	20
21	·22	·05			·08	·02	·40			·05		·02	21
22	·19	·07	·54				·54		·01	·04		·81	22
23	·02	·01	·05			·27	·10		·18	1·73		·83	23
24			·01	·01		·06	·05		·06	·30		·75	24
25	·03		·01	·03		·56	·09				·02	·67	25
26	·02	·53				·20	·04		·62			1·52	26
27	·05	·02				·30	·04			·97		·01	27
28		·09				·11		·01	·44	·10	·02	·15	28
29					—	·36	·01		·08	·01	·33	·41	29
30	·24	✕				·05			·01	·90	·50	·59	30
31	·03	✕		✕		✕	·29	·05	✕	1·15	✕	·60	31
Total	4·83	10·64	1·10	1·28	3·88	2·08	4·13	2·49	1·59	6·72	4·10	14·89	YEAR'S TOTAL 57·73
Rain Days.	23	24	10	12	11	11	16	13	11	21	13	29	194

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at 7 West St. Ashburton
in the County of Devon
by Wilfrid J. O. Evans

Lat. 50° 30' 40" Long. 3° 45' 20"
Time of Observation 9 A.M. Green.
Nearest Railway Station Ashburton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	–	·06	–	·07	·03	·07	–	·55	·48	·18	–	1
2	·67	·15	·04	–	·01	–	·04	–	·14	·16	·60	–	2
3	·06	1·70	–	–	·43	–	–	–	·55	·76	·24	–	3
4	·53	·27	–	–	·10	·07	–	–	–	·16	1·08	–	4
5	·02	·36	·03	–	·07	·41	·04	–	·13	·50	·30	–	5
6	·04	·32	·01	–	·19	·13	–	–	–	·30	2·23	–	6
7	·07	·28	·17	–	·08	·02	·80	–	–	·09	·74	·10	7
8	·01	·36	·41	–	·26	–	–	–	–	–	·15	·28	8
9	–	·14	·04	–	·02	·50	–	–	–	–	·12	·35	9
10	·01	·45	–	·02	·04	·02	–	–	–	·14	·01	–	10
11	–	·01	–	·06	·03	·75	–	–	·02	–	–	–	11
12	·04	·05	·12	·03	·09	·01	–	·05	–	·02	–	–	12
13	–	·38	·18	·05	–	–	–	·26	–	–	–	·09	13
14	–	·84	·14	·01	·03	–	·04	·31	–	·25	–	–	14
15	–	·72	·26	·05	–	–	–	·60	–	·05	–	·08	15
16	·39	·20	–	·08	–	–	–	·58	–	·09	–	–	16
17	·47	·13	·47	·08	–	–	–	–	–	·30	1·20	–	17
18	·04	·30	·19	·07	–	–	–	–	·13	·05	·01	·12	18
19	·43	·27	·22	·11	–	–	–	–	·16	–	·17	·27	19
20	·17	1·08	·18	·02	–	–	–	–	–	–	·05	1·54	20
21	·05	·07	·07	·01	·06	–	–	–	–	–	–	·45	21
22	–	–	·01	–	–	–	–	–	–	·32	·02	·76	22
23	–	·01	–	·06	–	·25	–	·73	–	·41	·80	·18	23
24	–	·15	·02	·54	·26	·09	–	·26	–	·66	·04	·36	24
25	·03	·45	·10	5 –	–	–	–	·15	–	–	·26	–	25
26	·01	·28	·12	–	–	·03	–	·50	1·17	1·20	·05	·05	26
27	8 –	–	1·73	–	–	·18	–	·70	·45	·31	–	–	27
28	–	·03	·02	–	–	–	–	·30	1·08	·70	–	·52	28
29	–	·16	·02	–	–	·30	–	·07	·10	·30	–	·54	29
30	–	11 X	–	–	–	·59	–	·25	–	1·21	–	7 –	30
31	–	X	–	X	–	X	–	–	X	·62	X	–	31
Total	3·33 ✓	9·16 ✓	4·61 ✓	1·19 ✓	1·74 ✓	3·38 ✓	·99 ✓	4·76 ✓	4·48 ✓	9·08 ✓	8·25 ✓	5·69 ✓	YEAR'S TOTAL 56·66 ✓
Rain Days.	18 ✓	26 ✓	23 ✓	14 ✓	15 ✓	15 ✓	5 ✓	13 ✓	11 ✓	23 ✓	19 ✓	15 ✓	197 ✓

W. 8,000, VIII. 16

DEVON.

ALPHINGTON.

1912 – 1914.

FORM A.
BRITISH RAINFALL.

4 JAN 1913

REGISTE

Kept at Alphington

in the County of Devon

by Captain C. W. M. P

2 W

ETER. (5th Th

in.

ound 1 ft. 0 in.

Level 32 ft.

NOTE.—Rain should be measured daily at

ructions for the measurement of rain and particulars as to the British Rainfal

sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						0.66	.03	.02	.05	.72	–	.31	1
2						.35	.03	.05	–	.02	–	.04	2
3						.14	.20	1.13	~~.04~~ –	–	–	.01	3
4						.12	–	.08	.01	–	.37	–	4
5						.20	–	.55	.01	–	–	.12	5
6						.75	.18	.13	–	–	–	.03	6
7						.86	–	.05	–	–	–	.17	7
8						.20	.01	.02	–	–	–	.01	8
9						.22	.03	.04	–	–	–	.18	9
10						.55	–	.31	–	–	.13	.30	10
11						.06	–	.01	–	.01	.13	.32	11
12						.01	.06	.27	–	–	–	.02	12
13						.02	.05	.02?	–	–	–	.02	13
14						–	–	.08	–	–	–	– ~~.04~~	14
15						.43	–	.01	–	–	–	.04 ~~.02~~	15
16						.04	–	.01	–	.02	.01	.02	16
17						.09	–	.54	–	–	–	.01	17
18						–	–	.31	–	–	–	.04	18
19						–	.04	.14	–	–	.03	.02	19
20						–	.01	.23	–	.17	.05	.02	20
21						–	.01	.10	–	.11	–	–	21
22						–	.03	.09	–	.19	–	.05	22
23						.03	.07	.25	–	.01	.05	.19	23
24						.39	–	.02	–	.02	–	.17	24
25						.11	–	.71	–	.23	.12	.49	25
26						.01	.03	.04	–	.29	.61	.51	26
27						.29	.49	.13	–	1.33	–	.18	27
28						.10	.15	.37	.14	.28	.28	.45	28
29						.19	.05	.17	.74	.44	–	.10	29
30						.30	.15	.01	.16	.28	–	–	30
31						▨	.30	.01	▨	.03	▨	.01	31
Total						6.12	1.92	5.40	1.11	4.15	1.78	3.83	TOTAL for ~~year~~ 7 mths [illegible]
No. of Rain Days						24	19	31	6	16	10	27	[illegible]

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

REGISTE

FORM A.
BRITISH RAINFALL.

4 JAN 1918

Kept at Alphington

in the County of Devon

by Captain C. W. M. Plenderleath R.N.

Lat. 50. 42 N Long. 3. 32 W

Nearest Railway Station Exeter. (St Thomas)

Time of Observation 9. A. M.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 32 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						0.66	.03	.02	.05	.72	–	.31	1
2						.35	.03	.05	–	.02	–	.04	2
3						.14	.20	1.13	– ~~.04~~	–	–	.01	3
4						.12	–	.08	.01	–	.37	~~1~~	4
5						.20	–	.55	.01	–	–	.12	5
6						.75	.18	.13	–	–	–	.03	6
7						.86	–	.05	–	–	–	.17	7
8						.20	.01	.02	–	–	–	.01	8
9						.22	.03	.04	–	–	–	.18	9
10						.55	–	.31	–	–	.13	.30	10
11						.06	–	.01	–	.01	.13	.32	11
12						.01	.06	.27	–	–	–	.02	12
13						.02	.05	.02?	–	–	–	.02	13
14						–	–	.08	–	–	–	– ~~.04~~	14
15						.43	–	.01	–	–	–	.04 ~~.02~~	15
16						.04	–	.01	–	.02	.01	.02	16
17						.09	–	.54	–	–	–	.01	17
18						–	–	.31	–	–	–	.04	18
19						–	.04	.14	–	–	.03	.02	19
20						–	.01	.23	–	.17	.05	.02	20
21						–	.01	.10	–	.11	–	–	21
22						–	.03	.09	–	.19	–	.05	22
23						.03	.07	.25	–	.01	.05	.19	23
24						.39	–	.02	–	.02	–	.17	24
25						.11	–	.71	–	.23	.12	.49	25
26						.01	.03	.04	–	.29	.61	.51	26
27						.29	.49	.13	–	1.33	–	.18	27
28						.10	.15	.37	.14	.28	.28	.45	28
29						.19	.05	.17	.74	.44	–	.10	29
30						.30	.15	.01	.16	.28	–	–	30
31						▨	.30	.01	▨	.03	▨	.01	31
Total						6.12	1.92	5.40	1.11	4.15	1.78	3.83	TOTAL for ~~year~~ 7 months 24.31
No. of Rain Days						24	19	31	6	16	10	27	133

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

✓ comp with 24.III.14

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.

4 - JAN 1914

Kept at Alphington

in the County of Devon 6

by Captain C. W. M. Plenderleath R. N.

Lat. 50. 42 N Long. 3 . 32 W.

Time of Observation 9. 0 A. M.

Nearest Railway Station Exeter St. Thomas

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 32 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	.13	.10	.07	.04	–	–	–	.09	.03	.74	–	1
2	.12	.10	–	.16	.25	–	.04	–	–	.12	.11	–	2
3	.28	–	.02	–	.46	–	–	–	.02	.13	–	.26	3
4	1.09	.02	~~[illegible]~~	–	.11	.06	–	–	.19	.40	} .48	.25	4
5	.05	.07	–	–	.09	.07	.01	–	.67	~~1.04~~	}	.42	5
6	.05	.10	.08	–	.04	.13	.04	–	–	1.04	.02	.21	6
7	.04	.45	.09	–	1.01	.01	.15	–	–	.65	.18	–	7
8	.05	.10	–	–	.25	–	.06	–	–	.02	–	–	8
9	.02	.01	–	–	.03	–	.31	.06	–	–	.58	–	9
10	.68	–	–	–	.08	–	–	.05	–	.10	–	–	10
11	.73	–	–	.06	.71	.06	–	–	–	.05	.91	–	11
12	.11	.01	–	–	.05	.03	–	–	–	–	.42	.05	12
13	.39	–	–	–	.02	–	–	–	.09	–	.08	–	13
14	.47	.01	.06	.03	.12	–	–	–	.02	–	.18		14
15	.20	–	.35	.37	–	–	–	–	.16	–	.01		15
16	.18	–	.42	.03	–	–	–	.06	.30	–	–		16
17	.07	–	.04	.04	–	–	–	–	.01	–	–		17
18	.07	–	.28	.04	.08	~~[illegible]~~ .01	–	–	.01	–	.03		18
19	.67	–	.05	.17	–	~~[illegible]~~ .02	.02	–	.20	.05	–	.86 ?	19
20	.14	–	.09	–	–	~~.01~~	–	–	.01	.03	.09		20
21	.01	–	.23	.01	.10	~~.02~~	–	–	.01	–	.38		21
22	.34	–	.74	.12	–	.06	.02	–	.06	.09	–	×	22
23	–	–	.01	~~.49~~	–	–	–	.01	–	–	.11	×	23
24	–	.08	–	~~1.26~~	–	–	–	.06	–	–	–		24
25	–	–	–	.49	–	–	–	–	.05	.06	–	–	25
26	–	–	–	1.26	–	–	–	.05	.01	–	.01	.18	26
27	.28	–	.31	.18	–	–	–	–	–	.27	–	–	27
28	.18	–	.05	.35	–	–	–	–	–	.36	–	.15	28
29	.15		.42	.32	.02	–	–	.02	–	.36	–	–	29
30	.20		–	–	.04	–	–	–	.08	.55	.01	.01	30
31	.14		.17		.14		–	.54		.01		–	31
Total	6.71	1.08	3.51	3.70	3.64 3.64	.45	.65	.85	1.98	4.32	4.34	2.39	YEAR'S TOTAL 32.62
Rain Days.	26	11	18	16	19	9	8	8	17	18	18	(14)	(179)

33.62

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 12 JAN 1915

Kept at Alphington

in the County of Devon S6

by Captain Plenderleath R.N.

Lat. Long.

Time of Observation 9.0. a.m

Nearest Railway Station St Thomas' Exeter

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 33 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	.04	.15	-	.10	.05						1
2	-	-	.01	.09	.03	-	.32						2
3	-	-	.12	.18	.51	-	.08						3
4	.15	-	.01	.16	.10	-	.38						4
5	.15	-	.03	.17	.03	-	-						5
6	-	.07	.05	.16	.02	-	.12						6
7	.02	1.10	.07	.03	.09	.06	.17						7
8	.02	-	.46	.08	.06	.37	-						8
9	-	.03	.41	.23	.05	.37	-						9
10	.01	.57	-	.15	.04	.05	-						10
11	-	.11	.23	-	.06	.20	-						11
12	-	.32	.14	-	-	-	-						12
13	-	.19	.45	-	-	-	.04						13
14	-	.21	.31	-	-	.19	-						14
15	-	.01	.10	-	-	-	.02						15
16	-	-	.04	-	-	-	-						16
17	-	.14	.30	-	-	-	.01						17
18	-	.05	.09	-	-	-	-						18
19	-	.02	.64	-	-	-	1.96						19
20	-	.43	.29	-	-	.06	-						20
21	-	.75	~~.0~~	-	-	-	-						21
22	-	-	.02	-	.17	.05	-						22
23	-	.08	.23	-	.05	-	.03						23
24	-	.20	.03	-	.40	-	.06						24
25	.13	-	[illegible]8	-	.01	-	.08						25
26	.06	.02	.06	-	-	-	.16						26
27	.03	-	-	-	-	-	.02						27
28	-	.02	.27	-	.07	-	-						28
29	.01	▨	.19	-	.13	-	-						29
30	-	▨	.07	-	-	-	-						30
31	.09	▨	-	▨	-	▨	.26		▨		▨		31
Total	.67	4.32	4.94	1.40	1.82	1.45	3.76						YEAR'S TOTAL
Rain Days.	10	18	27	10	16	9	16						

W.7,000, XI. 13

Form A. 1. METEOROLOGICAL … NIZATION.

REGIST…

DEVON.

ASHPRINGTON

"MYRTLE COTTAGE"

1920

5 JAN 1921

Kept at Myrtle Cottage, Ashpring… …40' W

…m

…tres

in the County of Devon … Gauge 5 in.

by G. H. Beechens … Ground 2 ft. … in.

… Sea Level 250 ft.

IMPORTANT NOTE.—Rain s… …ered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22		.03	.24	.57		.64			.33	.03	.94	1
2	.32			.12			.05	.08		.13		.14	2
3	.41	.12		.28			.08		.01	.61		.24	3
4			.01				.02	.80		.49			4
5			.09	.08	.08		.14	.30		.08			5
6			.18		.39		.19			.07			6
7	.12			.23	.01		.52					.05	7
8	.02			.20	.06		.07					.33	8
9	1.27	.11		.02		.06	.18						9
10	1.51	.24	.06			.27	.34						10
11	.39	.02	.23	.48	.28	.06	.25						11
12	.35	.11	.16	.33		.05	.09				.16	.53	12
13	.20		.52	.06		.02	.03			.04		.28	13
14	.16	.04	.53	.76					.24	.20	.40		14
15	.01	.06	.05	.53	.05				.04	.70	.11		15
16			.02			.18	.18		.23	.08	.04		16
17	.05		.01	.05	.42		.02		.39				17
18	.16			.08	.05	.27	.16	.20	.04				18
19	.02			.41		.33			.18	.02			19
20		.10		.34	.09	.24				.05		.75	20
21				.18			.05			.12			21
22	.05			.06			.02					.55	22
23	.01						.20	.04				.71	23
24			.29								.15	.22	24
25			.16				.84				.01	.05	25
26	.42		.32				.01				.33	.09	26
27	.75	.10	.11	.05		.16	.05				.45	.52	27
28	.70					.01	.10					.11	28
29	.66		1.28								.49	.72	29
30	.20	X				.42	.05		.90		.41	.83	30
31	.10	X	.27	X		X			X	.42	X	.30	31
Total	8.10	.90	4.32	4.50	2.00	2.07	4.28	1.42	2.03	3.34	2.58	7.36	Year's Total 42.90
Days with ·01 in. or more	23	9	18	19	10	12	24	5	8	14	11	18	171
Days with ·04 in. or more	19	8	14	18	9	10	19	5	7	13	9	18	149

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Form A. 1.

METEOROLOGICAL [redacted] NIZATION.

REGIST ....

5 JAN 1921

Kept at Myrtle Cottage, Ashprington, Nr Totnes
in the County of Devon
by G. H. Beechens

Lat. 50°24' N Long. 3°40' W
Time of Observation 9 a.m.
Nearest Railway Station Totnes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. .... in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.22		.03	.24	.57		.64			.33	.03	.94	1
2	.32			.12			.05	.08		.13		.14	2
3	.41	.12		.28			.08		.01	.61		.24	3
4			.01				.02	.80		.49			4
5			.09	.08	.08		.14	.30		.08			5
6			.18		.39		.19			.07			6
7	.12			.23	.01		.52					.05	7
8	.02			.20	.06		.07					.33	8
9	1.27	.11		.02		.06	.18						9
10	1.51	.24	.06			.27	.34						10
11	.39	.02	.23	.48	.28	.06	.25						11
12	.35	.11	.16	.33		.35	.09				.16	.53	12
13	.20		.52	.06		.02	.03			.04		.28	13
14	.16	.04	.53	.76					.24	.20	.40		14
15	.01	.06	.05	.53	.05				.04	.70	.11		15
16			.02			.18	.18		.23	.08	.04		16
17	.05		.01	.05	.42		.02		.39				17
18	.16			.08	.05	.27	.16	.20	.04				18
19	.02			.41		.33			.18	.02			19
20		.10		.34	.09	.24				.05		.75	20
21				.18			.05			.12			21
22	.05			.06			.02					.55	22
23	.01						.20	.04				.71	23
24			.29								.15	.22	24
25			.16				.84				.01	.05	25
26	.42		.32				.01				.33	.09	26
27	.75	.10	.11	.05		.16	.05				.45	.52	27
28	.70					.01	.10					.11	28
29	.66		1.28								.49	.72	29
30	.20	X				.42	.05		.90		.41	.83	30
31	.10	X	.27	X		X			X	.42	X	.30	31
Total	8.10	.90	4.32	4.50	2.00	2.07	4.28	1.42	2.03	3.34	2.58	7.36	Year's Total 42.90
Days with ·01 in. or more	23	9	18	19	10	12	24	5	8	14	11	18	171
Days with ·04 in. or more	19	8	14	18	9	10	19	5	7	13	9	18	149

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. **METEO** **ORGANIZATION.**

AXMINSTER

COAXDON HALL

DEVON

1920

1920.

Kept at Coaxdo
in the County of
by Cecil

Long 2° 59′ W
n 9 a.m.
tation Axminster
l of Rain Gauge 5 in.
uge above Ground 1 ft. in.
,, Sea Level 165 ft.

IMPORTANT

If an Observer pref … the reading at 9 a.m … this paragraph. Full … and particulars as t … sent post-free on a … Square, London, N.W … result entered to the previous day. … ly requested to add … for it at the end of … acing of rain gauges, … *Rainfall Observers,"* … ization, 62, Camden … his form.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·02	·08	·36	—	·36	·01	·07	·22	·17	·96	1
2	·75	—	—	·17	—	—	·08	·48	·07	·10	—	·12	2
3	·08	—	—	.....	...	—	·01	—	·02	·48	—	·08	3
4	—	—	—	—	—	—	·32	·85	—	·32	—	—	4
5	—	—	·01	·15	·08	—	·33	·04	—	·22	—	...	5
6	—	—	·32	·11	·30	—	·18	—	—	·10	—	—	6
7	—	—	—	·42	·01	—	·83	—	—	—	—	—	7
8	·04	·03	—	·41	·03	—	·32	...	—	—	—	·13	8
9	·87	—	—	·10	—	·20	·03	—	—	—	—	—	9
10	·62	·07	·07	...	—	·40	·43	...	—	—	—	—	10
11	·30	—	·15	·64	·31	·01	·14	—	—	—	—	—	11
12	·19	·03	—	·14	—	·05	·03	—	—	—	·23	·04	12
13	·24	·04	·59	·07	—	—	...	—	—	·06	—	—	13
14	·03	—	·25	·95	—	—	·01	—	·22	·10	·32	—	14
15	—	·07	·07	·31	—	·10	---	—	·01	·47	·06	—	15
16	—	—	·02	·04	·15	·27	·31	—	·40	·14	·02	—	16
17	·01	—	—	·25	·02	·25	·02	—	·41	—	—	—	17
18	·05	—	·02	·11	·23	·12	·02	·37	·12	—	—	·05	18
19	·02	—	—	·22	·22	·21	...	—	...	—	—	---	19
20	·01	·14	—	·19	—	·49	...	—	—	—	—	·33	20
21	—	—	—	·04	—	—	·10	—	—	·05	—	·11	21
22	·02	—	—	·14	—	—	·03	—	—	—	—	·41	22
23	—	—	—	—	—	—	·54	·07	—	—	—	·49	23
24	·02	—	·29	—	—	—	—	·01	—	—	·30	·07	24
25	—	·04	·07	—	·14	—	·56	—	—	—	·01	—	25
26	·26	—	·18	—	·02	---	·07	—	—	—	·28	·13	26
27	·65	·01	·08	·11	·01	·20	·02	—	—	—	·12	·43	27
28	·74	—	·19	·11	—	---	·11	—	—	—	—	·14	28
29	·48	—	·32	·04	—	—	—	—	—	—	·32	·21	29
30	·14	✕	—	·06	·09	·21	·06	—	·81	·02	·30	·30	30
31	·09	✕	·44	✕	·01	✕	---	—	✕	·37	✕	·13	31
TOTAL	5·63	·43	3·09	4·86	1·98	2·51	4·85	1·77	2·13	2·65	2·13	4·13	YEAR'S TOTAL 36·16
Days with ·01 in. or more	22	8	17	23	15	12	24	7	9	13	11	17	178
Days with ·04 in. or more	15	5	13	23	9	11	15	3 4	7	12	9	17	~~139~~ 140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 192

Kept at Coaxdon Hall. Axminster
in the County of Devon
by Cecil Woodhouse MD

Lat. 50° 49′ Long. 2° 59′ W
Time of Observation 9 a.m.
Nearest Railway Station Axminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·02	·08	·36	—	·36	·01	·07	·22	·17	·96	1
2	·75	—	—	·17	—	—	·08	·48	·07	·10	—	·12	2
3	·08	—	—	....	...	—	·01	—	·02	·48	—	·08	3
4	—	—	—	—	—	—	·32	·85	—	·32	—	—	4
5	—	—	·01	·15	·08	—	·33	·04	—	·22	—	...	5
6	—	—	·32	·11	·30	—	·18	—	—	·10	—	—	6
7	—	—	—	·42	·01	—	·83	—	—	—	—	—	7
8	·04	·03	—	·41	·03	—	·32	...	—	—	—	·13	8
9	·87	—	—	·10	—	·20	·03	—	—	—	—	—	9
10	·62	·07	·07	...	—	·40	·43	...	—	—	—	—	10
11	·30	—	·15	·64	·31	·01	·14	—	—	—	—	—	11
12	·19	·03	—	·14	—	·05	·03	—	—	—	·23	·04	12
13	·24	·04	·59	·07	—	—	...	—	—	·06	—	—	13
14	·03	—	·25	·95	—	—	·01	—	·22	·10	·32	—	14
15	—	·07	·07	·31	—	·10	---	—	·01	·47	·06	—	15
16	—	—	·02	·04	·15	·27	·31	—	·40	·14	·02	—	16
17	·01	—	—	·25	·02	·25	·02	—	·41	—	—	—	17
18	·05	—	·02	·11	·23	·12	·02	·37	·12	—	—	·05	18
19	·02	—	—	·22	·22	·21	...	—	...	—	—	---	19
20	·01	·14	—	·19	—	·49	...	—	—	—	—	·33	20
21	—	—	—	·04	—	—	·10	—	—	·05	—	·11	21
22	·02	—	—	·14	—	—	·03	—	—	—	—	·41	22
23	—	—	—	—	—	—	·54	·01	—	—	—	·49	23
24	·02	—	·29	—	—	—	—	·01	—	—	·30	·07	24
25	—	·04	·07	—	·14	—	·56	—	—	—	·01	—	25
26	·26	—	·18	—	·02	---	·01	—	—	—	·28	·13	26
27	·65	·01	·08	·11	·01	·20	·02	—	—	—	·12	·43	27
28	·74	—	·19	·11	—	---	·11	—	—	—	—	·14	28
29	·48	—	·32	·04	—	—	—	—	—	—	·32	·21	29
30	·14	✕	—	·06	·09	·21	·06	—	·81	·02	·30	·30	30
31	·09	✕	·44	✕	·01	✕	---	—	✕	·37	✕	·13	31
TOTAL	5·63	·43	3·09	4·86	1·98	2·57	4·85	1·77	2·13	2·65	2·13	4·13	YEAR'S TOTAL 36·16
Days with ·01 in. or more	22	8	17	23	15	12	24	7	9	13	11	17	178
Days with ·04 in. or more	15	6	13	23	9	11	15	3 4	7	12	9	17	~~139~~ 140

(44.283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. I. METEORO ORGANIZATION.

919.

AXMINSTER

LEA COMBE HOUSE

DEVON

1919.

Kept at Lea Co

in the County of

by ~~A~~ Majo

ng 3W

9 A M

on Axminster

Rain Gauge 2·5 in.

above Ground 1 ft — in.

,, Sea Level ft.

IMPORTANT NO

lt · entered to the previous day.

If an Observer prefers
the reading at 9 a.m. on
this paragraph. Full ins
and particulars as to th
sent post-free on applic
Square, London, N.W. 1.

requested to add
it at the end of
g of rain gauges,
ainfall Observers,"
ion, 62, Camden

Jan. 1, following.
(·50)

Records taken in millimetres should not be form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	72	0	0	0	5	0	8	0	0	0	0	70	1
2	22	0	25	5	10	12	60	0	2	15	0	1·00	2
3	0	0	2	0	2	0	1	0	26	0	2	2	3
4	60	0	27	0	5	0	0	0	15	0	9	19	4
5	65	1·20	71	0	0	0	0	4	82	0	3	5	5
6	81	36	70	0	0	0	0	0	35	0	10	17	6
7	34	46	6	0	0	0	0	0	0	0	0	33	7
8	68	0	37	16	0	0	0	0	0	0	0	8	8
9	7	0	23	0	0	0	0	0	0	0	0	0	9
10	15	0	3	19	13	0	0	0	0	0	19	0	10
11	0	0	60	0	0	0	0	0	0	6	0	43	11
12	0	0	20	15	40	0	24	0	0	0	0	6	12
13	20	7	5	3	0	0	0	0	0	4	0	1	13
14	40	7	7	61	0	0	0	0	0	0	0	27	14
15	~~15~~ 18	6	0	67	56	0	3	0	8	0	0	43	15
16	4	18	0	5	0	0	0	0	0	0	0	19	16
17	0	80	0	0	0	0	0	6	0	0	13	1	17
18	0	31	0	0	0	0	0	0	0	0	31	0	18
19	1·15	33	75	0	0	0	32	3	0	0	20	0	19
20	56	85	49	0	0	7	56	21	19	0	13	5	20
21	60	5	2	0	0	40	0	28	4	0	3	0	21
22	0	1·11	0	0	0	0	6	1	4	0	0	10	22
23	0	3	0	0	0	1	6	0	16	0	0	5	23
24	0	0	3	0	0	0	0	0	0	84	3	2	24
25	0	0	6	0	0	10	0	0	0	91	8	28	25
26	15	0	0	13	0	0	0	63	0	0	3	2	26
27	7	0	9	4	0	11	0	10	0	0	0	54	27
28	15	0	0	25	0	0	3	1·65	0	0	0	~~2~~	28
29	0		36	0	0	0	30	36	0	0	73	45	29
30	0		0	11	0	0	0	24	0	6	0	6	30
31	0		0		0		0	75		1		65	31
TOTAL	~~7·73~~ ~~7·38~~ 7·01	~~5·98~~ 5·88	~~5·23~~ 5·30	·05 ~~2·40~~ 2·49	1·31 1·26	·08 ·81 ·89	1·99 1·91	4·36 4·36	2·03 2·03	2·07 2·07	·70 2·10 2·80	(·50) 6·96 5·98	YEAR'S TOTAL ~~42·97~~ 41·98
Days with ·01 in. or more	19 18	14	19	12 13	7 6	6 7	11 9	12	10	7	14 15	26	156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~5·88 5·30 2·44~~

~~6·18~~ ~~42·20~~

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Lea Combe House Axminster
in the County of Devon
by Major Luttrell

Lat. Long 3W
Time of Observation 9 AM
Nearest Railway Station Axminster
Diameter of Funnel of Rain Gauge 2.5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (·50)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	72	0	0	0	5	0	8	0	0	0	0	70	1
2	22	0	25	5	10	12	60	0	2	15	0	1.00	2
3	0	0	2	0	2	0	1	0	26	0	2	2	3
4	60	0	27	0	5	0	0	0	15	0	9	19	4
5	65	1.20	71	0	0	0	0	4	82	0	3	5	5
6	81	36	70	0	0	0	0	0	35	0	10	17	6
7	34	46	6	0	0	0	0	0	0	0	0	33	7
8	68	0	37	16	0	0	0	0	0	0	0	8	8
9	7	0	23	0	0	0	0	0	0	0	0	0	9
10	15	0	3	19	13	0	0	0	0	0	19	0	10
11	0	0	60	0	0	0	0	0	0	6	0	43	11
12	0	0	20	15	40	0	24	0	0	0	0	6	12
13	20	7	5	3	0	0	0	0	0	4	0	1	13
14	40	7	7	61	0	0	0	0	0	0	0	27	14
15	~~15~~ 18	6	0	67	56	0	3	0	8	0	0	43	15
16	54	18	0	5	0	0	0	0	0	0	0	19	16
17	~~1~~0	80	0	0	0	0	0	~~2~~6	0	0	13	1	17
18	0	31	0	0	0	0	0	0	0	0	31	0	18
19	1.15	33	75	0	0	0	31	~~2~~3	0	0	20	0	19
20	56	85	49	0	0	7	56	21	19	0	13	5	20
21	60	5	2	0	0	40	0	28	4	0	3	0	21
22	0	1.11	0	0	0	0	6	1	4	0	0	10	22
23	0	3	0	0	0	1	6	0	16	0	0	5	23
24	0	0	3	0	0	0	0	0	0	84	3	2	24
25	0	0	6	0	0	10	6	0	0	91	8	28	25
26	15	0	0	13	0	0	0	63	0	0	3	2	26
27	7	0	9	4	0	11	0	10	0	0	0	54	27
28	15	0	0	25	0	0	83	1.65	0	0	0	~~2~~	28
29	0		36	0	0	0	80	36	0	0	73	45	29
30	0		0	11	0	0	0	24	0	6	0	6	30
31	0		0		0		0	75		1		65	31
Total	7.79 ~~7.38~~ 7.01	~~5.98~~ 5.88	~~5.23~~ 5.30	.05 ~~2.40~~ 2.49	1.31 1.26	.08 .81 .89	1.99 1.91	4.36 4.36	2.03 2.03	2.07 2.07	.70 2.10 2.80	(.56) ~~6.16~~ 5.98	Year's Total ~~42.97~~ 41.98
Days with ·01 in. or more	~~19~~ 18	14	19	~~12~~ 13	~~7~~ 6	6 7	~~11~~ 9	12	10	7	~~14~~ 15	26	156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~5.88~~ ~~5.30~~ ~~2.44~~ ~~6.18~~ ~~42.20~~

DEVON.

AXMINSTER

"TEMPEST'S HOUSE"

1920

FORM A. 1. METEOROLOGIC … GANIZATION.

REGIS … 0.

5 JAN 1921

Kept at Tempests' H…

in the County of DEVO…

by Colonel G. L. E…

2.55

9 A.M.

Axminster L&SW

…in Gauge 5" in.

…ve Ground 1 ft. 6 in.

Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·69

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	—	·11	·40	—	·39	·04	—	·35	·18	·60	1
2	·50	—	·02	·21	—	—	·02	·39	·17	·04		·21	2
3	·06	·06	—	·02	—	—	·03	—	·02	·29		·06	3
4	~~·01~~	—	—	—	—	—	·69	1·03		·36			4
5	~~·04~~	·03	·15	·18	·06	—	·20	·11		·14			5
6	—	—	·33	—	·36	—	·35	~~·02~~		·15			6
7	·01	—	—	·41	—	—	·65	—					7
8	·04	·07	·05	·49	·06	—	·31	—		·02		·36	8
9	·63	—	—	·05	·03	·23	·35	—					9
10	·60	·08	·12	·02	—	·23	·72	—					10
11	·25	·02	·19	(·45) ~~·79~~	·25	·02	·17	—					11
12	·17	·07	·02	·13	·06	·09	·04	—			·12		12
13	·21	·03	·53	·05	—	—	·27	—					13
14	·04	·04	·30	·79	—	—	—	—	·14	·52	·43		14
15	·02	·10	·12	·48	·11	·09	·04	—	·08	·39	·08		15
16	—	·02	·03	·06	·02	·30	·42	—	·04	·14			16
17	·02	—	·02	·33	·27	·11	·02	—	·41			Snow + Rain	17
18	·08	—	·04	·06	·14	·15	·03	·36	·19			·43	18
19	·02	—	—	·28	—	·16	—	—	—				19
20	·03	·13	—	·21	—	—	—	—	—				20
21	—	—	—		—	—	·13	·02	·03	·16		·06	21
22	·03	—	—	·34	—	—	·02	—				·48	22
23	·02	—	—		—	—	·42	—				·68	23
24	·04	—	·33	·02	·02	—	—	—			·20	·06	24
25	—	·10	·08		·05	—	·95	—					25
26	·20	—	·15		·13	·01	·03	—			·19	·13	26
27	·45	·02	·12	·13	—	·22	·02	—			·08	·34	27
28	·65	·03	·21	·06	—	·02	·22	—				·19	28
29	·40	·03	·36	·05	—	—	—	—			·32	·30	29
30	·21	✕	—	·05	·07	·22	·04	—	·45		·37	·42	30
31	·11	✕	·43	✕	—	✕	—	—	✕	·30	✕	·19	31
TOTAL	4·87 ~~4·43~~	·83	3·60	4·98	2·03	1·85	6.53	1·97 ~~1·95~~	1.53	2·86	1·97	4.51	37·53 YEAR'S TOTAL ~~37·09~~
Days with ·01 in. or more	25 ~~24~~	15	20	24	15	13	25	7 ~~10~~	9	12	9	19	193
Days with ·04 in. or more	17	8	16	21	12	10	18	5	7	11	9	19	153

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Form A. 1. METEOROLOGIC [redacted] GANIZATION.

5 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Tempests' House
in the County of DEVON
by Colonel G. L. Eliot

Lat. 50·47 Long. 2·55
Time of Observation 8 A.M.
Nearest Railway Station Axminster L&SW
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·69

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		—	—	·11	·40	—	·39	·04	—	·35	·18	·60	1
2	·50	—	·02	·21	—	—	·02	·39	·17	·04		·21	2
3	·06	·06	—	·02	—	—	·03	—	·02	·29		·06	3
4	~~·01~~	—	—	—	—	—	·69	1·03		·36			4
5	~~·04~~	·03	·15	·18	·06	—	·20	·11		·14			5
6	—	—	·33	—	·36	—	·35	~~·02~~		·15			6
7	·01	—	—	·41	—	—	·65	—					7
8	·04	·07	·05	·49	·06	—	·31	—		·02		·36	8
9	·63	—	—	·05	·03	·23	·35	—					9
10	·60	·08	·12	·02	—	·23	·72	—					10
11	·25	·02	·19	(·45 ~~·79~~)	·25	·02	·17	—					11
12	·17	·07	·02	·13	·06	·09	·04	—			·12		12
13	·21	·03	·53	·05	—	—	·27	—					13
14	·04	·04	·30	·79	—	—	—	—	·14	·52	·43		14
15	·02	·10	·12	·48	·11	·09	·04	—	·08	·39	·08		15
16	—	·02	·03	·06	·02	·30	·42	—	·04	·14			16
17	·02	—	·02	·33	·27	·11	·02	—	·41			Snow & Rain	17
18	·08	—	·04	·06	·14	·15	·03	·36	·19			·43	18
19	·02	—	—	·28	—	·16	—	—	—				19
20	·03	·13	—	·21	—	—	—	—	—				20
21	—	—	—		—	—	·13	·02	·03	·16		·06	21
22	·03	—	—	·34	—	—	·02	—				·48	22
23	·02	—	—		—	—	·42	—				·68	23
24	·04	—	·33	·02	·02	—	—	—			·20	·06	24
25	—	·10	·08		·05	—	·95	—					25
26	·20	—	·15		·13	·01	·03	—			·19	·13	26
27	·45	·02	·12	·13	—	·22	·02	—			·08	·34	27
28	·65	·03	·21	·06	—	·02	·22	—				·19	28
29	·40	·03	·36	·05	—	—	—	—			·32	·30	29
30	·21	✕	—	·05	·07	·22	·04	—	·45		·37	·42	30
31	·11	✕	·43	✕	—	✕	—		✕	·30	✕	·19	31
TOTAL	4·87 ~~4·43~~	·83	3·60	4·98	2·03	1·85	6·53	1·97 ~~1·95~~	1·53	2·86	1·97	4·51	YEAR'S TOTAL 37·53 ~~37·09~~
Days with ·01 in. or more	25 ~~24~~	15	20	24	15	13	25	7 ~~6~~	9	12	9	19	193 ✓
Days with ·04 in. or more	17	8	16	21	12	10	18	5	7	11	9	19	153

DEVON.

AXMOUTH

"MILLMEAD"

1911 - 1915

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REGIS

Kept at "Millmead" A
s
in.
round 4 ft. 9 in.
in the County of Devon
ea Level 20 ft.
by E. Herbert Water
m.
ame Seaton
istance 3/4 mi. Direction S.

IMPORTANT NOTE.—Rai measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·11	·01	-	-	·02	-	-	·02	-	1
2	.	-	-	·14	·37	-	-	·12	-	·09	·32	·11	2
3	.	·01	-	-	·33	-	-	-	-	-	·05	·04	3
4	.	-	·05	·01	-	-	-	·01	·03	-	·04	·15	4
5	·11	-	·08	-	-	-	-	·08	-	·06	·17	-	5
6	·21	-	·21	·01	-	-	-	-	-	·03	·09	·72	6
7	·02	-	-	.	-	-	-	·01	-	·01	·38	·02	7
8	.	-	·28	-	-	-	-	-	-	-	·03	·63	8
9	·03	-	-	-	-	-	-	-	-	-	·29	·47	9
10	·15	·07	·38	-	·03	-	-	-	-	-	-	·18	10
11	·29	-	·01	-	·02	-	-	-	-	-	·94	·10	11
12	-	-	·88	-	-	-	-	-	-	-	·04	·16	12
13	-	-	-	-	-	-	-	-	·25	·08	·07	·29	13
14	-	·10	-	-	-	-	-	-	-	·14	-	1·01	14
15	·01	·02	-	-	-	·02	-	-	-	-	·25	·03	15
16	-	-	-	-	-	·53	-	-	-	-	·61	·37	16
17	-	-	·19	-	-	·09	-	-	-	-	·23	·25	17
18	-	·17	·11	·14	-	·04	-	-	-	·19	·05	·25	18
19	-	·02	-	·03	-	·15	-	-	·45	·20	·02	·48	19
20	·02	·03	·23	·15	-	-	-	·01	·04	·08	-	·63	20
21	-	·14	-	·05	-	·01	-	-	-	·41	-	·11	21
22	·07	·02	-	·05	-	·04	-	-	·07	·20	-	·59	22
23	·02	·08	·01	-	-	·12	.	-	·11	·17	·19	·15	23
24	-	·49	-	-	-	·29	-	·02	-	·35	-	·22	24
25	-	·04	-	·18	-	·03	-	·01	·05	·08	-	·10	25
26	-	·15	-	·32	·07	-	-	·02	.	·14	·06	·22	26
27	-	·36	·14	-	·15	-	-	·03	·02	1·06	·05	·14	27
28	-	·30	-	·32	-	-	-	·14	-	-	·15	-	28
29	-		-	·62	-	·22	·22	-	·14	·49	-	-	29
30	-		-	-	-	·04	-	-	·03	·14	·06	·01	30
31	-		-		-		·03	-	-	·03		-	31
Total	·93	1·70	2·57	2·13	·98	1·58	·25	·47	1·19	3·95	4·11	7·43	TOTAL for year 27·29
No. of Rain Days.	10	15	12	13	7	12	2	11	10	19	22	26	159

W. 8,000, X. '11.

REGIS

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at "Millmead" Axmouth

in the County of Devon S.7

by E. Herbert Waters

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 4 ft. 9 in.
" " " Sea Level 20 ft.

Time of Observation 9 a.m.

Nearest Railway Station Name Seaton
Distance 3/4 mil Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·11	·01	-	-	·02	-	-	·02	-	1
2	.	-	-	·14	·37	-	-	·12	-	·09	·32	·11	2
3	.	·01	-	-	·33	-	-	-	-	-	·05	·04	3
4	.	-	·05	·01	-	-	-	·01	·03	-	·04	·15	4
5	·11	-	·08	-	-	-	-	·08	-	·06	·17	-	5
6	·21	-	·21	·01	-	-	-	-	-	·03	·09	·72	6
7	·02	-	-	-	-	-	-	·01	-	·01	·38	·02	7
8	.	-	·28	-	-	-	-	-	-	-	·03	·63	8
9	·03	-	-	-	-	-	-	-	-	-	·29	·47	9
10	·15	·07	·38	-	·03	-	-	-	-	-	-	·18	10
11	·29	-	·01	-	·02	-	-	-	-	-	·94	·10	11
12	-	-	·88	-	-	-	-	-	-	-	·04	·16	12
13	-	-	-	-	-	-	-	-	·25	·08	·07	·29	13
14	-	·10	-	-	-	-	-	-	-	·14	-	1·01	14
15	·01	·02	-	-	-	·02	-	-	-	-	·25	·03	15
16	-	-	-	-	-	·53	-	-	-	-	·61	·37	16
17	-	-	·19	-	-	·09	-	-	-	-	·23	·25	17
18	-	·17	·11	·14	-	·04	-	-	-	·19	·05	·25	18
19	-	·02	-	·03	-	·15	-	-	·45	·20	·02	·48	19
20	·02	·03	·23	·15	-	-	-	·01	·04	·08	-	·63	20
21	-	·14	-	·05	-	·01	-	-	-	·41	-	·11	21
22	·07	·02	-	·05	-	·04	-	-	·07	·20	-	·59	22
23	·02	·08	·01	-	-	·12	-	-	·11	·17	·19	·15	23
24	-	·49	—	-	-	·29	-	·02	-	·35	-	·22	24
25	-	·04	-	·18	-	·03	-	·01	·05	·08	-	·10	25
26	-	·15	-	·32	·07	-	-	·02	-	·14	·06	·22	26
27	-	·36	·14	-	·15	-	-	·03	·02	1·06	·05	·14	27
28	-	·30	-	·32	-	-	-	·14	-	-	·15	-	28
29	-		-	·62	-	·22	·22	-	·14	·49	-	-	29
30	-		-	-	-	·04	-	-	·03	·14	·06	·01	30
31	-		-		-		·03	-	-	·03		-	31
Total	·93	1·70	2·57	2·13	·98	1·58	·25	·47	1·19	3·95	4·11	7·43	TOTAL for year 27·29
No. of Rain Days.	10	15	12	13	7	12	2	11	10	19	22	26	159

W. 8,000, X. '11.

Ec 9

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL 2 JAN 1913

Kept at "Millmead" Axmouth

in the County of Devon S.7

by E Herbert Waters

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Seaton. L.S.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 9 in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·05	-	-	·25	·02	-	·03	·82	-	·29	1
2	-	-	·17	-	-	-	·06	·03	-	·03	·01	-	2
3	-	-	·20	-	-	·28	·18	1·16	02	-	-	·01	3
4	·13	·10	·69	-	·02	·32	-	·01	-	-	·22	-	4
5	·56	·23	·24	-	·02	·04	-	·60	-	-	-	·32	5
6	·51	·20	·01	-	·30	·07	·35	·32	-	-	-	·01	6
7	·02	·60	·12	-	·20	·83	-	·11	-	-	-	·16	7
8	·37	·18	·72	-	-	·04	·03	·01	-	-	-	·02	8
9	·05	·03	·04	·17	-	·16	·08	·08	-	-	-	·59	9
10	·03	·16	·05	-	-	·01	·02	·52	-	-	-	·34	10
11	·11	·06	·01	-	-	-	·01	·05	-	·05	·03	·33	11
12	·03	·30	·12	-	-	-	·04	·43	-	-	-	·02	12
13	·01	-	·01	-	-	-	·02	·01	-	-	-	·10	13
14	·03	-	·36	-	·48	-	-	·04	-	-	-	-	14
15	·33	·26	-	·01	·23	·41	-	-	-	-	-	·10	15
16	·42	-	·38	-	-	·01	-	·10	-	·12	·05	·02	16
17	·34	-	·32	-	-	·10	-	·61	-	-	-	·01	17
18	·06	·02	·17	-	-	-	-	·09	-	·01	·01	·02	18
19	·01	·08	·10	-	-	·04	·09	·32	-	-	-	-	19
20	·04	·15	·28	-	·15	-	·04	·38	-	·17	-	-	20
21	-	·21	·16	-	·53	-	-	·23	-	·10	-	-	21
22	·44	·21	·22	-	·01	-	·07	·07	-	·33	·03	·18	22
23	·26	·46	·31	-	-	·02	·03	·81	-	·06	·14	·20	23
24	·08	·06	-	-	-	·33	-	·21	-	·02	-	·23	24
25	·17	-	-	-	-	·03	-	·33	-	·37	·13	·66	25
26	-	·02	-	-	-	-	·05	·09	-	·26	·33	·25	26
27	-	-	-	-	-	·47	·73	·12	-	·74	-	·33	27
28	-	·08	-	-	-	·04	·05	·31	·23	·73	·36	·50	28
29	-	·15	-	-	-	·10	·26	·13	·68	·47	-	·01	29
30	-		-	-	-	·02	·04	-	·30	·32	-	-	30
31	-		·23		-	-	·37	·01		·02		·13	31
Total	4·00	3·56	4·96	·18	1·94	3·67	2·54	7·18	1·26	4·62	1·31	4·83	YEAR'S TOTAL 40·05
Rain Days.	21	20	23	2	9	20	20	28	5	17	10	24	199

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

Kept at Millmead Axmouth
in the County of Devon
by Edwin Herbert Waters

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Seaton L.S.W. Ry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·25	·08	·04	·12	-	-	-	·15	·09	·09	R	1
2	·03	·05	-	·09	·09	-	·04	-	-	·02	·16	·02	2
3	·17	-	·02	-	·25	-	-	-	-	-	-	·12	3
4	·93	-	·01	R	·20	·02	·01	-	·08	·38	·10	·08	4
5	·11	·07	·08	-	·26	·05	·02	-	1·25	-	·19	·32	5
6	·08	·07	·08	-	·02	·08	·03	-	-	·68	·03	·27	6
7	-	·24	·01	-	·62	·04	·04	-	-	·18	·26	·01	7
8	·05	·05	-	-	·35	-	-	-	-	·03	-	-	8
9	-	·03	-	-	·08	-	·05	·05	-	·01	·30	·02	9
10	·48	·01	-	-	·03	·02	-	·01	-	·27	·13	-	10
11	·80	-	-	·07	·31	·04	-	-	-	·24	·97	-	11
12	·01	·01	-	-	·35	-	-	-	·15	-	·41	·01	12
13	·34	-	·04	-	-	-	-	·12	·37	-	·17	-	13
14	·27	-	·07	·03	·08	-	-	-	·01	-	·09	-	14
15	·23	-	·33	·31	-	-	-	-	·14	-	·01	-	15
16	·12	-	·39	·06	-		-	·07	·19	-	-	-	16
17	·04	-	·01	·02	-		-	-	-	-	-	-	17
18	·03	-	·14	·18	-		-	-	·01	-	·08	-	18
19	·53	-	·07	-	·06		-	-	·53	-	-	-	19
20	·16	-	·12	·43	-	·28	-	-	-	·22	·11	-	20
21	-	-	·12	·14	·04	-	-	-	-	·08	·58	-	21
22	·47	-	·36	·16	-	·09	·09	·02	·15	·07	-	·18	22
23	-	-	-	-	-	-	-	-	·01	·01	·13	·67	23
24	·02	·05	-	·04	·01	·03	-	·01	-	·01	·03	-	24
25	-	·02	-	·17	-	-	-	-	·01	·02	-	·01	25
26	-	-	-	·40	-	-	-	·14	·01	-	-	·11	26
27	·21	-	·21	·09	-	-	-	-	-	·15	-	-	27
28	·76	-	·03	·35	-	-	-	-	-	·47	-	Snow ·17	28
29	·17		·57	·20	·02	-	-	·03	-	·12	-	-	29
30	·33		-	·03	·03	-	-	-	·31	·42	-	-	30
31	·19		·05	-	-		-	·59	-	·15		-	31
Total	6·53	·85	2·73	2·81	2·92	·65	·28	1·04	3·37	3·62	3·84	1·99	YEAR'S TOTAL 30·63
Rain Days.	1~~9~~8	11	20	1~~9~~8	18	9	7	9	15	20	18	~~14~~ 13	18~~4~~

18 182

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at "Millmead" Axmouth
in the County of Devon. S7
by E Herbert Waters

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Seaton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 20. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	R	·07	·02	–	·03	·03	·81	–	–	·21	·08	1
2	–	–	·03	·04	·06	·01	·52	·07	–	·01	·90	·39	2
3	·01	–	·12	·20	·54	·01	·01	·26	–	–	·07	–	3
4	·05	–	·04	·20	·08	–	·38	·21	–	–	·65	·47	4
5	·06	–	·07	·14	·06	–	·02	–	–	–	·01	·01	5
6	–	·09	R	·14	·15	–	–	–	–	–	·01	·24	6
7	–	·39	·15	·13	·06	·01	·28	·10	·06	–	·02	·29	7
8	·08	·01	·59	·01	·05	·25	–	·06	–	–	–	·08	8
9	–	·03	·38	·29	·05	·68	–	·17	1·35	–	·02	–	9
10	·07	·18	·01	·09	·07	·05	–	–	·43	–	–	·02	10
11	–	·16	·62	R	·05	·13	·19	–	·01	·05	·03	·68	11
12	–	·10	·24	·01	–	–	–	–	·27	·11	–	·83	12
13	–	·24	·19	–	–	–	·03	–	·19	·22	·15	·46	13
14	–	·13	·18	–	–	1·15	·01	1·89	–	·14	·20	·07	14
15	·01	–	·10	–	–	–	·06	·10	·03	·15	·28	·04	15
16	·01	–	–	–	–	–	–	–	·35	–	–	·01	16
17	–	·42	·22	–	–	–	–	–	–	–	–	·29	17
18	–	·04	·10	–	–	–	·34	–	·13	–	–	·29	18
19	–	·11	·67	–	–	–	2·70	–	–	–	·05	·05	19
20	–	·41	·03	–	–	–	–	·01	–	–	–	·44	20
21	–	·57	–	–	–	·05	–	–	–	·38	–	·01	21
22	–	·04	·16	–	·24	·08	–	·02	–	·07	–	–	22
23	–	·12	·25	–	·03	–	–	–	–	·67	–	·02	23
24	–	·10	·02	–	·04	–	–	·02	–	·14	·15	·01	24
25	·05	·01	·30	–	–	–	·04	·42	–	·32	·02	·23	25
26	·05	–	·13	–	–	–	R	–	·02	·04	·15	·36	26
27	·04	–	–	–	–	–	·03	–	–	·01	·07	·19	27
28	R	·10	·42	–	·03	–	–	–	–	·06	·25	·78	28
29	·18	–	·08	–	·16	–	R	–	–	·15	·28	·01	29
30	R	X	·06	·03	–	·05	–	–	–	·23	·35	·64	30
31	·04	X	–	X	·02	X	·59	–	X	·82	X	·11	31
Total	·65	3·19	5·23	1·30	1·69	2·50	5·23	4·14	2·84	3·57	3·87	7·10	YEAR'S TOTAL 41·31
Rain Days.	14	~~20~~	27	13	16	12	17	13	10	17	20	28	207
W. 8,000. X/14.	12	19	26	12			15						200

Ext L N

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3. JAN 1916

1919

Kept at Millmead Axmouth

in the County of Devon

by E Herbert Waters

57

Lat.
Long.
Time of Observation 9 aclock
Nearest Railway Station Sealon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 9 in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	·33			·02			·31	·25	·46	·06	·25	1
2	·33	·12	·23	·06		·07		·15	·12	·55		·55	2
3	·03	·05	·10	·03	·24			·02		·10		·55	3
4	·05	·09			·03					·01		·39	4
5	·03	·29		·05	·01			·50	·01			·53	5
6	·89	·14		·32		R	·61	·04				·16	6
7	·30	·32		·04			·15				·03	·28	7
8	·11	·42					·03	·12	·01			·12	8
9	·01	·03		·07							·23	·88	9
10	·25	·28	·02	·05						·20	·01	·08	10
11	·06	·71	·05	·02	·01			·07		·01	1·06	·02	11
12	·18	·55		·04	·53			·12	·01	·10	·30	·01	12
13		·35			·34			·02	·09	·01	·11		13
14							·23	·15	·09	·01	·02	·88	14
15	·13	·05			·33		·17			·06	·02	·12	15
16		·70			·08		·84		·01			·58	16
17		·42			·05			·63		·01	·02	·07	17
18		·26			·02			·01					18
19	R	·01			·36		·14	R					19
20	·16	·02		·08		·24				·27		·07	20
21	·20	·11				·03	·12		·02	·45		·02	21
22	·06	·03	·47	·07		·15	·60		·01			·26	22
23		·02	·09				·18		·16	2·75		·52	23
24				·02			·11		·20	·20		·44	24
25				·06		·30	·01		·01		·02	·38	25
26	·18	·12				·33	·26		·02			·76	26
27		·03				·08	·06			·59			27
28		·10				·15			·36	·08	·01	·07	28
29						R	·05		R	·06	·15	·01	29
30	·18	X					R			·71	·42	·35	30
31	·01	X		X		X	·09	·02	X	1·57	X	·15	31
Total	3·33	5·55	·96	·91	2·02	1·35	3·65	2·16	1·37	8·20	2·46	8·50	YEAR'S TOTAL 40·46
Rain Days.	20	25	6	13	12	10	17	14	16	20	14	27	194

W. 8,000. X. 15.

AYLESBEARE

ROSAMONDFORD

DEVON

1911 – 1920

FORM A2. BRITISH RAINFALL 4 - JAN 1912

RE

Kept at Rosamon 5 in.

Ground 0 ft. 8 in.

in the County of Devo Sea Level 220 ft.

by Alfred T.

Name Broad Clyst

Distance 3½m Direction N.W.

IMPORTANT NOT the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the rea ar in the space provided for it at the end of thi ent of rain, the selection and placi tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·20	·03						·01	·01	1
2			·01	[illegible]	·32			·08		·11	·24	·16	2
3					·09			·02		[illegible]	·03	·08	3
4			·10	·01				·02	·02	·01	·03	·54	4
5	·09		·09					·47	·03	·03	·13	·02	5
6	·22		·32							·01	·07	[illegible]	6
7	·03			·01							·41	·02	7
8			·21								·03	[illegible]	8
9											·24	·72	9
10		·02	·18		·25						[illegible]	·13	10
11	·20										·65	[illegible]	11
12			·57						·03		·04	·12	12
13									·26		·01	·35	13
14		·10								·08		1·03	14
15		·02	·01			·01					·23	·03	15
16						·42					·43	·50	16
17		·01	·25			·22					[illegible]	·48	17
18		·13	·07	·30		·13				·14	·07	·40	18
19		·01	·01	·02		·46			·33	·15	·10	·39	19
20	·03	·02	·12	·07		·01			·09	·77		·72	20
21	·01	·08		·03					·03	·18		·04	21
22	·20	[illegible]		·01					·24	·06		·58	22
23		·09	·01			·05			·02	·09	[illegible]	[illegible]	23
24		·09				·71		·03		·38		·26	24
25	·01	1·02		·07		·03			·05	·07		·17	25
26		·07		·17				·02		·47	[illegible]	·07	26
27		·16	·07		·17			·09	·11	·74	[illegible]	[illegible]	27
28		·13		·38				·07			·04		28
29				·37	·13	·19	·49		·15	·20			29
30						·09				·08	·05	·05	30
31							·04			·02			31
Total	·79	1·02	2·02	1·64	·99	2·32	·53	·80	1·36	3·59	2·93	9·00	TOTAL for year 26·99
No. of Rain Days		1·81	3·83	5·47	6·46	8·78	9·31	10·11	11·47	15·06	17·99	26·99	✓
	8	15	14	12	6	11	2	8	12	18	12	28	156

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL
4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Rosamondford
Aylesbeare S.6
in the County of Devon
by Alfred J. Lorami J.P.

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 0 ft. 8 in.
" " " Sea Level 220 ft.
Time of Observation 9 a m
Nearest Railway Station
Name Broad Clyst
Distance 3½ m Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·20	·03						·01	[illegible]	1
2			·01	[illegible]	[illegible]			·08		·11	·24	·16	2
3					·09			·02		[illegible]	·03	·08	3
4			·10	·01				·02	·02	·01	·03	·54	4
5	·09		[illegible]					·47	·03	·02	·13	·02	5
6	·22		·32							·01	·07	·07	6
7	·03			·01							·41	·02	7
8			·21								·03	·74	8
9											·24	·72	9
10		·02	·18		·25							·13	10
11	·20										·65	·56	11
12			·57						·03		·04	·12	12
13									·26		·01	·35	13
14		·10								·08		1·03	14
15		·02	·01			·01					·23	·03	15
16						·42					·43	·50	16
17		·01	·25			·22					·05	·48	17
18		·15	·07	·30		·13				·14	·07	·40	18
19		·01	·01	·02		·46			·33	·15	·10	·39	19
20	·03	·02	·12	·07		·01			·09	·77		·72	20
21	·01	·08		·03					·03	·18		·04	21
22	·20	·02		·01					·24	·06		·58	22
23		·09	·01			·05			·03	·09	·53	·14	23
24		·09				·71		·03		·38		·26	24
25	·01	1·05		·07		·03			·05	·07		·17	25
26		·07		·17				·02		·47	·02	·07	26
27		·16	·07		·17			·09	·11	·74	·01	·15	27
28		·13		·38				·07			·04		28
29				·37	·13	·19	·49		·14	·20			29
30						·09				·08	·05	·05	30
31							·04			·02			31
Total	·79	1·02	2·02	1·64	·99	2·32	·53	·80	1·36	3·59	2·93	9·00	TOTAL for year 2699
No. of Rain Days		1·81	3·83	5·47	6·46	8·78	9·31	10·11	11·47	15·06	17·99	26·99	✓
	8	15	14	12	6	11	2	8	12	18	12	23	156

9,000, IX. '10.

Exe DL Co. for auth. 16.IV.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
7 JAN 1913

Kept at Rosamondford Aylesbeare
in the County of Devon 5.6
by A. T. Losam

RAIN GAUGE
Pattern Standard
Diameter of top 5 in.
Height of top above Ground — ft. 8 in.
" " " Sea Level 220 ft.

Time of Observation 9 am

Nearest Railway Station
Name Broad Clyst
Distance 4m Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·16			·44	·03		·03	·63		·27	1
2			·13	·03		·38	·02	·02		·01		·02	2
3			·11			·18	·09	1·34	·02			·01	3
4	·77	snow ·02	·63			·22		·02			·01		4
5	·30	·29	·19			·54		·56			·23	·13	5
6	·47	·08			·29	·10	·67	·41				·04	6
7	(snow)	·85	·21		·10	·90		·02				·32	7
8	·58	·12	·31	·01		·66	·02					·02	8
9	·15	·02	·01	·11		·13	·02	·03				·30	9
10	·05	·12	·12	·01		·06	·01	·14			·08	·27	10
11	·01	·04									·02	·33	11
12		·38	·07				·09	·27				·06	12
13	·10					·01	·02	·01				·04	13
14	·03	·01	·55		·13			·16					14
15	·67	·06	·01		·41	·46						·03	15
16	·38		·17		·02			·02		·01	·01	·04	16
17	·19	·01	·25			·10		·53				·02	17
18		·01	·13					·16		·02		·02	18
19	·01	·11	·28				·06	·09			·01	·01	19
20		·07	·32		·16		·03	·15		·13	·03		20
21	·05	·07	·25		·28		·04	·19		·13			21
22	·24	·14	·14		·22	·02	·01	·08		·16		·02	22
23	·43	·25	·17		·01			·12		·03	·10	·15	23
24	·06	·02	·01			·36	·01	·02		·04		·19	24
25	·13					·04		·43		·19	·12	·40	25
26								·06		·19	·41	·28	26
27						·39	·46	·09		1·06	·01	·18	27
28		·07				·18	·08	·38	·15	·33	·29	·42	28
29		·42				·57	·06	·20	·59	·46		·6	29
30			·02			·74	·06		·18	·37			30
31			·20				·40			·06		·8	31
Total	4·02	3·14	4·47	·16	1·62	6·48	2·22	5·80	·97	3·82	1·34	3·71	TOTAL for year 37·77
No. of Rain Days.	19	7·16 21	11·63 23	11·79 4	13·41 9	19·89 20	22·11 19	27·91 25	28·88 5	32·70 16	34·04 12	37·75 26	199

W. 8,000, X. '11.

Cnd. for auth. 20·III·14

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.
3 JAN. 1914

Kept at Rosamond-ford, Aylesbeare
in the County of S Devon 6
by A. T. Loram Esq J.P.

Lat. 50′ 43′ Long. 3·23 West
Nearest Railway Station Broadclyst
Time of Observation 9. a.m
Diameter of Rain Gauge 5 ins
Height of top of Gauge above Ground — ft. 8 in.
" " " Sea Level 220 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·07	·21				·11		·09		1
2	·20	·17	·10	·07	·51		·03			·07	·13		2
3	·30	·04			·16							·22	3
4	·98				·10	·01			·25	·52	·10	·25	4
5	·05	·08			·18	·05	·11		·60		·22	·52	5
6	·04	·07	·06		·06	·08	·16			·90	·05	·10	6
7		·34	·02		·84		·14			·65	·24		7
8	·04	·06			·25	·03	·08				·01	·02	8
9					·17		·02	·05			·46		9
10	·66	·01			·19			·01		·40	·23		10
11	·77	·01		·10	·70						·60		11
12	·03				·14	·10					·23		12
13	·15		·01					·14	·11		·10	·02	13
14	·42	·01	·08	·02	·03						·10		14
15	·24		·30	·24					·16				15
16	·25		·30	·03				·05	·26		·01		16
17	·04		·04	·03							·01		17
18	·06		·29	·03	·02						·06		18
19	·35		·07	—		·05	·01						19
20	·21		·09	·20						·24	·12		20
21			·49	[illegible]	·04					·02	·48		21
22	·32		·28	·30		·03		·01	·44				22
23				·03							·15	·22	23
24		·06				·01						·60	24
25		·01		·30					·03	·03		·01	25
26				1·23				·16				·10	26
27	·29		·22	·31						·33	·02	·02	27
28	·21		·03	·22						·37		·19	28
29	·13		·51	·35				·02		·34			29
30	·17		·15		·01			1·26	·22	·80	·01		30
31	·15				·08			·45					31
Total	6·06	·86	3·04	3·59	3·69 3.69	·36	·55	2·15	2·18	4·67	3·42	2·27	TOTAL for year
No. of Rain Days.	23	11	17	17	17	8	7	9	9	12	21	12	163

Total 6·92 9·96 13·55 Total 27·24 30·66 32·84

1,000, I. 12.

EDWARD STAMFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1914

FORM BRITISH RAINFALL.

18 JAN 1915

S6

Kept at Rosamondford Aylesbeare
in the County of Devon
by A. T. Loram

Lat. 50 43 Long. 3 23 W of London
Time of Observation 9 a m daily
Nearest Railway Station Broadclyst
Diameter of Rain Gauge 5 ins
Height of top of Gauge above Ground — ft. 8 ins
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·22 taken at 9 a.m. Jan 2

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03	·07		·07	·31	·43			·08		1
2				·07	·03			·01			·42	·42	2
3	·02		·25	·16	·40			·17					3
4	·12		·01	·22	·09		·92	·10			·54	·61	4
5	·08		·05	·19	·02								5
6		·07	·04	·05	·01			·06				·47	6
7		·97	·06	·02	·08	·02	·18	·02	·17			·20	7
8	·07		·43	·02	·06	·30		·03	·02			·08	8
9		·03	·43	·31	·05	·48		·11	1·81		·03	·01	9
10	·07	·46	·03	·11	·03	·05			·43			·02	10
11		·09	·23		·05	·23	·03				·03	·92	11
12		·20	·16						·18	·05		·72	12
13		·15	·28						·10	·24	·18	·12	13
14		·17	·23			·20		·45		·01	·30		14
15			·07					·40				·21	15
16			·01				·04		·18	·07			16
17		·10	·22									·32	17
18		·06	·23						·09			·27	18
19		·04	·55								·18	·06	19
20		·39	·19			·09	2·14	·04		·39		·13	20
21		·57										·02	21
22					·16	·02				·06			22
23		·14	·27		·03					·36		·07	23
24		·07	·03		·28		·02						24
25	·14		·42		·01		·12	·29		·32	·10	·15	25
26	·07		·15				·06	·02		·20	·15	·57	26
27										·03	·10	·11	27
28			·36		·07					·15	·15	·61	28
29	·02		·08		·09		·04			·16	·47	·01	29
30			·07							·14	·37	·92	30
31	·04				·02		·32			1·15		·54	31
Total	·63	3·51	4·83	1·23	1·48	1·46	4·18	2·13	2·98	3·21	3·15	7·66	YEAR'S TOTAL 36·45
Rain Days.	9	15	26	10	17	9	11	13	8	19	14	24	170

W.7,000, XI. 13

Actual daily record Alfred T. Loram

Exd LN

1886

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
JAN. 1916

Kept at Rosamond-ford, Aylesbeare

in the County of Devon 56

by A. T. Loram.

Lat. 50·43" Long. 3·23" West of Lond

Time of Observation 9 a.m daily

Nearest Railway Station Broadclyst

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·30						·53	·29	·34	1·05	·10	1
2	·23	·11	·18			·17		·23	·04	·07		·31	2
3	·01	·15	·01		·15		·02					·63	3
4		·04			·03		·02					·24	4
5	·02	·91		·16				·17				·50	5
6	62	·07		·15			·37	·02				·32	6
7	·05	·39		·04			·10					·14	7
8	·33	·42					·05	·08			·02	·17	8
9		·01		·07							·23	·41	9
10	·16	·41	·02	·03						·13	·03	·08	10
11	·13	·47	·03		·04			·25			·79		11
12	·13	·63		·06	·50			·09		10	·20		12
13	·01	·49			·15			·27	·04		·05		13
14							·11	·10			·02	·66	14
15	·09				·23		·15			·09		·09	15
16		·96			·14		·58					·05	16
17		·21			·09							·02	17
18		·14											18
19	·02				·48		·09						19
20	·17					·10		·03		·41		·08	20
21	·26	·02		·14		·01	·06			·21		·04	21
22	·04		·24	·01		·04	·31					·23	22
23	·03					·03	·04		·17	1·4		·46	23
24				·02			·14		·16			·39	24
25	·07					·28	·11					·16	25
26		·09				·08	·17		·01			·68	26
27		·01				·44	·02			·63	·02	·02	27
28		·05				·19	·13		·30	·15	·01	·03	28
29		✕				·34					·15	·12	29
30		✕				·02					·30	·43	30
31	·07	✕		✕		✕	·13		✕	1·03	✕	·20	31
Total	2·66	5·88	·48	·68	1·71	1·70	2·64	1·77	1·01	4·64	2·87	6·56	YEAR'S TOTAL 32·70
Rain Days.	19	20	5	9	9	11	18	10	7	11	12	26	157

W. 8,000. X. 14.

Alfred T. Loram

Exe D.F

843

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

16 JAN 1917

Kept at Rosamondford, Aylesbeare nr Exeter, Devon

in the County of

by A. T. Loram Esq J.P.

Lat. 50′ 43″ Long. 3′ 23″ West of London

Time of Observation 9 a.m.

Nearest Railway Station Broadclyst

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 8 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		snow ·39		·61				·08	·21			1
2	·04	·06			·02				·08	·30			2
3		1·18			·26		·40			·46	·50		3
4	·04	·18			·19	·10				·04	·77		4
5					·10	·10					·11		5
6		·15	Snow ·16		·14	·01	·53			·08	·75		6
7	·04	·10	·20 s		·08	·01	·04				·72		7
8		·12	·15 s		·17	·08				·02	·28	·29	8
9					·03	·05	·10					·59	9
10		·57		·03	·02		·05						10
11			·03	·08					·01				11
12	·06	·02	·44	·03	·13		·05	·01					12
13		·13	·06					·17					13
14		·47	·05		·03			·02		·02			14
15		·09	·14	·12								·35	15
16	·10	·06		·11			·08	·56					16
17	·09	·11		·01					·16	·36	1·21		17
18	·08	·14	·29	·04					·17		·14	·06	18
19	·09	·24	·32	·03									19
20	·05	·72	·26									·93	20
21		·08	·13		·05							·15	21
22						·06					·01	·85	22
23	·02	·14				·12		·32			·06	·12	23
24			·02		·38	·01		·04				·64	24
25	·01		·10		·02			·33	·01	1·56	·27		25
26	·01	snow ·55	·10			·36		·40	1·35		·04		26
27		snow	1·25			·23		·38	·63	1·09		·01	27
28		·17						·07	·16			·12	28
29			·02			·22		1·93	·08			·19	29
30		X											30
31		X		X		X		·02	X	·95	X	·03	31
Total	·71	5·28	4·11	·40	2·24	1·35	1·25	4·28	2·73	5·04	4·86	4·03	YEAR'S TOTAL 36·28
Rain Days.	13	20	18	8	15	12	7	12	10	say 13	12	13	153

W. 8,000. X. 15.

1766

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

11 FEB 1918

Kept at Rosamondford

in the County of Devon

by A. J. Loram J.P.

Lat. 50 43 Long. 3 23

Time of Observation 9 a m

Nearest Railway Station Broadclyst

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12			·15		·54			–		1
2	·01			·10		·02				·04	·02		2
3				·10			·46	·05		[illegible]	·84	·01	3
4			1·22	·9					·02	·03		·01	4
5	·09		·32	·30		·21			06	50	·07		5
6			·21			·02		1.06		·10	·11		6
7	·41						·24	·17		·12	·03	·01	7
8			·15	·07			·46	·40		·28	·07	·24	8
9			·30	·14			·08	·24		·22	[illegible]		9
10	·30		·15	·14				·13	·10	·08	·13		10
11			·98					·10	·15	·10			11
12	·04			·22	·46					·20			12
13			·13					·34	·04	·08			13
14				·04				·53	·03	·01		·02	14
15							·28	·03		09			15
16							·02	·01		·18		·42	16
17		·22		·05			·21		·32	·14			17
18					·18	·18	·04		·42			·01	18
19		·41	·17			·14			·05				19
20		·03	·03		·43	·08		1.21	·06			·02	20
21						·06					·02		21
22			s ·09			·04		·35		·03	·01		22
23			s ·06		·24			·16		·17		·01	23
24							·39	·01		·06			24
25		·14					·06	·17	·02	·06	·09		25
26		·10			·33	·07		·54			·61		26
27					·17	·20		·60		·03			27
28		·10	·15		·04	·69		·26				·03	28
29						·17		·02		·10		·12	29
30		X						·06		·30		·01	30
31		X	·20	X		X	·04		X	·19	X		31
Total	·85	1·00	4·28	1·25	1·85	2·03	2·27	6·98	1·27	3·20	1·57	·91	YEAR'S TOTAL 37·46
Rain Days.	5	6	15	10	7	13	11	22	11	24	13	12	148

W. 8,000, VIII. 16

·63

148 ~~138~~

REGISTER OF RAINFALL IN 19 18

FORM A.
BRITISH RAINFALL.

Kept at Rosamondford Aylesbeare
in the County of Devon
by A. J. Lorain J.P.

Lat. 50' 43" Long. 3° 23'
Time of Observation 9 a m
Nearest Railway Station Broadclyst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·13	·01	·09	·02			1·24		·02	1·01		1
2		·10		·05				·02		·02	·02	·04	2
3	[illegible]	·20		·21	·06						·03	·02	3
4		·05		·03				·13	·32		·70	·24	4
5		·01	·33	·01				·51	·59	·11	·03	·10	5
6		·03		·16	·22			·01		·09		·25	6
7	·02	·12			·20				·15	·04	·33	·16	7
8		·15							·06	·35		·01	8
9	·15			·09		·13	·27		·24	·01		·23	9
10	·24			·28			·38		·14	·14	·01	·40	10
11		·05	·12	·02			·16		·15	·02	·04	·03	11
12		·05	·20		·24		·08		·05				12
13	[illegible]	·01			·28		·41		·28	·16			13
14	[illegible]				·02	·09	·13		·14	·14		·12	14
15	1·28			·01	·07	·04	·57			·02		·18	15
16	·50		·40	·29			·07		·24			·20	16
17	·18			·12			·45		·04			·10	17
18	·66		·03			·52	·06		·68	·07		·11	198 18
19	·25	[illegible]	·12	·02			·14		·03			·16	19
20	·11	·05		·20		·02	·08		·08	·01			20
21	·07	·02		·05		·03			·23	·08		·47	21
22	·02	·01			·17		·47		·17	·05	·02	·04	22
23	·01				·11		·25	·05	·01		·02	·16	23
24	·01	·22						·03	·12		·15		24
25	·01			·23	·14		·08	·45		·02	·15		25
26		·06					·24	·01			·02		26
27	·01	·11	·04					·05	·30	·02	·13		27
28		·20	·10							·02	·01	·26	28
29		×	·10						1·04		·01	·03	29
30	·01	×	·30	·35					·04	·03	·10	·02	30
31	·02	×	·03	×		×		·03	×	·10	×		31
Total	3·66	1·56	1·81	2·22	1·54	·83	3·46	2·53	5·10	1·52	2·78	3·33	YEAR'S TOTAL 30·34
Rain Days.	20	19	12	17	11	6	16	11	22	21	17	22	~~194~~

194

W. 8,000, IX. 17.

cont^d on another

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Rosamondford Aylesbeare

in the County of Devon

by A. J. Loram

Lat. 50·43" Long. 3' 23"
Time of Observation 7 a m
Nearest Railway Station Broadclyst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8" in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·55

~~Date.~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1919													
1	·51			·04	·12		·10		·05	·31		·63	1
2	·11						·21		·16	·05	·01		2
3	·36		·57		·04	·15			·13		·07	·05	3
4	·41	·80	·33					·07	·44			·03	4
5	·16	·40	1·87				·10		·46		·10	·06	5
6	·57	·42	·04	·05								·26	6
7	·27		·16	·14								·06	7
8	·26		·25								·02		8
9	·08			·15	·21						·21		9
10	·06		·12	·01						·02		·31	10
11	·02		·34	·08	·26		·12			·01	·01	·22	11
12	·11		·02							·04	·05	·07	12
13	·03	·09	·14	·33						·04		·04	13
14	·18	·11		·55	·21				·05	·07		·34	14
15	·11	·13		·15						·13		·20	15
16	·04	·55									·07		16
17		·20						·02			·10		17
18	·12	·42	·45				·11				·15	·01	18
19	·62	·48	·39				·74	·25	·23		·10	·06	19
20	·52	·01	·02			·42		·20	·05		·06	·03	20
21	·03	·83			·01		·07	·03	·07			·03	21
22							·06		·13		·01	·04	22
23			·01					·15		·75	·01	·03	23
24						·25		·05		·33	·08	·25	24
25				·03		·02		·44				·08	25
26	·13	·01	·07					·05	·03	·01	·13	·17	26
27	·33		·25	·30			·17	1·14				·02	27
28				·03				·22			·71	·37	28
29		╳		·08				·13		·04	·01	·02	29
30	·02	╳		·08		·09		·46			·51	·32	30
31	·01	╳		╳		╳			╳		╳	·07	31
Total	5·06	4·51	4·20	1·98	·75	·93	1·68	3·24	~~1·67~~ 1·77	1·80	2·41	3·77	YEAR'S TOTAL ~~32·00~~ 32·10
Rain Days.	24	13	16	14	6	5	9	13	11	12	10	26	168

W, 6,500, VII. 18. w w c

25459 157

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rosamondford, Aylesbeare
in the County of Devon
by Alfred T. Loram

Lat. 50 42 Long. 3 23
Time of Observation 9am
Nearest Railway Station Broadclyst
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 3" in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 1921
·26

Records taken in Milimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·55		·02	·03	·33		·30	·30	·06	·01	·03	·87	1
2	·35			·20	·01			·08	·02	·12		·07	2
3	·02	·04		·05						·48		·35	3
4			·03					·36		·20			4
5			·11	·10	·04		·36	·04		·19			5
6			·26	·14	·05		·16			·25			6
7				·46	·06		·47						7
8	·16			·20	·04		·53			·03		·12	8
9	·57			·09		·35							9
10	·59	·05	·05	·01		·61	·30			·01			10
11	·22		·14	·52	·21		·17						11
12	·09		·10	·07		·59	·04				·02		12
13	·19		·52	·01						·13			13
14	·04		·23	·88					·11	·14	·14		14
15	·06		·01	·33						·58			15
16		·12	·02	·05		·01	·14		·31	·04			16
17		·02	·01	·11					·28				17
18				·08		·24	·02	·27	·02				18
19	·08			·20		·38							19
20	·02	·04		·23	·30	·26				·18		·28	20
21				·04			·03					·10	21
22				·12		·01	·01					·38	22
23							·42	·09					23
24	·01		·04								·25	·01	24
25	·43	·23	·24				·50				·01	·02	25
26	·21		·20								·26	·13	26
27	·86	·03	·16	·10	·03	·14	·06				·58	·35	27
28	·80	·01	·53	·11			·02					·11	28
29	·31			·07	·02						·23	·11	29
30	·07	×		·02		·10	·03		·72	·04	·27	·28	30
31		×	·30	×	·01	×			×	·55	×	·04	31
TOTAL	5·11	·34	2·97	4·34	1·10	2·19	3·54	1·14	1·52	3·05	1·79	3·20	YEAR'S TOTAL 30·23
Days with ·01 in. or more.	20	8	18	25	11	10	17	6	7	15	9	15	161
	16	4	13	11	7	8	12	6	5	12	6	13	123

(44,283). Wt. 21,958—218. 7500. 10/19. Gp. 132. A.&E.W.

BARNSTAPLE

FORT HILL

DEVON

1914 –

FORM A. BRITISH RAINFALL

and fr

REC

Kept at Fort H

in the County of De

by Franc

30 a.m

G.W.R. Barnstaple

5 in.

above Ground 2 ft. 3 in.

, Sea Level c. 300 ft.

IMPORTANT NO … nd the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the re … year in the space provided for it at the end of t … rement of rain, the selection and placi … British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, C

Jan. 1, following. .09

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	.07	.03	0	0	.11	0	.56	0	0	.50	.65	1
2	0	.01	.03	.15	0	.19	.08	.82	0	0	.09	.07	2
3	.02	0	.01	0	0	0	.33	.10	0	0	.01	.43	3
4	.05	0	.33	0	.40	0	0	.24	0	.03	.03	.09	4
5	.30	0	.14	.31	.05	0	.45	.98	0	0	.30	.85	5
6	.06	0	.35	.16	.02	0	.04	.01	0	0	.09	.03	6
7	0	.03	.24	0	.08	0	.16	.05	0	0	.22	.20	7
8	.05	.15	.17	0	.20	.08	.53	.15	.19	0	.01	.13	8
9	0	0	.95	0	.18	.35	.03	.02	0	0	0	.02	9
10	.11	.05	.14	0	.27	.66	0	.13	.54	0	0	.01	10
11	.48	.19	.14	0	.17	.02	0	0	.37	0	.02	.02	11
12	0	.24	.39	0	.07	.13	0	0	.07	0	.19	.38	12
13	0	.46	.14	0	0	0	0	0	.36	.03	.20	.11	13
14	0	.25	.42	0	0	0	.11	0	.46	.10	.47	.09	14
15	0	.47	.38	0	0	.03	.07	.45	0	.11	.24	.02	15
16	0	.05	.17	0	0	0	0	.64	.19	0	.48	.15	16
17	0	0	.05	0	0	0	.14	0	.12	0	.01	.04	17
18	0	.21	.24	0	0	0	.06	0	.01	0	0	.41	18
19	0	.17	.41	0	0	0	.61	0	.32	0	0	.60	19
20	0	.16	.19	0	0	0	.67	0	.01	0	.05	.15	20
21	.26	.23	.26	0	0	.05	0	0	.01	0	0	.19	21
22	0	.12	.10	0	0	0	.09	0	0	.10	0	.02	22
23	0	.14	.08	.02	.04	.61	0	.09	0	.49	0	0	23
24	0	.04	}.26	0	0	.06	.22	.05	0	.16	0	0	24
25	0	0		0	0	.04	.02	.08	0	0	.30	0	25
26	.27	.03	.23	0	0	0	.29	.65	0	.39	.03	.23	26
27	.12	.01	.02	0	0	0	.28	.56	0	.17	.30	.34	27
28	0	.02	0	0	.12	0	.03	0	0	.29	.54	.16	28
29	.03		.19	0	.14	0	0	0	0	.41	.15	.86	29
30	.11	✕	.26	0	0	0	0	0	0	.26	.19	.10	30
31	.01	✕	.07	✕	0	✕	0	0	✕	.07	✕	.18	31
Total	.07 ~~1.87~~ 1.94	.03 ~~3.10~~ 3.06	~~6.39~~ 6.36	~~.64~~ .64	11 ~~1.74~~ 1.85	~~2.33~~ 2.22	56 ~~4.21~~ 4.77	~~5.08~~ 4.52	~~2.65~~ 2.65	50 ~~2.61~~ 3.11	65 ~~4.42~~ 4.57	.09 ~~6.53~~ 5.97	YEAR'S TOTAL ~~41.57~~ 41.66
Rain Days.	13 4	21	~~30~~ 29	4	~~12~~ 13	~~12~~ 11	~~19~~ 20	~~17~~ 16	12	~~13~~ 14	22	25	203 4

W. 8,000. X. 14.

and fu

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

Kept at Fort Hill, Barnstaple

in the County of Devon

by Francis Sterry

Lat. Long.

Time of Observation 9-30 a.m

Nearest Railway Station G.W.R. Barnstaple

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level c. 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .09

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	·07	·03	0	0	·11	0	·56	0	0	.50	·65	1
2	0	·01	·03	·15	0	·19	·08	.82	0	0	·09	·07	2
3	·02	0	·01	0	0	0	·33	·10	0	0	·01	·43	3
4	·05	0	·33	0	·40	0	0	·24	0	·03	·03	·09	4
5	·30	0	·14	·31	·05	0	·45	·98	0	0	·30	·85	5
6	·06	0	·35	·16	·02	0	·04	·01	0	0	·09	·03	6
7	0	·03	·24	0	·08	0	·16	·05	0	0	·22	·20	7
8	·05	·15	·17	0	·20	·08	·53	·15	·19	0	·01	·13	8
9	0	0	·95	0	·18	·35	·03	·02	0	0	0	·02	9
10	·11	·05	·14	0	·27	·66	0	·13	·54	0	0	·01	10
11	·48	·19	·14	0	·17	·02	0	0	·37	0	·02	·02	11
12	0	·24	·39	0	·07	·13	0	0	·07	0	·19	·38	12
13	0	·46	·14	0	0	0	0	0	·36	·03	·20	·11	13
14	0	·25	·42	0	0	0	·11	0	·46	·10	·47	·09	14
15	0	·47	·38	0	0	·03	·07	·45	0	·11	·24	·02	15
16	0	·05	·17	0	0	0	0	·64	·19	0	·48	·15	16
17	0	0	·05	0	0	0	·14	0	·12	0	·01	·04	17
18	0	·21	·24	0	0	0	·06	0	·01	0	0	·41	18
19	0	·17	·41	0	0	0	·61	0	·32	0	0	·60	19
20	0	·16	·19	0	0	0	·67	0	·01	0	·05	·15	20
21	·26	·23	·26	0	0	·05	0	0	·01	0	0	·19	21
22	0	·12	·10	0	0	0	·09	0	0	·10	0	·02	22
23	0	·14	·08	·02	·04	·61	0	·09	0	·49	0	0	23
24	0	·04	} ·26	0	0	·06	·22	·05	0	·16	0	0	24
25	0	0		0	0	·04	·02	·08	0	0	·30	0	25
26	·27	·03	·23	0	0	0	·29	·65	0	·39	·03	·23	26
27	·12	·01	·02	0	0	0	·28	·56	0	·17	·30	·34	27
28	0	·02	0	0	·12	0	·03	0	0	·29	·54	·16	28
29	·03		·19	0	·14	0	0	0	0	·41	·15	·86	29
30	·11	╳	·26	0	0	0	0	0	0	·26	·19	·10	30
31	·01	╳	·07	╳	0	╳	0	0	╳	·07	╳	·18	31
Total	·07 ~~1.87~~ 1·94	·03 ~~3.10~~ 3·06	~~6.39~~ 6·36	~~·64~~ ·64	·11 ~~1.74~~ 1·85	~~2.33~~ 2·22	·56 ~~4.21~~ 4·77	~~5.08~~ 4·52	~~2.65~~ 2·65	·50 ~~2.61~~ 3·11	·65 ~~4.42~~ 4·57	·09 ~~6.53~~ 5·97	YEAR'S TOTAL ~~41.57~~ 41·66
Rain Days.	~~13~~ 14	21	~~30~~ 29	4	~~12~~ 13	~~12~~ 11	~~19~~ 20	~~17~~ 16	12	~~13~~ 14	22	20	~~203~~ 204

W. 8,000. X. 14.

Corrd for W.D. 29.111.16 cordly mn stats. 17.111.16

1954

FORM A.
BRITISH RAINFALL
6 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Fort Hill, Barnstaple

in the County of Devon N2

by Francis Sterry

Lat. .... Long. ....

Time of Observation 9.30 a.m

Nearest Railway Station G.W.R. Barnstaple

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 3 in.

" " " " Sea Level c. 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(.15)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09	0	.13	0	.04	0	.08	.12	.14	.08	.19	.33	1
2	.30	.21	0	0	.15	0	0	~~.13~~	.17	.40	.03	.23	2
3	.28	.15	.19	.15	0	.09	0	(.49)	.05	.02	0	.52	3
4	.02	.04	.12	.32	.14	0	.04	0	0	0	0	.52	4
5	.02	.49	.04	0	.05	0	.06	0	0	0	0	.43	5
6	.23	.31	0	.12	0	.02	.18	0	0	0	0	.47	6
7	.56	.06	0	.28	0	0	.26	.09	0	0	0	.27	7
8	.33	.74	0	.05	0	0	.25	.10	0	.16	.06	.36	8
9	.30	.36	0	0	0	0	0	.26	0	.01	.27	.08	9
10	.02	.32	0	.25	0	0	0	.09	0	0	.34	.80	10
11	(.42)	(.30)	(.26)	(.12)	.05	0	.08	(.02)	0	(.01)	.89	(.09)	11
12	.20	.01	.05	0	.05	0	.08	.04	0	.01	.87	.14	12
13	.38	.30	.01	.06	.43	0	0	0	0	.06	.52	.11	13
14	.06	.40	0	0	.55	0	.12	.51	.16	.02	.16	.10	14
15	.05	.01	0	0	0	0	.13	.03	.09	0	.02	.51	15
16	.13	0	0	0	.35	0	.28	0	.29	0	.31	.17	16
17	.03	.72	0	0	.12	0	.80	0	.04	0	0	.01	17
18	.10	.21	0	0	.01	0	0	.01	0	0	0	0	18
19	.01	.35	.02	0	0	0	.04	0	0	0	0	0	19
20	.02	.02	0	.11	.16	0	.30	0	0	0	0	0	20
21	.61	.01	0	.04	0	.07	0	0	0	.13	0	.10	21
22	.08	.30	0	0	.07	.05	.10	0	.27	.28	0	.36	22
23	.17	.07	.24	.12	0	.06	.54	0	.03	.28	0	.36	23
24	.05	.02	.02	0	0	.10	.10	0	.03	.70	0	.98	24
25	0	0	.03	.02	0	0	.28	0	.10	.24	0	.49	25
26	0	0	.02	0	0	.15	.07	0	0	.05	.03	.25	26
27	.01	.09	0	0	0	.02	.17	0	.15	0	0	.35	27
28	0	.16	0	0	0	.42	.08	0	.02	.43	0	.03	28
29	0	X	.02	0	0	.06	.01	0	.36	.30	0	0	29
30	0	X	0	0	0	.11	0	.01	.18	.01	.13	.07	30
31	.12	X	0	X	0	X	0	0	X	.32	X	.22	31
Total	~~4.67~~ 4.58	.13 ~~5.65~~ 5.78	~~1.09~~ .96	.04 ~~1.64~~ 1.68	~~2.12~~ 2.08	.08 ~~1.15~~ 1.23	.12 ~~3.09~~ 3.93	.14 ~~2.31~~ 2.33	.08 ~~2.08~~ 2.02	.19 ~~3.61~~ 3.72	.22 ~~3.02~~ 3.16	.15 ~~8.35~~ 8.17	YEAR'S TOTAL ~~39.58~~ 39.64
Rain Days.	~~26~~ 25	~~24~~ 25	~~13~~ 12	~~12~~ 13	~~12~~ 11	~~11~~ 12	20	14	15	19	13	27	206

W. 8,000. X. 15.

WCSE

1909

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Fort Hill, Barnstaple

in the County of Devon

by Francis Sterry

Lat. .... Long. ....

Time of Observation 9.30 a.m

Nearest Railway Station G.W.R. Barnstaple

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 5 in.

" " " " Sea Level c. 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	0	0	0	.20	.26	.25	0	.01	.36	.02	.01	1
2	.39	.05	.38 melted snow	0	.04	0	.01	0	.17	.62	.20	0	2
3	0	1.10	0	0	.29	.09	.36	0	.01	.34	.06	.03	3
4	.26	.10	0	.03	.13	.35	0	0	.26	.11	.31	.01	4
5	.05	.03	.02	0	.06	.06	0	0	0	.10	.30	.02	5
6	.08	.26	0	0	.05	.02	.43	0	0	.12	.39	.03	6
7	.08	.33	.30 melted snow	0	.28	0	0	0	0	.01	.42	.30	7
8	0	.31	.13	.05	.11	.08	0	0	0	0	.32	.11	8
9	0	.07	.01	0	.08	0	.07	0	0	.10	.08	.27	9
10	0	1.00	0	.13	.02	0	0	0	0	.01	.04	.01	10
11	.01	.03	0	.20	.04	0	0	0	.03	0	.04	.01	11
12	.08	.13	.08	.05	.39	0	.10	.03	0	.36	.01	0	12
13	0	.42	.03	.08	.01	0.	.01	.19	.04	.08	0	0	13
14	.11	.45	.22	.03	.16	0	0	.56	0	.13	0	.01	14
15	.02	.33	.01	.23	.02	0	.01	.14	0	0	0	0	15
16	.01	.05	0	.48	.01	0	.33	1.09	0	.20	0	0	16
17	.13	.40	0	.04	0	0	0	0	1.01	.33	.51	hoar frost melted .02	17
18	.01	.31	.15	.04	0	0	0	0	.11	.09	0	melted snow .11	18
19	.10	.15	.06	.10	0	0	0	.02	0	0	.22	.03	19
20	.09	.37	.26	0	0	0	0	0	0	0	.25	.27	20
21	.05	.01	.23	.01	.06	.04	0	0	0	0	.20	.17	21
22	0	0	0	0	0	.11	0	.07	0	.17	.08	.59	22
23	.01	melted snow .09	.04	.02	0	.23	0	.35	0	.10	.07	.42	23
24	0	melted snow .06	.32	.01	.16	.01	0	.05	0	.32	.01	.20	24
25	0	.30	.28	0	0	.03	0	.45	.01	.26	.32	.02	25
26	.06	.10	.09	0	.03	.11	0	.01	.40	.37	.06	frost melted .01	26
27	.05	melted snow .09	.81	0	.08	.01	0	.06	.30	.56	0	0	27
28	0	melted snow .23	0	0	.01	0	0	.02	.02	.41	.01	.44	28
29	0	melted snow .28	.05	0	0	.39	0	.92	.17	.38	0	.33	29
30	0	╳	0	0	0	.01	0	.04	0	.31	0	.02	30
31	0	╳	0	╳	0	╳	0	.08	╳	.21	╳	.09	31
Total	1.65	7.05	3.47	1.45	2.23	1.80	1.57	4.08	2.54	6.05	3.92	3.53	YEAR'S TOTAL 39.34
Rain Days.	19	27	19	15	21	15	9	16	13	25	22	23	224

W. 8,000, VIII. 16

824

FORM A.
BRITISH RAINFALL.

3 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Fort Hill, Barnstaple

in the County of Devon

by Francis Sterry

Lat. ...... Long. ......
Time of Observation 9.30 A.M.
Nearest Railway Station G. W. R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 5 in.
" " " " Sea Level c. 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	0	.20	M. Snow .26	0	.24	0	.15	.04	0	.14	0	1
2	.04	0	.06	M. Snow .17	0	.08	0	.01	0	.11	.12	0	2
3	.05	melted snow .20	0	M. Snow .24	0	0	.82	0	0	.79	.59	0	3
4	0	melted snow .02	.34	0	0	0	.06	0	.06	.25	.01	0	4
5	.21	0	.32	.33	0	.30	0	0	.10	.40	.10	0	5
6	.08	0	.29	.01	0	.08	0	0	0	.06	.28	.03	6
7	.40	0	0	0	0	0	.15	.15	0	.28	.15	.04	7
8	.05	0	M. Snow .12	.07	0	.16	.17	.90	.12	.67	.56	.50	8
9	0	0	.06	0	.11	0	.01	.19	0	.63	.20	0	9
10	.31	0	.26	M. Snow .33	0	0	0	.10	0	.11	.05	.01	10
11	.06	0	.17	M. Snow .32	0	0	0	.01	0	.40	.34	0	11
12	.24	0	0	.05	.29	0	0	.16	0	.67	.01	.01	12
13	.06	0	.26	.10	.01	.05	0	.18	.53	.17	0	.01	13
14	0	0	0	.11	0	0	.01	.22	.11	.11	.03	.04	14
15	0	0	0	.09	0	0	.08	0	.01	.25	0	.18	15
16	0	.04	0	.02	0	.15	0	0	0	.10	.10	.32	16
17	0	.02	.11	.58	0	0	.60	.12	.27	.21	.08	0	17
18	0	0	0	.01	.04	.02	.35	.13	1.02	.03	.04	0	18
19	0	.64	.09	0	0	.26	0	.26	0	0	.04	0	19
20	.01	.19	.01	0	.33	.25	0	0	.02	0	.03	.02	20
21	.01	0	M. Snow .13	0	0	.09	0	.10	0	.06	.05	0	21
22	0	0	0	0	.09	0	0	.29	0	.19	0	0	22
23	0	.28	0	0	.11	.01	0	.38	0	.20	.07	.02	23
24	0	0	0	0	0	.07	.30	.21	0	.41	.22	0	24
25	0	.07	.05	0	0	.23	.04	.17	.04	.11	.03	0	25
26	0	.02	0	0	.50	.04	0	.78	.37	.13	.15	0	26
27	0	0	.03	0	0	.09	.03	1.31	0	.30	.02	0	27
28	0	.21	.10	0	.12	2.09	.03	.10	0	.06	.02	0	28
29	0	✗	.17	0	0	.08	0	.01	0	.55	.01	.04	29
30	0	✗	.11	0	0	0	.05	.30	0	.07	.01	0	30
31	0	✗	.01	✗	.30	✗	0	.16	✗	.28	✗	0	31
Total	1.54	1.69	2.89	2.69	1.90	4.29	2.68	6.39	2.69	7.51	3.45	1.22	YEAR'S TOTAL 35.96
Rain Days.	13	10	20	15	10	18	14	24	12	28	27	12	209

W. 8,000, IX. 17.

W M.S. [illegible]

20

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 9. 1. 19

Kept at Fort Hill Barnstaple

in the County of Devon

by Francis Sterry

Lat. Long.

Time of Observation 9-30 A M

Nearest Railway Station G. W R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 5 in.

" " " " Sea Level C. 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·0	·10	·0	·15	·05	0	0	1·68	·02	·02	·01	·14	1
2	·0	·16	·0	·0	·0	0	0	·51	·04	·02	·69	·0	2
3	·0	·14	·0	·07	·09	0	0	0	·05	·10	·03	·09	3
4	·0	·11	·0	·0	·0	0	0	·10	·09	·12	·16	·06	4
5	·0	·07	·08	·78	·04	0	0	·74	·97	·25	·57	·46	5
6	·16	·60	·0	·25	·0	·04	0	·0	·06	·13	·09	·02	6
7	·02	·24	·0	·03	·06	·03	0	·03	·41	·29	·01	·13	7
8	·02	·04	·0	0	0	·05	·11	0	·37	·29	·28	·08	8
9	·17	·06	·0	·08	0	·21	·14	·01	·45	·14	·05	·0	9
10	·14	·01	·0	·25	0	0	1·04	·0	·29	·11	·0	·22	10
11	·05	·04	·11	·01	0	0	·20	·0	·30	·03	·09	·55	11
12	·07	·07	·03	·0	·21	·01	·05	·0	·11	·0	·11	·22	12
13	melted Snow ·48	·02	·0	·0	·03	·13	·0	·0	·48	·22	·0	·35	13
14	·33	·0	·0	0	·05	·10	·80	·01	·76	·07	·0	·07	14
15	1·28	·0	·0	0	·0	·10	·60	·0	·03	·16	·0	·65	15
16	·45	·0	·0	·81	0	·02	·12	·06	·17	·24	·0	·39	16
17	·50	·0	·0	·02	0	·0	·20	·07	·06	·0	·0	·19	17
18	·91	·0	·18	0	0	·30	·17	·11	·76	·23	·0	·15	18
19	·06	·16	·13	·05	0	0	·08	·15	·16	·02	·0	·40	19
20	·06	·14	·0	·57	0	·06	·08	·01	·17	0	·0	·30	20
21	·09	·01	·0	·02	0	·15	·05	·0	·58	·05	·0	·33	21
22	·0	·0	·0	·0	1·00	·0	·12	·0	·44	·02	·0	·46	22
23	·03	·09	·0	·0	·01	·12	·31	·20	·06	0	·0	·23	23
24	·0	·33	·0	·0	·0	·0	·21	·0	·69	·0	}	·04	24
25	·0	·0	·0	·0	·32	0	·40	·96	·0	·0	·51 }	·0	25
26	·01	·15	·20	·0	0	0	·26	·03	·13	·07	·16	·36	26
27	·0	·13	·11	·01	0	·03	·0	·14	·22	·02	·15	·05	27
28	0	·21	·10	·0	0	0	0	·0	·08	·0	·47	·5~~5~~2	28
29	0	X	·16	0	0	0	0	0	1·28	·04	·46	·12	29
30	0	X	·37	0	0	0	0	·11	·02	·0	·01	·19	30
31	·01	X	·46	X	0	X	0	·06	X	·04	X	·03	31
Total	~~4·82~~ 4·79	2·88	1·73	2·50	1·86	~~1·73~~ 1·35	4·94	4·98	9·25	2·68	~~3·95~~ 3·86	~~5·90~~ 6·80	YEAR'S TOTAL ~~45·52~~ 47·61
Rain Days.	19	20	10	14	10	14	18	18	29	23	18	28	222

47·61

W, 6,500, VII. 18. W W C

87

33c

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

BARNSTAPLE ATHENAEUM

NORTH DEVON.

1911 – 1919

1911

Kept at Ba

in the County of

by T. Wai

er of top 8 in.

of top above Ground 1 ft. in.

„ „ Sea Level 25 ft.

tion

Station Name
Distance Direction

IMPORTAN .m., and the result entered to the previous day. I host universal rule, he is earnestly requested to add wing year in the space provided for it at the en heasurement of rain, the selection an the British Rainfall Organization are ree on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15			·23	·05			·62			·05		1
2			·01		·17			·14		·45	·32	·11	2
3			·05		·34			·05	·04		·10	·10	3
4			·18					·15			·22	·64	4
5	·16		·19	·02	·02			·23		·09	·11	·06	5
6	·20		·13								·15	·62	6
7	·15									·02	·48	·03	7
8	·13		·15								·35	1·02	8
9	·15		·05								1·03	·20	9
10	·03	·06	·34		·37							·28	10
11	·33		·02								·46	·38	11
12			·59						·15		·15	·26	12
13			·04		·25				·48	·01	·12	·07	13
14		·10			·02					·05	·02	·24	14
15	·06	·07	·02			·08					·28	·11	15
16	·02	·01				·18					·17	·17	16
17		·07	·02	·02		·24					·32	·30	17
18		·24		·21		·02				·09	·14	·18	18
19		·02		·15		·59			·41	·21	·18	·68	19
20		·04	·03	·13				·02	·55	·13		·20	20
21	·03	·19				·02		·10	·25	·40		·13	21
22	·02	·05	·02	·17		·08			·19	·25		·35	22
23		·08	·05			·18			·32	·12		·06	23
24	·05	·21				·52		·22		·35		·17	24
25	·03	·04		·26		·05		·02	·10	·13		·01	25
26		·14		·26			·07	·22		·23	·04	·42	26
27		·42						·63	·19	·41		·41	27
28		·22	·01	·46				·10		·02	·45	·02	28
29				·08		·85	·15	·10	·31	·31		·03	29
30						·04	·03		·05	·18	·06	·10	30
31										·07		·03	31
Total	1·51	1·96	1·90	1·99	1·22	2·85	·25	2·60	3·04	3·52	5·20	7·38	TOTAL for year 33·42
No. of Rain Days	14	16	17	11	7	12	3	13	12	19	21	30	175

9,000, IX. '10.

330

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

1911

Kept at Barnstaple

in the County of N. Devon N 2

by T. Wainwright

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 25 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15			·23	·05			·62			·05		1
2			·01		·17			·14		·45	·32	·11	2
3			·05		·34			·05	·04		·10	·10	3
4			·18					·15			·22	·64	4
5	·16		·19	·02	·02			·23		·09	·11	·06	5
6	·20		·13								·15	·62	6
7	·15									·02	·48	·03	7
8	·13		·15								·35	1·02	8
9	·15		·05								1·03	·20	9
10	·03	·06	·34		·37							·28	10
11	·33		·02								·46	·38	11
12			·59						·15		·15	·26	12
13			·04		·25				·48	·01	·12	·07	13
14		·10			·02					·05	·02	·24	14
15	·06	·07	·02			·08					·28	·11	15
16	·02	·01				·18					·17	·17	16
17		·07	·02	·02		·24					·32	·30	17
18		·24		·21		·02				·09	·14	·18	18
19		·02		15		·59			·41	·21	·18	·68	19
20		·04	·03	·13				·02	·55	·13		·20	20
21	·03	·19				·02		·10	·25	·40		·13	21
22	·02	·05	·02	·17		·08			·19	·25		·35	22
23		·08	·05			·18			·32	·12		·06	23
24	·05	·21				·52		·22		·35		·17	24
25	·03	·04		·26		·05		·02	·10	·13		·01	25
26		·14		·26			·07	·22		·23	·04	·42	26
27		·42						·63	·19	·41		·41	27
28		·22	·01	·46				·10		·02	·45	·02	28
29				·08		·85	·15	·10	·31	·31		·03	29
30						·04	·03		·05	·18	·06	·10	30
31										·07		·03	31
Total	1·51	1·96	1·90	1·99	1·22	2·85	25	2·60	3·04	3·52	5·20	7·38	TOTAL for year 33·42
No. of Rain Days	14	16	17	11	7	12	3	13	12	19	21	30	175

9,000, IX. '10.

81

326

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Barnstaple

in the County of N. Devonshire N2

by T. Wainwright

RAIN GAUGE { Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station { Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·24		·11	·30	·04	·20	·10	1·09	·03	·30	1
2			·21	·05		·77		·05			·05		2
3	·07		·29	·03		·08	·05	1·10	·13				3
4	·41		·68			·05		·12			·49		4
5	·62	·06	·33	·02	·11			·45				·05	5
6	·41	·10			·23			1·25			·05	·05	6
7	·03	·38	·09	·05	·18	·42	·02	·38			·02	·06	7
8	·34	·07	·18			·13	·13	·01					8
9	·01	·20	·06	·20		·21	·12	·70	·03		·03	·40	9
10	·37	·01				·31	·04	·12			·13	·06	10
11	·03	·04									·38	·42	11
12	·04	·05	·15	·02	·09		·13	·07					12
13	·13	·01	·03			·04	·42	·09		·08		·18	13
14	·14	·02	·46		·22			·48		·02		·02	14
15	·04	·03	·07		·11	1·28		·05				·62	15
16	·27		·13		·10	·03		·08		·05	·06	·06	16
17			·17			·36		·41			·02 ~~·92~~	·33	17
18		·05	·32					·51		·14	·07	·05	18
19		·12	·11		·03	·03	·01	·80		·05	·04	·03	19
20	·03	·04	·42		·02	·04		·30		·53	·06		20
21	·01	·08	·41		·37			·22		·11			21
22	·36	·12	·22			·02	·11	·42		·12	·05	·05	22
23	·13	·37	·24			·88	·58	·85		·55	·10	·32	23
24	·01	·07	·01			·21				·39		·10	24
25						·31	·03	·28		·08	·42	·58	25
26		·06					·02	·15		·30	·57	·21	26
27			·03			·56	·62			·78	·02	·53	27
28		·08	·04			·44	·55	·58	·15	·28	·46	·58	28
29		·14				·39	·71	·33	·35	·38		·04	29
30			·07		·04	·05	·26	·02	·02	·29		·03	30
31			·41				·20	·06				·05	31
Total	3·45	2·10	5·37	·37	1·61	6·91	4·04	10·08	·78	5·24	2·99 ✓	5·12	TOTAL for year 48·06
No. of Rain Days.	19	21	25	6	12	22	18	28	6	17	19	24	217

W. 8,000, X. '11.

82 339

FORM A.
BRITISH RAINFALL.

28 JAN

REGISTER OF RAINFALL IN 1913

[illegible]

Kept at Barnstaple
in the County of N. Devonshire 2
by S. Wainwright

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·22	·24	·04	·03				·05		·11	·46	1
2	·05	·16		·05	·23	·03				·02	·15		2
3	·10		·01		·52						·02	·25	3
4	·88		·02		·02	·62	·02		·08	·18		·20	4
5	·10	·06	·04		·25	·64	·09		·19		·62	·62	5
6	·02	·10	·15	·02	·02	·21			·02	·11	·35	·45	6
7		·33	·03		·29	·13	·02			·47	·11	·03	7
8	·03	·14	·01		·25		·08	·03				·03	8
9		·05	·03	·04	·16	·16		·08	·02		·29	·07	9
10	·65		·06	·02	·09	·08	·01	·13		·40	·19		10
11	·53		·03	·16	·12	·21	·08	·07	·06	·28	·78	·03	11
12	·30	·02		·07	·03	·03				·02	·90	·03	12
13	·05		·13				·02	·25	·53		·16		13
14	·16		·17	·02		·01			·04	·10	·16	·05	14
15	·10		·28	1·06			·03		·03		·17	·03	15
16	·31		·79	·10			·05		·52	·02	·18		16
17	·36		·06	·11			·05				·05		17
18	·28		·18	·11	·03	·01	·03				·05		18
19	·38		·07	·01	·15	·02			·39	·48			19
20	·34		·24	·13		·01	·19		·08	·08	·29		20
21			·13	·31	·29	·04	·10				·32		21
22	·90		·78		·03	·24		·22	·10			·05	22
23	·03		·02			·03		·03	·06		·20	·60	23
24	·07	·10		·18							·12		24
25		·03	·01	·29					·13	·04	·13	·20	25
26		·02		·54		·05			·05	·02	·04	·30	26
27	·08		·19	·29						·44	·04	·04	27
28	·11		·07	·14	·20					·19	·02	·15	28
29	·02		·15	·46	·08					·25	·06		29
30	·24			·02						·35	·05		30
31	·18		·59		·21			·27		·03			31
Total	6·33	1·23	4·48	4·17	3·00	2·52	·77	1·08	2·35	3·48	5·56	3·59	YEAR'S TOTAL 38·56
Rain Days.	26	11	26	22	19	17	13	8	16	18	26	18	220

W. 7,500, XI. 12

82

cord by B. 19.III.15　cord by Observer 30·III·15

323

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Barnstaple

in the County of N. Devonshire N2

by T. Wainwright

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·14		·18	·10	·75			·12	·26	1
2	·02		·01		·02		·31	·09			·02	·41	2
3	·03		·30	·30	·35			·20		·02	·02	·14	3
4	·25		·12	·22	·03		·49	·73	·02		·30	·75	4
5	·04		·30	·37	·02		·05				·06	·07	5
6		·04	·16	·31	·06		·17	·06			·12	·22	6
7	·10	·18	·14	·26	·12	·15	·53	·09	·15		·01	·13	7
8	·15		·75		·18	·35	·03	·07				·03	8
9	·16	·07	·23	·10	·25	·66		·12	·55	·02			9
10	·26	·25	·19	·61	·12	·01			·38			·02	10
11		·20	·35		·08	·11			·03		·18	·41	11
12		·48	·15						·32	·04	·12	·12	12
13		·26	·29				·10		·41	·14	·52	·06	13
14		·44	·40			·02	·05	·42		·07	·25		14
15	·01	·04	·15				·03	·58	·29		·46	·21	15
16			·03				·10		·12			·05	16
17		·20	·25				·03		·02			·40	17
18		·17	·26				·05		·48	·02		·59	18
19		·18	·31				1·18		·02	·02	·08	·16	19
20		·22	·28			·08						·20	20
21		·15	·06				·10	·02		·10			21
22		·10	·07	·02	·05	·62		·08		·27			22
23		·05	·10				·20	·02		·20			23
24		·02	·18			·02	·01	·13			·26		24
25	·21		·21				·27	·61		·39	·03	·25	25
26	·03						·25	·08		·16	·27	·39	26
27	·17	·05					·01	·01		·18	·30	·15	27
28	·03	·03	·17		·12					·48	·35	·81	28
29	·12		·25		·11		·03			·22	·26	·10	29
30			·08							·05	·59	·20	30
31	·05				·09		·51			·40		·12	31
Total	1·63	3·13	5·82	2·33	1·60	2·20	4·60	4·06	2·79	2·78	4·32	6·25	YEAR'S TOTAL 41·31
Rain Days.	15	19	28	9	14	10	22	17	12	17	20	25	208

W.7,000, XI. 13

81

1953
318

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Barnstaple
in the County of N. Devonshire N 2
by T. Wainwright

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·34	·19						·32	·18	·39	·02	·18	1
2	·28	·12	·18	·10	·15	·08		·52	·05	·02		·50	2
3	·02		·10	·29			·04				·03	·44	3
4		·47	·05		·15		·17					·50	4
5	·18	·32		·10	·02			·20				·49	5
6	·62	·15		·30			·25	·06				·21	6
7	·30	·61		·04			·22	·09		·19	·08	·39	7
8	·25	·52						·24			·26	·07	8
9	·03	·34		·23				·11			·31	·79	9
10	·36	·27	·21	·12				·11		·10	·05	·06	10
11	·18	·03	·06		·03		·12	·02			·85	·10	11
12	·36	·29		·06	·29		·02			·05	·53	·16	12
13	·05	·48		·01	·57		·11	·38	·19	·02	·15	·08	13
14	·03						·12	·11	·09		·02	·51	14
15	·10		·01		·35		·29		·22		·30	·18	15
16	·02	·68			·10		·83		·02				16
17	·12	·23			·03							·01	17
18		·34	·03				·03						18
19		·05		·10	·16		·26						19
20	·62			·08		·07				·15		·07	20
21	·25	·33			·06	·04	·10		·28	·30		·37	21
22	·15	·07	·18	·10		·05	·49		·02	·22		·36	22
23	·07	·03	·08			·07	·11		·05	·68	·01	·92	23
24							·23		·05	·22		·33	24
25			·03			·14	·11				·05	·29	25
26		·10				·03	·16		·12			·32	26
27		·18				·40	·05			·45		·01	27
28		·18	·02			·04			·31	·32			28
29						·11		·04	·13	·02	·15	·05	29
30	·13	X				·05			·05	·31	·35	·19	30
31		X		~~·04~~		X	·14	·15	X	·15	X	·15	31
Total	4·46	5·98	·95	1·57	1·91	1·08	3·85	2·35	1·76	3·59	3·16	7·73	YEAR'S TOTAL 38·39
Rain Days.	21	22	11	13	11	11	20	13 ~~12~~	14	16 ~~15~~	15	27	194

W. 8,000. X. 14.

corr for M.WD [illegible]

1908

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Barnstaple
in the County of Devon
by Haslehurst Greaves-

Lat. 51° 5' Long. 4° 4'
Time of Observation 9 a.m.
Nearest Railway Station Barnstaple-
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·06 ✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	-	·01	-	·21	·22	·02	-	·08	trace	·19	-	1
2	·32	·04	·36	·01	·06	-	·22	-	·02	·35	·02	-	2
3	-	1·64	·01	·02	·25	H	·01	-	·19	·62	·21	-	3
4	·23	·11	-	-	·17	·08	·31	-	trace	·31	·03	·04	4
5	·03	·03	·03	-	·04	·29	trace	-	·22	·06	·32	-	5
6	·06	·23	-	·04	·09	·07	·01	-	-	·08	·31	-	6
7	·07	·30	·20	-	·24	·03	·39	-	-	·10	·44	·04	7
8	-	·26	·13	·02	·10	-	·01	-	-	trace	·48	·03	8
9	-	·10	·02	-	·07	·10	-	-	-	·04	·22	·11	9
10	-	1·03	-	-	-	-	·08	-	-	·05	·06	·28	10
11	-	·03	-	·27	·06	-	-	-	-	trace	·03	-	11
12	·06	·11	·18	·05	·35	-	-	-	trace	trace	·03	-	12
13	-	·41	·02	-	-	-	·08	·03	trace	·31	trace	-	13
14	·08	·39	·18	·02	·09	-	-	·18	·03	·05	-	-	14
15	·01	·23	-	·23	·02	-	-	·53	-	·13	-	-	15
16	·01	·05	·02	·40	-	-	trace	·12	-	·02	-	-	16
17	·13	·25	-	·02	-	-	·24	1·17	-	·20	-	-	17
18	·62	·38	·16	·01	-	-	trace	trace	·80	·25	·64	-	18
19	·10	·18	·04	·13	-	-	-	trace	·12	·07	·01	-	19
20	·08	·36	·26	-	-	-	trace	·02	-	trace	·23	·14	20
21	·03	-	·21	-	·05	-	-	·01	-	-	·27	·22	21
22	·01	-	-	-	-	·05	-	-	-	-	·11	·23	22
23	-	·07	-	-	-	·10	-	·10	-	·16	·06	·55	23
24	-	·05	·37	·02	·16	·30	-	·33	trace	·05	·07	·40	24
25	-	·40	·29	-	-	trace	-	·04	-	·31	·01	·21	25
26	·05	·06	·06	-	·04	·03	-	·42	·02	·18	·24	-	26
27	·03	·11	·76	-	·10	·14	-	·05	·38	·30	·07	-	27
28	-	·22	-	-	-	·02	-	·08	·31	·46	trace	-	28
29	-	·29	·04	-	-	-	-	·06	·02	·43	trace	·41	29
30	-	╳	-	-	-	·40	-	·85	·17	·35	-	·27	30
31	-	╳	·01	╳	-	╳	-	·05	╳	·28	╳	·01	31
Total	1·39	6·73	3·36	1·24	2·10	·02 ~~1·83~~ 1·85	~~1·37~~ 1·35	·08 ~~4·04~~ 4·12	- ~~2·36~~ 2·28	·19 ~~5·16~~ 5·35	- ~~4·05~~ 3·86	·06 ~~2·94~~ 3·00	YEAR'S TOTAL ~~36·57~~ 36·63
Rain Days.	18	26	21	13	17	~~13~~ 14	~~10~~ 9	~~16~~ 17	~~12~~ 11	~~24~~ 25	~~22~~ 21	~~14~~ 15	~~206~~ 207

W. 8,000, VIII. 16

1823

end for WD

REGISTER OF RAINFALL IN 1917

Kept at Barnstaple

in the County of Devon

by Haslehurst Greaves

Lat. Long. as before

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL
16. JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. None.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	–	·21	–	–	·33	–	–	·16	–	·29	·03	1
2	–	–	·21	·32	–	·22	–	·19	·03	–	·11	·01	2
3	·03	–	·06	·21	–	·07	–	·01	–	·11	·12	–	3
4	·03	–	–	·19	–	trace	·83	–	trace	·60	·49	trace	4
5	–	–	·44	–	–	–	·05	–	·06	·24	·01	–	5
6	·19	–	·31	·32	–	·29	–	–	·22	·37	·10	–	6
7	·08	–	·28	·02	–	·09	trace	–	·01	·11	·24	·04	7
8	·35	–	–	–	–	–	·20	·17	trace	·25	·12	·05	8
9	·08	–	·08	·09	–	·21	·15	·86	·13	·61	·44	·50	9
10	–	–	·11	·01	·11	–	·02	·17	trace	·65	·19	·01	10
11	·34	–	·26	·35	–	·02	–	·10	–	·11	·01	trace	11
12	·03	–	·17	·39	–	–	–	·01	–	·34	·34	–	12
13	·25	–	trace	·04	·32	–	–	·17	–	·64	·01	·02	13
14	·05	–	·25	·09	·01	·06	–	·17	·48	·18	trace	·01	14
15	–	–	–	·08	–	–	·01	·19	·10	·09	·04	·04	15
16	–	–	trace	·09	–	–	·05	–	·02	·24	trace	·34	16
17	–	·04	–	·02	–	·26	–	–	–	·08	·11	·32	17
18	–	·01	·10	·55	–	–	·62	·11	·32	·23	·07	·01	18
19	–	trace	–	·02	·03	·03	·35	·15	·98	·03	·04	–	19
20	–	·60	·10	–	–	·25	–	·32	·02	trace	·04	–	20
21	–	·18	·02	–	·35	·26	–	–	·01	–	·03	·02	21
22	–	trace	·12	–	–	·05	·01	·10	·01	·07	·06	–	22
23	–	–	–	–	·09	–	–	·27	trace	·18	trace	–	23
24	–	·27	–	–	·13	·02	–	·39	–	·24	·07	·01	24
25	–	trace	·01	–	–	·07	·27	·19	–	·41	·20	·01	25
26	–	·06	·06	–	–	·22	·02	·35	·05	·14	·06	–	26
27	–	·02	–	–	·57	·03	–	·64	·35	·11	·14	–	27
28	–	–	·03	–	–	·10	·01	1·34	–	·31	·02	–	28
29	–		·04	–	·12	1·98	·03	·8	–	·07	·03	–	29
30	–	╳	·20	–	–	·06	–	·02	–	·56	·02	·04	30
31	–	╳	·12	╳	–	╳	·03	·28	╳	·11	╳	–	31
	–	·21	–	–	·33	~~·33~~	–	·16	–	·29	·03	–	YEAR'S TOTAL
Total	~~1·49~~ 1·43	~~1·18~~ 1·39	~~3·18~~ 2·97	~~2·79~~ 2·79	~~1·73~~ 2·06	~~4·62~~ 4·29	~~2·65~~ 2·65	~~6·28~~ 6·44	~~2·95~~ 2·79	~~7·08~~ 7·37	~~3·40~~ 3·14	~~1·46~~ 1·43	~~38·81~~ 38·75
Rain Days.	10	8	20	16	19	20	15	23	16	28	27	16	~~208~~
							26	24					207

W. 8,000, IX. 17.

19

FORM B.

BRITISH RAINFALL
8 JAN 1919

To be filled and returned
to THE DIRECTOR,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W. 1.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1918

At Barnstaple

In the County of N Devon

PLEASE FILL IN

Rain Gauge
Diameter of Funnel .... in.
Height of Top: *Above Ground* .... ft. .... in.
Height of Top: *Above Sea Level* .... ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	4·79	1·22	15th	22
FEB.	2·43	·50	6th	19
MAR.	1·50	·39	30th	12
APR.	2·60	·74	16th	14
MAY	1·64	·85	22nd	10
JUNE	1·04	·29	18th	13
JULY	4·42	·99	10th	19
AUG.	4·78	1·57	1st	17
SEPT.	8·86	1·23	29th	29
OCT.	2·23	·28	8th	25
NOV.	3·39	·70	1st	18
DEC.	6·77	·61	15th	30
Total	44·45	1129		229

Signed J. Hazlehurst Greaves.

[*Please fill in the other side also.*

W. 13,000. vii.18. W W C

8L

~~251~~ 19

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

30.1.19

Kept at Barnstaple

in the County of Devonshire

by H. Greaves

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge ....in.

Height of top of Gauge above Ground ....ft. ....in.

" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						-		-	·06	·02	·01	·15	1
2					·04				·01	·02	·70		2
3									·05	·02	·06	·14	3
4					·08				·04	·10	·10	·05	4
5									·24	·11	·61	·46	5
6					·03				·80	·21	·07	·02	6
7									·03	·12		·12	7
8					·04				·34	·24	·26	·08	8
9							·10		·38	·28	·03	·02	9
10							·08		·45	·05	·03	·22	10
11							·99		·35	·13	·07	·52	11
12							·18		·18	·03	·12	·34	12
13					·20		·03		·10	·01		·01	13
14					·02		·07		·49	·20		·33	14
15					·04		·49		·72	·11		·07	15
16							·55		·02	·07		·61	16
17					·01		·09		·10	·11		·29	17
18							·19		·05	·01		·22	18
19							·02		·79	·22		·14	19
20							·21		·17	·02		·43	20
21							·09		·20				21
22							·04		·52	·05		·31	22
23					·85		·18		·42	·02		·31	23
24							·25		·04		·07	·52	24
25							·21		·61		·38	·14	25
26					·33		·55			·04	·17	·07	26
27							·10		·09	·01	·16	·34	27
28									·23		·07	·10	28
29									·15		·45	·45	29
30		☒							1·23		·03	·06	30
31		☒		☒		☒			☒	·03	☒	·25	31
Total					1·64		4·42		8·86	2·23	3·39	6·77	YEAR'S TOTAL 44·45
Rain Days.					10		19		~~30~~ 29	25	18	29	227

W. 8 000, IX. 17.

1713

MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Barnstaple

in the County of N Devonshire

by Edith Young Asst Librarian

Lat. 57·5 N. Long. 4·4 W.
Time of Observation 10 a.m.
Nearest Railway Station Barnstaple Junction L. S. W. Rly.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47	—	·03	—	·08	trace	13	—	·20	·39	trace	·91	1
2	·28	—	·06	—	·03	—	—	—	·07	·05	·01	·55	2
3	·06	—	·20	—	·15	—	trace	—	·02	trace	02	·60	3
4	·02	·60	·25	—	—	·15	trace	·09	·18	trace	—	·08	4
5	·18	·39	·49	—	·05	—	—	trace	·09	trace	—	·24	5
6	·07	·12	·20	—	—	—	—	trace	·02	trace	·01	·30	6
7	·15	—	·13	·12	—	trace	—	trace	·06	trace	·01	·05	7
8	·17	—	·22	·04	—	·09	—	—	trace	—	·02	—	8
9	·16	—	·04	·30	—	trace	—	—	·02	—	·86	·02	9
10	·15	—	·87	·02	·07	·04	—	—	—	·11	·25	·15	10
11	·18	—	·51	·08	·09	·03	·24	trace	·01	·03	trace	·02	11
12	·19	·05	·26	·04	—	·33	—	trace	—	·20	·11	·02	12
13	·9	trace	·05	·25	—	trace	03	—	·07	·25	trace	·07	13
14	·32	·04	—	·57	·17	—	·03	—	·05	·15	·01	·13	14
15	·22	·03	—	·04	—	—	—	—	—	·08	·01	·69	15
16	·26	·75	—	—	—	—	·01	—	—	—	·33	·02	16
17	—	·64	03	—	·03	·05	—	trace	—	trace	·44	·02	17
18	·06	·08	1·01	—	—	—	·07	·39	·09	trace	·39	·02	18
19	·32	·21	·15	—	—	·05	·04	·40	·68	trace	·23	·12	19
20	·49	·08	·18	—	·03	·06	—	·02	·42	trace	·08	·17	20
21	·04	·73	—	—	·08	trace	·37	·02	·08	trace	·02	·08	21
22	—	·02	—	—	—	trace	·04	trace	·29	—	·07	·07	22
23	—	—	—	—	—	—	—	·04	—	trace	·03	·15	23
24	·01	—	—	—	—	·23	—	·05	·05	·28	·23	·30	24
25	·30	—	—	—	—	·03	—	·61	·01	·41	·25	·09	25
26	·35	·02	·13	·30	—	·04	—	·02	·13	trace	·05	·22	26
27	·24	—	·02	·18	—	·02	—	·38	·01	·13	—	·07	27
28	—	—	·57	·10	—	—	—	trace	trace	—	·14	·67	28
29	—		—	·25	—	—	trace	·20	trace	trace	·05	·18	29
30	—		·05	·29	—	·14	—	·20	·03	09	·34	·50	30
31	—		·14		—		16	—		—		·31	31
TOTAL	4·77	3·76	5·59	2·58	·78	1·26	1·12	2·42	2·58	2·17	3·96	6·82	YEAR'S TOTAL 37.81
Days with ·01 in. or more	24	14	22	14	10	13	10	12	21	12	24	30	206

(44,283). Wt.21,958—2. 7500. 10/19. Gp.132. A.&E.W.

✓

DEVON.

BARNSTAPLE,
(PILTON).

1913, 1915

REGIST 3

FORM A.
BRITISH RAINFALL.

1 - JAN 1914

Kept at Pilton, Barns

51-5'

.a.m

~~Pilton~~ Barnstaple Town

in the County of N Devon

5 in.

by Capt G. F. Hil

ove Ground 1 ft. — in.

Sea Level 83 ft.

IMPORTANT NOTE.— d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·25	·17	·08	·01	-	-	-	·04	·01	·09	·61	1
2	·03	·20	·02	·06	·22	·02	-	-	-	·02	·12	·02	2
3	·02	·01	·02	·01	·51	-	-	-	-	·01	·01	·23	3
4	·91	-	-	·02	·02	·49	·03	-	·10	·09	·12	·20	4
5	·10	·06	·08	-	·22	·82	·05	-	·17	·02	·64	·59	5
6	·02	·08	·13	-	·03	·20	-	-	·01	·14	·42	·53	6
7	·01	·30	·02	-	·33	·12	·02	-	-	·41	·09	·02	7
8	·01	·10	·01	-	·19	-	·07	·02	-	·03	·01	·03	8
9	-	·05	·05	·04	·17	·23	-	·09	·03	-	·23	·08	9
10	·61	·01	·07	·03	·05	·05	-	·14	-	·45	·19	·01	10
11	·59	-	·04	·17	·11	·23	·08	·08	·06	·12	·70	·06	11
12	·36	-	-	·06	·02	·05	·02	-	·08	-	·79	·01	12
13	·04	-	·12	-	-	·01	·03	·29	·50	·01	·18	-	13
14	·12	-	·13	·03	-	-	·07	-	·04	·11	·25	·06	14
15	·10	-	·31	·94	-	-	-	-	-	-	·21	·06	15
16	·31	-	·83	·12	-	-	·04	-	·49	-	·18	·01	16
17	·12	-	·09	·05	-	-	·08	-	·01	-	·08	-	17
18	·26	-	·14	·13	·03	-	·10	-	-	-	·03	-	18
19	·35	-	·05	·01	·19	·03	·17	-	·38	·45	·02	-	19
20	·33	-	·26	·13	-	-	-	-	·10	·16	·30	-	20
21	·02	-	·12	·26	·20	·03	·17	·03	·01	·01	·25	-	21
22	1·03	-	·79	-	·06	·24	-	·20	·10	-	-	·02	22
23	·03	-	-	-	-	·01	-	·07	·04	-	·20	·66	23
24	·06	·07	-	·18	-	-	-	·02	·01	-	·20	-	24
25	-	·03	-	·29	-	-	-	-	·12	·02	·20	·18	25
26	-	·01	-	·47	-	·08	-	-	·03	-	·05	·41	26
27	·18	-	·13	·20	-	-	-	-	-	·40	·06	·09	27
28	·08	-	·12	·11	·19	-	-	-	-	·19	·03	·16	28
29	·02		·14	·42	·11	-	-	-	-	·13	·09	-	29
30	·32		·01	-	·01	-	-	-	-	·41	·06	-	30
31	·23		·60		·28		-	·18		·02		-	31 ✓
Total	6·32	1·17	4·45	3·80	2·94	2·61	0·93	1·12	2·32	3·21	5.80	4·03	YEAR'S TOTAL 38·70
Rain Days.	28	12	25	22	20	15	13	10	19	21	29	21	235 ✓

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

REGIST

1 - JAN 1914

Kept at Pilton, Barnstaple

in the County of N Devon

by Capt G. F. Hibbert

Lat. 4° - 3′ Long. 51° - 5′

Time of Observation 9. a. m

Nearest Railway Station ~~Pilton~~ Barnstaple

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·25	·17	·08	·01	-	-	-	·04	·01	·09	·61	1
2	·03	·20	·02	·06	·22	·02	-	-	-	·02	·12	·02	2
3	·02	·01	·02	·01	·51	-	-	-	-	·01	·01	·23	3
4	·91	-	-	·02	·02	·49	·03	-	·10	·09	·12	·20	4
5	·10	·06	·08	-	·22	·82	·05	-	·17	·02	·64	·59	5
6	·02	·08	·13	-	·03	·20	-	-	·01	·14	·42	·53	6
7	·01	·30	·02	-	·33	·12	·02	-	-	·41	·09	·02	7
8	·01	·10	·01	-	·19	-	·07	·02	-	·03	·01	·03	8
9	-	·05	·05	·04	·17	·23	-	·09	·03	-	·23	·08	9
10	·61	·01	·07	·03	·05	·05	-	·14	-	·45	·19	·01	10
11	·59	-	·04	·17	·11	·23	·08	·08	·06	·12	·70	·06	11
12	·36	-	-	·06	·02	·05	·02	-	·08	-	·79	·01	12
13	·04	-	·12	-	-	·01	·03	·29	·50	·01	·18	-	13
14	·12	-	·13	·03	-	-	·07	-	·04	·11	·25	·06	14
15	·10	-	·31	·94	-	-	-	-	-	-	·21	·06	15
16	·31	-	·83	·12	-	-	·04	-	·49	-	·18	·01	16
17	·12	-	·09	·05	-	-	·08	-	·01	-	·08	-	17
18	·26	-	·14	·13	·03	-	·10	-	-	-	·03	-	18
19	·35	-	·05	·01	·19	·03	·17	-	·38	·45	·02	-	19
20	·33	-	·26	·13	-	-	-	-	·10	·16	·30	-	20
21	·02	-	·12	·26	·20	·03	·17	·03	·01	·01	·25	-	21
22	1·03	-	·79	-	·05	·24	-	·20	·10	-	-	·02	22
23	·03	-	-	-	-	·01	-	·07	·04	-	·20	·66	23
24	·06	·07	-	·18	-	-	-	·02	·01	-	·20	-	24
25	-	·03	-	·29	-	-	-	-	·12	·02	·20	·18	25
26	-	·01	-	·47	-	·08	-	-	·03	-	·05	·41	26
27	·18	-	·13	·20	-	-	-	-	-	·40	·06	·09	27
28	·08	-	·12	·11	·19	-	-	-	-	·19	·03	·16	28
29	·02		·14	·42	·11	-	-	-	-	·13	·09	-	29
30	·32		·01	-	·01	-	-	-	-	·41	·06	-	30
31	·23		·60		·28		-	·18		·02		-	31
Total	6·32	1·17	4·45	3·80	2·94	2·61	0·93	1·12	2·32	3·21	5·80	4·03	YEAR'S TOTAL 38·70
Rain Days.	28	12	25	22	20	15	13	10	19	21	29	21	235

W.7,000, XI. 13

Ext Lit

1955

13

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at Pilton, Barnstaple

in the County of Devon

N2

by Capt J. F. Hibbert

Lat. 51·5 Long. 4·3 W.

Time of Observation 9 a.m.

Nearest Railway Station Barnstaple

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31	·23	–	–	·14	–	–	·30	·13	·38	·04	·26	1
2	·24	·13	·17	·10	–	·07	–	·77	·07	·04	–	·49	2
3	·02	·02	·11	·35	·14	–	·01	–	–	–	–	·46	3
4	·02	·46	·04	·01	·03	–	·18	–	–	–	–	·44	4
5	·20	·37	·01	·08	–	·01	–	·30	–	–	–	·41	5
6	·56	·09	–	·31	–	–	·22	·09	–	–	–	·16	6
7	·35	·65	–	·04	–	–	·26	·11	–	·15	·07	·35	7
8	·32	·46	–	–	–	–	–	·25	–	·02	·24	·06	8
9	·05	·40	–	·24	–	–	–	·10	–	–	·37	·79	9
10	·42	·27	·24	·12	–	–	–	·12	–	·09	·08	·05	10
11	·22	·04	·07	·01	·05	–	·06	–	–	–	·81	·10	11
12	·40	·21	·01	·07	·43	–	–	·01	–	·04	·53	·15	12
13	·07	·44	–	·02	·58	–	·19	·29	·15	·03	·20	·10	13
14	·03	·01	–	–	·01	–	·09	·06	·10	·01	·01	·48	14
15	·12	–	–	–	·30	–	·28	–	·30	–	·26	·13	15
16	·03	·57	–	·01	·11	–	·89	–	·05	–	–	–	16
17	·11	·18	–	–	·03	–	–	·01	–	–	–	–	17
18	·02	·33	·04	–	–	–	·02	–	–	–	–	–	18
19	·03	·03	–	·05	·15	–	·25	–	–	–	–	–	19
20	·67	·04	–	·08	–	·07	–	–	–	·12	–	·07	20
21	·26	·33	–	–	·07	·03	·10	–	·27	·25	–	·39	21
22	·14	·08	·13	·03	–	·04	·34	–	·01	·21	–	·32	22
23	·09	·05	·06	–	–	·08	·09	–	·02	·69	–	·97	23
24	–	–	·03	·02	–	–	·27	–	·13	·29	–	·33	24
25	·01	–	·02	–	–	·13	·18	–	·02	·02	·03	·20	25
26	–	·09	–	–	–	·02	·16	–	·11	–	–	·32	26
27	–	·16	–	–	–	·44	·04	–	·01	·42	–	·02	27
28	–	·13	·01	–	–	·07	–	–	·30	·25	–	·01	28
29	–	–	–	·03	–	·08	–	·01	·14	·02	·15	·03	29
30	·14	X	–	–	–	·06	–	–	·05	·28	·33	·18	30
31	·01	X	–	X	–	X	·14	·16	X	·16	X	15	31
Total	4·84	5·77	0·94	1·57	2·04	1·10	3·77	2·58	1·86	3·47	3·12	7·42	YEAR'S TOTAL 38·48
Rain Days.	26	25	13	17	12	12	19	14	16	19	13	27	213

W. 8,000. X. 15.

and to Ebberley [illegible]

REGIS

DEVON
BEAFORD,
(WHARE KOA)
1911- 1920.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Whare Koa,
in the County of Devon (
by James Stuck

in.
Ground ft. in.
Sea Level 380 ft ~~about~~
m.
Name Torrington
Distance 6 m. Direction SSE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14		·08	·33	·07	·28		·58			·01		1
2			·09		·18			·21		·67	·34	·16	2
3					·36			·01	·01		·20	·07	3
4					·01			·14			·42	·47	4
5	·35		·23					·44			·16	·16	5
6	·21		·10					·05			·15	·72	6
7	·06										·81		7
8	·09		·15								·16	·77	8
9	·05										·34	·19	9
10	·05		·28		·20						·10	·41	10
11	·35										·70	·31	11
12	·01		·56						·28		·23	·41	12
13			·04		·12				·42		·03	·11	13
14		·06	·03							·15		·26	14
15	·02	·02	·04								·35	·13	15
16		·03	·01 (·01)			·26					·22	·34	16
17		·05	~~·02~~ ·05	·02		·17					·22	·40	17
18		·32	~~·13~~	·13		·76				·09	·49	·41	18
19		·10	~~·20~~ ·01	·20		·66			·29	·13	·26	·61	19
20		·05	~~·12~~ ·03	·12		·05			·43	·46		·20	20
21		·31				·10		·08	·23	·14		·12	21
22	·05	·11	~~·07~~	·07		·33			·21	·51		{	22
23		·20	·03			·03			·28	·29	·03	·57 }	23
24	·01	·27				·58		·30		·22		·52	24
25	·03	·04	~~·25~~	·25		·08			·08	·20		·27	25
26		·09	~~·37~~	·37	·08		·06	·19		·38	·02	·25	26
27		·60						·40	·19	·47		·23	27
28		·21	~~·56~~	·56				·10			·31	·01	28
29			~~·52~~	·52		·70	·20	·01	·32	·35	·01	·07	29
30						·01	·05		·02	·37	·05		30
31							·01			·15			31
Total	1·45	2·46	1·73 ~~[illegible]~~	2·57	1·02	4·01	·32	2·51	2·76	4·58	5·81	8·17 8·17	TOTAL for year 37·39
No. of Rain Days.	13	15	15	10	7	13	4	12	12	15	23	27	166

W. 8,000, X. '11.

REGIS

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Whare Road, Beaford

in the County of Devon (North) N. 3

by James Stuckey

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level 380 ft about

Time of Observation 9 a.m.

Nearest Railway Station
Name Torrington
Distance 6½ Direction SSE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14		·08	·33	·07	·28		·58			·01		1
2			·09		·18			·21		·67	·34	·16	2
3					·36			·01	·01		·20	·07	3
4					·01			·14			·42	·47	4
5	·35		·23					·44			·16	·16	5
6	·21		·10					·05			·15	·72	6
7	·06										·81		7
8	·09		·15								·16	·77	8
9	·05										·34	·19	9
10	·05		·28		·20						·10	·41	10
11	·35										·70	·31	11
12	·01		·56						·28		·23	·41	12
13			·04		·12				·42		·03	·11	13
14		·06	·03							·15		·26	14
15	·02	·02	·04								·35	·13	15
16		·03	·01 (·01)			·26					·22	·34	16
17		·05	~~·02~~ ·05	·02		·17					·22	·40	17
18		·32	~~·13~~	·13		·76				·09	·49	·41	18
19		·10	~~·20~~ ·01	·20		·66			·29	·13	·26	·61	19
20		·05	~~·12~~ ·03	·12		·05			·43	·46		·20	20
21		·31				·10		·08	·23	·14		·12	21
22	·05	·11	~~·07~~	·07		·33			·21	·51			22
23		·20	·03			·03			·28	·29	·03	·27	23
24	·01	·27				·58		·30		·22		·82	24
25	·03	·04	~~·25~~	·25		·08			·08	·20		·27	25
26		·09	~~·37~~	·37	·08		·06	·19		·38	·02	·25	26
27		·60						·40	·19	·47		·23	27
28		·21	~~·56~~	·56				·10			·31	·01	28
29			~~·52~~	·52		·70	·20	·01	·32	·35	·01	·07	29
30						·01	·05		·02	·37	·05		30
31							·01			·15			31
Total	1·45	2·46	~~[illegible]~~ 1·75	2·57	1·02	4·01	·32	2·51	2·76	4·58	5·81	8·17 8·17	TOTAL for year 37·39
No. of Rain Days.	13	15	15	10	7	13	4	12	12	15	23	27	166

W. 8,000, X. '11.

8L

Cor? p. auth. 22.11.13 W.

327

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

25 JAN. 1913

Kept at Beaford, Whare ~~Rod~~ Koa

in the County of N. Devonshire N3

by

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·16		·05	·32	·03	·06	·16	1·24		·33	1
2			·25	·01	·01	1·37	·02			·03	·02	·02	2
3	·06		·21	·02		·11	·08	1·02	·13			·02	3
4	·44		1·11			·25		·08			·14		4
5	·74	·07	·29		·10		·03	·46			·03	·02	5
6	·72	·07	·02		·23		·02	·30				·10	6
7	·07	·24	·10	·03	·14	·47	·11	·41			·01	·03	7
8	·38	·08	·20	·03		·26			·01			·01	8
9	·06	·21	·04	·04		·02	·13		·02		·01	·35	9
10	·40	·05	·01			·19	·15	·25			·17	·09	10
11		·02					·01				·47	·46	11
12	·03	·03	·15		·16		·13	·13			·06	·11	12
13	·22	·01	·01			·01	·08	·22		·08		·23	13
14	·08	·04	·50		·18			·26		·03		·18	14
15	·08	·02	·02		·07	1·14		·02				·50	15
16	·11		·36		·17	·08		·33		·07	·13	·15	16
17	·01		·27		·07	·14		·54				·21	17
18		·04	·19					·61		·10	·06	·09	18
19		·20	·10		·02	·02		1·20		·04	·02	·03	19
20	·04	·08	·38		·06	·03		·27		·70	·07		20
21		·10	·64		·45			·23		·16			21
22	·25	·19	·29		·23			·28		·15	·03	·03	22
23	·14	·49	·35		·01	·15	·03	·93		·22	·10	·30	23
24	·04	·02	·09			·21				·03		·15	24
25						·91		·24		·21	·49	·39	25
26		·12					·13	·12		·27	·45	·29	26
27						·50	·47	·06		·81	·09	·55	27
28		·08				·29	·39	·48	·25	·22	·36	·54	28
29		·05				·27	·44	·01	·54	·18		·09	29
30			·03			·13	·32		·05	·19			30
31			·44				·21	·06		·04		·12	31
Total	3·87	2·21	6·21	·13	1·95	6·87	2·78	8·56 8·56	1·16	4·87 4·77	2·71	5·39	TOTAL for year 46·61
No. of Rain Days.	18	21	25	5	15	21	18	25	7	19	18	27	219

W. 8,000, X. '11.

8r

cnd by B. 24.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

340

20 JAN 1914

Kept at Whare Rod, Beaford + D11 (Roa)

in the County of N. Devonshire 3

by J. Stuckey

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·35	·12	·11	·08						·25	·12	1
2	·06	·17	·01	·16	·11	·05	—		·02	·21	·26		2
3	·05		·03		·43	·02			·10	·46		·03	3
4	·95		·03			·12	·01		·17	·54	·03	·05	4
5	·11				·21	·50	·08			·03	}	·10	5
6	·01	·13				·12					·62	·57	6
7		·37	·29	—	·27	·11				·67	·21	·35	7
8		·07			—		·03	·15		·02		·01	8
9		·05	·03		·21	·19		·25			·19	·02	9
10	·25	—		·04	·07	·04	·06	·10	—	·63	·12		10
11	·50			·07	·21	·09		·02	·04	·08	·34	·17	11
12	·06			·03	·01	·03					·91		12
13			·18				·04	·10	·20	·11	·16		13
14	·09		·22						·02		·15		14
15	·07		·40	·88							·13		15
16	·14		·56	·11	—			·02	·06		·09		16
17	·20		·07				·04				·14		17
18	·21		·16	·25	·08	—	·01				·10	·05	18
19	·33		·17		·05	·07	·01		·37	·35		—	19
20	·53		·20	·08			·06		·09		·20		20
21			·15	·28	·12		·09			·21	·50		21
22	·44		·66	·04	·05	·18		·28	·14			—	22
23	·04					·01		·26			·12	1·00	23
24	·02	·07		·05		·03	—	·06			~~·02~~		24
25		·01		·38				·06			·11	·06	25
26				·37					·11			·38	26
27	·28		·18	·12						·30	·02	·08	27
28	·01		·02	·13	·12					·20	·02		28
29	·03		·30	·48	·01						·05		29
30	·42			·58	·02					·82	·03		30
31	·34		·59				·02	·51					31
Total	5·18	1·22 1·22	4·37	4·16	2·05	1·56	·45	1·81	1·32	4·63	4·79	2·99	YEAR'S TOTAL 34·53
Rain Days.	24	8	20	18 ~~19~~	16	14	11	11	11	14	24	14	185

W. 7,500, XI. ·12

Dl 22.III.15 324

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Beaford, Ware Rod Loa

in the County of N. Devonshire N3

by J. Stuckey

Lat. Long. —

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.06	.11		.20	.20	.60			.13	.13	1
2				.03			.23	.20			.04	.50	2
3			.25	.19	.34			.23			.32	.08	3
4	.50		.13	.27	.03		.29	.30				.59	4
5			.16	.32	.02		.10				.02	.15	5
6		.03	.34	.07	.08		.04	.08				.17	6
7		.21		.21	.07	.20	.28		.10			.09	7
8	.20		1.00	.07	.10	.32		.26				.02	8
9	.13	.04	.42	.32	.13	.56		.11	.56			.10	9
10		.20	.04	.18	.06	.06			.44			.06	10
11		.08	.57			.10					.15	.26	11
12		.32	.06						.30	.10	.21	.16	12
13		.30	.26						.36	.23	.42	.15	13
14		.22	.43			.03	.09	.46			.31	.05	14
15		.13	.06				.10	.20	.24		.25	.35	15
16												.04	16
17		.40	.40				.04		.15			.49	17
18		.14	.27						.25		.15	.47	18
19			.44				1.12		.10			.20	19
20		.10	.23			.17						.17	20
21		.18					.08	.02		.09		.18	21
22		.10								.73			22
23			.13		.07	.12				.10			23
24							.26	.09		.03	.16		24
25	.35		.25				.55	.36		.27	.07	.17	25
26	.12		.03				.33			.05	.21	.35	26
27										.24	.28	.18	27
28	.20	.20	.11		.10					.51	.04	.90	28
29	.32		.14							.05	.43	.05	29
30	.01		.08		.08					.26	.50	.17	30
31	.05				.10		.38			.80		.10	31
Total	1.88	2.65	5.86	1.77	1.18	1.76	4.09	2.91	2.50	3.46	3.69	6.33	YEAR'S TOTAL 38.08
Rain Days.	9	15	23	10	12	9	15	12	9	13	17	28	✓ 172

W.7,000, XI. 13

[illegible] 18/3/16

end [illegible] 17·11·16

1966

FORM A.
BRITISH RAINFALL.

4. JAN 16

REGISTER OF RAINFALL IN 1915

Kept at Whare Roa, Beaford

in the County of North Devon N3

by James Tuckey

Lat. Long.

Time of Observation 8 am.

Nearest Railway Station Torrington (L & S.W.R.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. – in.

" " " " Sea Level About 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13	·07	·01		·04			·25	·25	·24		·20	1
2	·40	·30	·15	·05				·22	·05	·05		·60	2
3	·07	·02	·05	·08	·14			·03				·59	3
4	·10	·63			·01		·04					·61	4
5	·02	·23		·16				·11				·38	5
6	·69	·17		·23			·35	·09				·50	6
7	·32	·20			·03		·27	·07		·25		·30	7
8	·27	·33					·01	·16			·20	·40	8
9	·03	·20		·40							·43	·65	9
10	·36	·30	·10			·03		·28		·07		·15	10
11	·07	·01									·11	·09	11
12	·13	·17			·47			·04		·19	·60	·11	12
13	·05	·65			·57		·13	·10	·12	·03	·20	·27	13
14	·07						·27	·22	·06	·06	·50	·35	14
15	·09			·15	·26		·12	·06	·02	·03	·10	·08	15
16	·19	·36			·21		1·08	·02			·20		16
17		·20											17
18		·15					·07						18
19	·05			·10	·13		·08						19
20	·62			·10	·01	·11	·07			·07		·03	20
21	·32	·23			·17	·01	·01			·13		·10	21
22	·12	·12	·26			·02	·07			·26		·25	22
23			·04				·25			·95		1·06	23
24						·04	·21			·38		·77	24
25			·03			·18	·20			·03		·50	25
26		·18				·07						·26	26
27						·55	·23		·28	·43		·02	27
28		·05				·04			·36	·18		·03	28
29						·32			·19	·09	·09	·06	29
30	·35	X		·02		·03	·14		·12	·20	·36	·10	30
31	·03	X		X		X		·07	X	·25	X	·20	31
Total	4·48	4·57	·64	1·29	2·04	1·40	3·60	1·72	1·45	3·89	2·79	8·66	YEAR'S TOTAL 37·93 ~~33·45~~ 36·53
Rain Days.	22.	20.	4.	9.	11.	11.	18.	14.	9.	19.	10.	27.	177

W. 8,000. X. 15.

DL

W DL

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Beaford, Whare ~~Pool~~ Koa

in the County of N. Devonshire

by J. Stuckey

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18				·14	·22	·19			·31			1
2	·35	·04	·19		·05		·42		·12	·30	·06		2
3	·02	1·00		·01	·35	·12	·24		·02	·42	·05	·05	3
4	·32	·19	·10		·08	·51				·06	·21		4
5	·04	·14			·32	·18	·37			·08	·47		5
6	·10	·20			·33	·31	·01			·11	·37		6
7	·12	·28	·09			·05					·37	·27	7
8		·22	·07		·15	·27						·06	8
9		·18			·15		·16			·24	·37	·45	9
10		·79		·14	·03					·01	·02	·02	10
11		·06		·09	·02						·06		11
12	·08	·35	·20	·13	·20		·15	·02					12
13		·36	·04		·03			·24	·07	·12			13
14	·11				·07					·08			14
15		·34	·05	·10				·84	}	·09			15
16	·05	·10	·02	·26				·44	·05 }	·20			16
17		·14		·02					·70	·35	·48		17
18	·16	·51	·19	·10				·03	·19	·03	·02	·10	18
19	·20	·10	·02	·11							·57		19
20	·09	·72	·24								·26	·44	20
21	·11	·08	·20								}	·14	21
22						·07		·07		·25			22
23	·03			·03		·14		·26		·07		·13	23
24			·34	·05	·19	·03		·05		·22		·71	24
25		}	·27		·05	·02		·21		·09	·69 }	·19	25
26			·15			·32		·10	}	·46	·10		26
27	·04	·43 }	1·13		·07	·03			·90 }	·75			27
28		·25	·03					·07	·52	·20		·66	28
29		·35	·02			·36		1·47	·05	·23		·39	29
30		X				·01		·03		·25		·01	30
31		X		X		X		·12	X	·06	X	·03	31
Total	2·00	6·83	3·35	1·04	2·23 2·23	2·64	1·54	3·95	2·62	4·98	4·10	3·65	YEAR'S TOTAL 38·93 38·93
Rain Days.	16	22 3	18	11	16	15	7	14	10	24	19	15	198

W. 8,000. X. 15.

8L

1233
267

FORM A.
BRITISH RAINFALL.
9. APR

REGISTER OF RAINFALL IN 1917

Kept at Whare Rod, Beaford

in the County of N. Devonshire

by J. Stuckey

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·13	—		·20	—		·05		·06		1
2	·03					·09		·17			·10		2
3	·10									·52	·37		3
4			·13					·01	·03	·41	·17		4
5	·30		·17			·30				·16			5
6	·09		·14			·13				·16	·29	·02	6
7	·35									·22	·03	·04	7
8	·05		·10			·30		·10		·68	·40	·22	8
9	·02		·01					·19		·86	·36	·09	9
10	·15		·26		·10			·22		·10			10
11	·28		·30					·25		·43	·29		11
12	·25		·05		·36			·22		·76	·04		12
13			·22					·09	·39	·33			13
14								·29	·05	·08		·02	14
15								·18		·14		·27	15
16										·10	·01	·13	16
17		·05	·04			·03		·05	·21	·08			17
18					·06				·28	·20			18
19		·40	·14			·10		·03			·02		19
20		·03	·04		·36	·23		·04			·08	·14	20
21						·03		·19		·03	·20	·06	21
22					·01	·07		·48		·15	·01	·03	22
23		·20			·17	·08		·48		·06	·04	·04	23
24		·05				·04		·18		·40	·11		24
25		·09	·08			·10		·74	·04	·14	·06		25
26		·01			·61	·05		·14	·23	·18	·08		26
27						·39		·98		·26	·01		27
28		·03	·09		·01	1·94		·34		·12	·02		28
29			·10			·11		·02		·17			29
30		X	·17					·12		·08	·06		30
31		X	·03	X	·22	X		·13	X	·12	X	·01	31
Total	1·66	·86	2·20	1·83	1·90	4·19	2·21	5·64	1·28 1·2~~8~~	6·94	2·81	1·07	YEAR'S TOTAL 32·59
Rain Days.	11	8	18	11	9	17	9	24	8	27	22	12	1·76

W. 8,000, VIII. 16

81

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
30 . 1 . 19

Kept at Whare ~~Tod~~ Koa, Beaford
in the County of N. Devonshire
by J. Stuckley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03		·26	·02				·01	·01	·33	·12	1
2		·12		·03				·73			·06	·50	2
3		·05		·06	·04			·59	·13	·12	·10	·02	3
4		·02						·05	(·75)	·05	·53	·31	4
5			·10	·19	·07			·78	·88	·26		·10	5
6		·43	·04	·22					·03	·27		·02	6
7	·02	·14			·02	·06			·45	·19	·30		7
8	·12						·08		·19	·17	·03	·25	8
9	·18					·21	·16		·35	·01	·02	·41	9
10	·11	·03		·42			·93		·51	·05		·15	10
11	·08	·02	·06		·04		·43		·36	·20	·05	·01	11
12	·13	·06	·10		·15		·02		·04			·48	12
13	·28				·04		–		·44	·04		·13	13
14	·26				·03	·10	+ ·30		·41			·09	14
15	1·35					·06	·67		·04	·09		·40	15
16	·63			·52			·04		·20	·20		·27	16
17	·64			·16			·04	·10	·08	·05		·20	17
18	·89		·10			·29	·17	·04	·38	·21		·29	18
19	·07	·02		·04			·09		·10	·10		·21	19
20	·10	·18		·21		·04	·50		·14				20
21	·03	·03				·09	·05		·75			·26	21
22	·04	·02			·76		·10		·13			·34	22
23	·09				·03	·05	·70		·16			·42	23
24	·03	·23					·26		·26		·27	·25	24
25					·30		·67	1·15	·05	·05	·30		25
26		·15					·22	·01	·22	·01	·09	·20	26
27		·18	·25					·17	·57	·03	·39	·05	27
28		·35							·03		·10	·08	28
29			·27						1·45	·01		·06	29
30			·21	·03				·03	·03			·27	30
31			·39									·03	31
Total	5·05	2·06	1·52	2·14	1·50	·90	5·43	3·65	~~9·14~~ 8·54	2·12	2·57	5·92	YEAR'S TOTAL ~~42·00~~ 41·40
Rain Days.	18	17	9	11	11	8	18	11	29	20	13	28	193

W. 8,000, IX. 17.

81 1720

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Whare ~~Rod~~ Koa, Beaford

in the County of N. Devonshire

by J. Stuckley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.42		.05	.29	.20		.19			.70		.89	1
2	.20		.06		.04		(.20)		.10	.04		.08	2
3	.13		.16		.04						.02	.37	3
4	.20		.26			.17		.04	.26				4
5	.23		(.64)		.07							.33	5
6	.13		.17									.61	6
7	.04		.27	.12								.07	7
8	.10		.23			.07					.05		8
9	.36		.03	.24	.09						1.17		9
10	.16		.67	.03								.03	10
11	.20		.34	.13	.09		.15			.13		.06	11
12	.07		.38			.17				.18			12
13	.30		.09	.22			.11			.12		.04	13
14	.47		.26	.72	.31		.12			.15		.06	14
15	.34			.04						.09		.68	15
16	.19	.16									.61		16
17	.10	1.38				.11					.60	.02	17
18	.02	.32	.69				.09	.31			.36		18
19	.30	.04	.17			.06	.14	.49	.53		.43	.14	19
20	.05	.17				.20		.14	.44		.16	.16	20
21	.10					.02	.24		.03			.18	21
22	.06	.64				.02	.06		.23		.03	.12	22
23		.03						.03		.28	.08	.16	23
24	.02					.24				.77	.11	.11	24
25	.20					.04		.38		(.08)	.32		25
26	.38		.20					.08		.09		.65	26
27	.25	.01		.39		.08		.50				.31	27
28	.07		.28	.13							.19	.21	28
29				.24				.29		.09	.13	.33	29
30		X		.27		.09		.40			.22	.41	30
31	.02	X	.19	X		X	.04		X		X	.43	31
Total	5.11	2.75	5.04	2.82	.84	1.27	1.34	2.66	1.59	2.72	4.48	6.45	YEAR'S TOTAL 37.07
Rain Days.	28	9	19	12	7	12	10	10	6	12	15	24	164

W, 6,500, VII. 18. W W C

294 W [illegible] 1622

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Beaford, Abbots Hill [illegible]
in the County of N. Devonshire
by J. Stuckley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·04									1
2	·27			·34									2
3	·16	·15											3
4													4
5			·10	·04									5
6			·21	·03									6
7	·03			·17									7
8	·06	·06		·53									8
9	·83	·07	·07	·07									9
10	·90	·31	·03	·16									10
11	·42		·07	·16									11
12	·33	·09	·03	·13									12
13	·22		·47	·04									13
14	·03	·05	·49	·41									14
15		·13		·25									15
16			·04										16
17	·12		·03	·54									17
18	·16			·02									18
19	·10	·15		·20									19
20	·07			·50									20
21				·04									21
22													22
23													23
24	·07	·05	·17										24
25		·05	·06										25
26	·25		·21										26
27	·23	·10	·09	·17									27
28	·63	·04	·46										28
29	·14		·44	·08									29
30	·29			·04									30
31	·33		·28										31
Total	~~5·74~~ 5·64	1·25	3·25	3·96									Year's Total
Days with ·01 in. or more	21	12	17	21									

DEVON.

BERE ALSTON

1911 - 1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGIST

Kept at Bere Alston

in the County of Devon

by Sir Alfred Croft

in.

round 1 ft. 6 in.

a Level 125 ft.

me Bere Alston, LSWR.

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·03	·23	·48		·02		·01	·12		1
2				·15	·37			·67		·12	·14	·37	2
3			·01		·24			·03	·02		·15	·13	3
4	·40		·09					·76			·19	·59	4
5	·34		·22					·55		·02	·17		5
6			·12					·01		·15	·10	1·40	6
7	·02			·03							·62	·03	7
8	·02		·24								·11	·75	8
9											·21	·90	9
10	·05	·07	·86								·14	·34	10
11	·28								·03		·89	·08	11
12			·84		·01				·40		·11	·45	12
13			·08						·21		·13	·32	13
14		·10	·05								·23	·42	14
15		·04	·15			·07					·48	·11	15
16	·02		·02	·01		·46					·38	·45	16
17		·03	·13	·07		·22					·15	·79	17
18		·26	·06	·16	~~[illegible]~~	·31				·12	·53	·43	18
19		·05		·12		·52			·73	·06	·25	·88	19
20	·01	·04		·12		·01			·17	·96		·74	20
21		·19				·06		·43	·33	·40		·12	21
22	·11	·03	·14	·16		·02			·35	·42		·60	22
23		·16	·01	·02		·19		·14	·06	·47	·02	·45	23
24	·02	·24				·68		·26	·02	·14		·36	24
25		·02		·18		·06			·09	·31		·13	25
26	·01	·15		·49	·60					·71		·30	26
27		·50			2·61?			·42	·16	·21		·27	27
28		·25		·44							·32		28
29				·15	·14	·42	·86		·12	·41			29
30						·03	·23	·07 (dew)	·04	·22	·35	·06	30
31			·07				·07			·03			31
Total	1·28	2.13	3·11	2.13	4·20?	3·53	1·16	3·54	2·73	4·75	5·81	11·47	TOTAL for year 45.84?
No. of Rain Days.	11	15	17	14	7	14	3	~~11~~ 12	14	17	22	26	~~171~~ 172

This fell between 2.30 and 4 p.m., when the receiver was found full and overflowing. A neighbour's ·24 rain-gauge measured just over 3" for the downfall.

or 12 if the 30th (dew only) be included.

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGIST

Kept at Bere Alston

in the County of Devon S. 2

by Sir Alfred Croft KCIE.

Pattern

RAIN GAUGE Diameter of top 5" in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 125 ft.

Time of Observation 9 am

Nearest Railway Station Name Bere Alston, LSWR.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·03	·23	·48		·02		·01	·12		1
2				·15	·37			·67		·12	·14	·37	2
3			·01		·24			·03	·02		·15	·13	3
4	·40		·09					·76			·19	·59	4
5	·34		·22					·55		·02	·17		5
6			·12					·01		·15	·10	1·40	6
7	·02			·03							·62	·03	7
8	·02		·24								·11	·75	8
9											·21	·90	9
10	·05	·07	·86								·14	·34	10
11	·28								·03		·89	·08	11
12			·84		·01				·40		·11	·45	12
13			·08						·21		·13	·32	13
14		·10	·05								·23	·42	14
15		·04	·15			·07					·48	·11	15
16	·02		·02	·01		·46					·38	·45	16
17		·03	·13	·07		·22					·15	·79	17
18		·26	·06	·16	~~[illegible]~~	·31				·12	·53	·43	18
19		·05		·12		·52			·73	·05	·25	·88	19
20	·01	·04		·12		·01			·17	·96		·74	20
21		·19				·06		·43	·33	·40		·12	21
22	·11	·03	·14	·16		·02			·35	·42		·60	22
23		·16	·01	·02		·19		·14	·06	·47	·02	·45	23
24	·02	·24				·68		·26	·02	·14		·36	24
25		·02		·18		·06			·09	·31		·13	25
26	·01	·15		·49	·60			·24		·71		·30	26
27		·50			2·61?			·42	·16	·21		·27	27
28		·25		·44							·32		28
29				·15	·14	·42	·86		·12	·41			29
30						·03	·23	·01 (dew)	·04	·22	·35	·06	30
31			·07				·07			·03			31
Total	1·28	2·13	3·11	2·13	4·20?	3·53	1·16	3·54	2·73	4·75	5·81	11·47	TOTAL for year 45·84?
No. of Rain Days.	11	15	17	14	7	14	3	~~11~~ 12	14	17	22	26	~~171~~ 172

This fell between 2.30 and 4 p.m. and when the receiver was found full and overflowing. A neighbour's rain-gauge measured just over 3" for the same downfall.

or 12 if the 30th (dew only) be included.

W. 8,000, X. '11.

ex 7.6

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
8 JAN 1913

Kept at Rumleigh, Bere Alston

in the County of Devon S. 2

by Sir Alfred W. Croft, K.C.I.E.

RAIN GAUGE
Pattern Howard's
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 125 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bere Alston. L.S.W.R.
Distance 1 mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·14		·08	·44	·07	·23	·17	·65		·37	1
2			·31	·06		1·06	·07	·07		·06			2
3	·02		·35			·34	·04	·77	·07			·17	3
4	·25		·62		·03	·26		·16		·01 ×	·35		4
5	·82	·18	·22		·04	·11		2·14			·03	·15	5
6	·29	·09	·15		·47	·04		·24			·02		6
7	·15	·95	·34	·07	·14	·43		·15		·01 ×	·05	·16	7
8	·70	·21	·50			·25	·02					·07	8
9		·19	·25	·19		·07	·09	·13		·01 ×		·72	9
10	·58	·04	·29	·05	·07	·02	·15	·07		·01 ×	·16	·22	10
11		·05				·26	·06	·04		·01 ×	·23	·47	11
12	·03	·52	·16		·12		·29	·27			·09		12
13	·34	·07	·07				·15	·02		·09		·24	13
14	·22	·17	·53		·20			·13	·07	·02		·07	14
15	·62	·34	·02		·10	·62		·07				·33	15
16	·19		·45		·04	·04		·43		·11	·03	·13	16
17	·02		·25			·26		1·43		·07		·04	17
18		·07	·16			·07		·50		·02	·04	·03	18
19		·06	·25		·04	·07	·05	·37		·03	·02	·03	19
20	·04	·06	·74		·10			·28		·38	·03		20
21		·58	·43		·59		·15	·10		·39			21
22	·21	·40	·37		·07		·05	·37		·14	·02	·12	22
23	·06	·45	·30			·12	·02	1·13		·05	·11	·37	23
24	·05	·06	·05			·55		·02				·22	24
25	·06	·07	·08			·14	·06	·09		·31	·36	·54	25
26		·07					·03	·27		·37	·48	·46	26
27		·02	·04			1·11	·50	·13		1·65	·02	·66	27
28		·20				·13	·17	1·10	·50	·34	·50	·52	28
29		·19	·02			·22	·14	·38	·85	·21	·02	·10	29
30			·14			·06	·24		·15	·20			30
31			·26				·53			·02		·12	31
Total	4·65	4·86	7·43	·26	1·97	6·55	2·76	10·97	1·75	5·10	2·56	6·19	TOTAL for year 55·05
No. of Rain Days.	18	23	28	4	14	23	20	28	6	24 ~~19~~	18	24	~~225~~ 230

W. 8,000, X. '11.

× 5 days in October. dew only, no rain: not included in No. of rain-days.

6X 98

FORM A. BRITISH RAINFALL.

28 APR 1914

REGISTER OF RAINFALL IN 1913

Kept at Rumleigh, Bere Alston

in the County of Devon S. 2

by Sir Alfred Croft, K.C.I.E.

Lat. 50°29'28" Long. 4°12'34"

Time of Observation 9 a.m.

Nearest Railway Station Bere Alston, (L.S.W.R.)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·26	·35	·09	·29				·02	·07	·57		1
2	·08	·13	·04	·40	·25					·15	·22	·06	2
3	·58		·12		·50				·39			·23	3
4	1·88		·06		·07	·12			·08	·10	·10	·37	4
5	·08	·06			·40	·27	·06		·46	·07	·34	·52	5
6	·16	·12	·14		·05 ·08					·26	·39	·04	6
7	·07	·49	·09		1·22	·14				·73	·48		7
8	·17	·22			·15	·07	·12	·30		·07	·01	·03	8
9	·16	·04	·02		·12	·09	·08	·15			·65	·07	9
10	1·10		·02	·07	·04	·03		·03		·40	·34		10
11	·72			·07	·75	·03			·06	·09	·86	·04	11
12	·08	·02			·04				·15		·48	·05	12
13	·02		·04	·07					·25		·15		13
14	·36		·19	·07	·06				·12		·21		14
15	·15		·41	·76					·07		·22	·02	15
16	·42		·65	·05					22		·02		16
17	·11		·02	·09							·02		17
18	·09		·35	·24							·10		18
19	·64		·05			·08			·52	·23			19
20	·16		·08	·38					·07	·20	·36		20
21	·03		·25	·27	·09			·02		·08	·29		21
22	·26		·68	·18	·07	·29		·04	·08			·28	22
23	·07		·02						·07		·25	·90	23
24		·28		·18		·08					·05		24
25	·07			·41				·05	·08	·07	·04	·06	25
26				·84				·05		·05	·01	·27	26
27	·50		·30	·38				·12		·44	·01	·06	27
28	·24	·07	·04	·27	·07				·19	·23		·19	28
29	·13		·47	·22	·02					·66	·02		29
30	·69			·06	·07			·07		1·00			30
31	·10		·29					·23		·08			31
Total	9·00	1·63	4·68	4·92	4·17	1·14	·26	1·00	2·65	4·86	6·13	3·13	YEAR'S TOTAL 43·57 +
Rain Days.	28	10	23	20	18	10	3	~~11~~ 10	16	19	25	16	~~199~~ 198

W.7,000, XI. 13

+43·57

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
-5 FEB 1915

Kept at Rumleigh, Bere Alston

in the County of Devon S2

by Sir Alfred Croft, K.C.I.E.

Lat. 50°·29'·28" Long. 4°·12'·34"

Time of Observation 9 a.m.

Nearest Railway Station Bere Alston, L.S.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12	·18		·15	·07	·73		~~·78~~	·78	·12	1
2			·12	·09	·12	·07	·14	·02		~~·13~~	·13	·53	2
3	·03		·21	·22	·61			·15		~~·01~~	·01		3
4	·13		·07	·39	·23		1·42	·10	·05	~~·06~~	·06	·79	4
5	·25		·19	·22	·07		·07					·05	5
6		·10	·13	·07	·14		1·09	·07		~~·04~~	·04	·84	6
7	·04	·70	·46	·16	·26	·13	·28	·28	1·00			·24	7
8	·06		·80	·08		·10	·03	·05				·03	8
9	·02	·06	·42	·22	·08	·67		·24	·21		·02		9
10	·06	·72	·15	·45	·10	·02			·52		·07	·24	10
11		·17	·70		·02	·16			·04		·04	·52	11
12		·44	·20						·26		·05	·26	12
13		·56	·38				·20		·26	·14	·36	·13	13
14		·31	·40			·27		·16	·04		·69	·17	14
15			·21				·05	·06	·56	·01	·21	·49	15
16			·03				·03					·14	16
17		·48	·36						·01			·82	17
18		·13	·05				·09		·20			·15	18
19		·05	·52				1·38		·09		·12	·27	19
20		·38	·27			·19					·02	·35	20
21		·53	·07							·44		·64	21
22		·09	·07		·07	·14		·13		·37			22
23		·17	·32				·08	·04		·06	·04		23
24							·02	·07	·01	·17			24
25	·08		·35		·07		·14	·92		·70	·04	·92	25
26	·05	·05	·19				·18	·01		·02	·21	·60	26
27	·06	·26					·09	·01		·08	·22	·46	27
28	·02	·02	·54		·09		·09			·45	·14	·81	28
29	·31		·27		·15		·53			·02	·72	·03	29
30	~~[illegible]~~	×	·18		·02					·06	·32	·90	30
31	·03	×		×	·02	×	1·25		×	·84	×	·59	31
Total	1·14	5·22	7·66	2·08	2·05	1·84	7·17	2·98	3·25	3·36	4·23	11·09	YEAR'S TOTAL 52·07
Rain Days.	13	18	28	10	15	10	20	16	13	13	21	26	203

W. 8,000. X. 14.

1783

FORM A.
BRITISH RAINFALL.

14 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Rumleigh, Bere Alston
in the County of Devon S2
by Sir Alfred Croft, K.C.I.E.

Lat. 50°29'28" Long. 4°12'34"
Time of Observation 9 a.m.
Nearest Railway Station Bere Alston, L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	·39			·06			·66	·27	·28		·11	1
2	·44	·25	·12	·06		·12		·06	·07			·41	2
3	·05	·21	·15	·08	·14		·03	·07				·54	3
4	·06	·76	·07		·02			·07	·03			·36	4
5	·05	·81		·19				·23				1·26	5
6	1·13	·22		·52			·95	·05				·22	6
7	·34	·46	·07	·05			·23			·60	·03	·38	7
8	·27	·36					·02	·11			·14	·12	8
9	·01	·16		·09				·05			·38	·88	9
10	·32	·41	·03	·07		·07		·12		·17	·08	·13	10
11	·11		·09	·07	·07		·01	·34		·07	1·50	·17	11
12	·10	·53		·03	·52			·06		·05	·32	·08	12
13	·04	·94	·07		·67		·02	·03	·09	·02	·15	·06	13
14	·05	·07					·30	·03	·14	·13	·04	1·48	14
15	·15				·34		·43		·04	·07	·07	·18	15
16	·05	1·87			·48		1·16			·03		·09	16
17		·15	·02		·02					·01		·07	17
18	·07	·28	·07				·04			·07			18
19	·06	·02			·53		·16				·02		19
20	·30			·12	·02	·09			·02	·26			20
21	·29	·20			·26	·24	·27			·02		·11	21
22	·03	·15	·31	·04		·02	·38			·04		·57	22
23	·03	·11	·04			·02	·07		·09	·72		·56	23
24				·07		·23	·16		·14	·29		·76	24
25				·07		·11	·25		·12			·53	25
26		·44				·68			·04			·78	26
27	·07	·09				·06	·22		·04	·80		·01	27
28		·10				·12		·04	·28	·16	·02	·11	28
29						·33			·26	·01	·27	·11	29
30	·26					·15	·04		·26	·71	·52	·33	30
31	·02						·27	·07		·50		·25	31
Total	4·47	8·92	·80	1·28	3·07	2·18	5·07	1·81	1·83	4·83	3·54	10·60	YEAR'S TOTAL 48·34
Rain Days.	25	23	11	13	12	13	19	15	15	21	13	28	208

W. 8,000. X. 15.

1742

Ex'd CJS

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

30 JAN 191

Kept at Rumleigh, Bere Alston

in the County of Devon

by Sir Alfred Croft K.C.I.E.

Lat. 50°-29'-28" Long. 4°-12'-34"

Time of Observation 9 a.m.

Nearest Railway Station Bere Alston L.S.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25		·06		·15	·04	·08		·02	·23	·17	·01	1
2	·27	·10	·07		·04				·20	·24	·47		2
3	·02	1·36		·01	·32	·05			·08	·77	·23		3
4	·15	·27		·01	·03	·45	·24		·08	·14	·86	·02	4
5	·06	·08	·03	·01	·02	·12	·03		·01	·16	·23		5
6	·07	·25	·14		·19	·16	·85			·46	1·05		6
7	·11	·33	·36		·13	·01	·03			·04	1·02	·10	7
8	·01	·11	·08		·43	·30					·16	·18	8
9		·13				·10	·05			·10	·25	·79	9
10		·85		·07	·09	·01	·01			·04	·02	·08	10
11		·02		·07	·10	·02			·02		·01	·02	11
12	·05	·09	·01	·03	·13		·18	·08		·13	·01		12
13		·36	·05	·01			·05	·18	·02	·07	·01	·04	13
14	·01	·43		·01	·04			·17		·08		·01	14
15	·04	·18	·06	·15				·06		·09			15
16	·45	·08		·14				·35		·19		·03	16
17	·23	·13	·01	·01				·01	·10	·58	1·31	·03	17
18	·01	·15	·13	·02					·15	·12	·11	·11	18
19	·13	·16	·03	·08					·03	·01	·35	·16	19
20	·04	·31	·05	·01							·14	·10	20
21	·04		·03	·12	·05			·01			·10	·84	21
22	·01		·02			·29	·18	·06		·71	·10	·09	22
23	·04	·01	·01	·11		·15		·32		·45	·34	·51	23
24		·03	·08	·24	·02			·27	·01	·47	·04	·13	24
25	·01	·26	·24		·01	·09		·54	·01	·02	·12	·23	25
26	·01	·13	·07			·09		1·03	·59	1·03	·10	·02	26
27	·01	·01	1·19			·11		·27	·16	·63	·01	·03	27
28		·03	·05			·01		·19	·67	·68	·01		28
29	·01	·10	·04			·59		·76	·26	·24		·55	29
30		×	10			·09		·09	·01	·46		·50	30
31		×		×		×			×	·48	×	·01	31
Total	2·03	5·96	2·81	1·10	1·75	2·68	1·70	4·39	2·42	13 8·62	7·22	4·59	YEAR'S TOTAL 45·27
Rain Days.	23	26	22	17	15	18	10	16	17	27	25	24	240

W. 8,000, VIII. 16

1742

Attach to A

Station (L.S.W.R.) and Telegrams.
Bere Alston.
No Sunday Post.

Rumleigh,
Bere Alston,
Devon.

28 Jan. 1917.

Dear Sir

Owing to my failing eye-sight, the daily register has been made for 1916 by another hand. In May last I ascertained that small rainfalls under ·01 had been entered invariably as ·01. I accordingly thought it right in my own register to reduce the total number of rainy days marked ·01 up to the end of May, namely 20, by 10; so that my total of rainy days for the year shows 230, while the total in the annexed sheet is 240. From June onwards I hope the registry is correct, though you will see that the number of raining days for the year is exceptionally high.

You will also notice that, contrary to the general tendency recorded in your letter & the *Times*, the rainfall here for 1916 was less than that for 1915, namely, 45.27 against 48.34.

Yrs faithfully
A. Croft

1664

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

23 JAN 1918

Kept at Rumleigh, Bere Alston
in the County of Devon
by Sir Alfred Croft K.C.I.E.

Lat. 50' 29' 28" Long. 4' 12' 34"
Time of Observation 9 a.m
Nearest Railway Station Bere Alston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02	.15		.27		.05	.02	.01	.05		1
2			.02	.18		.05				.03	.02	.01	2
3	.08			.03		.01				.49	.70	.02	3
4		.23	.67	.01			.03		.07	.38	.01	.01	4
5	.16		.56	.25		.35				.26	.11		5
6	.01		26	.06		.25		.04		.11	.12	.04	6
7	.64			.02		.07	.21	.15		.18	.16	.03	7
8	.12		.44	.11		.01	.23	.45	.03	.45	.14	.57	8
9	.01		.06	.06	.10		.03			.49	.47	.01	9
10	.55		.42	.35				.47		.02	.03		10
11	.04		.27	.23				.26	.09	.55	.35		11
12	.22		.01	.03	.48			.10		.49			12
13	.17		.20	.04		.05		.12	.08	.30		.04	13
14				.05	.01		.08	.64	.04	.18	.02		14
15	.14			.04			.03	.11	.06	.44		.44	15
16	.01	.06		.02		.15		.03	.02	(.29)		.27	16
17		.02	.01	.15	.02		.44	.10	.66	.15		.01	17
18	.01	.04		.01	.21	.08	.30	.02	.64	.06			18
19		.68	.01		.01	.20	.01	.01	.05				19
20		.35	.04		.59	.05	.05	.08	.10			.08	20
21			.06		.01	.13		.07		.10	.03	.10	21
22					.04			.48		.13	.01		22
23	.02	.17			.18	.15		.20		.18			23
24		.04				.13	.48	.06		.21	.11	.05	24
25	.02	.02	.02					.40	.17	.09	.12		25
26		.01			.70	.16		.19	.14	.05	.05		26
27						.60	.06	1.07	.05	.11	.01		27
28		.02	.21		.01	.58		.60	.02	.03	.01		28
29			.10			.03		.07		.65	.02	.03	29
30		X	.19					.35	.02	.03			30
31		X	.05	X	.41	X		.03	X	.13	X	.02	31
Total	2.20	1.64	3.62	1.79	2.77	3.32	1.95	6.15	2.26	6.59	2.54	1.73	YEAR'S TOTAL 36.56
Rain Days.	15	11	20	18	13	19	12	26	17	29	20	16	216

.05

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

7. 1. 19

Kept at Rumleigh Bere Alston

in the County of Devon

by Sir Alfred Croft K.C.I.E.

Lat. 50. 29. 28" Long. 4. 12. 34"

Time of Observation 9 a.m.

Nearest Railway Station Bere Alston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.65	.01	.16	.08			.56	.01	.01	1.10	.01	1
2		.58		.03				.01	.02		.01	.46	2
3		.24		.21	.06			.06	.15	.09	.23	.14	3
4		.03			.01			.35	1.02		1.01	.90	4
5		.03	.15	.12	.11			.57	.48	.36	.03	.12	5
6	.29	.36	.23	.20	.01			.45	.01	.28	.01	.35	6
7	.27	.18		.04		.01		.03	.78	.17	.55	.74	7
8	.04	.10	.01			.07			.15	.50		.01	8
9	.08	.01		.02		.27	.26		.68	.16	.02	.49	9
10	.09			.24			.17		.15	.14	.01	.48	10
11	.05	.02	.23	.02	.02		.16		.20	.01	.03	.14	11
12	.06	.16			.28		.12	.01	.04	.01	.01	.01	12
13		.02			.11		.21		.61	.25		.14	13
14	.40				.08	.09	.09		.33	(.07) .09		.18	14
15	1.14				.01	.17	.74		.09	.15		.42	15
16	.74			.23		.14	.10	.01	.42	.03		.10	16
17	.15			.02	.03	.04	.16	.02	.02	.01		.18	17
18	1.20		.32			.79	.08	.03	.39	.33		.41	18
19	.23	.07	.16	.07			.17		.11			.45	19
20	.10	.13	.01	.15		.06	.01		.18	.03			20
21	.24	.03		.01		.11	.11		.61	.21		.36	21
22					.15		1.81		.25	.24	.14	.24	22
23	.10	.02	.01		.03		.02		.14	.01	.07	.20	23
24	.03	22 ~~.27~~				.01	.13	.23	.09	.01	.43	.21	24
25	.02	.01		.01	.07		.13	.54	.01	.10	.27	.03	25
26	.06	.09		.02			.30	.02	.10	.06	.06	.18	26
27	.01	.08	.19				.01	.08	.05	.02	.12		27
28	.01	.27	.16						.18	.08	.05	.04	28
29			.37						.93		.07	.09	29
30		X	.30				.01	.04	.06	.13	.11	.15	30
31	.01	X	.16	X		X	.01		X	.08	X	.07	31
Total	5.12	3.30	2.31	1.55	1.05	1.76	4.67	3.01	8.26	3.54	4.83	7.30	YEAR'S TOTAL 46.20
Rain Days.	22	21	14	16	14	11	20	16	30	27	20	29	240

W, 6,500, VII. 18. w w c

1571

28 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Rumleigh Bere Alston
in the County of Devon
by Sir Alfred Croft K.C.I.E.

Lat. 50° 29' 28" Long. 4° 12' 34"
Time of Observation 9 a.m.
Nearest Railway Station Bere Alston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.70		.43	.16	.05		.08		.31	.30		1.15	1
2	.13		.01		.03		.09		.02	.03		.05	2
3	.17		.45		.08				.21	.01	.03	.11	3
4	.05	.47	.68			.02	.70	.24	1.00	.01	.01	.02	4
5	.08	.24	.55		.02				.03			.07	5
6	.68	.55	.21									.40	6
7	.65		.21	.09		.01	.02					.37	7
8	.48		.33	.03	.02	.01					1.01		8
9	.21		.04	.34	.20						.16	.04	9
10	.13		.54	.02	.02					.02		1.06	10
11	.06		.39	.21	.35	.02	.06			.07	.11	.48	11
12	.42	.03	.12	.02						.13	.14	.01	12
13	.25	.13	.24	.66			.03			.06		.39	13
14	.70	.21		.59	.93		.02			.09		.30	14
15	.16	.03		.04						.12		.86	15
16	.09	1.38	.01		.08				.06	.01	.21	.02	16
17	.01	.11	.01		.03	.03		.03	.27		.35	.03	17
18	.15	.32	.66		.10		.91	.09	.25		.41	.02	18
19	.64	.45	.21			.15	.49	.62	.09	.01	.22	.03	19
20	.40	.02	.07		.02	.28	.05	.08	.55		.18	.07	20
21	.34	1.19			.14		.01	.03			.02	.13	21
22	.00	.01			.03		.02					.07	22
23	.00							.04		.66	.09	.13	23
24	.00	.02		.02		.21		.10		.37	.10	.46	24
25	.14	.06		.02		.04		1.00			.09	.05	25
26	.23	.02	.08	.21				.06	.02		.12	.56	26
27	.16	.03	.08	.22				1.15		.01		.06	27
28	.01	.01	.43	.15				.01		.03	.56	.69	28
29	.00		.01	.10				.13	.12	.04		.17	29
30	.00	✕	.01	.06		.13		.15	.04		.66	.93	30
31	.01	✕	.04	✕		✕	.01		✕		✕	.21	31
TOTAL	7.05	5.28	5.81	2.94	2.10	.90	2.49	3.73	2.97	1.97	4.47	8.94	YEAR'S TOTAL 48.65
Days with ·01 in. or more	26	19	24	17	15	10	13	14	13	17	18	30	216

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1485

Form A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 1921

Kept at Rumleigh Bere Alston

in the County of Devon

by Sir Alfred Croft K.C. I.E.

Lat. 50'29'28" Long. 4' 12' 34"

Time of Observation 9 a.m.

Nearest Railway Station Bere Alston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.00	.02	.02	.66	.00	.82	.00	.04	.08	.01	.83	1
2	.61	.00	.00	.19	.00	.00	47	.21	.06	.10	.00	.18	2
3	.47	.05	.00	.13	.00	.00	.02	.03	.04	1.01	.00	.25	3
4	.01	.00	.01	.00	.03	.00	.01	1.18	.00	.72	.00	.00	4
5	.00	.01	.34	.00	.18	.00	.32	.15	.00	.28	.00	.00	5
6	.00	.00	.15	.10	.16	.00	.26	.00	.00	.19	.00	.00	6
7	.02	.00	.09	.36	.03	.00	.26	.00	.00	.01	.00	.22	7
8	.06	.03	.00	.36	.13	.00	.07	.02	.00	.00	.00	.28	8
9	1.24	.06	.00	.02	.01	.06	.59	.00	.01	.00	.00	.00	9
10	1.44	.16	.06	.00	.00	.31	.26	.00	.00	.00	.02	.00	10
11	.51	.03	.27	.70	.17	.02	.26	.00	.00	.00	.00	.00	11
12	.36	.07	.21	.41	.03	.03	.08	.01	.00	.14	.21	.05	12
13	36	.03	.57	.02	.00	.01	.00	.00	.00	.17	.01	.00	13
14	.21	.05	.62	.70	.00	.00	.07	.00	.17	.62	.29	.00	14
15	.03	.14	.06	.27	.10	.00	.00	.00	.02	.62	.13	.00	15
16	.01	.03	.03	.20	.02	.03	.14	.00	.50	.05	.04	.00	16
17	.05	.00	.00	.06	.47	.02	.00	.00	.92	.12	.01	.00	17
18	.16	.03	.00	.05	.12	.22	.00	.25	.04	.00	.00	.00	18
19	.07	.03	.00	.53	.03	.49	.00	.00	.11	.00	.00	.00	19
20	.01	.01	.00	.06	.01	.14	.03	.00	.01	.37	.00	.38	20
21	.01	.00	.01	.18	.00	.00	.04	.00	.00	.37	.00	.18	21
22	.01	.00	.00	.07	.00	.00	.05	.00	.00	.02	.01	.33	22
23	.01	.00	.03	.00	.00	.00	.26	.05	.00	.00	.00	.68	23
24	.03	.01	.33	.00	.00	.00	.03	.20	.00	.00	.20	.16	24
25	.07	.02	.15	.01	.00	.00	1.06	.00	.00	.00	.01	.05	25
26	.37	.00	.32	.00	.00	.01	.11	.00	.00	.01	.34	.03	26
27	.57	.03	.14	.14	.00	.27	.21	.00	.00	.01	.57	.41	27
28	.74	.00	.49	.07	.00	.08	.19	.00	.00	.00	.03	.09	28
29	.40	.01	.58	.02	.10	.10	.03	.00	.01	.00	.48	.25	29
30	.22	╳	.00	.01	.02	.37	.20	.00	1.09	.15	.56	.85	30
31	.06	╳	.47	╳	.00	╳	.02	.00	╳	.41	╳	.19	31
Total	8.18	.80	4.95	4.68	2.27	2.16	5.86	1.90	3.02	5.45	2.92	5.41	Year's Total 47.60
Days with ·01 in. or more	9	18 12	21 5	24 6	19 8	15 6	26 6	8 3	13 4	20 4	16 7	18 1	225 ~~71~~
Days with ·04 in. or more	20	6	16	18	9	9	20	5	9	16	9	17	154

(44.283). 10/19. (52.638). Wt.10.000 10,000. (2). 7/20. Gp.132. A.&E.W.

S. [illegible] ✓

REGI

DEVON.

BERE ALSTON.

"MOUNT TAMAR"

1912 – 1920

1916 A/B

12.

FORM A.
BRITISH RAINFALL.
7 - JAN 1913

Kept at Mount T

in the County of (S.) D

by Thos. Chin

ong.

8 am

ion Bere Alston S. Devon

ge 5 in.

e above Ground 2 ft. 0 in.

" Sea Level 350 ft.

IMPORTANT NOT[illegible] and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	BLACK Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	017	.	008	.42	..3	..7	.12	.63	,	33	1
2	.	.	031	002	.	108	..2	..13	.	..7	,	.	2
3	.	.	035	001	.	.34	..6	..84	..5	,	.	12	3
4	$\overset{0}{\cancel{7}}$.22	.	054	.	002	.28	.	..16	.	.	.37	1	4
5	0.64	017	018	,	..5	..8	..2	214	.	.	..4	14	5
6	037	014	012	.	.52	..2	.	.22	,	.	..3	.	6
7	016	095	030	003	.11	.41	.	.12	.	.	..5	16	7
8	075	021	050	001	..1	.21	..2	..4	.	.	.	2	8
9	002	017	027	016	..1	..2	.11	..9	.	.	.	63	9
10	059	004	035	006	.	.	.11	.11	.	.	.	25	10
11	001	008	001	.	.	.32	.10	..5	.	.	.	50	11
12	003	058	$\overset{.17}{027}$	.	15	.	34	30	.	.	.	1	12
13	035	003	003	.	.	.	16	..3	.	..5	.	15	13
14	027	022	052	.	.22	.	.	.13		..1	.	9	14
15	066	041	004	.	..9	.56	.	..2	.	.	.	28	15
16	020	000	048	.	..5	..2	.	.35	.	..9	..8	12	16
17	005	000	015	.	..2	.25	.	147	.	.	..8	4	17
18	,	008	017	–	.	.	.	.58	,	..2	..5	3	18
19	.	007	045	.	.	..1	..6	.42	.	..3	..3	6	19
20	004	006	050	.	.13	.	.	.30	.	.32	..4	1	20
21	.	066	037	.	.63	.	.16	.11	.	.36	.	.	21
22	020	040	040	.	..2	..2	..8	.31	.	.13	..2	10	22
23	004	047	027	.	.	..4	..3	.94	.	..6	.10	32	23
24	006	009	006	.	.	.61	.	..3	.	.	.	30	24
25	005	003	001	.	.	.14	..8	.20	.	.31	.28	47	25
26	.	003	000	.	.	.	..4	.24	.	.31	.49	40	26
27	.	005	003	.	.	120	53	114	.	176	..4	65	27
28	.	018	000	.	.	.13	..8	.33	51	.30	.47	65	28
29	.	022	003	.	.	.34	16	..1	.75	.18	.	8	29
30	.		013	.	..2	..7	23	..1	.17	.16	.	1	30
31	.		025	.	.		56	..9		.3		13	31
Total	471	5.34	7.16	0.29	2.13	6.57	2.98	10.98	1.60	4.82	2.17	5.96	YEAR'S TOTAL 54.41
Rain Days.	19	23	29	.6	16	22	21	31 !!	5	18	15	28	233

W. 7,500, XI. ·12

REGI 12.

FORM A.
BRITISH RAINFALL.

7 - JAN 1913

Kept at Mount Tamar. Bere-

in the County of (S.) Devon S.2 Alston

by Thos. Ching. J.P.

Lat. Long.

~~Time~~ of Observation 8. am

Nearest Railway Station Bere Alston, S. Devon

Diameter of funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	BLACK Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	017	.	008	.42	..3	..7	.12	.63	.	33	1
2	.	.	031	002	.	108	..2	..13	.	..7	.	.	2
3	.	.	035	001	.	.34	..6	..84	..5	.	.	12	3
4	~~7~~0.22	.	054	.	002	.28	.	..16	.	.	.37	1	4
5	0.64	017	018	,	..5	..8	..2	214	.	.	..4	14	5
6	037	014	012	.	.52	..2	.	.22	.	.	..3	.	6
7	016	095	030	003	.11	.41	.	.12	.	.	..5	16	7
8	075	021	050	001	..1	.21	..2	..4	.	.	.	2	8
9	002	017	027	016	..1	..2	.11	..9	.	.	.	63	9
10	059	004	035	006	.	.	.11	.11	.	.	.	25	10
11	001	008	001	.	.	.32	.10	..5	.	.	.	50	11
12	003	058	.17 0~~2~~7	.	15	.	34	30	.	.	.	1	12
13	035	003	003	.	.	.	16	..3	.	..5	.	15	13
14	027	022	052	.	.22	.	.	.13		..1	.	9	14
15	066	041	004	.	..9	.56	.	..2	.	.	.	28	15
16	020	000	048	.	..5	..2	.	.35	.	..9	..8	12	16
17	005	000	015	.	..2	.25	.	147	.	.	..8	4	17
18	.	008	017	.		.	.	.58	,	..2	..5	3	18
19	.	007	045	.		..1	..6	.42	.	..3	..3	6	19
20	004	006	050	.	.13	.	.	.30		.32	..4	1	20
21	.	066	037	.	.63	.	.16	.11		.36	.	.	21
22	020	040	040	.	..2	..2	..8	.31		.13	..2	10	22
23	004	047	027	.	.	..4	..3	.94		..6	..10	32	23
24	006	009	006	.	.	.61	.	..3		.	..	30	24
25	005	003	001	.		.14	..8	.20	.	.31	.28	47	25
26	.	003	000	.		.	..4	.24	.	.31	.49	40	26
27	.	005	003	.	.	120	53	114	.	176	..4	65	27
28	.	018	000	.	.	.13	..8	.33	51	.30	.47	65	28
29	.	022	003	.	.	.34	16	..1	.75	.18	.	8	29
30	.		013	.	..2	..7	23	..1	.17	.16	.	1	30
31	.		025	.	.		56	..9		.3		13	31
Total	4.71	5.34	7.16	0.29	2.13	6.57	2.98	10.98	1.60	4.82	2.17	5.96	YEAR'S TOTAL 54.71
Rain Days.	19	23	29	.6	16	22	21	31 !!	5	18	15	28	233

W. 7,500, XI. ·12

S. made ✓

Corrd for arith 19.11.14

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
7 JAN 1914

Kept at Mount Tamar Bere Alston

in the County of S Devon (S) 2

by Thos. Ching J.P.

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Bere Alston

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	002	023	036	012	029	001	...	...	005	001	040	002	1
2	10	11	6	35	26	...	...	...	...	6	15	6	2
3	60	...	14	1	48	1	1	...	31	...	...	20	3
4	1.95	...	15	...	2	13	...	...	17	9	10	40	4
5	7	6	...	...	45	24	8	...	43	...	31	61	5
6	20	12	14	...	8	7	1	...	...	31	45	6	6
7	7	50	9	...	106	16	...	...	...	70	38	1	7
8	18	25	...	...	25	1	12	30	...	6	1	5	8
9	17	3	3	...	9	2	7	16	1	...	59	3	9
10	125	...	4	3	...	3	...	4	...	27	26	...	10
11	60	...	...	3	78	4	...	...	7	18	72	5	11
12	8	...	...	...	6	1	...	...	20	...	35	6	12
13	4	3	9	3	7	...	...	3	26	...	12	...	13
14	37	...	20	7	3	...	...	...	13	...	20	...	14
15	16	...	31	62	...	...	...	...	1	...	25	4	15
16	41	...	53	5	...	...	2	...	22	...	2	...	16
17	16	...	3	7	...	...	1	...	...	...	3	...	17
18	14	...	32	20	...	...	...	...	...	...	12	...	18
19	50	...	4	...	1	8	...	...	52	24	1	...	19
20	14	...	4	44	...	...	...	...	2	17	29	...	20
21	3	...	18	30	8	...	...	2	...	6	30	...	21
22	26	...	65	18	1	27	...	2	5	3	...	25	22
23	3	...	3	2	...	1	...	...	2	42	23	103	23
24	...	29	...	15	...	8	...	...	...	25	4	...	24
25	...	4	...	36	...	...	...	14	8	56	4	7	25
26	...	...	...	69	...	...	...	14	...	120	...	29	26
27	46	...	30	34	...	...	...	...	...	1	2	6	27
28	29	...	4	30	...	...	...	...	...	1	3	17	28
29	13		50	21	9	...	...	...	20	6	1	...	29
30	60		...	9	2	...	...	...	...	1	1	...	30
31	7		26		10		...	24				...	31
Total	9-08	1.66	4.53	4.66	4.22	1.16	0.32	1.09	2.75	4.70	5.44	3.46	YEAR'S TOTAL 43.07
Rain Days.	28	10	23	~~23~~ 22	19	15	7	9	17	20	27	18	215

4.53 1.09 4.70

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
23 FEB 1915

Kept at Mount Tamar. Bere Alston
in the County of Devon S2 4 R
by Jno. Ching.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Bere Alston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	..	12	20	..	16	..	85	..	..	82	.8	1
2	3	..	12	6	5	.3	10	.1	..	..	11	43	2
3	5	..	21	24	63	.1	15	11	..	..	.2	.3	3
4	10	..	3	41	18	..	1.40	11	.6	..	.7	58	4
5	25	..	18	16	.9	..	..	..	..	..	.1	.5	5
6	..	.7	15	6	15	..	86	4	..	..	.4	83	6
7	.5	68	38	12	16	14	29	23	1.04	..	..	20	7
8	14	..	61	12	.2	10	..2	.6	..	..	.1	.3	8
9	.5	.8	43	17	.8	69	..	18	19	..	.2	..	9
10	10	55	15	43	.8	.3	..	..	46	..	.2	25	10
11	..	16	60	.1	.3	17	..	..	.3	..	.5	53	11
12	..	41	22	..	..	..	..	..	21	.1	.6	27	12
13	..	63	31	..	..	..	23	..	22	10	30	17	13
14	..	54	31	..	..	22	..	19	.5	.2	75	15	14
15	..	.2	24	..	..	..	.7	.7	..	.3	20	34	15
16	..	..	.4	..	..	..	.3	..	59	..	..	.3	16
17	..	37	26	..	..	..	.1	..	.2	..	..	69	17
18	..	13	.2	..	..	..	.4	..	25	..	..	27	18
19	..	.7	50	..	..	..	1.39	..	.9	..	11	20	19
20	..	31	25	..	..	19	..	..	..	..	..	27	20
21	..	51	.2	..	..	..	..	..	..	45	..	.6	21
22	..	.5	7	..	.5	.9	..	14	..	26	..	..	22
23	..	14	38	..	.2	..	.9	..	..	.8	..	..	23
24	..	..	..	..	..	..	.3	12	..	21	.6	..	24
25	.9	..	26	..	.6	..	15	92	..	67	.8	87	25
26	.5	.8	17	..	..	..	18	.4	..	.2	21	58	26
27	.7	49	..	..	..	..	10	..	..	.6	15	48	27
28	.2	.4	52	..	10	..	11	..	..	46	11	83	28
29	30		27	..	17	..	62	..	..	.4	70	.3	29
30	.1	×	18	..	.5	..	..	..	..	.7	33	90	30
31	.5	×	..	×	.3	×	1.28	..	×	84	×	63	31
Total	1.36	5.33	7.00	1.98	1.95	1.83	7.15	3.07	3.21	3.32	4.23	9.78	YEAR'S TOTAL 50.21
Rain Days.	.15	.19	.28	.11	.17	.11	.20	.14	.12	.15	.22	27	211

W. 8,000. X. 14.

B made

12 JAN 1916

1782

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.
JAN 1916

Kept at "Mount Tamar" Bere-Alston

in the County of Devon

by Thos. Ching

52

Lat. .... Long. ....

Time of Observation 8 a/m

Nearest Railway Station Bere alston

Diameter of Funnel of Rain Gauge as before – nothing in.

Height of top of Gauge above Ground do in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .32

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	29	40	..	..	7	..	..	65	21	30	..	11	1
2	46	24	12	8	..	27	..	16	4	..	..	39	2
3	.6	26	19	9	16	..	.3	..	..	..	..	55	3
4	.6	79	2	..	3	2	..	..	3	..	..	40	4
5	.8	78	2	16	1	..	..	27	..	..	..	115	5
6	95	27	2	57	..	..	92	8	..	..	..	26	6
7	36	46	2	7	..	..	24	..	..	60	5	33	7
8	28	37	..	3	..	..	3	12	..	1	5	9	8
9	6	26	..	10	..	..	..	6	..	..	43	85	9
10	26	40	.3	9	..	1	..	11	..	17	8	14	10
11	14	..	14	2	..	..	..	30	..	..	145	15	11
12	12	56	..	4	51	..	..	4	..	5	31	3	12
13	6	88	..	..	67	..	3	7	8	..	12	14	13
14	6	1	..	..	2	..	28	6	16	15	6	154	14
15	12	..	..	..	35	..	39	..	3	..	8	16	15
16	8	2.00	..	..	50	..	135	..	..	4	..	13	16
17	1	17	.3	..	3	..	1	..	..	..	..	..	17
18	2	27	..	..	..	..	3	..	..	..	..	..	18
19	8	.3	..	..	61	..	15	..	..	..	..	..	19
20	29	..	..	12	3	10	..	..	1	33	..	..	20
21	30	22	..	..	26	27	19	..	1	2	..	13	21
22	5	10	36	6	..	3	40	..	1	4	..	60	22
23	3	13	6	..	..	2	9	..	9	74	..	50	23
24	..	..	..	2	..	16	18	..	15	33	..	64	24
25	..	..	..	2	..	18	23	..	15	..	..	46	25
26	..	42	..	..	..	69	..	..	4	..	..	78	26
27	..	11	..	..	..	8	19	..	2	72	..	2	27
28	..	9	..	..	..	14	..	5	33	15	4	12	28
29	..		..	..	..	30	..	..	22	1	32	11	29
30	24	X	..	..	..	17	5	..	25	69	50	38	30
31	3	X	..	X	..	X	28	2	X	50	X	28	31
Total	4.29	9.22	1.01	1.47	3.24	2.44	5.07	1.99	1.83	4.85	3.49	10.44	YEAR'S TOTAL 49.54
Rain Days.	25	23	11	14	13	14	19	13	17	17	12	27	205

W. 8,000. X. 15.

made

cwd [illegible] ~~W.~~

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Mount Tamar

in the County of S. Devon

by Thos Chirgy J.P.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bere Alston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	..	..	0·02	..	..	0·68	..	0·03	0·02	..	0·07	0·02	1
2	..	..	..	..	..	0·06	..	..	..	0·02	0·03	0·01	2
3	0.11	..	..	..	..	..	..	..	..	0·57	0·69	..	3
4	- -	..	0·55	..	..	..	0·05	..	0·07	0·12	..	..	4
5	0.14	..	0·48	0·69	..	0·34	..	..	..	0·24	0·12	..	5
6	0.01	..	0·30	..	..	..	..	0·15	..	0·07	0·10	..	6
7	0.60	..	..	..	..	0·25	0·22	0·09	..	0·18	0·14	0·09	7
8	0.11	..	..	0·14	..	0·08	0·24	0·58		0·35	0·11	0·56	8
9	..	..	0·35	..	..	..	0·04	..	0·03	0·50	0·49	„	9
10	0.58	..	0·43	..	0·50	..	..	0·39	..	0·52	0·04	..	10
11	0.05	..	0·39	..	..	..	..	0·27	0·09	0·43	0·36	..	11
12	0.20	..	0·02	..	0·53	..	..	0·07	..	0·42	..	..	12
13	- -	..	0·19	..	..	0·05	..	0·13	0·08	0·36	..	0·05	13
14	- -	..	..	0·76	0·01	..	0·11	0·68	0·04	0·19	0·03	„	14
15	- -	..	..	0·05	..	..	0·04	0·12	0·06	0·37	„	„	15
16	- -	0·76	..	0·06	..	0·15	..	0·05	0·02	0·27	..	0·62	16
17	- -	0·16	..	..	..	..	0·42	0·10	0·66	0·15	..	„	17
18	- -	0·08	..	0·15	0·25	0·03	0·27	..	0·64	0·05	..	„	18
19	- -	0·71	0·02	..	..	0·28	..	..	0·05	..	0·01	„	19
20	- -	0·32	0·05	..	0·63	0·07	0·04	0·06	0·10	..	..	„	20
21	- -	0·01	..	..	..	0·11	..	..	..	0·08	0·03	0·08	21
22	- -	..	..	..	0·03	..	..	0·63	..	..	0·02	„	22
23	- -	0·19	..	..	0·20	0·05	..	0·15	..	..	0·01	„	23
24	- -	0·06	..	..	..	0·23	0·55	0·06	..	0·28	0·14	„	24
25	- -	0·02	..	..	..	..	0·02	0·27	0·17	0·20	0·08	..	25
26	- -	..	0·09	..	0·71	0·10	..	0·35	0·14	0·10	0·04	..	26
27	- -	..	..	..	..	0·63	0·05	1·05	..	0·6	„	..	27
28	- -	0·02	0·22	..	0·01	0·73	..	0·57	..	0·10	„	..	28
29	- -		0·12	..	..	0·04	..	0·08	..	0·61	0·04	..	29
30	- -	X	..	..	..	0·71	..	0·27	..	0·02	..	..	30
31	- -	X	..	X	..	X	..	0·01	X	0·13	X	..	31
Total	2·00 ~~1·90~~	2·33 2·33	3·23	1·85	2·87	4·59	2·05	6·16	2·17	5·89	2·55	1·43	YEAR'S TOTAL 37·12 ~~37·05~~
Rain Days.	8	10	14	6	9	18	12	23	14	26	19	7	166

W. 8,000, IX. 17.

~~H~~ CFo. [illegible]

10

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL

13.1.19

Kept at Mount Tamar
in the County of S. Devon
by F.R. Ching

Lat. .... Long. ....
Time of Observation 8. a. m
Nearest Railway Station Bere Alston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
											.09	14	
1				14	.10			57			1.03	01	1
2		1.28						02			01	57	2
3		.21		25	.07			02	12	08	31	22	3
4		.02						32	31		1.09	83	4
5					.13			49	1.18	31	03	16	5
6	.38	.39	.39	26				53	.02	24		40	6
7		.20		.05				03	72	14	50	77	7
8		7							15	50			8
9	.19			.02		31	13		68	13	02	46	9
10	.09			21		.01	20		15	14		50	10
11	05	.02		03			20		20			10	11
12		17	.38		27		12		04			03	12
13		.03			13		21		61	49	01	16	13
14	.44				10	.09	04		33	15		24	14
15	1.10				01	12	70		09	11		39	15
16				18		20	29		42			12	16
17	.79				.03	02	17	02	02	03		23	17
18	1.19					86	09	02	39			32	18
19	.24		.48				15	02	11	41		45	19
20	07	.31		25		.01	02		18	01			20
21	.26	.03				.09	06		61			38	21
22					14		1.17		25	23			22
23	.14				.05		62	01	14	33	12	21	23
24		26						19	09		08	18	24
25	.07			.03 ~~25~~	.08		18	87			27	05 (.14)	25
26				.02			26	01	07	12	20	02	26
27	.07	20						06	05	07	09	29	27
28		28	.33							02	10	02	28
29			.40						1.05	09	07	06	29
30		X	.41	.07				03	04		05	10	30
31		X		X		X			X	09 .09	X ~~.14~~	12	31
Total	5.08 ✓	3.47 ✓	2.39 ✓	1.51 ✓	1.11 ✓	1.71 ✓	4.87 ✓	3.21 ✓	8.02 ✓	~~3.60~~ 3.78	~~4.25~~ 4.12	7.53	YEAR'S TOTAL 46.80 ✓
Rain Days.	14	14 ✓	6 ✓	12 ✓	11 ✓	9 ✓	17 ✓	16 ✓	26 ✓	26 ✓	17 ✓	29 ✓	~~192~~ 193 ✓

Leading Feature.— Remarkable dryness of Mch. apr. May and June months

193

1570

Cond pr. auth
corrd for pr W.D.

~~W 81 X~~

13 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Mount Tamar

in the County of Devon

by D L Machhuson
pr Mc Ching

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·21

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.09	...	0.44	0.04	0.06	...	0.11	...	...	...	...	0.65	1
2	0.64	...	...	0.16	0.06	...	0.10	...	0.25	0.36	...	0.77	2
3	0.05	...	0.48	...	(0.03)	...	0.10	...	0.12	0.04	...	0.07	3
4	0.12	...	0.71	...	0.13	...	...	...	0.22	...	0.08	0.10	4
5	...	0.65	·50	...	...	0.02	0.85	0.24	1.04	...	...	0.02	5
6	0.04	0.26	0.08	...	...	...	...	...	0.04	...	...	0.16	6
7	0.62	0.63	0.34	...	...	...	...	...	...	...	...	0.30	7
8	0.59	...	0.34	0.10	0.03	0.01	0.02	...	0.01	...	...	0.37	8
9	0.39	...	0.03	...	0.03	...	...	...	...	...	0.80	...	9
10	0.15	...	0.80	0.35	0.12	...	...	...	...	...	0.14	0.03	10
11	0.10	...	0.41	0.03	0.10	...	...	...	...	...	...	1.03	11
12	0.06	...	0.16	0.26	0.40	0.01	0.07	...	...	0.10	...	0.50	12
13	0.45	...	0.29	0.04	...	...	...	...	...	0.11	...	...	13
14	0.30	0.15	...	0.50	...	...	0.05	...	...	0.07	...	0.43	14
15	0.86	0.10	...	0.60	0.84	...	0.03	...	...	0.09	...	...	15
16	0.16	0.19	...	0.10	...	0.01	...	...	...	0.13	...	0.94	16
17	0.10	1.21	...	...	0.09	...	...	...	...	0.02	0.44	...	17
18	...	0.13	...	...	0.05	0.03	...	...	...	...	0.27	0.08	18
19	0.29	0.33	0.73	...	0.10	...	0.39	0.07	0.07	...	0.32	0.03	19
20	0.50	0.50	0.20	...	0.04	0.12	0.45	0.53	0.25	...	0.20	0.02	20
21	0.50	0.05	0.08	...	...	0.36	0.02	0.18	0.30	...	0.21	0.12	21
22	0.39	1.12	...	...	0.15	...	0.05	0.04	0.15	...	...	0.13	22
23	...	...	...	...	0.04	0.01	0.03	0.06	0.16	...	...	0.09	23
24	...	...	...	...	...	...	...	...	...	0.73	0.12	0.16	24
25	...	0.02	...	0.02	...	0.18	...	0.15	...	0.45	0.10	0.32	25
26	0.16	0.06	...	...	...	0.10	...	0.82	...	...	0.09	0.07	26
27	0.15	...	0.10	0.06	...	...	...	0.08	0.11	0.03	...	0.50	27
28	...	0.04	0.08	0.34	...	...	...	1.02	...	...	...	0.07	28
29	...		0.37	0.13	...	...	...	...	...	0.04	0.56	0.57	29
30	...		0.01	0.11	...	...	...	0.20	...	...	...	0.14	30
31	...		0.62		...		...	0.20		...		0.85	31
TOTAL	6.71	5.44	·04 ~~6.17~~ 6.21	·06 ~~2.84~~ 2.86	– ~~2.27~~ 2.21	·11 ~~0.85~~ ·96	– ~~2.27~~ 2.16	– 3.59	– 2.72	– 2.17	·65 ~~3.33~~ 3.98	·21 ~~8.52~~ 8.08	YEAR'S TOTAL ~~46.88~~ 47.09
Days with ·01 in. or more	22	15	~~20~~ 21	15	~~16~~ 15	~~10~~ 11	~~13~~ 12	12	12	12	~~12~~ 13	27	~~186~~ 187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] not for print 1484

11 JAN 1921

FORM A. 1 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Mount Tamar, Bere Alston

in the County of Devon

by G. F. Hosking, Gardener
for D. W. MacPherson

Lat. Long.
Time of Observation 8 A M
Nearest Railway Station Bere Alston
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.21	0.09	0.01	0.03	0.70		0.71	0.01	0.05	0.02		0.91	1
2	0.06		0.02	0.20	0.01		0.66	0.18	0.08	0.11		0.25	2
3	0.54			0.15			0.03	0.03	0.04	1.13		0.25	3
4	0.46	0.03			0.02			1.28		0.53		0.01	4
5			0.02		0.11		0.32	0.24		0.35			5
6			0.34	0.09	0.31		0.18			0.23			6
7			0.15	0.39	0.02		0.34					0.29	7
8	0.03	0.12	0.08	0.40	0.10		0.08	0.02				0.30	8
9	0.05	0.08		0.04		0.07	0.21	0.02					9
10	0.80	0.22				0.30	0.64				0.03		10
11	1.10	0.03	0.15	0.64	0.20	0.03	0.24						11
12	0.46		0.26	0.25	0.04	0.03	0.11	0.02		0.12	0.27		12
13	0.30	0.16	0.11	0.07			0.01			0.18			13
14	0.10		0.57	0.58			0.08		0.15	0.30	0.33		14
15	0.27	0.14	0.57	0.26	0.11		0.02			0.80	0.15		15
16	0.07	0.15	0.06	0.20		0.06	0.15		0.68	0.15	0.05		16
17	0.02	0.03	0.05	0.09	0.51	0.02			0.86	0.13			17
18	0.11			0.10	0.12	0.25	0.01	0.25	0.13				18
19	0.21			0.30	0.09	0.50			0.09				19
20	0.07	0.05		0.20	0.01	0.22	0.03			0.33		0.50	20
21				0.10			0.05			0.12		0.15	21
22				0.24			0.05	0.02				0.33	22
23	0.07						0.26	0.05				0.66	23
24	0.05		0.05				0.01				0.20	0.25	24
25			0.50	0.03			1.17					0.07	25
26	0.08		0.13				0.11				0.35	0.02	26
27	0.30	0.06	0.32	0.16		0.30	0.13				0.55	0.40	27
28	0.60	0.06	0.13	0.07		0.07	0.27				0.03	0.07	28
29	0.70	0.02	0.57	0.02	0.11	0.12	0.06				0.54	0.35	29
30	0.45	X	0.60	0.01	0.03	0.37	0.21		1.17	0.11	0.67	0.90	30
31	0.25	X	0.46	X		X	0.02		X	0.43	X	0.30	31
TOTAL	·09 ~~7.36~~ 7.24	·01 ~~1.24~~ 1.16	~~5.15~~ 5.14	4.62	2.49	2.34	6.16	2.12	3.25	5.04	3.17	6.01	YEAR'S TOTAL 48.74 ~~48.95~~
Days with ·01 in. or more	25	14	20	24	16	13	28	11	9	16	11	18	205
Days with ·04 in. or more	23	9	18	20	11	10	21	5	9	15	9	16	166

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

5m cel

DEVON

BIDEFORD RECTORY

1911 – 1920

RE[...] 1911

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

Kept at Bideford

in the County of N

by Rev T. Newton

…p 5 in.
…above Ground 1 ft. 2 in.
„ Sea Level 150 ft.
9 a.m
…on { Name Bideford
Distance ………… Direction …………

IMPORTANT NOTE. …, and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10	-	-	.45	.17	.02	-	.88	-	.02	.07	.02	1
2	-	-	-	-	.77	-	-	.23	-	.63	.34	.20	2
3	-	-	.03	-	.59	-	-	.08	.02	-	.33	.14	3
4	-	-	.15	-	-	-	-	.20	-	.01	.52	.81	4
5	.33	-	.27	-	-	-	-	.13	-	.07	.43	.09	5
6	.24	-	-	-	-	-	-	-	-	-	.25	.91	6
7	.07	-	-	-	-	-	-	-	-	-	.62	-	7
8	.08	-	.09	-	-	-	-	-	-	-	.42	.90	8
9	.15	-	.05	-	-	-	-	-	-	-	.56	.29	9
10	.03	.02	.60	-	.14	-	-	-	-	-	.08	.57	10
11	.34	-	-	-	.11	-	-	-	-	-	.38	.34	11
12	-	-	.54	-	-	-	-	-	.05	-	.33	.22	12
13	-	-	.09	-	-	-	-	-	.45	-	.03	.10	13
14	-	.05	.02	-	.02	-	-	-	.25	.08	.07	.22	14
15	.09	.03	.06	-	-	.05	-	-	-	-	.41	.07	15
16	-	.01	-	-	-	.16	-	-	-	-	.17	.28	16
17	-	.05	-	-	-	.39	-	-	-	-	.25	.61	17
18	-	.38	.04	.19	-	.15	-	-	-	.16	.31	.51	18
19	-	.01	.01	.18	-	.60	-	-	.44	.06	.11	.68	19
20	.02	.06	.10	.21	-	-	-	.03	.84	.56	-	.21	20
21	-	.27	-	-	-	.09	-	.22	.28	.19	-	.04	21
22	.02	.13	-	.12	-	.12	-	-	.18	.33	-	.29	22
23	.02	.20	.05	-	-	.12	-	.08	.18	.14	.16	.13	23
24	-	.24	-	-	-	.67	-	.14	-	.23	-	.15	24
25	.01	.03	-	.24	-	.05	-	.01	.08	.12	-	.04	25
26	-	.09	-	.34	.01	-	.25	.20	-	.39	.02	.22	26
27	-	.66	-	-	-	-	-	.54	.17	.25	-	.21	27
28	-	.19	.01	.54	-	-	-	.25	-	-	.38	.01	28
29	-	-	-	.08	-	.83	.16	.02	.28	.27	.01	-	29
30	-	-	-	-	-	.02	.02	-	.02	.38	.08	.03	30
31	-	-	-	-	-	-	.03	-	-	.19	-	.02	31
Total	1.50	2.42	2.11	2.35	1.21	3.27	.46	3.01	3.24	4.08	6.33	8.31	Total for year 38.29
No. of Rain Days.	13	16	15	9	7	13	4	14	13	18	24	29	175.

38-29

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REC[illegible]911

Kept at Bideford [illegible]
in the County of N. Devon N3
by Rev T. Nerston Leeke.

RAIN GAUGE { Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 150 ft.

Time of Observation 9 a m

Nearest Railway Station { Name Bideford
Distance ...... Direction ......

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10	-	-	.45	.17	.02	-	.88	-	.02	.07	.02	1
2	-	-	-	-	.17	-	-	.23	-	.63	.34	.20	2
3	-	-	.03	-	.59	-	-	.08	.02	-	.33	.14	3
4	-	-	.15	-	-	-	-	.20	-	.01	.52	.81	4
5	.33	-	.27	-	-	-	-	.13	-	.07	.43	.09	5
6	.24	-	-	-	-	-	-	-	-	-	.25	.91	6
7	.07	-	-	-	-	-	-	-	-	-	.62	-	7
8	.08	-	.09	-	-	-	-	-	-	-	.42	.90	8
9	.15	-	.05	-	-	-	-	-	-	-	.56	.29	9
10	.03	.02	.60	-	.14	-	-	-	-	-	.08	.57	10
11	.34	-	-	-	.11	-	-	-	-	-	.38	.34	11
12	-	-	.54	-	-	-	-	-	.05	-	.33	.22	12
13	-	-	.09	-	-	-	-	-	.45	-	.03	.10	13
14	-	.05	.02	-	.02	-	-	-	.25	.08	.07	.22	14
15	.09	.03	.06	-	-	.05	-	-	-	-	.41	.07	15
16	-	.01	-	-	-	.16	-	-	-	-	.17	.28	16
17	-	.05	-	-	-	.39	-	-	-	-	.25	.61	17
18	-	.38	.04	.19	-	.15	-	-	-	.16	.31	.51	18
19	-	.01	.01	.18	-	.60	-	-	.44	.06	.11	.68	19
20	.02	.06	.10	.21	-	-	-	.03	.84	.56	-	.21	20
21	-	.27	-	-	-	.09	-	.22	.28	.19	-	.04	21
22	.02	.13	-	.12	-	.12	-	-	.18	.33	-	.29	22
23	.02	.20	.05	-	-	.12	-	.08	.18	.14	.16	.13	23
24	-	.24	-	-	-	.67	-	.14	-	.23	-	.15	24
25	.01	.03	-	.24	-	.05	-	.01	.08	.12	-	.04	25
26	-	.09	-	.34	.01	-	.25	.20	-	.39	.02	.22	26
27	-	.66	-	-	-	-	-	.54	.17	.25	-	.21	27
28	-	.19	.01	.54	-	-	-	.25	-	-	.38	.01	28
29	-	-	-	.08	-	.83	.16	.02	.28	.27	.01	-	29
30	-	-	-	-	-	.02	.02	-	.02	.38	.08	.03	30
31	-		-		-		.03	-		.19		.02	31
Total	1.50	2.42	2.11	2.35	1.21	3.27	.46	3.01	3.24	4.08	6.33	8.31	38.29
No. of Rain Days.	13	16	15	9	7	13	4	14	13	18	24	29	175.

38-29

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Bideford Rectory

in the County of Devon N.B

by Rev T. Newton Leeke

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 150 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Bideford
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		.45	-	.07	.40	-	.02	.06	1.32	-	.30	1
2	-		.28	.04	-	1.66	.02	-	-	.07	.05	-	2
3	.05	.03	.46	.02	-	.07	.02	1.09	.11	.	.	.02	3
4	.36	-	1.32	-	.01	.10	-	.14	-	-	.30	-	4
5	.66	.05	.19	-	.04	-	.05	.53	-	.	-	.08	5
6	.59	.07	.01	-	.24	-	-	.48	-	-	-	.06	6
7	.05	.35	.15	.01	.08	.50	.15	.24	-	-	.01	.07	7
8	.36	.09	.08	.04	-	.13	.	-	.	-	-	.	8
9	-	.23	.18	-	-	.04	.12	.80	-	-	-	.58	9
10	.35	.02	.03	.	-	.15	.04	.04	-	-	.17	.04	10
11	-	-	-	.	-	-	-	-	-	-	.34	.72	11
12	.04	-	.12	-	.13	-	.15	.04	-	-	.09	.02	12
13	.20	-	-	.	-	.	.17	.02	-	.10	-	.44	13
14	.11	.02	.57	.	.17	.02	-	.45	-	.	.	.08	14
15	.13	.02	.04	.	.11	1.16	-	.03	.	.	.03	.60	15
16	.14	-	.28	.	.14	.09	-	.09	-	.09	-	.16	16
17	-	-	.22	.	.02	.22	-	.43	-	-	.05	.32	17
18	-	.05	.32	.	-	.	-	.28	-	.16	.02	.07	18
19	-	.11	.13	.	.02	.05	.01	.60	-	.05	-	.06	19
20	.03	.03	.23	.	.01	-	-	.34	-	.56	.07	-	20
21	-	.07	.31	.	.41	-	-	.22	-	.10	-	-	21
22	.30	.27	.21	.	.01	.06	.03	.39	-	.09	.05	.09	22
23	.08	.42	.23	.	-	.66	-	.85	-	.14	.10	.32	23
24	.03	.06	.02	.	-	.37	.22	-	-	.22	-	.18	24
25	.02	-	.01	.	-	.36	-	.17	-	.18	.73	.72	25
26	-	.10	.01	.	-	-	.02	.13	-	.33	.54	.35	26
27	-	.02	.01	.	-	.49	.47	.01	-	.80	.03	.78	27
28	-	.12	-	.	.	.34	.44	.68	.25	.15	.50	.59	28
29	-	.23	.02	.	.	.44	.81	.23	.32	.31	-	.10	29
30	-		.09	.	.	.08	.23	-	.03	.62	-	.04	30
31	-		.40	.	.		.18	-	-	.07	-	.09	31
Total	3.50	2.36	6.37	.11	1.46	7.39	3.13	8.30	.77	5.36	3.08	6.88	TOTAL for year 48.71
No. of Rain Days.	17	20	28	4	14	21	17	25	5	18	16	26	211

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Bideford Rectory
in the County of N Devon C
by Rev T. Newton Leeke

Lat. 51 Long. 4.13.W
Time of Observation 9 a.m
Nearest Railway Station Bideford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1. ft. 2 in.
" " " " Sea Level 150. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07	.26	.28	.07	.17	-	-	-	.02	-	.26	.20	1
2	.03	.25	.02	.02	.18	.03	-	-	-	.39	.25	.01	2
3	.05	-	.08	-	.27	-	-	-	-	.03	.02	.28	3
4	.86	-	.06	-	-	.05	.06	-	.09	.64	.15	.16	4
5	.21	.02	.04	-	.27	.66	.05	-	.26	-	.59	.75	5
6	.07	.11	.19	-	.02	.19	-	-	-	.14	.36	.24	6
7	.01	.71	.05	-	.61	.14	.02	-	-	.43	.14	.03	7
8	.02	.34	.01	-	.15	-	.01	.08	-	-	-	.01	8
9	-	.08	.02	.04	.12	.30	.02	.19	.03	-	.64	.06	9
10	.61	-	-	.02	.13	.05	-	.09	-	.43	.13	-	10
11	.52	-	.06	.06	.15	.20	.04	.03	.08	.05	.82	.07	11
12	.37	-	-	.09	.01	.06	.04	-	.27	-	.60	.01	12
13	.04	-	.32	-	-	-	-	.10	.53	-	.15	-	13
14	.15	-	.23	-	-	-	-	.03	.12	.21	.13	.02	14
15	.12	-	.55	1.42	-	-	-	-	-	-	.30	.04	15
16	.18	-	.77	.09	-	-	.01	-	.07	-	.05	-	16
17	.19	-	.03	.07	-	-	.05	-	-	-	.08	-	17
18	.22	-	.25	.15	.04	-	-	-	-	-	.12	-	18
19	.53	-	.11	-	.13	.06	.09	-	.30	.40	-	-	19
20	.07	-	.42	.08	-	-	-	-	.07	.17	.54	-	20
21	-	-	.14	.41	.14	-	.10	.03	-	.05	.26	-	21
22	.46	-	.90	.05	.02	.22	.01	.36	.08	-	-	.07	22
23	.04	-	.05	-	-	-	-	.07	.03	-	.14	.66	23
24	.12	.10	-	.15	-	-	-	.06	-	-	.11	.01	24
25	-	-	-	.48	-	-	-	-	.09	.02	.12	.16	25
26	-	.03	-	.92	-	-	-	.02	.03	-	.03	.64	26
27	.25	-	.22	.18	-	-	-	-	-	.37	.01	.06	27
28	.09	-	.12	.21	.30	-	-	-	-	.18	-	.16	28
29	.01	-	.16	.69	.03	-	-	-	-	.10	.02	-	29
30	.50	-	-	-	-	-	-	.	-	.36	.02	-	30
31	.37	-	.88	-	.32	-	-	.13	.	.03	.		31
Total	6.16	1.90	5.96	5.20	3.06	1.96	.50	1.19	2.07	4.00	6.04	3.64	YEAR'S TOTAL 41.68
Rain Days.	27	9	25	19	18	11	12	12	15	17	26	20	211

W.7,000, XI. 13

entry rm stats 20·III·15 ~~W~~. M 9.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Bideford Rectory
in the County of Devon N° 3
by Rev T Norton Leeke

Lat. 51 Long. 4.13 W.
Time of Observation 9 a m
Nearest Railway Station Bideford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	-	.12	-	.27	.06	.62	-	-	.17	.18	1
2	.01	-	.02	-	.02		.38		-	-	.02	.46	2
3	.06	-	.14	.23	.49	-	-	.52	-	.01	-	.22	3
4	.45	-	.12	.29	.01	-	.64	.84	-	-	.29	1.15	4
5	.16	-	.30	.35	.02	-	.13	.02	-	-	.09	.28	5
6	-	.03	.13	.21	.08	-	.27	.08	-	-	.04	.26	6
7	.04	.59	.27	.15	.14	.14	.39	.20	.24	-	-	.35	7
8	.09	-	1.01	.01	.05	.37	.06	.09	-	-	.01	.02	8
9	.14	.05	.19	.11	.15	.69	-	.24	.53	-	-	.04	9
10	.06	.28	.09	.37	.09	.04	-	-	.28	-	.02	.05	10
11	-	.14	.53	-	.04	.12	-	-	-	-	.13	.42	11
12	-	.73	.09	-	-	-	-	-	.29	-	.32	.06	12
13	-	.54	.72	-	-	-	.09	-	.37	.10	.16	.15	13
14	-	.80	.42	-	-	.02	.13	.63	.01	.01	.31	.05	14
15	-	.04	.17	-	-	-	.01	.30	.09	.01	.47	.10	15
16	-	-	-	-	-	-	-	-	.12	-	-	.01	16
17	-	.48	.23	-	-	-	.03	-	.03	-	-	.73	17
18	-	.14	.29	-	-	-	.03	-	.32	-	-	.45	18
19	-	.01	.21	-	-	-	1.26	-	.09	-	.18	.20	19
20	-	.44	.13	-	-	.16	-	-	-	-	-	.14	20
21	-	.17	.04	-	-	-	.08	.05	-	.18	-	.08	21
22	-	.27	-	.02	.06	.17	.02	.01	-	.49	-	-	22
23	-	.05	.10	-	-	.03	.13	-	-	.11	-	-	23
24	-	-	.09	-	-	.03	.09	-	-	-	.14	-	24
25	.34	.02	.23	-	-	-	.16	.43	-	.41	.04	.38	25
26	.10	-	.03	-	-	-	.09	-	-	.16	.47	.53	26
27	.11	.03	-	-	-	-	-	-	-	.25	.39	.28	27
28	.02	.04	.11	-	.11	-	-	-	-	.32	.09	.91	28
29	.29	-	.40	-	.08	-	-	-	-	.15	.58	.04	29
30	-	X	.18	-	-	-	-	-	-	.10	.71	.27	30
31	.12	X	-	X	.08	X	.42	-	X	.71	X	(.27)	31
Total	1.99	4.86	6.24	1.86	1.42	2.04	4.47	4.03	2.37	3.01	4.63	8.08 ✓	YEAR'S TOTAL 45.00 ✓
Rain Days.	14	20	26	10	14	11.	20.	14	11	14	20	28 ✓	202 ✓

W. 8,000. X. 14.

2d L.N.

1974

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at Bideford Rectory
in the County of Devon N3
by Revd T Newton Leeke

Lat. 57 Long. 4.13.W.
Time of Observation 9 a m
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 150. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	26	.15	-	-	.09	-	-	.33	.15	.27	-	.43	1
2	.33	.31	.15	.09	-	.02	.02	.09	.04	.02	-	.51	2
3	.06	.06	.12	.19	.20	-	-	.01	-	-	-	.46	3
4	.05	.58	-	-	-	-	.22	-	-	-	-	.54	4
5	.12	.42	-	.18	-	-	-	.39	-	-	-	.43	5
6	.49	.09	-	.29	-	-	.28	.05	-	-	.	.30	6
7	.32	.68	-	.04	.75	-	.21	.01	-	.30	.04	.34	7
8	.31	.54	-	-	-	-	-	.25	-	.02	.27	.07	8
9	.02	.37	-	.15	-	-	-	.07	-	-	.52	.96	9
10	.37	.31	.19	.07	-	.10	-	.03	-	.03	.04	.03	10
11	.11	-	.09	-	-	-	.05	.01	-	.01	.81	.17	11
12	.11	.25	-	-	.40	-	-	-	-	-	.26	.16	12
13	.05	.42	-	-	.55	-	.14	.03	.14	-	.10	.06	13
14	.11	-	-	-	-	-	.23	.14	.06	-	-	.73	14
15	.20	-	-	-	.33	-	.20	-	.02	.02	.12	.11	15
16	.03	1.08	-	.09	.12	-	.88	-	-	-	-	.01	16
17	.09	.23	-	-	.05	-	-	-	-	-	-	-	17
18	-	.32	.01	-	.05	-	.02	-	-	-	-	-	18
19	.04	.01	-	.13	.17	-	.20	-	-	-	-	-	19
20	.60	.01	-	.12	-	.06	.01	-	-	.13	-	.04	20
21	.30	.34	-	-	.12	.03	.29	-	.14	.24	-	.25	21
22	.08	.07	.16	.07	-	.	.36	-	-	.23	-	.40	22
23	.05	.03	-	-	-	.06	.20	-	.01	.81	-	.78	23
24	-	-	.03	.03	-	-	.35	-	.09	.83	.	.41	24
25	-	-	.01	-	-	.26	.11	-	-	.02	.02	.19	25
26	-	.23	.	-	.	.04	.14	-	.05	-	-	.57	26
27	-	.04	.01	-	-	.65	.08	-	-	.47	-	.04	27
28	-	.03	-	-	-	.02	.	-	.40	.18	.	-	28
29	-	-	-	-	-	.30	-	.01	.04	.05	.18	.01	29
30	.19	X	-	.02	-	.05	-	-	.07	.36	.35	.28	30
31	.01	X	-	X	-	X	.10	.10	X	.18	X	.29	31
Total	4.30	6.57	.77	1.47	2.83	1.59	4.09	1.52	1.21	4.17	2.71	8.57	YEAR'S TOTAL 39.80
Rain Days.	24	23	7	13	11	11	20	14	12	18	11	27	191

W. 8,000. X. 15.

Exd HD

1924

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 3 JAN 1917

Kept at Bideford Rectory

in the County of Devon

by Revd. Prebr. Newton Leeke.

Lat. 51 Long. 4.13.W

Time of Observation 9 a m

Nearest Railway Station Bideford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 150. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15	-	-	-	.13	.19.	.26.	-	-	.23.	-	-	1
2	.59.	.05.	.38.	-	.09	-	.01.	-	.19	.65	.15.	-	2
3	.01	1.11.	-	-	.20	.06	.55	-	.04	.38	.11.	-	3
4	.44	.17.	-	.01.	.31	.47.	-	-	.09.	.10.	.26	-	4
5	.02	.10.	-	-	.03	.05	-	-	-	.12	.39.	-	5
6	.09.	.34	-	-	.09	-	.22.	-	-	.27.	.50.	-	6
7	.05.	.30.	.10.	-	.22.	-	-	-	-	.01.	.43.	.21.	7
8	-	.32.	.11.	-	.17.	.06	-	-	-	-	.26	.17.	8
9	-	.10.	-	-	.05.	-	.07	-	-	.05.	.07.	.39.	9
10	-	1.20.	-	.12.	-	-	-	-	.04	-	.01.	.01.	10
11	-	-	-	.13.	.04	-	-	-	-	.01.	.02.	-	11
12	.04	.10	.13.	.06	.26.	-	.07	.09.	-	.23.	-	-	12
13	-	.55.	.02.	-	.03.	-	-	.26.	-	.04.	-	-	13
14	.07.	.54	.02	-	.07	-	-	.56.	-	.10.	-	-	14
15	.01.	.27.	.02.	.18.	-	-	-	.73.	-	.03.	-	-	15
16	.01.	.07.	-	.26.	-	-	.02.	.13.	-	.21	-	-	16
17	.18.	.16	-	-	-	-	-	-	.82.	.13.	.76.	-	17
18	-	.35	.18.	.07	-	-	-	.03.	.13.	.02	-	.08.	18
19	.30.	.19.	.01.	.14	-	-	-	-	-	-	.42.	.05.	19
20	.13.	.62.	.28	-	-	-	-	-	-	-	.26.	.27.	20
21	.14	.08.	.19	-	.02.	.02.	-	.09	-	-	.12	.19.	21
22	-	-	-	-	-	.10.	-	.24	-	.28.	.06	.54	22
23	.02	.03.	.05	.04	-	.27.	-	-	-	.10.	.28.	.28.	23
24	-	.01.	.34.	-	.12.	-	-	.03.	-	.37.	.01.	.23.	24
25	-	.17.	.27.	-	.03.	.02.	-	.23.	.02.	.17.	.33.	-	25
26	.03.	.01.	.07.	-	.01.	.11.	-	-	.51.	.34.	.01.	-	26
27	-	-	.73.	-	.13.	-	-	.08.	.47.	.81.	-	-	27
28	-	.18.	.03.	-	-	-	-	.04.	.05.	.46	-	.56.	28
29	-	.41.	-	-	-	.43.	-	.67.	.06.	.37.	-	.40.	29
30	-	X	-	-	-	.05	-	-	-	.32.	-	.01.	30
31	-	X	-	X	-	X	-	.08	X	.38.	X	.03.	31
Total	2.28	7.43	2.93	1.01	2.00	1.83	1.20	3.26	2.42	6.18	4.45	3.42	YEAR'S TOTAL 38.41.
Rain Days.	17	25	17.	9	18	12	7	14	11.	26	19	15	190.

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
2 JAN 1918

Kept at Bideford Rectory
in the County of Devon.
by Rev Prebʳ T. Newton Leeke

Lat. 51 Long. 4.13. W
Time of Observation 9 a.m
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	–	–	.18	–	.50	–	.16	–	–	.05	–	1
2	.02	–	–	.23	–	.06	–	–	–	.11	.09	–	2
3	.07	–	–	.09	–	–	.81	–	–	.85	.71	–	3
4	–	.14	.46	–	–	–	.04	–	.04	.21	.01	–	4
5	.17	–	.16	.41	–	.25	–	–	–	.17	.12	–	5
6	.01	–	.13	.01	–	.21	–	–	–	.11	.29	.05	6
7	.28	–	–	–	–	–	.15	.19	–	.55	.05	.14	7
8	–	–	.21	.10	–	.48	.23	.36	.08	.56	.26	.25	8
9	–	–	–	.08	.13	–	–	.15	–	.56	.23	–	9
10	.29	–	.45	.40	–	–	–	.08	–	.03	.05	–	10
11	.04	–	.21	.37	–	–	–	–	–	.35	.34	–	11
12	.27	–	.01	.14	.21	–	–	.05	–	.64	–	–	12
13	.27	–	.19	.06	.01	.02	–	.43	.56	.29	–	–	13
14	–	–	–	–	–	–	–	.28	.11	.10	–	.05	14
15	–	–	–	.08	–	–	–	–	–	.26	–	.22	15
16	–	–	–	.04	–	.04	–	–	–	.04	.08	.17	16
17	–	–	.04	.31	–	–	.44	.21	.21	.24	.02	–	17
18	–	–	–	–	.08	–	.49	.03	1.25	.14	.03	–	18
19	–	.39	.08	–	t	.41	–	–	–	–	.04	–	19
20	–	.15	–	–	.26	.82	–	–	–	–	–	.05	20
21	–	–	.16	–	–	.03	–	.14	–	.06	.05	.03	21
22	–	–	–	–	.02	–	–	.29	–	.25	–	–	22
23	–	.27	–	–	.12	.01	–	.64	–	.09	.07	–	23
24	–	–	–	–	–	.04	.22	.10	–	.30	.22	–	24
25	–	.04	–	–	–	.32	.01	.46	.02	.11	.03	–	25
26	–	–	–	–	.50	.05	–	.15	.26	.13	.07	–	26
27	–	–	.02	–	–	.17	.02	1.09	–	.46	–	–	27
28	–	.11	.06	–	.23	2.15	.02	.05	–	.26	–	.02	28
29	–	–	.29	–	–	.01	.03	.02	–	.72	.03	.03	29
30	–	✕	.10	–	–	–	.17	.17	–	.15	.04	–	30
31	–	✕	.27	✕	.50	✕	–	.19	✕	.37	✕	–	31
Total	1.43	1.10	2.84	2.50	2.06	5.57	2.63	5.24	2.53	8.11	2.88	1.01	YEAR'S TOTAL 37.90
Rain Days.	10	6	16	14	10	17	12	21	8	28	22.	10	174

W. 8,000, IX. 17.

FORM A. BRITISH RAINFALL. 2.1.19

[illegible] and for month

REGISTER OF RAINFALL IN 1918

Kept at Bideford Rectory
in the County of N Devon
by Rev Prebendary T Newton Leeke

Lat. 51 Long. 4.13. W.
Time of Observation 9 a m
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
„ „ „ „ Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.09	-	.10	.05	-	-	.97	-	-	.61	-	1
2	-	.15	-	-	-	-	-	.25	-	.	.06	.44	2
3	-	.11	-	.04	.07	-	-	-	.08	.15	.36	.03	3
4	-	-	-	.02	-	-	-	.05	.22	.12	.91	.56	4
5	-	.05	.07	.28	.10	-	-	.53	.67	.49	.05	.01	5
6	.17	.64	.02	.16	-	.03	-	-	.08	.21	-	.10	6
7	.03	.23	-	-	.03	.02	-	.04	.44	.14	.34	.03	7
8	.05	.03	-	-	-	.09	.16	-	.34	.16	.03	-	8
9	.10	.04	-	.04	-	.08	.01	.02	.51	.05	.02	.30	9
10	.13	.02	-	.28	-	-	.92	-	.35	.14	-	.57	10
11	.10	.02	.10	-	-	-	.35	-	.20	.02	.18	.17	11
12	.05	.11	.06	-	.18	-	.11	-	.03	-	-	.01	12
13	.43	-	-	-	-	-	.06	-	.64	.06	-	.45	13
14	.37	-	-	-	.07	.13	.41	-	.49	.14	-	.15	14
15	1.24	-	-	-	-	-	.52	-	.12	.22	-	.59	15
16	.55	-	-	.45	-	-	.11	.02	.04	-	-	.08	16
17	.41	-	-	.05	-	-	.09	.04	.15	.02	-	.25	17
18	1.15	.03	.06	-	-	.40	.04	.06	.63	.27	-	.24	18
19	.09	.10	.12	.08	-	-	.11	-	.05	.02	-	.11	19
20	.21	.23	-	.13	-	.06	.12	-	.27	-	-	-	20
21	.07	.01	-	.01	-	.10	.04	-	.75	.04	-	.26	21
22	-	-	-	-	.13	.08	.39	-	.15	-	-	.28	22
23	.10	.04	-	-	-	-	.15	-	.05	-	.02	.34	23
24	.01	.21	-	-	-	-	.40	.16	.39	-	.34	.21	24
25	-	-	-	-	.27	-	.73	.35	-	.07	.28}	.01	25
26	-	.16	-	-	-	-	.12	.06	.50}	.03		.32	26
27	-	.14	.24	-	-	.01	-	.14	-	.01	.38	.06	27
28	-	.20	.07	-	.	-	-	.01	.09	-	.23	.19	28
29	-	-	.15	-	-	-	-	-	1.32	-	-	.04	29
30	-	×	.56	.03	-	-	-	.07	.01	.05	.21	.23	30
31	-	×	.28	×		×			×	.02	×	.03	31
Total	5.26	2.61	1.73	1.67	.90	1.00	4.84	2.77	8.57	2.43	4.02	6.06	YEAR'S TOTAL ~~42.06~~ 41.86
Rain Days.	18	20	11	13	8	10	19	15	27	21	16	28	206

W. 8,000, IX. 17.

1726

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bideford Rectory
in the County of Devon
by Rev Prebendary T Newton Leeke

Lat. 51 Long. 4.13. W
Time of Observation 9 a.m
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
1	.38	-	.06	.16	.14	-	.19	-	.09	.21	-	1.08	1
2	.31	-	.05	-	.07	-	.05	-	.03	.04	-	.26	2
3	.08	-	.13	-	.07	-	-	.07	.01	-	.04	.65	3
4	.07	.45	.18	-	-	.16	-	-	.27	-	-	-	4
5	.07	.49	-	-	-	-	-	-	.02	-	-	.29	5
6	.27	.17	.40	-	-	-	-	-	-	-	-	.39	6
7	.08	-	.22	.03	-	.02	-	-	-	-	-	.10	7
8	.19	-	.28	.04	-	.06	-	-	-	-	.03	-	8
9	.25	-	.04	.19	.07	-	-	-	-	-	1.33	-	9
10	.15	-	1.10	.02	.07	-	-	-	-	.11	.05	.24	10
11	.16	-	.32	.09	.11	.01	.26	-	-	.05	.09	.01	11
12	.21	-	.12	-	-	.36	-	-	-	.10	.13	.01	12
13	.20	.04	.09	.42	-	-	.05	-	.09	.08	-	.11.	13
14	.50	.07	-	.68	.41	-	-	-	.09	.04	-	.22.	14
15	.38	.02	-	.02	-	-	-	-	-	.06	-	.65.	15
16	.17	.88	-	-	-	.01	-	-	-	-	.28	-	16
17	.01	.25	-	-	.09	.04	.02	.03	-	-	.49	-	17
18	.06	.06	.76	-	-	-	.08	.31	.05	-	.40	.03	18
19	.22	.16	.14	-	-	.09	.01	.50	.51	-	.30	.07	19
20	.20	.05	.28	-	.04	.09	-	.01	.25	-	.09	.18	20
21	.09	.76	-	-	.07	-	.22	.01	.05	-	.01	.14	21
22	-	.07	-	-	-	-	.09	-	.41	-	.01	.09	22
23	-	-	-	-	-	-	-	.01	-	.14	.10	.05	23
24	.02	-	-	-	-	.36	-	.02	.04	.45	.25	.42	24
25	.29	-	-	-	-	.03	-	.80	-	-	.21	.03	25
26	.17	-	.15	.16	-	.06	-	.03	.15	.10	.29	.46	26
27	.13	-	.21	.31	-	-	-	.30	-	-	-	.05	27
28	.04	-	-	.08	-	-	-	-	-	-	.20	.55	28
29	-	-	-	.24	-	-	-	.14	-	.06	.25	.20	29
30	-		.15	.23	-	.14	-	.18	-	-	.49	.56	30
31	.02		.26		-		.03	-		-		.50	31
TOTAL	4.72	3.47	4.94	2.67	1.14	1.43	1.00	2.41	2.06	1.44	5.04	7.34	YEAR'S TOTAL 37.66
Days with ·01 in. or more	27	13	19	14	10	13	10	13	14	12	20	26	191.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1639

3 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Bideford Rectory

in the County of Devon

by Rev Preb^r T. Newton Leeke

Lat. 51 Long. 4.13 W.

Time of Observation 9 a.m

Nearest Railway Station Bideford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.03	.05	.28	-	.82	.15	.23	.25	.04	.59	1
2	.15	-	-	.38	.05	-	.08	.18	.30	.19	-	.16	2
3	.16	.12	-	.02	-	-	.08	.01	.06	.63	-	.16	3
4	-	-	.02	.02	-	-	-	.53	.03	.49	-	.02	4
5	-	-	.08	-	.22	-	.43	.02	-	.33	-	-	5
6	-	-	.31	-	.36	-	.17	-	-	.12	.05	-	6
7	.05	-	.02	.27	.03	-	.20	.	.	.	.07	.01	7
8	.03	.08	-	.43	.16	-	.35	.09	-	-	-	.01	8
9	.91	.31	-	.10	.	.11	.26	-	.06	-	.03	-	9
10	1.29	.41	.09	.46	-	.20	.17	-	-	-	.04	-	10
11	.26	-	.12	.20	.14	-	.04	-	-	-	-	-	11
12	.41	.11	.06	.17	-	.07	.09	.11	.03	.04	.17	-	12
13	.11	.01	.45	.12	-	.	.01	-	-	.68	.01	-	13
14	.05	.01	.40	.55	-	.15	.11	.	.28	.25	.76	.01	14
15	.01	.11	.04	.62	.12	.02	.	.	.	.32	.17	.	15
16	.	.	.02	-	.01	.02	.06	.02	.38	.75	.20	.	16
17	.05	.	.	.16	.02	.18	.01	.01	1.35	.05	.	.	17
18	.32	.02	.01	.02	.23	.	.	.27	.09	.	.	.	18
19	.05	.17	.	.65	.03	.14	.01	.	.01	.	.	.	19
20	.06	.03	.	.13	.	.08	.	.	.	.	.	.24	20
21	.	.	.	.06	.	.	.02	.	.	.10	.	.28	21
22	.03	.	.	.	.	.	.16	.	.	.	.	.45	22
23	.01	.	.06	.	.	.	.59	.45	.	.	.	.60	23
24	.04	.04	.31	.01	.	.	.02	.	.	.	.04	.28	24
25	.05	.15	.27	.	.	.04	.55	.	.	.	.	.02	25
26	.42	.15	.42	.	.	.14	.03	.	.	.	.09	.02	26
27	.47	.	.34	.17	.14	.62	.07	.	.	.	.76	.34	27
28	.60	.	.29	.09	.01	.11	.	.	.	.	.16	.04	28
29	.32	.	.35	.08	.46	.02	.	.	.02	.	.	.43	29
30	.25	✕	.02	.	.	.15	.18	.	.95	.12	.31	.68	30
31	.19	✕	.39	✕	.	✕	.01	.	✕	.57	✕	.13	31
Total	6.29	1.72	4.10	4.76	2.26	2.05	4.52	1.84	3.79	4.89	2.90	4.47	YEAR'S TOTAL 43.59
Days with ·01 in. or more	25	14	22	22	15	15	25	11	13	15	15	19	211
Days with ·04 in. or more	21	10	16	18	10	12	18	7	9	15	13	13	162

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

DEVON

BIDEFORD

"BEECHCROFT"

1911 – 1913

REG

Kept at Beechcroft.

in the County of N.

by A. H. Hobho

ll

a's ~~[illegible]~~ Sa

2 in.

ove Ground 1 ft. – in.

Sea Level 125 ft.

a.m

Name Bideford

Distance ¾ m Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·39	·13	·02		·80		·01	·07	·01	1
2				·01	·18			·22	·02	·56	·34	·19	2
3			·02		·56			·06			·31	·11	3
4			·14					·20		·01	·49	·74	4
5	·47		·27	·01				·12		·07	·38	·09	5
6	·13		·01					·04			·22	·84	6
7	·06										·61 ·61		7
8	·09		·08								·44	·88	8
9	·17		·04								·53	·28	9
10	·05	·01	·57		·13				·15		·08	·57	10
11	·30				·10				·41		·36	·32	11
12	·01		·51						·26		·33	·24	12
13			·08		·02					·01	·02	·10	13
14		·04	·01							·06	·06	·21	14
15	·08	·03	·05			·03					·40	·06	15
16		·01				·16					·16	·27	16
17		·04				·35					·25	·57	17
18		·36	·03	·17		·16				·15	·26	·44	18
19		·01		·16		·57			·45	·05	·09	·67	19
20	·01	·05	·09	·20				·01	·67	·46		·20	20
21	·01	·24				·08		·40	·22	·29		·03	21
22	·01	·11		·12		·10		·05	·18	·35		·30	22
23	·01	·17	·04			·12		·15	·16	·13	·15	·10	23
24	·01	·22				·66		·01	·01	·23		·13	24
25	·01	·03		·23		·04		·19	·07	·10		·02	25
26		·08		·33	·01		·25	·49		·41	·01	·23	26
27		·61		·01					·17	·23		·20	27
28		·18	·01	·57				·23			·35		28
29			·02	·08		·79	·16	·03	·26	·25	·01		29
30						·03	·02		·01	·38	·08	·03	30
31							·02			·16			31
Total	1·43	2·19	1·97	2·22	1·13	3·05	·45	3·00	3·04	3·91	6·00	7·77	TOTAL for year ✓
No. of Rain Days.	16	16	16	12	7	13	4	15	14	19	24	27	36·16 on ✓ 183 days
~~Added Total~~	~~32~~	~~48~~	~~60~~	~~67~~	~~80~~	~~84~~	~~99~~	~~113~~	~~130~~	~~156~~	~~183~~		

W. 8,000, X. '11.

REG

FORM A2. BRITISH RAINFALL. 18 JAN 1912

Kept at Beechcroft. Bideford

in the County of N. Devon 3

by A. H. Hobhouse

RAIN GAUGE Pattern Casella's [illegible]
Diameter of top 2 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 125 ft.

Time of Observation 9. a. m

Nearest Railway Station Name Bideford
Distance 3/4 m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01			.39	.13	.02		.80		.01	.07	.01	1
2				.01	.18			.22	.02	.56	.34	.19	2
3			.02		.56			.06			.31	.11	3
4			.14					.20		.01	.49	.74	4
5	.47		.27	.01				.12		.07	.38	.09	5
6	.13		.01					.04			.22	.84	6
7	.06										.61 .61		7
8	.09		.08								.44	.88	8
9	.17		.04								.53	.28	9
10	.05	.01	.57		.13				.15		.08	.57	10
11	.30				.10				.41		.36	.32	11
12	.01		.51						.26		.33	.24	12
13			.08		.02					.01	.02	.10	13
14		.04	.01							.06	.06	.21	14
15	.08	.03	.05			.03					.40	.06	15
16		.01				.16					.16	.27	16
17		.04				.35					.25	.57	17
18		.36	.03	.17		.16				.15	.26	.44	18
19		.01		.16		.57			.45	.05	.09	.67	19
20	.01	.05	.09	.20				.01	.67	.46		.20	20
21	.01	.24				.08		.40	.22	.29		.03	21
22	.01	.11		.12		.10		.05	.18	.35		.30	22
23	.01	.17	.04			.12		.15	.16	.13	.15	.10	23
24	.01	.22				.66		.01	.01	.23		.13	24
25	.01	.03		.23		.04		.19	.07	.10		.02	25
26		.08		.33	.01		.25	.49		.41	.01	.23	26
27		.61		.01					.17	.23		.20	27
28		.18	.01	.51				.23			.35		28
29			.02	.08		.79	.16	.03	.26	.25	.01		29
30						.03	.02		.01	.38	.08	.03	30
31							.02			.16			31
Total	1.43	2.19	1.97	2.22	1.13	3.05	.45	3.00	3.04	3.91	6.00	7.77	TOTAL for year ✓
No. of Rain Days.	16	16	16	12	7	13	4	15	14	19	24	27	36.16 on ✓ 183 days
Add. Total		~~32~~	~~48~~	~~60~~	~~67~~	~~80~~	~~84~~	~~99~~	~~113~~	~~130~~	~~156~~	~~183~~	

W. 8,000, X. '11.

82

REGISTER OF RAINFALL IN 1911

FORM A2
BRITISH RAINFALL
18 JAN 1912

Kept at Beechcroft, Bideford

in the County of N. Devon 3

by A. H. Hobhouse

Rain Gauge
Pattern Casella's 5" Insulated London
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 125 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Bideford
Distance 3/4 mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01			.40	.13	.02		.83		.01	.07	.01	1
2	–				.18			.22	.02	.56	.35	.19	2
3	–		.02		.57			.06			.32	.12	3
4	–		.14					.20		.01	.49	.76	4
5	.47		.27	.01				.13		.06	.41	.09	5
6	.13		.01					.04			.24	.85	6
7	.06 .06										.64		7
8	.09		.08								.43	.89	8
9	.17		.04								.53	.28	9
10	.05	.01	.57		.14				.15		.07	.54	10
11	.32				.10				.41		.37	.33	11
12	–		.52						.26		.34	.23	12
13			.08		.02					.01	.03	.10	13
14		.04	.01							.06	.06	.21	14
15	.08	.03	.05			.03					.39	.06	15
16		.01				.16					.17	.26	16
17		.04				.36	.01				.25	.58	17
18		.36	.03	.18		.16				.16	.29	.45	18
19		.01		.16		.53			.45	.05	.09	.68	19
20	.01	.05	.09	.20				.01	.67	.47		.20	20
21	.01	.24				.08		.43	.23	.29		.03	21
22	.01	.11		.12		.10 .10			.18	.35		.30	22
23	.01	.18	.04			.12		.05	.16	.14	.16	.10	23
24		.22				.65		.15	.01	.23		.13	24
25	.01	.03		.23		.04		.01	.07	.11		.02	25
26		.08		.34	.01		.26	.20		.41	.01	.23	26
27		.62		.01				.50	.17	.24		.20	27
28		.18	.01	.53				.23			.36		28
29			.01	.08		.79	.16	.03	.26	.26	.01		29
30						.02	.02		.01	.39	.08	.03	30
31							.02			.18			31
Total	1.23	2.21	1.97	2.26	1.15	3.07	.47	3.09	3.05	3.99	6.16	7.87	TOTAL for year 36.72
No. of Rain Days.	14	16	16	11	7	13	5	15	14	19	24	27	on 181 days
Added Total		30	46	57	64	77	82	97	111	130	154	181	

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 JAN 1913

Kept at Beechcroft, Bideford

in the County of N Devon

by A H Hobhouse

N 3

Lat. .... Long. ....
Nearest Railway Station Bideford

RAIN GAUGE.
Time of Observation 9 a m
Diameter 2 in.
Height of top above Ground 1 ft. - in.
" " Sea Level 125 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	[illegible]	·42		·07	·39	·01	·02	·06	1·33		·29	1
2	·00	[illegible]	·30	·04		1·54	·01			·08	·04	·01	2
3	·05	·01	·43	·03		·08	·02	1·08	10			·01	3
4	·35	·	1·25		·01	·10		·13			·27		4
5	·63	·05	·17		·04		·05	·53			·01	·06	5
6	·61	·07	·01	·01	·23			·50				·07	6
7	·95	·35	·15	·01	·08	·51	·16	·22			·01	·08	7
8	·35	·09	·07	·03	·01	·15	·01	·01					8
9	02	·21	·17	·02		·05	·11	·84	·01		·01	·62	9
10	·35	·01	·05			·19	·05	·05			·15	·04	10
11	01	·01					·02				·31	·80	11
12	·03	·01	·13		·14		·15	·05			·05	·03	12
13	22	·01					·16	·03		·08	·01	·48	13
14	·11	·01	·56		·15	·02		·39		·02	—	·10	14
15	13	·02	·04		·10	1·16		·03			✓·04 × {	·63	15
16	14		·27		·14	·07		·09		·08		·19	16
17	·00		·21		·01	·22		·43			·03	·33	17
18	[illegible]	·04	·29					·30		·16	·02	·06	18
19	·00	·10	·13		·01	·05	·01	·56		·04	·02	·06	19
20	03	·03	·23		·02	·01		·35		·54	·05		20
21	·00	·07	·27		·43			·23		·10	·		21
22	·30	·27	·22			·04	·02	·40		·09	·04	·09	22
23	·07	·41	·23			·55		·87		·13	·12	·34	23
24	·03	·06	·02			·38	·20			·21		·19	24
25	·02					·37	·01	·31		·17	·76	·80	25
26	[illegible]	·11	·01				·03	·02		·34	·60	·34	26
27	[illegible]	·02	·01			·47	·46			·82	·02	·80	27
28	[illegible]	·12	·02			·22	·40	·69	·24	·15	·47	·63	28
29	[illegible]	·22	·01		·01	·52	·76	·24	·33	·29	·03	·11	29
30	[illegible]		·09			·31	·22		·01	·68		·03	30
31	·00		·42				·17	·01		·06		·13	31
Totals	3.50	2.30	6.18	0.14	1.45	7.40	3.03	8.38	·75	5.37	3.06	7.32	48.88
Total from Jan. 1	[illegible]	5·80	11.98	12.12	13.57	20.97	24.00	32.38	33.13	38.50	41.56	48.88	
Days	19	42	70	76	91	1.13	1,34	160	166	185	206	233	~~233~~ 3
		23	28	6	15	22	21	26	6	19	23	27	

✓. Nov. 16 Gauge not visited. The ·04 was measured on Nov 17 ∴ contained 2 days R (Nov 15 + 16)

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

Ex JL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
JAN 1?

Kept at Beechcroft. Bideford

in the County of N Devon N 3

by A. H. Hobhouse

RAIN GAUGE
Pattern Casella's Insulated Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 125 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Bideford
Distance 3/4 m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-		.41		.06	.37	.01	.02	.06	1.32		.29	1
2	–		.24	.04		1.51	.01			.08	.04	.01	2
3	.04	.02	.42	.02		.07	.02	1.06	.09			.01	3
4	.34		1.24		.01	.10		.13			.27		4
5	.62	.05	.16		.04		.05	.52			.01	.06	5
6	.60	.08	.06		.22			.49				.07	6
7	.04	.35	.04	.01	.07	.49	.15	.21			.01	.08	7
8	.34	.09	.06	.03		.14							8
9	.01	.21	.18	.02		.04	.11	.81	.01		.01	.59	9
10	.34	.01	.04			.19	.04	.05			.15	.04	10
11	—	.02					.02				.32	.77	11
12	.02	.01	.13		.13		.15	.06			.05	.03	12
13	.21						.16	.03		.09	.01	.45	13
14	.10	.01	.54		.15	.02		.38		.02	—	.09	14
15	.12	.02	.04		.09	1.15		.02			1. } .05 {	.60	15
16	.14		.26		.13	.07		.08		.08		.18	16
17	—		.21		.01	.21		.41			.03	.32	17
18	–	.04	.29					.30		.16	.02	.06	18
19	–	.10	.12		.01	.04	.01	.55		.05	.02	.06	19
20	.02	.03	.22		.01	.01		.33		.53	.05		20
21	.	.06	.28		.41			.24		.10			21
22	.30	.26	.21			.04	.02	.39		.09	.04	.09	22
23	.06	.40	.21			.54		.85		.13	.12	.38	23
24	03	.05	.02			.37	.20			.21		.17	24
25	.02					.36		.29		.17	.73	.76	25
26		.10	.01				.03	.02		.33	.56	.32	26
27		.02	.01			.46	.45			.79	.02	.77	27
28		.11	.02			.21	.39	.69	.25	.14	.45	.62	28
29		.21	.01		.01	.48	.76	.23	.33	.28 ~~.05~~	.03	.11	29
30			.09	.01		.30	.22		.01	.65		.03	30
31			.41				.17	.01		.05		.09	31
Total	3.35	2.25 5.60	5.98 11.58	.13 11.71	1.35 13.06	7.17 20.23	2.97 23.20	8.17 31.37	.75 32.12	5.27 37.39	2.99 40.38	7.05 47.43	TOTAL for year 47.43
No. of Rain Days	18	22 40	28 68	6 74	14 88	22 110	19 129	25 154	6 160	19 179	21 ~~22~~ 200	27 227	227

7,000. X. '09.

-1. Nov. 15 - Gauge not visited. the .05 was taken Nov 17 ∴ belongs 2 days (Nov 15 & 16)

FORM A.
BRITISH RAINFALL.
9 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Beechcroft. Bideford
in the County of Devon (N.) 3
by A. H. Hobhouse

Lat. 4. 13 Long. 51
Time of Observation 9 am
Nearest Railway Station Bideford
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	·24	·26	·06	·18	·							1
2	·03	·24	·02	·02	·19	·03							2
3	·05	·01	·07		·27	·01							3
4	·86	–	·06		–	·04							4
5	·20	·02	·04		·26	·61							5
6	·08	·11	·19		·02	·18							6
7	—	·67	·03		·60	·14							7
8	·02	·31	·02		·14	·01							8
9	–	·08	·04	·03	·11	·27							9
10	·65	–	·01	·01	·12	·05							10
11	·49	–	·02	·05	·15	·19							11
12	·37	·01	–	·09	·01	·06							12
13	·04		·32										13
14	·16		·23										14
15	·11		·53	1·37									15
16	·18		·77	·07									16
17	·19		·04	·06									17
18	·21		·26	·14	·04	·01							18
19	·53		·12	–	·13	·04							19
20	·06		·45	·08	–								20
21	–		·14	·40	·13								21
22	·46		·87	·05	·02	·23							22
23	·04		·05	–		–							23
24	·12	·08	–	·14									24
25	–		–	·45									25
26	–	·03	–	·90									26
27	·28		·22	·18									27
28	·07		·12	·21	·31								28
29	·01		·17	·67	·03								29
30	·50		–	–	–								30
31	·39		·84		·26								31
Total	6.16	1.80	5.89	4.98	2.97	1.87	✓					Half	YEAR'S TOTAL 23.67
Rain Days.	26	11 =37	26 =63	19 =82	18 =100	14 114	✓						114

[Last observation before leaving Bideford June 23.]

(–)

W. 7,500, XI. 12

BRITISH RAINFALL. FORM A.
-9 JAN 1914

REGISTER OF RAINFALL IN 1913

✓

Kept at Beechcroft – Bideford

in the County of Devon (N.) 3

by A. H. Hobhouse

Lat. 4. 13 Long. 5·1

Time of Observation 9 a.m.

Nearest Railway Station Bideford

Diameter of Rain Gauge 2 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 125 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·06	·25	·26	·06	·19	— ~~·05~~							1
2	·03	·25	·02	·02	·19	·03							2
3	·05	·01	·08		·27	·01							3
4	·86	-	·06		·01	·03							4
5	·21	·02	·04		·27	·63							5
6	·08	·12	·20		·02	·19							6
7	—	·69	·03		·62	·15							7
8	·02	·32	·01		·15	·01							8
9	-	·08	·04	·03	·11	·27							9
10	·66	-	·02	·02	·13	·06							10
11	·50	-	·02	·05	·15	·20							11
12	·37	·01	—	·09	·01	·07							12
13	·03		·34	-		—							13
14	·17		·24										14
15	·11		·54	1·37									15
16	·19		·75	·08									16
17	·19		·03	·06									17
18	·21		·26	·15	·04								18
19	·54		·12		·13	·04							19
20	·07		·44	·08	-	— [Last observation							20
21			·14	·42	·13	before leaving							21
22	·47		·88	·05	·02	Bideford was							22
23	·04		·05			June 20]							23
24	·12	·98	—	·15									24
25	-			·44									25
26	-	·03		·93		(·22)							26
27	·28		·20	·18									27
28	·97		·14	·23	·31								28
29	·01		·17	·70	·02								29
30	·53		—	—	—								30
31	·40		·85		·26								31
Total	6·27	1·86	5·93	5·11	3·03	(1·91) ~~1·69~~	✓					Half	YEAR'S TOTAL ~~23·89~~
Rain Days.	26	11 =37	26 ·63	19 =82	19 101	~~12~~ 113	✓						~~113~~

W. 7,500, XI. 12

BIDEFORD
GAMMATON RES
DEVON.
1911 - 1915.

REC

FORM A2.
BRITISH RAINFALL.

23 FEB 1912

Kept at Gammato … 5 in.

… round 1 ft. 4 in.

in the County of Dev … Level 335·00 ft.

by Baldwin La … he

… ance Direction

IMPORTANT NOTE.— … e result entered to the previous day. If an Obser … al rule, he is earnestly requested to add the reading … n the space provided for it at the end of this pa … of rain, the selection and placing o … Rainfall Organization are given in "Ri … sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	–	–	·20	·17	–	–	–	–	·03	·20	·10	1
2	·08	–	–	·01	·15	–	–	·90	–	·01	·06	·03	2
3	–	–	·05	–	·45	–	–	·30	·02	·63	·30	·17	3
4	–	–	·20	–	·01	–	–	·02	–	–	·20	·11	4
5	·40	–	·25	·03	–	–	–	·20	–	–	·34	·80	5
6	·15	–	·04	–	–	–	–	·15	–	·10	·61	·05	6
7	·08	–	–	–	–	–	–	·03	–	–	·17	1·00	7
8	·07	–	·10	–	–	–	–	–	–	–	·57	·02	8
9	·10	–	·03	–	–	–	–	–	–	–	·25	·70	9
10	·07	·02	·60	–	·15	–	–	–	–	–	·50	·30	10
11	·35	–	–	–	·05	–	–	–	·03	–	·06	·45	11
12	·05	–	·50	–	–	–	–	–	·40	–	·55	·39	12
13	–	–	–	–	·10	–	–	–	·30	–	·20	·45	13
14	–	·05	·04	–	·01	–	–	–	–	·03	·03	·15	14
15	–	·05	·04	–	–	·08	–	–	–	·10	·10	·35	15
16	·05	·01	–	–	–	·25	–	–	–	–	·03	·10	16
17	·02	·03	–	–	–	·35	–	–	–	–	·20	·30	17
18	–	·30	·02	·30	·01	·05	–	–	–	–	·23	·50	18
19	–	·02	·01	·13	–	·50	–	–	·60	·20	·30	·45	19
20	·02	·09	·10	·20	–	–	–	–	·70	·10	·07	·60	20
21	·02	·17	–	·01	–	·05	–	·20	·20	·35	–	·30	21
22	·03	·15	·01	·15	–	·10	–	–	·20	·40	–	·10	22
23	–	·08	·07	–	–	–	–	–	·15	·35	–	·43	23
24	·20	·20	–	–	–	·70	–	·17	·03	·12	·15	·12	24
25	·01	·03	–	·20	–	·02	–	–	·05	·25	–	·15	25
26	–	·10	–	·30	–	–	·16	·20	–	·16	–	·16	26
27	–	·53	–	–	–	·01	–	·60	·16	·33	·02	·17	27
28	–	·16	–	·45	–	–	–	·15	–	·40	–	·20	28
29	–		–	·10	–	·65	·22	·03	·25	–	·52	·03	29
30	–		–	–	–	·04	–	–	–	·27	·02	·04	30
31	–		–		–		·05	–	·03	·35		·05	31
Total	1·72	1·99	2·06	2·08	1·10	2·80	·43	2·95	~~3·09~~ 3·12	·20 ~~4·18~~ 4·35	·10 ~~5·68~~ 5·58	(–) ~~8·77~~ 8·67	TOTAL for year 36·85
No. of Rain Days	17	16	15	12	9	12	3	12	~~13~~ 14	18	24	~~31~~ 30	182

9,000, IX. '10.

Ht W) cor. 10

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL.

23 FEB 1912

Kept at Gammaton, Bideford

in the County of Devon N3

by Baldwin Latham

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. " in.
" " " Sea Level ~~335~~ ·00 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	—	·20	·17	—	—	—	—	·03	·20	·10	1
2	·08	—	—	·01	·15	—	—	·90	—	·01	·06	·03	2
3	—	—	·05	—	·45	—	—	·30	·02	·63	·30	·17	3
4	—	—	·20	—	·01	—	—	·02	—	—	·20	·11	4
5	·40	—	·25	·03	—	—	—	·20	—	—	·34	·80	5
6	·15	—	·04	—	—	—	—	·15	—	·10	·61	·05	6
7	·08	—	—	—	—	—	—	·03	—	—	·17	1·00	7
8	·07	—	·10	—	—	—	—	—	—	—	·57	·02	8
9	·10	—	·03	—	—	—	—	—	—	—	·25	·70	9
10	·07	·02	·60	—	·15	—	—	—	—	—	·50	·30	10
11	·35	—	—	—	·05	—	—	—	·03	—	·06	·45	11
12	·05	—	·50	—	—	—	—	—	·40	—	·55	·39	12
13	—	—	—	—	·10	—	—	—	·30	—	·20	·45	13
14	—	·05	·04	—	·01	—	—	—	—	·03	·03	·15	14
15	—	·05	·04	—	—	·08	—	—	—	·10	·10	·35	15
16	·05	·01	—	—	—	·25	—	—		—	·03	·10	16
17	·02	·03	—	—	—	·35	—	—	—	—	·20	·30	17
18	—	·30	·02	·30	·01	·05	—	—	—	—	·23	·50	18
19	—	·02	·01	·13	—	·50	—	—	·60	·20	·30	·45	19
20	·02	·09	·10	·20	—	—	—	—	·70	·10	·07	·60	20
21	·02	·17	—	·01	—	·05	—	·20	·20	·35	—	·30	21
22	·03	·15	·01	·15	—	·10	—	—	·20	·40	—	·10	22
23	—	·08	·07	—	—	—	—	—	·15	·35	—	·43	23
24	·20	·20	—	—	—	·70	—	·17	·03	·12	·15	·12	24
25	·01	·03	—	·20	—	·02	—	—	·05	·25	—	·15	25
26	—	·10	—	·30	—	—	·16	·20	—	·16	—	·16	26
27	—	·53	—	—	—	·01	—	·60	·16	·33	·02	·17	27
28	—	·16	—	·45	—	—	—	·15	—	·40	—	·20	28
29	—		—	·10	—	·65	·22	·03	·25	—	·52	·03	29
30	—		—	—	—	·04	—	—	—	·27	·02	·04	30
31	—		—		—		·05	—	·03	·35		·05	31
Total	1·72	1·99	2·06	2·08	1·10	2·80	·43	2·95	~~3·09~~ 3·12	·20 ~~4·18~~ 4·35	·10 ~~5·68~~ 5·58	(–) ~~8·77~~ 8·67	TOTAL for year 36·85
No. of Rain Days	17	16	15	12	9	12	3	12	~~13~~ 14	18	24	~~31~~ 30	182

9,000, IX. '10.

WD 13.V.13

FORM A.
BRITISH RAINFALL.
27 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Gammaton, Bideford.

in the County of Devon. N3

by Baldw[illegible] Latham

Lat. ……… Long. ………
Time of Observation ………
Nearest Railway Station ………
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. " in.
" " " " Sea Level 335·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	"	·18	·40	"	"	·60	·20	·02	·04	·10	"	1
2	"	"	·26	"	·10	·35	·02	·02	·10	1·40	"	·30	2
3	"	"	·20	·05	·02	1·35	·01	"	"	·07	·05	·01	3
4	·05	·04	·50	·03	·04	·10	·04	1·30	·10	·01	"	·03	4
5	·32	"	·85	"	·10	·18	"	·20	"	"	·38	"	5
6	·70	·09	·20	"	·30	"	·06	·70	"	"	·02	·07	6
7	·50	·10	·05	"	·09	"	"	·50	"	"	·01	·04	7
8	·10	·45	·30	"	"	·50	·10	·25	"	"	·02	·10	8
9	·50	·08	·10	·01	"	·16	·05	·02	"	"	"	·03	9
10	·05	·17	·05	"	"	·05	·16	·30	·03	"	"	·50	10
11	·40	·04	·02	"	"	·20	·10	·05	"	"	·10	·05	11
12	·03	·05	"	"	"	"	"	"	"	"	·18	·63	12
13	·05	·02	·10	"	·12	·01	·15	·03	"	·10	·15	·05	13
14	·25	"	·01	"	"	"	·20	·05	"	"	"	·25	14
15	·10	·04	·50	"	·25	·02	"	·35	"	·06	·03	·06	15
16	·15	·03	·03	"	·10	1·10	"	·03	"	"	·02	·40	16
17	·10	"	·25	"	·10	·10	"	·15	"	·06	·03	·15	17
18	·01	"	·20	"	·02	·25	"	·50	"	"	·02	·25	18
19	"	·06	·30	"	"	"	"	·25	"	·11	·05	·08	19
20	"	·09	·15	"	·01	·05	·02	·80	"	·02	·03	·05	20
21	·05	·05	·35	"	·03	"	"	·25	"	·55	·05	·01	21
22	"	·10	·40	"	·45	"	"	·15	"	·08	·01	"	22
23	·30	·20	·20	"	·03	·03	·04	·37	"	·11	·05	·05	23
24	·20	·40	·22	"	"	1·50	·03	·80	"	·12	·10	·32	24
25	·02	·05	·04	"	"	·30	·56	"	"	·16	"	·15	25
26	·03	"	·01	"	"	·50	·04	·25	"	·07	·50	·80	26
27	"	·08	·02	"	"	"	·02	·10	"	·28	·40	·20	27
28	"	·02	·01	"	"	·65	·57	·02	·35	·95	·15	·70	28
29	"	·11	"	"	"	·25	1·10	·80	"	·20	·40	·50	29
30	"		·01	"	·01	·55	·73	·40	·40	·30	·05	·15	30
31	"		·10		"		·23	"		·65		·03	31
	—	·18	·40	—	—	·60	·20	·02	·04	·10	—	·08	YEAR'S TOTAL
Total	~~3·94~~	2·27	5·61	·49	1·77	~~8·20~~	~~4·83~~	8·84	1·00	~~5·34~~	~~2·90~~	5·96	51·15
	3·91	2·45	5·83	·09	1·77	8·80	4·43	8·66	1·02	5·40	2·80	6·04	51·20
Rain Days.	20	22	29	~~4~~3	16	22	21	27	6	20	23	28	238

W. 7,500, XI. ·12

✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

11 MAR 1914

Kept at Gammaton, Bideford,

in the County of Devon, N.3

by Baldwin Latham

Lat. ________ Long. ________

Time of Observation ________

Nearest Railway Station ________

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. , in.

„ „ „ „ Sea Level 335·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·35	·27	·10	·15	„	„	„	·04	„	·20	„	1
2	·06	·15	·02	·06	·20	·02	„	„	„	·80	·22	·16	2
3	·07	„	·03	„	·30	„	„	„	·20	·03	·20	·01	3
4	·85	„	·02	„	·01	·20	„	„	·03	·20	·06	·34	4
5	·20	·02	·01	„	·28	·70	·05	„	„	„	·16	·15	5
6	·05	·10	·15	„	·04	·15	·03	„	„	·20	·47	·75	6
7	·03	·60	·07	„	·66	·15	„	„	„	„	·30	·35	7
8	·02	·30	„	„	·20	·01	·03	·10	·04	·60	·02	·05	8
9	·01	·07	·12	·03	·02	„	·04	·20	„	„	·40	·03	9
10	·95	„	·01	·02	·10	·20	·05	·05	·10	·45	·22	·06	10
11	·45	„	„	·05	·20	·05	·03	·03	·09	·15	1·15	„	11
12	·25	·02	„	·10	·01	·20	·02	·22	·60	·01	·50	·06	12
13	·05	„	·20	·03	„	·05	„	„	·05	·03	·11	·10	13
14	·15	„	·17	„	„	·01	„	·01	„	·11	·10	„	14
15	·06	„	·41	1·20	„	„	„	„	·10	„	·20	·03	15
16	·20	„	·70	·08	„	„	·03	„	„	„	·10	·02	16
17	·03	„	·03	·09	„	„	·05	„	·02	„	·04	·10	17
18	·16	„	·20	·11	·03	„	·04	„	·37	„	·08	„	18
19	·55	„	·15	·01	·10	„	·04	„	·07	·45	·02	„	19
20	·08	„	·20	·12	„	·10	„	„	„	·16	·40	„	20
21	·01	„	·30	·40	·20	„	·10	·03	·10	·05	·22	„	21
22	·45	„	·80	·06	·02	„	„	·30	·05	„	·01	·10	22
23	·04	„	·05	„	„	·25	„	·05	„	„	·16	·70	23
24	·07	·12	„	·20	„	„	„	·05	·10	·05	·10	·02	24
25	„	·02	„	·35	„	„	„	„	·03	·05	·10	·10	25
26	„	·01	„	·80	„	„	„	·05	„	·02	·02	·40	26
27	·30	„	·25	·20	„	·03	„	„	„	·50	·03	·07	27
28	·05	„	·11	·25	·25	„	„	„	„	·35	·02	·08	28
29	·04		·17	·70	·05	„	„	„	„	·10	·03	„	29
30	·40		·01	·02	„	„	„	„	„	·40	·02	„	30
31	·25		·80		·20		„	·30		·03		„	31
Total	5·88 ✓	1·76 ✓	5·25 ✓	4·98 ✓	3·02 ✓	2·12 ✓	·51 ✓	1·39 ✓	1·99 ✓	4·74 ✓	5·66 ✓	3·68 ✓	YEAR'S TOTAL 40·98 ✓
Rain Days.	29 ✓	11 ✓	25 ✓	22 ✓	19 ✓	14 ✓	12 ✓	12 ✓	16 ✓	21 ✓	30 ✓	21 ✓	232 ✓

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 FEB 1915

Kept at Gammaton, Bideford,
in the County of Devon N3
by Baldwin Latham.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 335·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·01	·04	·10	-	·25	·15	·65	-	-	·40	·10	1
2	·03	-	-	-	·05	-	·45	·54	-	-	·04	·50	2
3	·05	-	·12	·20	·50	-	-	·10	-	·02	·03	·15	3
4	·35	-	·10	·30	·03	-	·65	1·10	-	-	·35	·90	4
5	·15	-	·22	·26	·02	-	·15	·03	-	-	·10	·35	5
6	-	·05	·10	·16	·05	-	·25	·10	-	-	·05	·30	6
7	·03	·30	·20	·08	·10	·12	·40	·17	·25	-	·02	·25	7
8	·10	·01	·85	·03	·11	·26	·02	·07	·01	-	·03	·07	8
9	·09	·05	·25	·16	·10	·60	-	·26	·60	-	-	·10	9
10	·12	·30	·10	·42	·08	·05	-	-	·28	-	-	·11	10
11	-	·15	·50	-	·04	·19	-	-	·02	-	·10	·55	11
12	-	·80	·10	-	-	·02	-	-	·30	-	·15	·10	12
13	-	·45	·40	-	-	-	·10	-	·33	·15	·20	·11	13
14	-	·55	·35	-	-	·06	·15	·80	·01	·05	·35	·09	14
15	-	·04	·20	-	-	-	·01	·35	·15	·03	·60	·15	15
16	-	-	·01	-	-	-	·02	·01	·16	-	-	·08	16
17	-	·40	·20	-	-	-	·01	-	·05	-	-	·75	17
18	-	·15	-	-	-	-	·20	-	·35	-	-	·50	18
19	-	·02	·30	-	-	-	1·40	-	·04	-	·15	·15	19
20	-	·36	·30	-	-	·20	·01	-	-	-	·01	·14	20
21	-	·20	·10	-	-	·03	·05	-	-	·30	-	·10	21
22	-	·15	-	·02	·03	·15	-	·03	-	·40	-	-	22
23	-	·03	·01	-	-	·03	·11	·06	-	·15	-	-	23
24	-	·01	·08	-	-	·03	·08	·03	-	·03	·10	-	24
25	·25	·02	·06	-	-	-	·15	·55	-	·45	·03	·25	25
26	·09	-	·30	-	-	-	·10	-	-	·10	·35	·65	26
27	·14	·04	·04	-	-	-	-	-	-	·40	·43	·39	27
28	·01	·05	-	-	·10	-	-	-	-	·30	·11	·90	28
29	·25		·10	-	·10	-	-	-	-	·15	·50	·50	29
30	·01		·25	-	-	-	-	-	-	·10	·55	·30	30
31	·06		·17		·06		·50	-		·82		·40	31
Total	1·73	4·14	5·45	1·73	1·37	1·99	4·96	4·85	2·55	3·45	4·65	8·85	YEAR'S TOTAL 45·72
Rain Days.	15	22.	27	10	14	13	21	16	13	15	22	28	216

W. 8,000. X. 14.

1972

FORM A.
BRITISH RAINFALL.
1-FEB 1916

REGISTER OF RAINFALL IN 1915.

Kept at Gammaton, Bideford,

in the County of Devon.

by Baldwin Latham.

Lat. Long.
Time of Observation
Nearest Railway Station —
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 335·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·02	·04	-	·06	-	-	·52	·10	·30	·01	·40	1
2	·31	·15	-	·07	-	·05	-	·09	·03	·03	-	·70	2
3	·05	·25	·15	·15	·25	-	-	·03	-	-	-	·50	3
4	·06	·05	·12	·01	·02	-	-	-	-	-	-	·60	4
5	·20	·55	·03	·20	-	·02	·05	·29	-	-	-	·58	5
6	·50	·40	·01	·22	-	-	·30	·05	-	-	-	·30	6
7	·20	·10	-	·02	·17	-	·15	·02	-	·42	·05	·35	7
8	·35	·56	-	-	-	-	·01	·30	-	·03	·25	·10	8
9	·05	·50	-	·14	-	-	-	·05	-	·02	·50	·95	9
10	·20	·20	·15	·10	-	·01	-	·02	-	·06	·40	·10	10
11	·11	·30	·05	·01	-	-	·15	·05	-	·02	·90	·20	11
12	·20	·02	-	·05	·40	-	-	·10	-	·03	·30	·11	12
13	-	·35	-	·01	·65	-	·06	·16	·15	·02	·10	·05	13
14	·05	·60	-	-	-	-	·25	·11	·10	-	·01	·70	14
15	·06	·03	-	-	·38	-	·22	·02	·03	·05	·15	·15	15
16	·20	-	-	-	·20	-	·85	-	·01	-	-	·03	16
17	·05	1·00	-	-	·15	-	-	-	-	-	-	·02	17
18	·04	·20	-	-	·02	-	·03	-	-	-	-	-	18
19	·02	·50	-	·15	·22	-	·20	-	-	-	-	-	19
20	·03	·05	-	·10	·02	·07	-	-	·01	·15	-	·05	20
21	·50	·01	-	-	·15	·03	·20	-	·10	·20	-	·23	21
22	·20	·20	·20	·10	-	·01	·40	-	·02	·30	-	·35	22
23	·10	·05	-	-	-	·06	·40	-	·03	·85	-	·80	23
24	·05	-	·01	·05	-	·01	·10	-	·10	·42	-	·40	24
25	-	-	-	-	-	·25	·20	-	·02	·02	-	·15	25
26	-	-	-	-	-	·04	·20	-	·10	-	-	·60	26
27	-	·20	-	-	-	·22	·05	-	·03	·04	-	·05	27
28	-	·03	·04	-	-	·05	-	-	·38	·15	-	-	28
29	-	×	-	-	-	·30	-	-	-	·16	·30	·05	29
30	-	×	-	·01	-	·05	-	-	-	·40	·40	·30	30
31	·15	×	-	×	-	×	·10	·12	×	·25	×	·28	31
Total	3·98	6·32	·80	1·39	2·69	1·17	3·92	1·93	1·21	3·92	3·37	9·10	YEAR'S TOTAL 39·80
Rain Days.	24	24	10	16	13	14	19	15	15	21	12	28	211

W. 8,000. X. 15.

BIDEFORD

WEBBERY HOUSE

DEVON

1911 - 1920

FORM A2. BRITISH RAINFALL.

2 - JAN 1912

RE

Kept at Webbery

in the County of Devo

by Mrs C. Boy

5 in.

Ground 1 ft. 10 in.

Sea Level 355 ft.

30

Name Bideford

Distance 3 miles Direction West

IMPORTANT NOT … the result entered to the previous day. If an Ob … versal rule, he is earnestly requested to add the rea … ar in the space provided for it at the end of thi … ent of rain, the selection and placin … tish Rainfall Organization are given in "Rules fo … pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·34	·05			1·08			·09		1
2	·02			·02	·25			·21		·67	·37	·11	2
3			·07		·49			·01			·26	·09	3
4			·21					·08			·40	·75	4
5	·27		·20					·33			·69	·10	5
6			·15	·02				·02			·19	·74	6
7	·30										·53	·01	7
8	·06		·12								·24	·75	8
9	·09		·01								·54	·25	9
10	·03	·02	·43		·14							·53	10
11	·36				·01				·02		·49	·30	11
12			·57						·16		·34	·19	12
13			·02		·05				·46		·02	·18	13
14		·04	·03		·01					·10	·03	·32	14
15	·04		·04		·01	·07					·35	·05	15
16	·01	·05				·18					·18	·28	16
17		·03				·30					·22	·33	17
18		·32		·22		·09				·12	·23	·32	18
19		·02		·15		·43			·61	·08	·18	·64	19
20	·01	·04	·04	·15					·71	·29		·23	20
21		·22				·06		·20	·16	·32		·08	21
22	·01	·08		·16		·12			·18	·27		·35	22
23		·15	·05			·09		·08	·20	·16	·05	·11	23
24	·02	·20				·90		·11	·01	·26		·14	24
25	·01	·08		·26		·07		·04	·06	·09		·01	25
26		·07		·29			·10	·21		·36		·24	26
27		·54						·55	·19	·38		·29	27
28		·19		·45				·20			·52	·03	28
29				·11		·80	·21	·02	·32	·26			29
30						·09			·03	·34	·08	·04	30
31							·01			·10		·01	31
Total	1·31 1·~~13~~	2·05	1·94 1·94	2·17	1·01	3·20	·32	3·14	3·11	3·80	6·00	7·47	TOTAL for year 35·52 35·52
No. of Rain Days	14	15	13	11	8	12	3	14	13	15	21	29	168

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Webbery - Alverdiscott
in the County of Devon N. 3
by Mrs C. Boyd

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 10 in.
" " " Sea Level 355 ft.
Time of Observation 8'30
Nearest Railway Station
Name Bideford
Distance 3 miles Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08			·34	·05			1·08			·09		1
2	·02			·02	·25			·21		·67	·37	·11	2
3			·07		·49			·01			·26	·09	3
4			·21					·08			·40	·75	4
5	·27		·20					·33			·69	·10	5
6			·15	·02				·02			·19	·74	6
7	·30										·53	·01	7
8	·06		·12								·24	·75	8
9	·09		·01								·54	·25	9
10	·03	·02	·43		·14							·53	10
11	·36				·01				·02		·49	·30	11
12			·57						·16		·34	·19	12
13			·02		·05				·46		·02	·18	13
14		·04	·03		·01					·10	·03	·32	14
15	·04		·04		·01	·07					·35	·05	15
16	·01	·05				·18					·18	·28	16
17		·03				·30					·22	·33	17
18		·32		·22		·09				·12	·23	·32	18
19		·02		·15		·43			·61	·08	·18	·64	19
20	·01	·04	·04	·15					·71	·29		·23	20
21		·22				·06		·20	·16	·32		·08	21
22	·01	·08		·16		·12			·18	·27		·35	22
23		·15	·05			·09		·08	·20	·10	·05	·11	23
24	·02	·20				·90		·11	·01	·26		·14	24
25	·01	·08		·26		·07		·04	·06	·09		·01	25
26		·07		·29			·10	·21		·36		·24	26
27		·54						·55	·19	·38		·29	27
28		·19		·45				·20			·52	·03	28
29				·11		·80	·21	·02	·32	·26			29
30						·09			·03	·34	·08	·04	30
31							·01			·10		·01	31
Total	1·31 1·13	2·05	1·94 1·94	2·17	1·01	3·20	·32	3·14	3·11	3·80	6·00	7·47	TOTAL for year 35·52 35·52
No. of Rain Days	14	15	13	11	8	12	3	14	13	15	21	29	168

9,000, IX. '10.

cnd 22·11·13

REGISTER OF RAINFALL IN 1912

FORM A1.
BRITISH RAINFALL.
3 - JAN 1913

N.3

Kept at Webbery

in the County of Devon

by Mrs C. Boyd

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 16 in.
" " " Sea Level 355 ft.

Time of Observation 8.30 a.m.

Nearest Railway Station
Name Bideford
Distance 3 Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·22		·10	·32	·11	·09		1·20	·03	·27	1
2			·22	·08		1·50	·01		·06	·04	·07	·01	2
3	·06	·06	·34	·03	·01	·09	·03	1·03	·11		·02	·01	3
4	·37		1·10		·02	·08		·16			·48		4
5	·48	·08	·16		·15		·04	·54	·01		·02	·03	5
6	·65	·16	·01		·27			·64				·02	6
7	·02	·28	·08	·01	·07	·56	·10	·31			·03	·08	7
8	·39	·12	·22			·20	·08	·01					8
9	·02	·17	·08	·04			·12	·13	·02		·02	·50	9
10	·33	·02	·02			·14	·06	·24			·19	·04	10
11	·02	·02					·03				·35	·61	11
12	·08	·01	·09		·10	·01	·14	·04			·08	·05	12
13	·17		·02				·32	·01		·08		·23	13
14	·05	·01	·44		·23			·44			·01	·09	14
15	·13	·01	·03		·16	1·29		·02				·60	15
16	·22		·24		·07	·05		·11	=	·13	·0·1	·19	16
17			·16		·05	·31		·46		·01		·26	17
18		·05	·32					·21		·23	·06	·10	18
19		·13	·11		·02	·03		·85		·03	·05	·06	19
20	·03	·02	·30		·01			·37		·59	·05		20
21		·06	·44		·45			·22		·12	·03		21
22	·34	·22	·23		·02		·03	·39		·11	·06	·05	22
23	·17	·39	·25			1·44		·79		·17		·93	23
24	·01	·08	·02			·28	·21			·18	·12	·15	24
25	·03					·59		·22		·08	·59	·52	25
26		·08					·03	·08		·32	·50	·39	26
27		·02	·01			·60	·85			·90	·10	·66	27
28		·05	·02			·36 ·36	·81	·73	·27	·27	·40	·60	28
29		·11				·38	·88	·34 ·34	·37	·26	·06	·11	29
30			·08			·09	·19		·02	·75		·07	30
31			·42				·17	·08		·02		·08	31
Total	3·50	2·18	5·63	·16	1·73 1·73	8·32	4·21	8·46	·86	5·49	3·33	6·11	TOTAL for year 49·98
No. of Rain Days	19	22 5·68	27 11·31	4 11·47	15 13·19	19 21·50	19 25·71	26 34·17	7 35·03	19 40·52	23 43·85	27 49·98	227

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

FORM A.
BRITISH RAINFALL.

3 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Webbery House

in the County of N Devon 3

by Mrs C Boyd

Lat. Long.

Time of Observation 8·30 a.m.

Nearest Railway Station Bideford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	·28	·23	·13	·09				·03		·23	·31	1
2	·05	·23	·01	·06	·17					·35	·24	·01	2
3	·03		·03		·34					·02		·37	3
4	·88		·01			·18			·11	·13	·06	·22	4
5	·26				·23	·70	·02		·29		·58	·77	5
6	·03	·09	·16		·02	·29	·03			·17	·34	·40	6
7		·58	·06		·31	·13				·56	·17	·03	7
8	·02	·32			·20		·02	·07				·02	8
9		·06	·02	·01	·15	·17	·09	·30	·04		·29	·07	9
10	·68		·04		·10	·15		·08		·71		·07	10
11	·68		·02	·05	·16	·20	·02	·03	·10	·13	1·27		11
12	·26			·09	·02	·11	·01		·06		·85		12
13			·17				·01	·15	·42		·15		13
14	·18		·24							·15	·11	·03	14
15	·07		·43	1·36					·04		·27	·06	15
16	·17		·79	·04			·01		·10		·10		16
17	·22		·03	·09			·06				·04		17
18	·26		·20	·12		·01					·12		18
19	·43		·10		·14	·07	·12		·34	·44			19
20	·07		·20	·06					·06	·15	·34		20
21			·07	·45	·27	·02	·13	·01		·03	·31		21
22	·49		1·00	·02	·02	·18		·32	·10			·07	22
23	·04		·05					·09	·02		·19	·71	23
24	·10	·08		·22				·06			·10		24
25				·32					·10	·03	·14	·26	25
26		·01		·80				·01	·04		·03	·56	26
27	·26		·15	·18						·47	·03	·07	27
28	·11		·10	·16	·22					·25	·02	·10	28
29	·02		·14	·57	·06					·09	·03	·02	29
30	·45			·01						·43	·03		30
31	·32		·87		·17			·27		·02			31
Total	6·16	1·65	5·12	4·77	2·67	2·21	·52	1·39	1·85	4·12	6·04	4·15	YEAR'S TOTAL 40·65
Rain Days.	25	8	24	19	17	12	11	11	15	17	25	19	
		7·81	12·93	17·70	20·37	22·58	23·10	24·49	26·34	30·46	36·50	40·65	/203

W. 7,500, XI. 12

Cord for auth 20.III.15

1.

FORM A. BRITISH RAINFALL
5-JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Webbery House Alverdiscott
in the County of Devon N3
by Mrs C Boyd

Lat. Long.
Time of Observation 8.30 A.M.
Nearest Railway Station Bideford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·28

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·12		·20	·16	·67			·22	·12	1
2	·03			·01			·52	·58				·36	2
3	·14		·19	·23	·46		·55	·06		·02	·03	·14	3
4	·40		·15	·36	·02			·91				·86	4
5	·25		·29	·34	·08		·04	·01			·09	·21	5
6		·03	·13	·22		·02	·18	·12			·11	·39	6
7		·27	·21	·29	·13	·10	·35	·12	·12			·20	7
8	·11		·90	·17	·07	·23	·01	·09			·02	·04	8
9	·10	·05	·26	·16	·13	·57		·18	·64			·03	9
10	·10	·24	·08	·51	·13				·36		·01	·06	10
11		·15	·44		·04	·12			·04		·08	·43	11
12		·79	·09						·29		·13	·08	12
13		·43	·34				·08		·38	·17	·23	·08	13
14		·60	·38			·02	·13	·76	·03	·01	·23	·03	14
15		·02	·21				·06	·40	·13		·60	·16	15
16			·05				·02		·13			·04	16
17		·39	·27				·10		·04			·64	17
18		·16	·37				1·43		·32			·41	18
19		·05	·23						·01		·08	·22	19
20		·28	·14			·14						·10	20
21		·13					·06			·22		·22	21
22		·17	·03	·02	·02	·33		·03		·30			22
23		·04	·09			·02	·15			·15			23
24			·08			·02	·12	·08		·02	·14		24
25	·30		·26				·26	·57		·41	·02	·32	25
26	·17		·02				·16	·02		·14	·40	·41	26
27	·18	·03								·39	·40	·29	27
28	·02	·05	·14		·09					·43	·18	·81	28
29	·24		·27		·11					·15	·39	·06	29
30			·14							·08	·79	·24	30
31	·09				·09		·52			·60		·14	31
Total	2·08	3·88	5·80	2·13	1·37	1·77	4·90	4·60	2·49	3·09	4·15	7·08	YEAR'S TOTAL 43·34
Rain Days.		5·96	11·76	13·89	15·26	17·03	21·93	26·53	29·02	32·11	36·26	~~43·34~~	
	13	18	27	11	12	11	19	15	12	14	19	28	199

W.7,000, XI. 13

1973.

FORM A. BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Webbery House Alverdiscott
in the County of Devon
by Mr C Boyd

N3

Lat. Long.
Time of Observation 8.30
Nearest Railway Station Bideford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·08

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	·13			·09			·26	·04	·32		·34	1
2	·28	·20	·14	·07		08		·32	·15	·05		·55	2
3	·06		·10	·21	·24							·40	3
4	·02	·53	·02				·03					·65	4
5	·19	·38	·01	·09	01	·01		·24				·15	5
6	·46	·08		·28			·26	·65				·25	6
7	·36	·61		·04	·08		·26	·05		·34	·08	·41	7
8	·37	·43						·25		·02	·16	·01	8
9	·03	·23		·17				·04			·65	[illegible]	9
10	·32	·29	·18	·11				·24		·05	·06	·07	10
11	·17		·09								·75	·23	11
12	·19	·28		·05	·35			·14		·03	·37	·10	12
13	·19	[illegible]		·01	·55		·11	·05	·14	·01	·05	·05	13
14	·02	·03					·20	·21	·08			·63	14
15	·13	[illegible]			·17		·14		·04	·04	·13	1·18	15
16	·01	[illegible]		·22	·13		·88		·01				16
17	·03	·18			·04								17
18	·02	·12					·03						18
19	·05	·23			·16		·20						19
20	·66	[illegible]		[illegible]		·05	·01			·13		·05	20
21	·38	·40			·15	·05	·17		·07	·23		·34	21
22	·18	·37	·12	·09		·01	·46			·13		·33	22
23	·08	·04	·03			·02	·17		·01	·95		·79	23
24			·01	·02		[illegible]	·22		·04	·34		·37	24
25			·04				·22					·24	25
26		·14				47	·26		·17			[illegible]	26
27		·04				·70	·03		01	·44		·02	27
28		·02	·01			06			·34	·15			28
29						·19			·08	·10	·15	·09	29
30	·17	X				·04	·09		·07	·33	·38	·24	30
31		X		X		X		·11	X	·20	X	·22	31
Total	4·66	5·78	·75	1·41	2·07	1·64	3·83	1·76	1·25	3·86	2·76	8·38	YEAR'S TOTAL 38·15
Rain Days.	24	23	11	13	11	12	18	12	14	18	10	26	192
		10·44	11·19	12·60	14·67	16·31	20·14	21·90	23·15	27·01	29·77	38·15	

W. 8,000. X. 14.

Exd Fld

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at Webbery

in the County of Devon

by

Lat. Long.

Time of Observation 8·30

Nearest Railway Station Bideford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 333 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08				·15	·21	·19			·25	·04		1
2	·45	·06	·36		·07				·18	·56	·07		2
3		·06			·15	·06	·23		·07	·35	·12	·14	3
4	[illegible]	·13		·03	·43	·37			·11	·06	·24		4
5	[illegible]	·06	·01		·03	·11				·10	·37		5
6	·06	·29			·07	·02	·45			·17	·45		6
7	[illegible]	·20	·13		·28	·02					·35	·20	7
8		·42	·08		·10	·04					·30	·16	8
9		·16	·03		·14		·09			·10	·07	·35	9
10		1·11		·13					·01		·01	·02	10
11				·09	·02						·03		11
12	·25	·18	·17	·06	·28		·06	·03		·17	·01		12
13		·43	·02				·02	·19	·02	·05			13
14	·09	·06	·06		·12			·07		·25	·02	·01	14
15	·02	·29	·01	·14				·84		·04			15
16	·02	·07		·29			·04	·31		·13			16
17	·15	·17							·72	·23	·68		17
18		·38	·15	·07				·02	·30	·03			18
19	[illegible]	·17	·04	·15				·14			·35	·16	19
20	[illegible]	·57	·27								·21	·24	20
21	·08	·06	·17		·06	·01					·22	·13	21
22						·07				·22	·09	·61	22
23	[illegible]	·05	·06	·03		·37		·31		·10	·18	·29	23
24		·06	·28	·03	·05	·03		·02		·28	·01	·35	24
25		·13	·21		·06			·32	·02	·16	·26		25
26	·03	·13	·07			·15			·35	·31	·09		26
27	·01		·64		·10			·02	·46	·65		·01	27
28		·08	·02					·01	·24	·44		·43	28
29		·46	·01			·44		·98	·03	·47		·37	29
30		✕				·02		·01		·29		·01	30
31		✕		✕		✕		·05	✕	·46	✕	·04	31
Total	1·74	7·04	2·79	1·02	2·11	1·92	1·08	3·32	2·51	5·60	4·47	3·36	YEAR'S TOTAL 36·96
Rain Days.	17	25 8·78	20 11·57	10 12·59	16 14·70	14 16·62	7 17·70	15 21·02	12 23·53	24 29·13	22 33·60	17 36·96	199

W. 8,000. X. 15.

18. JAN 1918

FORM BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Webbery

in the County of Devon

by Mrs C Boyd

Lat. Long.
Time of Observation 8.30
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	[illegible]		·13	·21		·38		·18	·14		·04		1
2	·01		·03	·10		·02				·08	·10		2
3	[illegible]			·12			·75			·65	·54		3
4		·08	·41				·11		·03	·22			4
5	[illegible]		·19	·25		·22			·01	·30	·10		5
6	·04		·18			·16				·06	·38	·02	6
7	·30						·22	·15		·56	·08	·09	7
8	[illegible]		·11	·11		·25	[illegible]	[illegible]	·07	·56	·25	·22	8
9			·02	·03	·13		·01	[illegible]		·86	·18		9
10	[illegible]		·36	·33				·13		·11	·03		10
11	·22		·21	·33						·32	·34		11
12	[illegible]		·01	·03	·30			·23	·15	·67			12
13	[illegible]		·22	·04		·05		·12	·55	·47		·02	13
14				·06			·01	·65		·06	·03	·04	14
15				·02						·23		·20	15
16		·06		·04		·06			·02	·10	·07	·27	16
17		·01	·04	·34			·50	·13	·22	·34	·01		17
18				·01	[illegible]	[illegible]	·51	[illegible]	1·29	·21	·02		18
19		·37	·09			·23					·04		19
20		·34	·10		·31	·42			·03		·02	·04	20
21								·11		·05	·06		21
22					·01			·30	·03	·25			22
23		·29			·09	·01	·21	·55		·08	·05	·02	23
24		·01	·05			·05		·15		·36	·21	·01	24
25		·05	·03			[illegible]	·01	·31		·18	·05		25
26					·48	·21		·65		·09	·07		26
27						·17		·89		·55			27
28		·22	·04		·02	2·37		·21		·09		·02	28
29			·19			·09		·01		·45	·02		29
30		✕	·09				·05	·16		·12	·04		30
31		✕	·07	✕	·32	✕		·21	✕	·42	✕		31
Total	1·27	1·38	2·64	2·02	1·69	4·72	2·75	5·58	2·48	8·44	2·73	·95	YEAR'S TOTAL 36·65
Rain Days.		2·65	5·29	7·31	9·00	13·72	16·47	22·05	24·53	32·97	35·70	36·65	

W. 8,000, VIII. 16

11 9 20 15 9 17 11 21 11 28 23 11 186

Ex MSS.

33

FORM A.
BRITISH RAINFALL.

9. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Webbery

in the County of N Devon

by Mrs C. Boyd

Lat. Long.

Time of Observation 8 30

Nearest Railway Station Bideford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·35

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07		·17	·04			·98		·01	·57		1
2		·12		·01				·15			·03	·32	2
3		·09		·01	·06			·04	·04	·09	·12	·01	3
4		·03							·03	·07	·79	·47	4
5		·06	·06	·17	·12			·57	·75	·37	·06		5
6	·15	·44		·18		·01			·02	·22		·12	6
7	·05	·20			·06	·04		·01	·43	·16	·29	·02	7
8	·02	·01					·08		·41	·23	·02		8
9	·15	·04		·03		·16	·06	·02	·57	·06	·02	·27	9
10	·13	·01		·35			·81	·01	·31	1·14	·05	·45	10
11	[illegible]		·08				·45		·16	·02	·16	·20	11
12	·01	·09	·06		·18		·19		·11			·31	12
13	·24	·01			·06		·01		·51	·05		·39	13
14	·35					·14	·40		·67	·05		·14	14
15	1·12						·59		·02	·21		·71	15
16	[illegible]			·47		·01	·07	·01	[illegible]			·30	16
17	·95			·06			·23	·05	·04			·22	17
18	1·04		·07			·03	·08	·03	·78	·21		·24	18
19	·10	·11	·13	·06		·07	·15	·03	·03	·02		·21	19
20	·13	·17		·18		·40	·04		·22				20
21	·11	·01					·01		·53	·03		·32	21
22	·02				·17	·08	·14		·18	·01		·21	22
23	·07	·01			·05		·32		·13		·01	·26	23
24		·21				·01	·26	·12	·41		·36		24
25					·35		·98	·56		·05	·19	·14	25
26		·16					·02	·02	·15	·02	·10	·30	26
27		·14	·03					·15	·29	·01	·40	·05	27
28		·21	·19						·03		·31	·22	28
29			·11						1·41			·05	29
30		✕	·39	·04				·12	·02	·03	·28	·22	30
31		✕	·29	✕		✕			✕	·01	✕	·01	31
Total	4·92	2·19	1·41	1·73	1·09	·95	4·92	2·87	8·26	3·07	3·76	5·86	YEAR'S TOTAL 40·03
Rain Days		7·11	8·52	10·25	11·34	12·29	17·21	20·08	28·34	30·41	34·17	40·03	40·03

W. 8,000, IX. 17.

18	20	10	12	9	10	19	16	27	22	17	26	206

1725

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

JAN 20

Kept at Webbery
in the County of Devon
by H. M. Boyd

Lat. .... Long. ....
Time of Observation 8·30 a.m.
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·35		·06	·10	·11		·30		·01	·35		·05	1
2	·26		·03		·09		·03		·04	·02		·18	2
3	·01		·21		·07						·02	·64	3
4	·10	·44	·28			·15		·06	·21			·01	4
5	·06	·47	·40		·04				·02			·21	5
6	·12	·21	·16									·47	6
7	·06		·25	·06					·02			·07	7
8	·11		·28		·03	·04							8
9	·29		·04	·20	·06						1·13		9
10	·15		·95	·02	·10	·02				·05	·06	·12	10
11	·16		·42	·08			·19			·03		·01	11
12	·32		·22		~~33~~	·31				·08	·14		12
13	·14	·01	·07	·43			·11		·04	·07		·07	13
14	·47	·06		·64	·33		·06		·03	·06		·11	14
15	·36			·03	·01					·08		·52	15
16	·09	·68									·28		16
17		·33			·06	·04					·41		17
18		·13	·88	·01			·08	·32	·07		·32	·01	18
19	·22	·17	·22			·05	·01	·48	·51		·27	·05	19
20	·20	·06	·22		·02	·16		·37	·33		·05	·23	20
21	·08	·76			·07		·25	·01	·06			·13	21
22		·06					·07		[illegible]		·01	·04	22
23								·02		·16	·10	·13	23
24						·32			·03	·66	·23	·40	24
25	·27					·04		·75	·02	·01	·35		25
26	·24		·12	·10		·02		·06	·15	·05	·25	·34	26
27	·04			·41		·07		·33				·26	27
28			·27	·06				·01			·14	·51	28
29	·05			·20				·26		·07	·05	·16	29
30		X	·01	·27		·16		·16	·02		·49	·57	30
31	·01	X	·14	X		X	·08		X		X	·41	31
Total	4·16	3·38	5·23	2·61	·99	1·38	1·17	2·53	1·84	1·69	4·30	6·37	YEAR'S TOTAL 35·65
Rain Days.		7·54	12·77	15·38	16·37	17·75	18·92	21·45	23·29	24·98	29·28	35·65	187
	24	12	20	14	12	12	10	12	16	13	17	25	

W, 6,500, VII. 18. W W S

1638

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

4 JAN 1921

Kept at Webbery

in the County of Devon

by H. M. Boyd

Lat. Long.

Time of Observation 8·30 a.m.

Nearest Railway Station Bideford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·55

Records taken in Milimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·02	·19		·93	·08	·28	·33	·04	·51	1
2	·16			·38	·05		·10	·24	·35	·08		·15	2
3	·29	·11		·04	·05		·37		·06	·63		·18	3
4			·02					·44	·03	·45			4
5			·08	·05	·15		·36	·09		·11			5
6			·24		·21		·14			·29	·03		6
7	·01		·03	·29			·19					·02	7
8		·07		·46	·19		·31	·04			·09		8
9	·03	·16	·03	·11		·14	·22		·06		·03		9
10	·77	·30	·04	·51		·13	·12				·04		10
11	1·02		·10	·29	·17		·05						11
12	·56	·07	·06	·11	·01	·07	·07	·09			·18		12
13	·07	·01	·42	·09			·08		·01	·29	·02		13
14	·14		·32	·63		·02			·15	·46	·54		14
15	·02	·11	·01	·47	·11	·01		·02	·10	·29	·13		15
16	·01		·01			·01	·07		·59	·57	·19		16
17	·05			·14	·19	·07		~~·25~~	·95	·11		·01	17
18	·27		·01	·01	·01	·13		·28	·18				18
19	·09	·12		·25		·13							19
20	·06	·02		·40		·11	·04					·16	20
21				·06			·04			·02		·22	21
22	·03			·02			·03	·02				·35	22
23	·01		·02				·56	·27				·50	23
24	·02	·03	·27	·02							·08	·29	24
25	·01	·05	·15			·06	·56					·01	25
26	·35		·32			·07	·05		·01		·08	·01	26
27	·42	·16	·26	·20	·10	·67	·09				·75	·32	27
28	·67	·01	·29	·20		·13	·01				·02	·02	28
29	·24	·01	·34	·11	·41	·05	·01		·01		·11	·24	29
30	·19	X	·02			·11	·13		·47	·14	·26	·39	30
31	·19	X	·34	X		X			X	·16	X	·15	31
TOTAL	5·68 ~~5·68~~	1·23	3·39	4·86	1·84	1·91	4·53	1·57	3·25	4·23 ~~4·33~~	2·59	3·53	YEAR'S TOTAL 38·61
Days with ·01 in. or more	25	14	23	23	13	16	23	10	14	14	16	17	
		~~5·91~~	~~9·30~~	~~14·16~~	~~16·00~~	~~17·91~~	~~22·44~~	~~24·01~~	~~27·26~~	~~31·59~~	~~34·28~~	~~37·81~~	~~37·81~~

(44,283). Wt.21 958—218. 7500. 10/19. Gp.132. A.&E.W

17	9	14	19	11	13	20	8	10	13	13	12	159

DEVON

~~BOVEY TRACE~~
COLEHAYS | GDNS:

1911

19 11

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

Kept at Colehays

in the County of De

by G. Hea

r of top 5 in.

f top above Ground 1 ft. in.

" " Sea Level 400 ft.

ion 9 am

Station { Name Bovey
Distance 2m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·36	·05			·01	·17		·03		·56	1
2	·02		·02	·02						·02	·06	·03	2
3				·03	·81			·62		·14	·18	·53	3
4					·39						·08	·35	4
5			·05					·42		·04	·34	·79	5
6	·29		·10					·93		·07	·26	·06	6
7	·61		·45							·05	·15	1·47	7
8	·02										·71	·02	8
9			·10								·06	1·19	9
10	·01					·77					·69	1·02	10
11	·03		·66		·10						·06	·70	11
12	·48								·03		1·21	·16	12
13			·59						·11		·22	·32	13
14			·14						·20		·06	·64	14
15		·06	·02							·20		·85	15
16											·63	·15	16
17			·13			·88					·55	·64	17
18		·05	·84	·03		·48					·18	1·27	18
19		·46	·25	·47		·35				·23	·50	1·20	19
20		·11	·03	·11		·39			·95	·19	·19	·70	20
21	·06	·03	·26	·09					·10	·50		·84	21
22	·02	·36				·06		1·33	·20	·80		·14	22
23	·21	·04	·09	·05		·03			·60	·28		·93	23
24		·39	·19						·08	·29	·11	·50	24
25		·31				·45		·17		·37		·47	25
26	·02	·18		·07		·04			·28	·14		·14	26
27		·09		·46						·59	·03	·25	27
28		·43	·02	·05	·57			·43	·18	·59		·19	28
29				·70				·09					29
30				·53	·45	·35	·85		·22	·55			30
31	–	·36	·86 ·05	–	–	·01	·95	–	·03	·45	·56	(–)	31
Total	~~1·77~~ 1·77	~~2·51~~ 2·87	~~4·36~~ 4·05	~~2·66~~ 2·61	~~2·39~~ 2·32	~~3·80~~ 3·81	~~·91~~ 1·07	~~3·86~~ 3·69	~~2·92~~ 2·95	~~5·53~~ 5·50	~~6·47~~ 7·03	~~16·31~~ 15·75	TOTAL for year ~~53·42~~
No. of Rain Days.	11	~~12~~ 13	19	~~13~~ 12	5	~~10~~ 11	3	~~8~~ 7	~~11~~ 12	~~19~~ 18	~~20~~ 21	~~28~~ 27	159

W. 8,000, X. '11.

M

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

I 19 11

Kept at Coleberys Gardens

in the County of Devon S. 5

by G. Heath.

RAIN GAUGE	Pattern
	Diameter of top 5 in.
	Height of top above Ground 1 ft. in.
	„ „ „ Sea Level 400 ft.

Time of Observation 9 am

Nearest Railway Station { Name Bovey
Distance 2m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·36	·05			·01	·17		·03		·56	1
2	·02		·02	·02						·02	·06	·03	2
3				·03	·81			·62		·14	·18	·53	3
4					·39						·08	·35	4
5			·05					·12		·04	·34	·79	5
6	·29		·10					·93		·07	·26	·06	6
7	·61		·45							·05	·15	1·47	7
8	·02										·71	·02	8
9			·10								·06	1·19	9
10	·01					·77					·69	1·02	10
11	·03		·66		·10						·06	·70	11
12	·48								·03		1·21	·16	12
13			·59						·11		·22	·32	13
14			·14						·20		·06	·64	14
15		·06	·02							·20		·85	15
16											·63	·15	16
17			·13			·88					·55	·64	17
18		·05	·84	·03		·48					·18	1·27	18
19		·46	·25	·47		·35				·23	·50	1·20	19
20		·11	·03	·11		·39			·95	·19	·19	·70	20
21	·06	·03	·26	·09					·10	·50		·84	21
22	·02	·36				·06		1·33	·20	·80		·14	22
23	·21	·04	·09	·05		·03			·60	·28		·93	23
24		·39	·19						·08	·29	·11	·50	24
25		·31				·45		·17		·37		·47	25
26	·02	·18		·07		·04			·28	·14		·14	26
27		·09		·46						·59	·03	·25	27
28		·43	·02	·05	·57			·43	·18	·59		·19	28
29				·70				·09					29
30				·53	·45	·35	·85		·22	·55			30
31	–	·36	·86	–	–	·01	·95	–	·03	·45	·56	(–)	31
Total	~~1·77~~ 1·77	~~2·51~~ 2·87	~~4·36~~ 4·05	~~2·66~~ 2·61	~~2·39~~ 2·32	~~3·80~~ 3·81	~~·91~~ 1·07	~~3·86~~ 3·69	~~2·92~~ 2·95	~~5·53~~ 5·50	~~6·47~~ 7·03	~~16·51~~ 15·75	TOTAL for year 53·42
No. of Rain Days.	11	~~12~~ 13	19	~~13~~ 12	5	~~10~~ 11	3	~~8~~ 7	~~11~~ 12	~~19~~ 18	~~20~~ 21	~~28~~ 27	159

W. 8,000, X. '11.

BICKLEY

ROBOROUGH RES

DEVON

1911 - 1920

REG 911

13 JAN 1912

Kept at Roborough h Howarth

in the County of 5

above Ground 1 ft 0 in

Lat. Lon. ,, ,, Sea Level 548 ft

Date.	Jan.	Feb.	Ma							Oct.	Nov.	Dec.	Date.
	in.	in.								in.	in.	in.	
1	·02		[illegible]								·05	·01	1
2										·26	·12	·49	2
3			·02		·29			·01			·30	·14	3
4			·13					·52	·01	·01	·31	·67	4
5	48		·21					61		·03	·10	·01	5
6	·40		·14							·16	·12	1·29	6
7	·09										·49	·05	7
8	·08		·22								·11	·76	8
9	09										·18	·79	9
10	·10	·12	1·25								·11	·27	10
11	·46		·01						·02		·94	·07	11
12			·85						·25		·16	·28	12
13		·01	·17						·13	·01	·17	·35	13
14		·14	·04							·03	·18	·39	14
15		·13	·12			·08					·52	·02	15
16	·04	·05	·01			·52					·55	·61	16
17	·02	·06	·42	·04		·13					·18	·88	17
18		·29	·17	·18		·22				·05	·32	·43	18
19		·05		·05		·81			·81	·09	·20	·89	19
20	·03	·08	·02	·23					·17	·98		·87	20
21	·02	·43	·01	·03		·02			·25	·21		·09	21
22	·10	·10	·01	·27		·09		·46	·42	·31		·64	22
23	·02	·21	·02	·05		·09		·21	·13	·55		·61	23
24	·03	·32				·42		·22	·01	·35		·37	24
25	·06	·05		·29		·06			·16	·34		·21	25
26	·03	·22		·68				·33	·01	·80		·41	26
27		·94		·02	·85	·01		·34	·18	·22	·01	·28	27
28		·28		·36				·04	·01		·28	·02	28
29			·01	·10	·02	·64	1·04		·15	·53	·01	·01	29
30			·01			·08	·11		·05	·33	·65	·09	30
31			·12				·12			06		·01	31 Total for Year
Totals	2·07	3·48	3·97	2·75	1·89	3·14	1·27	3·77	2·76	5·32	6·06	12·01	48·52
No of ~~Total from Jan 1~~ Rain Days	~~16~~ 17	17	22	14	5	13	3	11	16	19	23	31	~~190~~ 191

13 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Roborough Reservoir by Frank Howarth

in the County of Devon S.2

Lat. Lon. Time of Observation 9 AM.

RAIN GUAGE.
Diameter 5
Height of top above Ground 1 ft 0 in
" " " Sea Level 548 ft

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·01	·03	·15			·01			·05	·01	1
2				·42	·58			1·02		·26	·12	·49	2
3			·02		·29			·01			·30	·14	3
4			·13					·52	·01	·01	·31	·67	4
5	48		·21					61		·03	·10	·01	5
6	·40		·14							·16	·12	1·29	6
7	·09										·49	·05	7
8	·08		·22								·11	·76	8
9	09										·18	·79	9
10	·10	·12	1·25								·11	·27	10
11	·46		·01						·02		·94	·07	11
12			·85						·25		·16	·28	12
13		01	·17						·13	·01	·17	·35	13
14		·14	·04							·03	·18	·39	14
15		·13	·12			·08					·52	·02	15
16	·04	·05	·01			·52					·55	·61	16
17	·02	·06	·42	·04		·13					·18	·88	17
18		·29	·17	·18		·22				·05	·32	·43	18
19		·05		·05		·81			·81	·09	·20	·89	19
20	·03	·08	·02	·23					·17	·98		·87	20
21	·02	·43	·01	·03		·02			·25	·21		·09	21
22	·10	·10	·01	·27		·09		·46	·42	·31		·64	22
23	·02	·21	·02	·05		·09		·21	·13	·55		·61	23
24	·03	·32				·42		·22	·01	·35		·37	24
25	·06	·05		·29		·06			·16	·34		·21	25
26	·03	·22		·68				·33	·01	·80		·41	26
27		·94		·02	·85	·01		·34	·18	·22	·01	·28	27
28		·28		·36				·04	·01		·28	·02	28
29			·01	·10	·02	·64	1·04		·15	·53	·01	·01	29
30			·01			·08	·11		·05	·33	·65	·09	30
31			·12				·12			06		·01	31 Total for Year
Totals	2·07	3·48	3·97	2·75	1·89	3·14	1·27	3·77	2·76	5·32	6·06	12·01	48·52
No of ~~Total from Jan. 1~~ Rain Days	~~16~~ 17	17	22	14	5	13	3	11	16	19	23	31	190

191

Ex DL

FORM A2.
BRITISH RAINFALL.
1 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Roborough Reservoir

in the County of Devon S. 2

by Frank Howarth

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. 0 in.
	" " " Sea Level	548 ft.

Time of Observation 9 AM.

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·24		·06	·51	02	·02	·15	1·04		·33	1
2			·34	·03		·92	01	·02		·03	·02	·02	2
3	·08		·49			·31	·03	1·15	·16			·30	3
4	·38	·01	·61		·08	·35		·24			·45	·02	4
5	·84	·14	·49	·02	·04	·04	09	1·99			·06	·15	5
6	·28	·21	·12		·61	·09		·20			·04		6
7	·12	·82	·36	·05	·22	·48		·20	·01		·09	·22	7
8	·95	·31	·37	·03	01	·14	·05				01	·01	8
9	·03	·13	·18	·13		·07	·12	·06			·02	·74	9
10	·46	·05	·20	·04	·01	·03	·19	·07			·16	·31	10
11	·01	·08	·01			·05	·05	·06			·21	·67	11
12	·03	·82	·29	·01	·03	·01	·34	·25			07	·01	12
13	·54	·03	·06			·01	·18	·05		·13		·37	13
14	·29	·25	·94		·12	·01		·09		·03		·10	14
15	65	·49	·06		·18	·71		·01				·39	15
16	30	·01	56		·06	·04		·65		·17	·04	·12	16
17			·20		·10	·25		1·56			·13	·09	17
18		·08	·14			01		·20		·05	·06	·04	18
19	·01	·09	·36		·15	·02	·06	·18		·01	·05	·03	19
20	·02	·12	·47		·15			·64		·49	·04		20
21		·81	·25		·40			·15		·54	·01		21
22	·19	·56	34			·01	·09	·30		·15	·12	·29	22
23	·08	·54	·36			·13	·05	1·03		·06	·29	·35	23
24	·05	·14	·14			·55	·04	·02		·02		·24	24
25	02	·01	·01			·06	·10	·10		·32	·50	·43	25
26		·06					·12	·19		·42	·57	·43	26
27		·15	·02			1·13	·52	·56		1·62	·03	·82	27
28		·18	·05			·10	·16	·80	·64	·44	·53	·54	28
29		·28	·04			·07	·14	·54	·84	·23		·07	29
30			·05		·02	·08	·25	·01	·19	·29		·01	30
31			29				·71	·05		·01		·49	31
Total	5·33	6·37	7·74	·31	2·24	6·18	3·32	11·39	1·99	6·05	3·50	7·59	TOTAL for Year 82·01
No. of Rain Days	20	25	30	7	16	27	21	30	6	19	22	26	251

16

9,000, IX. '10.

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
28 JAN 1914

Kept at Roborough Reservoir

in the County of S Devon 2 E4 R

by Frank Howarth

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 548 ft.

Time of Observation 9 · A.M.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·25	·52	·07	·19				·03	·02	·54	·01	1
2	·12	13	·04	·32	·37	01					·30	·07	2
3	·74		·20	·01	·28				·47	·05		·30	3
4	1·41		·15	·02	·07	·14			·03	·16	·12	·30	4
5	·20	·06	04		·50	·24	·04		·08	·03	·39	·63	5
6	·35	·13	·08		·24	·20				·43	·37	·05	6
7	·11	·50	·10		1·07	·16				·29	·54	·01	7
8	·22	·34	·03		·24		·13	·26		·11	·03	·12	8
9	·14	·13	·05		·12	·09	·08	·15		·01	·67	·03	9
10	1·05		·03	·04	·07	·10		·01		·30	·27		10
11	·82			·02	·78	·06		·01	·05	·05	·84	·07	11
12	·02	·02			·04	·04			·16		·34	·04	12
13	·09		·15	·01	·01		·02	·03	·18		·16		13
14	·38		·24	·04	·02				·12	·01	·13	·03	14
15	·15		·54	1·16			·01		·03		·19	·05	15
16	·54		·65	·04			·02	·08	·28		·06		16
17	·15		01	·07			02				·08		17
18	·06		·50	·28		·01			·01		·18		18
19	·67		·05	·01	·02	·07			64	·22			19
20	·12		·06	·48					·01	·15	·61		20
21	·02		35	·35	·04		02	·04	·01	·07	·34		21
22	·34		44	·01	·04	·24		·04	·05			·21	22
23	·03		02	01	·01			·03			·15	·93	23
24	·02	·21		·21		·05		·05			·02		24
25		04		·56				·01	07	·07	·05	·03	25
26				·94				·01		·05	·01	·46	26
27	·76		39	·50				·16		·50	·01	·04	27
28	·35		·13	30	·06				·21	·20	·01	·15	28
29	·12		·56	·30	·01		·02			45	·05		29
30	·78			·10	·01		01			1·23	·02		30
31	·11		24					·42		·16			31
Total	9·89	1·81	5·57	5·85	4·19	1·41	·37	1·30	2·43	4·56	6·48	3·53	TOTAL for year 47·39
No. of Rain Days	29	10	25	24	21	13	10	14	17	21	27	19	230

9,000, IX. '10.

Ex. W.G.

26 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Roborough Reservoir by Frank Howarth

in the County of Devon S2

RAIN GUAGE.
Diameter 5"
Height of top above Ground 1'0"

Lat. Lon. Time of Observation 9·AM. " " " Sea Level 548 ft

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·09	·17		·16	·30	·82			·94		1
2	·01		·09	·05	·19	·03	·15				·08	·68	2
3	·07		·34	·18	·79					·01	01		3
4	·15		·105	·58	·14		1·25	·10	·08		·08	·76	4
5	·28		·27	21	·02							·03	5
6	01	·15	·22	·08	·21		·04	·11			·06	1·04	6
7	·06	1·14	·54	·29	·18	·19	·40		·85			·21	7
8	·25		·86	·11	·03	·19		·09			·03	·08	8
9	·10	·09	·27	·35	·08	·58		·31	·15		·05		9
10	·18	·83	·15	·42	·15	·04		·01	·38		·06	·28	10
11		·22	·96		01	·14			·02		·05	·56	11
12		·77	·26	01					·31	·01	·09	·59	12
13		·84	·62			·01	·20		·32	·04	·24	·20	13
14		·47	44			·08	·07	·16	·04		·81	·35	14
15			·38				·06	·21	·04	·01	·34	·50	15
16		·02	·04				·05		·52			·03	16
17		·70	·34				·01		·03			1·04	17
18		·18	08				·17		·22			·21	18
19		·08	·59				2·01		·12		·11	·15	19
20		·54	·26			·16	·01					·29	20
21		·42	·01				04			·51		·03	21
22		·12	·04	01	·09	·08		·15		·31			22
23		·07	·51		·02		05	·03		·09			23
24		·07					01	·09		·07	·04		24
25	·22		·32		·02		·16	1·10		·85	·14	1·20	25
26	·04	·08	·22				·17	·01		·04	·22	·65	26
27	·10	·40	·01				·12			·05	·12	·59	27
28	·02	·15	·64		·09		·19			·08	·30	·57	28
29	·50		·29		18		·40			·02	·89	·04	29
30	·02		·21		·09	·01				·12	08	1·06	30
31	·10				03		1·44			·84		·64	31
Totals	211	7·34	9·10	2·46	2·32	1·64	7·30	3·19	3·08	3·05	4·74	11·78	Years Tot. 58·14
Rain Days ~~Total from Jan.~~ 1	16	20	29	12	17	12	22	13	13	15	21	25	215

✓ [illegible]

13 JAN 1916 1780

REGISTER OF RAINFALL IN 1915

Kept at Roborough Reservoir *by* Frank Howarth

in the County of Devon S2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'0"

Lat. Lon. Time of Observation 9 A.M.

" " " Sea Level 548 ft

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23	·60			·02			·64	·18	·35	·01	·09	1
2	·53	·40	·31	·12		·20		·54	·01	·02		·34	2
3	·05	·40	·37	·19	·07							·64	3
4	·07	·77	·02	·01	·04	·02		·02				·41	4
5	·42	·73	·02	·19				·44				1·15	5
6	1·15	·32		·80			·71	·09				·22	6
7	·37	·69		·06			·27	·01		·61	·02	·55	7
8	·17	·33					·07	·10		·02	·12	·11	8
9	·03	·13		·07				·04		·01	·39	1·00	9
10	·37	·41	·04	·11			·01	·11		·18	·05	·18	10
11	·11	·01	·19		·02		·05	·14		·02	1·65	·15	11
12	·12	·51		·07	·54			·20		·04	·43	·15	12
13	·05	·69	·01		·88		·04	·02	·06	·03	·16	·07	13
14	·08	·01					·17	·09	·19	·19	·05	1·82	14
15	·21				·27		·60	·01	·04		·06	·20	15
16	·05	2·20			·45		1·11			·01		·19	16
17	·02	·26	·02		·02							·02	17
18	·01	·20	·11				·08						18
19	·08	·02			·70		·13						19
20	·28			·17	·09	·13	·02			·42			20
21	·28	·37			·30	·19	·45			·06		·08	21
22	·06	·18	·42	·06			·49		·02	·02		·53	22
23		·03	·06				·10		·06	·95		·77	23
24				·02		·12	·25		·04	·22		·91	24
25				·01		·06	·28		·03			·38	25
26		·78				·44	·02		·05			·88	26
27		·09				·20	·04		·03	·91			27
28		·04				·18		·03	·20	·25	·03	·11	28
29						·19			·23	·03	·43	·38	29
30	·24			·01		·14			·06	·95	52	·45	30
31							·28	·02		75		·37	31
Totals	4·98	10·17	1·57	1·89	3·40	1·87	5·17	2·50	1·20	6·04	3·92	12·15	Years Total 54·86
Rain ~~Total from~~ Days ~~Jan. 1~~	23	24	11	14	12	11	20	16	14	21	13	27	206

1739

20. ~~18.~~ JAN 1917

[illegible]

REGISTER OF RAINFALL IN 1916

Kept at Roborough Reservoir by Frank Howarth

in the County of Devon

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'-0"

Lat. Lon. Time of Observation 9·AM. " " " Sea Level 548 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26		·10		·05	·06	·04		·05	·52	·29		1
2	·58	·15	·12		·03				·19	·34	·37		2
3	·12	1·51			·29	·11			·05	·99	·26		3
4	·27	·23		·03	·01	·41	·07		09	·25	·84		4
5	·10	·30	·04		·02	·23				·25	·17		5
6	·09	·27	·04		·25	·08	1·04			·12	1·20		6
7	·10	·24	·07		·08	·09	·09			·08	1·09	·13	7
8	·01	·12	·22		·55	02					·17	·18	8
9	·03	·10	·05			·15	·01			·07	·24	·22	9
10		·85		·09	·17	·01	·13			·04	·07	·10	10
11		·02		·08	·11		·02		·03		·01	·02	11
12	13	·08		·09	·15		·26	·15		·20			12
13		48	·07	·01	·03		·08	·20	01	·01	·01		13
14	·02	·56	·01	·02	·12			·34		·14			14
15	·06	·26	·09	·17				·01		·04		·01	15
16	·44	·08		·20	·01		02	·50		·26	·01		16
17	·38	·15	·01	·01				02	·11	·55	1·46	·02	17
18	·02	·16	14	·03					·18	·16	·10	·10	18
19	·38	·16	·05	10					·05	·01	·27	·15	19
20	·15	·44	16								·13	·85	20
21	·05	·01	·04	·27	·03						·12	·14	21
22				·03		·32	·18	·05		·36	·04	·51	22
23	·19	·04	·01	·29		26	02	·35		·17	·58	·08	23
24		·05	·09	·75	·05	·03	·01	·17		·55	·10	·29	24
25	·03	·17	·12		·01	·04		·64		·03	·09	·03	25
26	·02	·01	·04			·36		·43	·31	·85	·07	·02	26
27	01		1·32			·09		·65	·34	·45			27
28	·01	05	02					·11	·79	·61	08	·69	28
29		·15	·10			·68		·94	·20	·16		·62	29
30		✕				·12		·02		·44		·03	30
31		✕		✕		✕		·11	✕	·50	✕	04	31
Totals	3·45	6·64	2·91	2·17	1·96	3·06	1·97	4·69	2·40	8·15	7·77	4·23	Years Total 49·40
~~Total from Jan. 1~~ Rain Days	23	26	22	15	17	17	13	16	13	27	24	20	233

1662

FORM A.
BRITISH RAINFALL.

19. JAN 191

REGISTER OF RAINFALL IN 1917

Kept at Roborough Reservoir

in the County of Devon

by Frank Howarth

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 548 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·02	·26		·50		·02	·03		·12	·01	1
2	·01		·04	·16		·18				·02	·06		2
3	·12			·05						·40	·75		3
4		·23	·59	·01					·11	·60	·01		4
5	·15		·42	·12		·25				·21	·17		5
6	·03		·30	·02		·28		·12		·14	·13	·10	6
7	·62			·08			·13	·12		·26	·10	·10	7
8	·07		·27	·12		·04	·47	·71		·50	·19	·52	8
9			·15	·06	·08		·04	·13	·01	·38	·41	·05	9
10	·54		·54	·30				·64		·03	·06	·01	10
11	·03		·31	·24				·02	·05	·50	·28		11
12	·30		·01	·03	·54			·01		·51	·01		12
13	·11		·21	·07		·07		·05	·15	·25		·04	13
14				·13			·25	·29	·08	·13	·01		14
15	·27			·02			·15	·07	·05	·51		·40	15
16		·10		·08		·01			·05	·40	·01	·27	16
17		·03	·02	·17	·02		·50	·10	·84	·14			17
18		·10		·01	·25	·05	·40	·03	·71	·04			18
19		·84	·02		·01	·50	·02	·01	·07	·01	·01		19
20		·21			·56	·10	·03	·14	·05			·13	20
21		·01	·08		·02	·10			·01	·10	·04	·04	21
22					·01			·63		·11	·02		22
23		·22			·21	·01		·22		·16	·01		23
24		·11				·18	·51	·04		·17	·14		24
25		·02	·02				·07	·23	·20	·13	·04		25
26					·60	·15		·34	·18	·08	·05		26
27						·65	·04	1·32		·07	·02		27
28		·02	·18			·70		·59		·02	·02		28
29			·09			·02		·05	·01	·81	·04	·04	29
30			·24				·20	·33	·01	·02	·01		30
31			·08		·39			·02		·19			31
Total	2·27	1·89	3·59	1·93	2·69	3·79	2·81	6·23	2·61	6·89	2·71	1·71	YEAR'S TOTAL 39·12
Rain Days.	12	11	19	18	11	17	13	25	17	29	25	12	209

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

14 2 19

Kept at Roborough Reservoir
in the County of S Devon
by Wm F. Howarth

Lat. Long.
Time of Observation 9 AM.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 548 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·61		·09	·07			·45		·01	1·06	·01	1
2		61		·01				·01	·01			·90	2
3		24		·28	·04				·09	·09	·28	·26	3
4		05		01				·36	·69		1·08	·95	4
5		04	·25	·11	·14			·71	·46	·38	·05	·20	5
6	·25	·40	·25	·12		·01		·34	·01	·15		·50	6
7	·04	·35		·05		·01		·05	·61	·11	·47	·79	7
8	·02	·15					·01		·16	·61		·03	8
9	·04	01		01		·33	·15		·65	·16		·69	9
10	·06		·01	·17			·21		·09	·19		·40	10
11	05	01	·42	·04	·01		·22		·22		08	·18	11
12		·21			·32	·01	·17		·02			·07	12
13		02			·35		·19		·80	·65		·25	13
14	·55		·02		·13	·16	·07		·60	·07		·29	14
15	·82				·02	·11	·64		·10	·25		·44	15
16	·70			·13		·12	·21		·30	·01		·09	16
17	·15			·01		·01	·15	·05	·04			·45	17
18	1·26		·37			·94	·13	·02	·72	·41		·34	18
19	·23	·11	·18	·08			·08	·03	·11			·39	19
20	·07	·30	·01	·15		·04	·08	01	·25				20
21	·20	·05		·01		·18	·12		·55	·09		·39	21
22	·05	·02			·21		1·48		·18	·12	·15	·27	22
23	·25	05			·02		·09		·12		·08	·21	23
24	·06	·21					·11	·18	·16		·40	·16	24
25	·07	01		·02	·15		·39	·54		·12	·31	·06	25
26	·04	·12		·08			·38	·02	·11	·06	·04	·51	26
27		·09	·13					·10	·10	·03	·15	·03	27
28	·01	·32	·26						·10	·10	·14	·12	28
29			·48						1·21	·01	·06	·09	29
30			·30	·08				·03	·02	·10	·14	·07	30
31	·01		·16					02		·06		·04	31
Total	4·94	3·98	2·64	1·45	1·46	1·92	4·88	2·92	8·48	3·78	4·49	9·18	YEAR'S TOTAL 50·32
Rain Days.	22 ✓	22 ✓	13 ✓	18 ✓	11 ✓	11 ✓	19 ✓	16 ✓	28 ✓	22 ✓	15 ✓	30 ✓	227 ✓

W. 8,000, VIII. 16

1568

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Roborough Reservoir
in the County of Devon
by Frank Howarth

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 548 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·77		·51	·39	·12		·11		·25	·39		·82	1
2	·22		·05		·02		·03		·04	·04		·12	2
3	·21		·31		·14				·21		·02	·20	3
4	·04	·57	·31		·01	·03	·42	·56	1·08		·03		4
5	·08	·24	·87		·05		·01		·19			·15	5
6	·54	·82	·18						·02		·03	·37	6
7	·44		·34	·08			·03		·01			·23	7
8	·34		·37	·02		·01					·56		8
9	·17		·05	·31	·19	·01					·24	·08	9
10	·08		1·04	·04						·04		1·15	10
11	·20		·50	·31	·50	·06	·09		·01	·08	·12	·72	11
12	·33		·08	·11	·01	·04				·25	·12	·01	12
13	·34	·19	·21	·50			·10			·06		·37	13
14	1·06	·18		·53	1·47		·08		·05	·10		·28	14
15	·26	·08		·15						·12		·71	15
16	·08	1·34			·10	·01					·22	·01	16
17	·01	·18	·01		·03	·08		·03			·37	·17	17
18	·11	·42	·85		·01		·39	·25	·09		·47	·02	18
19	·87	·72	·29			·16	·40	·45	·20		·25	·08	19
20	·49	·03	·12		·05	·23	·03	·14	·17	·01	·20	·12	20
21	·34	1·20			·11		·09		·13	·01	·04	·10	21
22		·06			·03	·04	·02	·10	·30		·01	·12	22
23								·04		1·02	·10	·15	23
24						·23		·21	·02	·26	·34	·25	24
25	·22	·04		·02		·10		·56	·03	·01	·09	·06	25
26	·13	·01	·11	·04				·07	·12	·02	·12	·64	26
27	·15	·02	·09	·40				1·20				·16	27
28	·02	·02	·45	·11				·02		·02	·48	·67	28
29			·01	·07				·14		·07	·01	·18	29
30			·02	·08		·12		·12	·04		·71	1·03	30
31			·04				·02					·24	31
Total	4·50	6·12	6·81	3·16	2·84	1·12	1·82	3·89	2·96	2·50	4·53	9·21	YEAR'S TOTAL 52·46
Rain Days.	25	17	23	16	15	13	14	14	18	16	21	29	221

W. 6,500, VII. 18. w w c

See H 1482

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

26 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Roborough Reservoir

in the County of Devon

by Frank Howarth

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 548 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04		.05	.06	.67		.75	.07	.09	.02		1.17	1
2	.61	.01		.29	.01		.31	.15	.12	.07		.31	2
3	.58	.09		14			.02	.02	.08	.83		.25	3
4			.02					1.35	.01	.43		.01	4
5			.28	.04	.15		.51	.20		.21			5
6			.16	.10	.36		.27	.02		14			6
7	.05		.12	.48	.05		.58		.01			.46	7
8	.02	.02		.55	.10		.15	02				.55	8
9	1.24	.10	.05	.03		.03	.48		.04				9
10	1.38	.29	.22	.04		.30	.40				.01		10
11	.57	.04	.24	.70	.27		.30						11
12	.41	.20	.21	.21	.04	.04	.06			.09	.15	.02	12
13	.12	.07	.62	05		.03	.04			.45		.01	13
14	.41	.14	.41	77			.10		.16	.65	.62		14
15	.15	.24	08	.32	.04				.10	.81	.07		15
16	.02	.05	.08	.13	.02	.05	.14		.21	.08	04		16
17	.09		.01	.15	.56				.57	.10			17
18	.36	.02		10	.03	.21	.06	.25	.05				18
19	.10	.01		.40	.01	59	.01		.04				19
20	.03			14		29	.03			.45		.52	20
21				.18			.08			.09		.09	21
22	.12			.16			.09					.42	22
23	.06		.10				.17	.05				.94	23
24	.04	.01	.49	.02			.02				.28	.39	24
25	.07	.05	.12	.02	.01	.02	1.22				.02	.05	25
26	.40	.04	.23			.03	.05				.36	.02	26
27	.71	.05	.12	.16	.01	.36	.26				.86	.40	27
28	.82	.02	.54	.03	.02	12	.29				.02	.13	28
29	.44	.03	.64	05	.06	.07	.07		.01		.69	.43	29
30	.32	×	.01		.01	.46	.35		1.31	.15	.31	.95	30
31	.19	×	.55	×		×	.02		×	.45	×	.35	31
TOTAL	9.29	1.48	5.35	5.32	2.42	2.60	6.83	2.13	2.74	4.82	3.43	7.47	YEAR'S TOTAL 53.88
Days with .01 in. or more	27	19	23	26	18	14	28	9	14	16	12	20	226

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

+04 24 12 20 22 10 10 23 6 11 15 9 16 178

Form A. 1. ·METEOROLOGIC … RGANIZATION.

REGI … 20.

DEVON

BOVEY TRACEY.
"HEDGE BARTON"
1920

18 JAN 19

Kept at HEDGE BARTO… … g.
in the County of DEVO… … 9 A.M.
by Mr SAMUEL C. CHA… … BOVEY TRACEY
Rain Gauge 5" in.
above Ground 1 ft. – in.
„ Sea Level 1137 ft.

IMPORTANT NOTE.—Rain should be … entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·10	1·09	·	·68	·05	·06	·01	·01	1·15	1
2				·23	·	·	·21	·14	·03	·21	·	·38	2
3				·12	·	·	·06	·	·	2·30	·	·44	3
4				·	·	·	·04	·83	·	·60	-	·	4
5				·	·07	·	·36	16	·	·30	·	·	5
6				·05	·31	·	·76	-	·	·12	·	·	6
7				·29	·07	·	·26	·	·	·	·	·	7
8				·34	·08	·	·40	·02	·	·04	·	16	8
9				·04	·	·17	·30		·02	·	·	·	9
10				·06	·	·67	·10	·	·	·	·	·	10
11				1·42	·25	·07	·26	-	·	·	·	·	11
12				·48	·01	·10	·07	·	·	·	32	·	12
13				·13	·	·	·	·	·	·40	·	·	13
14				1·44	·	·	·06	·	·20	·62	1·00	-	14
15				1·23	·04	·	·		·06	1·06	11		15
16				·19	·	·08	·42	·	43	·14	·10	·	16
17				·05	·42	·43	·	·	·66	·	·	·	17
18				·18	·16	·35	·01	·14	·02	·	·	·	18
19				·51	·03	·17	·03	·	·	·03	·	·	19
20				·62	·23	·09	·01	-	·	·34	·	·72	20
21				·05	·	·	·	·	·19	·13	·	·35	21
22				·09	·	·	·10	·	·	·	·	·32	22
23				·	·	·	·60	·03	·	·	·	·77	23
24				·01	·	·	·04	·	·	·	59	·44	24
25				·	·	·	·93	·	·	·	·	·21	25
26				·	·	·03	·19	·	·	·	54	·17	26
27				·22	·	·33	·11	·	·	·	·64	1·02	27
28				·04	·03	·18	·	·	·	·	·01	·22	28
29				·05	·09	·08	·	·	·	·	·44	·90	29
30		X		·	·11	·30	·24	·	1·21	·03	·43	1·13	30
31		X		X	·	X	·	·	X	·71	X	·33	31
Total				7·94	2·99	3·05	6·24	1·37	2·88	7·04	4·19	8·71	Year's Total
Days with ·01 in. or more				24	15	14	24	7	10	16	11	16	
Days with ·04 in. or more				23	12	13	21	5	7	13	9	16	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGIC [redacted] RGANIZATION.

REGI 20.

18 JAN 192

Kept at HEDGE BARTON

in the County of DEVON

by Mr SAMUEL C CHAPMAN

Lat. .... Long. ....
Time of Observation 9 A M
Nearest Railway Station BOVEY TRACEY
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1137 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·10	1·09	·	·68	·05	·06	·01	·01	1·15	1
2				·23	·	·	·21	·14	·03	·21	·	·38	2
3				·12	·	·	·06	·	·	2·30	·	·44	3
4				·	·	·	·04	·83	·	·60	·	·	4
5				·	·07	·	·36	16	·	·30	·	·	5
6				·05	·31	·	·76	·	·	·12	·	·	6
7				·29	·07	·	·26	·	·	·	·	·	7
8				·34	·08	·	·40	·02	·	·04	·	16	8
9				·04	·	·17	·30		·02	·	·	·	9
10				·06	·	·67	·10	·	·	·	·	·	10
11				1·42	·25	·07	·26	·	·	·	·	·	11
12				·48	·01	·10	·07	·	·	·	32	·	12
13				·13	·	·	·	·	·	·40	·	·	13
14				1·44	·	·	·06	·	·20	·62	1·00	·	14
15				1·23	·04	·	·		·06	1·06	11		15
16				·19	·	·08	·42	·	43	·14	·10	·	16
17				·05	·42	·43	·	·	·66	·	·	·	17
18				·18	·16	·35	·01	·14	·02	·	·	·	18
19				·51	·03	·17	·03	·	·	·03	·	·	19
20				·62	·23	·09	·01	·	·	·34	·	·72	20
21				·05	·	·	·	·	19	·13	·	·35	21
22				·09	·	·	·10	·	·	·	·	·32	22
23				·	·	·	·60	·03	·	·	·	·77	23
24				·01	·	·	·04	·	·	·	59	·44	24
25				·	·	·	·93	·	·	·	·	·21	25
26				·	·	·03	·19	·	·	·	54	·17	26
27				·22	·	·33	·11	·	·	·	·64	1·02	27
28				·04	·03	·18		·	·	·	·01	·22	28
29				·05	·09	·08	·	·	·	·	·44	·90	29
30		×		·	·11	·30	·24	·	1·21	·03	·43	1·13	30
31		×		×	·	×	·	·	×	·71	×	·33	31
TOTAL	·	·		7·94	2·99	3·05	6·24	1·37	2·88	7·04	4·19	8·71	YEAR'S TOTAL
Days with ·01 in. or more				24	15	14	24	7	10	16	11	16	
Days with ·04 in. or more				23	12	13	21	5	7	13	9	16	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A/1. METEORO ORGANIZATION.

020.

28 JAN 1921

BRADNICH

DUNMORE HOUSE

DEVON

– 1920

Kept at Dunmor

in the County of

by Miss H

ong. 3°- 25′- 35″

9 a.m.

ion Hele + Bradninch (G.W.R.)

f Rain Gauge 5 in.

e above Ground 1 ft. 0 in.

„ Sea Level 300 ft.

IMPORTANT N

If an Observer prefers the reading at 9 a.m. this paragraph. Full i and particulars as to sent post-free on app Square, London, N.W.

sult entered to the previous day.

requested to add r it at the end of ing of rain gauges, Rainfall Observers," ation, 62, Camden

Jan. 1, following.

Records s form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·03	·10	·32		·17	·11	·10	·02	·09	·54	1
2	·28			·18	·03		·50	·53	·05	·12		·05	2
3	·06	·02		·13			·02		·01	·63		·30	3
4	·01		·05	·01			·03	·26		·17			4
5			·21	·10	·13		·30	·03		·25			5
6			·38		·18		·11			·18			6
7			·03	·54	·01		·65						7
8	·12	·05	·12	·33	·07		·24				·01		8
9	·92		·09	·05	·02	·36	·13	·02				·15	9
10	·56	·10	·04	·01		·31	·50						10
11	·31	·03		·42	·24	·02	·23						11
12	·17	·02		·23		·08				·03	·07		12
13	·32	·05	·50	·07						·14	·28		13
14	·04	·05	·40	·60			·02		·15	·09	·04		14
15		·18	·04	·32	·03	·37			·03	·83	·09		15
16		·02	·09	·04		·07	·13		·16	·12			16
17	·03		·03	·17	·19	·17			·45				17
18	·04		·03	·06	·10	·12	·04	·40	·09			·06	18
19	·11	·03		·29	·04	·40		·29					19
20	·07	·05		·30		·20	·04					·21	20
21	·02			·04			·10		·06	·06		·17	21
22				·05			·02					·67	22
23							·63	·10				·28	23
24			·12								·18	·06	24
25	·06	·03	·11			·01	·55		·01		·01	·01	25
26	·20		·17		·06	·05					·23	·26	26
27	·47	·04	·10	·14		·27					·75	·09	27
28	·65	·03	·13	·19		·03	·26					·04	28
29	·23	·01	·62	·14	·05		·01				·15	·08	29
30	·12	×		·02	·10	·16			·54		·43	·10	30
31	·14	×	·37	×		×	·06		×	·61	×	·07	31
TOTAL	4·97	·71	3·66	4·53	1·57	2·62	4·74	1·74	1.65	3·25	2·33	3·14	YEAR'S TOTAL 34·91
Days with ·01 in. or more	23	15	21	25	15	15	22	8	11	13	12	17	197
Days with ·04 in. or more	20	7	17	22	11	12	17	6	8	11	10	16	157

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

28 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Dunmore House, Bradninch

in the County of Devon

by Miss H. R. Hepburn

Lat. 50° 49' 28" Long. 3° 25' 35"

Time of Observation 9 a.m.

Nearest Railway Station Hele + Bradninch (G.W.R)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·03	·10	·32		·17	·11	·10	·02	·09	·54	1
2	·28			·18	·03		·50	·53	·05	·12		·05	2
3	·06	·02		·13			·02		·01	·63		·30	3
4	·01		·05	·01			·03	·26		·17			4
5			·21	·10	·13		·30	·03		·25			5
6			·38		·18		·11			·18			6
7			·03	·54	·01		·65						7
8	·12	·05	·12	·33	·07		·24				·01		8
9	·92		·09	·05	·02	·36	·13	·02				·15	9
10	·56	·10	·04	·01		·31	·50						10
11	·31	·03		·42	·24	·02	·23						11
12	·17	·02		·23		·08				·03	·07		12
13	·32	·05	·50	·07						·14	·28		13
14	·04	·05	·40	·60			·02		·15	·09	·04		14
15		·18	·04	·32	·03	·37			·03	·83	·09		15
16		·02	·09	·04		·07	·13		·16	·12			16
17	·03		·03	·17	·19	·17			·45				17
18	·04		·03	·06	·10	·12	·04	·40	·09			·06	18
19	·11	·03		·29	·04	·40		·29					19
20	·07	·05		·30		·20	·04					·21	20
21	·02			·04			·10		·06	·06		·17	21
22				·05			·02					·67	22
23							·63	·10				·28	23
24			·12								·18	·06	24
25	·06	·03	·11			·01	·55		·01		·01	·01	25
26	·20		·17		·06	·05					·23	·26	26
27	·47	·04	·10	·14		·27					·75	·09	27
28	·65	·03	·13	·19		·03	·26					·04	28
29	·23	·01	·62	·14	·05		·01				·15	·08	29
30	·12	✕		·02	·10	·16			·54		·43	·10	30
31	·14	✕	·37	✕		✕	·06		✕	·61	✕	·07	31
TOTAL	4·97	·71	3·66	4·53	1·57	2·62	4·74	1·74	1·65	3·25	2·33	3·14	YEAR'S TOTAL 34·91
Days with ·01 in. or more	23	15	21	25	15	15	22	8	11	13	12	17	197
Days with ·04 in. or more	20	7	17	22	11	12	17	6	8	11	10	16	157

DEVON

BOVEY TRACEY.

"BLENHEIM HOUSE"

1912 – 1919

REGIST

FORM A.
BRITISH RAINFALL.

-9 JUN 1913

Kept at Blenhe — a.m.

in the County of Bovey — 1 mile

Dev — 5 in.

by E. E. Underd — ove Ground 1 ft. in.

Sea Level about 300 ft.

IMPORTANT NOTE.— d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			0-13			0-33	0-04	0-01	0-15	0-54		0-36	1
2			0-48			0-42	0-01	0-07		0-30		0-01	2
3			0-22			0-23	0-07	1-38	0-01			0-06	3
4	0-04		1-32		0-03	0-49					0-12		4
5	0-72	0-44	0-16		0-26	0-01	0-03	0-72				0-20	5
6	0-48	0-07	0-02		0-06	0-20		0-03				0-01	6
7	0-17	0-04	0·39			0-58		0-03				0-26	7
8	0-53	0-15	0-42	0-06		0-06		0-04					8
9		0-08	0-18	0-07		0-19	0-10	0-05				0-35	9
10	0-23	0-12	0-12	0-01		0-18	0-03	0-09			0-14	0-21	10
11		0-08	0-03					0-03			0-12	0·74	11
12		0-35	0-05		0-01		0-10	0-33		0-01	0-01	0-06	12
13	0-23					0-01	0-52	0-03		0-03		0-29	13
14	0-07	0-10	0-60		0-08			0-02				0-06	14
15	0-64	0-13	0-02		0-30	0-33						0-10	15
16	0-22		0-56		0-02			0-06		0·05	0-05	0-04	16
17			0-21			0-05		1-03			0-01	0-06	17
18		0-02	0-18					0-47				0-03	18
19	0-04	0-07	0-46			0-01	0-03	0-71		0-06		0-06	19
20	0-04	0-07	0-55		0-15			0-21		0-15			20
21		0-27	0-57		0-55		0-02	0-07		0-12			21
22	0-39	0-60	0-24				0-04	0-06		0-05		0-24	22
23	0-28	0-27	0-16			0-03		0-45			0-06	0-28	23
24	0-11	0-06				0-55		0-02				0-47	24
25	0-21	0-03				0-04	0-04	0-34		0-31	0-33	0-45	25
26							0-01	0-03		0-91	1-24	0-72	26
27		0-03				0-50	0-35	0-55		2-16		0-90	27
28		0-07				0-20	0-24	0-79	0-50	0-57	0-53	0-37	28
29		0-52				0-14	0-16	0-19	0-48	0-74		0-12	29
30			0-02			0-26	0-20		0-20	0-51			30
31			0-19				0-67			0-03		0-02	31
													YEAR'S TOTAL
Total	4-40	3-57	7-28	0-14	1-46	4-81	2-66	7-81	1-34	6-54	2-61	6-47	49 ·09
Rain Days.	16	21	24	3	9	21	18	27	5	16	10	26	106

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

REGIST

9 JUN 1913

Kept at Blenheim House

in the County of Bovey Tracey Devon 55

by E. E. Underdown

Time of Observation 9 a.m.

Nearest Railway Station 1 mile

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level about 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·13			0·33	0·04	0·01	0·15	0·54		0·36	1
2			0·48			0·42	0·01	0·07		0·30		0·01	2
3			0·22			0·23	0·07	1·38	0·01			0·06	3
4	0·04		1·32		0·03	0·49					0·12		4
5	0·72	0·44	0·16		0·26	0·01	0·03	0·72				0·20	5
6	0·48	0·07	0·02		0·06	0·20		0·03				0·01	6
7	0·17	0·04	0·39			0·58		0·03				0·26	7
8	0·53	0·15	0·42	0·06		0·06		0·04					8
9		0·08	0·18	0·07		0·19	0·10	0·05				0·35	9
10	0·23	0·12	0·12	0·01		0·18	0·03	0·09			0·14	0·21	10
11		0·08	0·03					0·03			0·12	0·74	11
12		0·35	0·05		0·01		0·10	0·33		0·01	0·01	0·06	12
13	0·23					0·01	0·52	0·03		0·03		0·29	13
14	0·07	0·10	0·60		0·08			0·02				0·06	14
15	0·64	0·13	0·02		0·30	0·33						0·10	15
16	0·22		0·56		0·02			0·06		0·05	0·05	0·04	16
17			0·21			0·05		1·03			0·01	0·06	17
18		0·02	0·18					0·47				0·03	18
19	0·04	0·07	0·46			0·01	0·03	0·71		0·06		0·06	19
20	0·04	0·07	0·55		0·15			0·21		0·15			20
21		0·27	0·57		0·55		0·02	0·07		0·12			21
22	0·39	0·60	0·24				0·04	0·06		0·05		0·24	22
23	0·28	0·27	0·16			0·03		0·45			0·06	0·28	23
24	0·11	0·06				0·55		0·02				0·47	24
25	0·21	0·03				0·04	0·04	0·34		0·31	0·33	0·45	25
26							0·01	0·03		0·91	1·24	0·72	26
27		0·03				0·50	0·35	0·55		2·16		0·90	27
28		0·07				0·20	0·24	0·79	0·60	0·57	0·53	0·37	28
29		0·52				0·74	0·16	0·19	0·48	0·74		0·12	29
30			0·02			0·26	0·20		0·20	0·51			30
31			0·19				0·67			0·03		0·02	31
Total	4·40	3·57	7·28	0·14	1·46	4·81	2·66	7·81	1·34	6·54	2·61	6·47	YEAR'S TOTAL 49·09
Rain Days.	16	21	24	3	9	21	18	27	5	16	10	26	196

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
9 JAN 1914

Kept at Blenheim House
Bovey Tracey
in the County of 5 Devon 5
by E E Underdown

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Bovey Tracey
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·15	0·27	0·11	0·02				0·02	0·28	0·46		1
2	0·22	0·33	0·05	0·28	0·46		0·02		0·01	0·24	0·28	0·03	2
3	0·61		0·13		0·23				0·02	0·04		0·53	3
4	1·11	0·01	0·28	0·05	0·06	0·05			0·34	0·37	0·14	0·28	4
5	0·08	0·04	0·02		0·16	0·10			0·52	0·05	0·30	0·26	5
6	0·27	0·18	0·25		0·16	0·05				1·05	0·06	0·02	6
7	0·03	1·30	0·02		0·83	0·07	0·12			0·23	0·37		7
8	0·08	0·50			0·29					0·03	0·01		8
9	0·07				0·07	0·02	0·02	0·07			0·47	0·01	9
10	0·84			0·02	0·11			0·06		0·10	0·13		10
11	0·90			0·03	0·72					0·09	0·88		11
12	0·08				0·05	0·09			0·03		0·27		12
13			0·20		0·03			0·02	0·19		0·08		13
14	0·44		0·36	0·08	0·20				0·07		0·09		14
15	0·40		1·01	1·19					0·05		0·03		15
16	0·31		0·70	0·08				0·09	0·56				16
17	0·10		0·02	0·16							0·02		17
18	0·03		0·60	0·13							0·10		18
19	0·72		0·03			0·12			0·33	0·08			19
20	0·09		0·33	0·43						0·04	0·63		20
21			0·25	0·07	0·10					0·05			21
22	0·29		0·79	0·02		0·04		0·09	0·03	0·34		0·28	22
23			0·01			0·03		0·01				0·85	23
24	0·01	0·23		0·03		0·02					0·03		24
25		0·02		0·60					0·04	0·07		0·01	25
26				1·75				0·06		0·01		0·28	26
27	0·46		0·25	0·20					0·01	0·66		0·03	27
28	0·46		0·23	0·35						0·33		0·07	28
29	0·12		0·63	0·33				0·01		0·33			29
30	0·78			0·04	0·01				0·20	0·66	0·01		30
31	0·11		0·10					0·35					31
Total	8·61	2·76	6·53	5·95	3·50	0·59	0·16	0·76	2·42	5·05	4·36	2·65	YEAR'S TOTAL 43·34
Rain Days.	25	9	22	20	16	10	3	9	15	20	19	12	180

W.7,000, XI. 13

Exe 33

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 JAN 1915

Kept at Blenheim House
in the County of Bovey Tracey Devon
S5
by E. E. Underdown

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Bovey Tracey
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·05	0·13		0·05	0·21	0·23			0·50	0·05	1
2			0·02	0·03	0·09		0·08				0·16	0·56	2
3			0·03	0·25	0·77			0·02			0·03	0·12	3
4	0·10			0·32	0·10		0·66				0·38	0·83	4
5	0·14		0·11	0·17	0·06				0·01		0·04	0·12	5
6		0·05	0·04	0·15	0·11		0·10	0·03				1·25	6
7	0·03	1·87	0·30	0·22	0·18	0·02	0·23	0·12	0·19			0·42	7
8	0·01		0·58	0·12	0·02	0·59		0·15	0·09			0·12	8
9		0·03	0·60	0·29	0·03	0·39		0·12	0·56		0·01		9
10	0·02	0·87	0·13		0·01	0·08			0·27			0·23	10
11		0·17	0·52		0·01	0·08			0·03		0·07	0·83	11
12		0·27	0·30						0·15	0·11		0·72	12
13		0·85	0·55				0·04		0·13	0·17	0·75	0·27	13
14		1·35	0·61			0·34		0·51		0·02	0·25	0·04	14
15			0·15				0·06	0·62	0·02	0·06		0·06	15
16			0·05						0·59		0·17		16
17		0·55	0·36									1·64	17
18		0·05	0·15				0·01		0·13			0·39	18
19		0·02	0·79				1·93		0·06		0·05	0·15	19
20		0·50	0·19			0·11						0·18	20
21		0·38								0·40		0·08	21
22		0·03			0·17			0·02		0·47			22
23		0·13	0·34							0·34			23
24		0·14	0·02		0·02			0·03		0·01	0·08		24
25	0·10		0·28		0·11		0·05	0·47		0·53	0·06	0·55	25
26		0·02					0·05	0·02		0·04	0·57	0·87	26
27	0·05	0·06								0·02	0·75	0·57	27
28		0·01	0·48		0·07					0·10	0·28	0·92	28
29	0·25		0·25		0·06		0·04			0·03	2·30	0·05	29
30	0·01	X	0·23				0·01			0·29	1·29	1·34	30
31	0·46	X		X		X	0·58		X	1·18	X	0·56	31
Total	1·17	7·35	7·13	1·68	1·81	1·66	4·05	2·34	2·23	3·77	7·74	12·92	YEAR'S TOTAL 53·85
Rain Days.	10	19	25	9	15	8	14	12	12	15	18	26	183

W. 8,000. X. 14.

1863

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Blenheim House

in the County of Bovey Tracey Devon

55

by E E Underdown

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Bovey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·58	0·22						0·75	0·21	0·46		0·11	1
2	0·31	0·53	0·06	0·06		0·06		0·32		0·05		0·89	2
3	0·09	0·30	0·07		0·34			0·01				0·57	3
4	0·04	0·14			0·06							1·00	4
5	0·03	1·00		0·16	0·01			0·18				0·93	5
6	1·07	0·15					0·60					0·39	6
7	0·52	0·72		0·11	0·01		0·14			0·27		0·42	7
8	0·18	0·54					0·01	0·08		0·21		0·29	8
9	0·36	0·16		0·07				0·01			0·40	1·23	9
10		0·50		0·02						0·20	0·10	0·06	10
11	0·11	0·14	0·11				0·01	0·25		0·23	1·24	0·05	11
12	0·02	0·46			0·74			0·05		0·07	0·54		12
13		1·40			0·80			0·18	0·01	0·03		0·03	13
14	0·08						0·21	0·05	0·02		0·04	1·75	14
15	0·23				0·36		0·16				0·05	0·27	15
16	0·01	2·23			0·30		0·75					0·14	16
17		0·39			0·07							0·01	17
18		0·33											18
19					0·67		0·07						19
20	0·29	0·02		0·09	0·02	0·10				0·21		0·03	20
21	0·18	0·07				0·01	0·23			0·36		0·05	21
22		0·04	0·43	0·06		0·01	0·52		0·02			0·72	22
23		0·01	0·08				0·04		0·09	1·61	0·01	0·70	23
24						0·01	0·03		0·05	0·23		0·93	24
25	0·04			0·05		0·79	0·07					0·41	25
26	0·02	0·31				0·06	0·05		0·01			1·58	26
27		0·05				0·07	0·05			0·70		0·01	27
28		0·07		0·04					0·18	0·10		0·13	28
29						0·30			0·04		0·28	0·30	29
30	0·39					0·01			0·02	0·89	0·55	0·55	30
31	0·02						0·29	0·03		0·94		0·96	31
Total	4·57	9·78	0·75	0·66	3·38	1·42	3·23	1·91	0·65	6·56	3·21	14·51	YEAR'S TOTAL 50·63
Rain Days.	20	23	5	9	11	10	16	11	10	16	9	28	168

W. 8,000. X. 15.

W [illegible] [illegible] (873)

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at Blenheim House Bovey Tracey
in the County of Devon
by E. E. Underdown

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Bovey Tracey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·22		0·06		0·24	0·03	0·06		0·04	0·32	0·12		1
2	0·50	0·12	0·02		0·03				0·04	0·19	0·42		2
3	0·03	1·50			0·41	0·01			0·04	0·70	0·33	0·01	3
4	0·32	0·18			0·12	0·22			0·03	0·38	1·04		4
5		0·16	0·03		0·03	0·25				0·46	0·11		5
6	0·05	0·21			0·16	0·04	0·86			0·56	1·79	0·04	6
7	0·04	0·30	0·10		0·12					0·02	0·74	0·22	7
8		0·19	0·12		0·23	0·35					0·08	0·35	8
9		0·15	0·17			0·30				0·03	0·11	0·01	9
10		0·44		0·01	0·03	0·02				0·05	0·01		10
11		0·02		0·05	0·01								11
12	0·02	0·04	0·20	0·02	0·12		0·02	0·02		0·01			12
13		0·42	0·22	0·02				0·28				0·07	13
14		0·93	0·26		0·01			0·21		0·15			14
15		0·63	0·25	0·07				0·05		0·04		0·02	15
16	0·28	0·22		0·13				0·65		0·10			16
17	0·36	0·03		0·02					0·06	0·27	1·19		17
18	0·13	0·15	0·46	0·02					0·13	0·03		0·15	18
19	0·33	0·26	0·17	0·15							0·10	0·13	19
20	0·14	1·00	0·23								0·04	1·26	20
21	0·04	0·12	0·02	0·01	0·07							0·07	21
22						0·20		0·02		0·30		0·53	22
23	0·03	0·04		0·02		0·12		0·23		0·31	0·58	0·14	23
24		0·14	0·01	0·15	0·20	0·01		0·06		0·63	0·02	0·14	24
25	0·01	0·35	0·16			0·01		0·79			0·23		25
26		0·14	0·12		0·05	0·06		0·30	1·30	1·07 1·79	0·03	0·01	26
27			1·34			0·06		0·08	0·63	0·54			27
28		0·05			0·02			0·09	0·83	0·56		0·52	28
29		0·20	0·03			0·46		1·95	0·12	0·36		0·40	29
30		✕				0·03		0·01	0·01	0·50			30
31		✕		✕		✕		0·03	✕	0·65	✕		31
Total	2·50	7·99 7·49	3·97	0·67	1·85	2·17	0·94	4·87	3·23	8·23	6·94	4·07	YEAR'S TOTAL 47·93 47·43
Rain Days.	15	26	19	12	16	16	3	15	11	24	17	17	191

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
8 JAN 1918

Kept at Blenheim House Bovey Tracey
in the County of Devon
by E. C. Underdown

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Bovey Tracey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0-06	0-24		0-42		0-30	0-03		0-01	0-01	1
2			0-14	0-19		0-09							2
3	0-03			0-13			0-28			0-50	1-20		3
4	0-06		0-90	0-01					0-03	0-47		0-01	4
5	0-04		0-15	0-12		0-57			0-03	0-16	0-18		5
6						0-07				0-15	0-12	0-01	6
7	0-53		0-40				0-16	0-14		0-19	0-08	0-01	7
8	0-10		0-10	0-12			0-12	0-32	0-02	0-57	0-13	0-31	8
9			0-13	0-09	0-03		0-05		0-02	0-29	0-26	0-03	9
10	0-27		0-63	0-39				0-50	0-01	0-01	0-04		10
11	0-01		1-20	0-21				(0-19)		0-39	0-21		11
12	0-29				0-36			0-06		0-52			12
13	0-01		0-35	0-02				0-38	0-06	0-15			13
14				0-11			0-12	0-16	0-02	0-01			14
15	0-04			0-01			0-09	0-09		0-28		0-53	15
16		0-18		0-04				0-02	0-01	0-19		0-30	16
17		0-04		0-07	0-02		0-31	0-11	0-50	0-06			17
18		0-14		0-02	0-93	0-12	0-18	0-01	0-73	0-04			18
19		0-46	0-08			0-23			0-07				19
20		0-07	0-04		0-62	0-05			0-02			0-10	20
21											0-04		21
22					0-02			1-01		0-09	0-01		22
23					0-16			0-40		0-19		0-01	23
24		0-01				0-11	0-17	0-11		0-26	0-06		24
25			0-06					0-50	0-08	0-28	0-08		25
26					0-27	0-13		0-17	0-06	0-06	0-01		26
27						1-42		1-12		0-07			27
28					0-01	0-47		0-71				0-03	28
29			0-18			0-28		0-02		1-06		0-15	29
30		X	0-24				0-09	0-25		0-07	0-01		30
31		X	0-24	X	0-18	X		0-02	X	0-33	X	0-02	31
Total	1-38	0-90	4-90	1-77	2-60	3-96	1-57	6-59	1-69	6-39	2-43	1-52	YEAR'S TOTAL 35-70
Rain Days.	10 ~~9~~	6	16 ~~17~~	15	10	12	10	22	15	25	14	13	168

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Blenheim House Bovey Tracey
in the County of S Devon
by E. E. Mudendown

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0-24		0-15				0-77	0-01	0-03	1-43		1
2		0-41		0-05				0-05		0-01	0-02	0-36	2
3		0-43		0-99	0-08			0-18	0-03	0-04	0-20		3
4		0-05		0-23				0-26	0-47	0-01	1-46	0-46	4
5		0-02	0-20	0-11	0-45			0-75	0-67	0-31	0-02	0-12	5
6	0-18	0-29	0-07	0-11				0-01		0-33		0-36	6
7		0-17		0-03	0-02			0-02	0-49	0-17	0-48	0-23	7
8		0-19							0-11	0-31			8
9	0-11	0-02		0-01		0-12	0-25		0-70	0-01		0-47	9
10	0-03		0-13	0-32			0-41		0-22	0-12		0-46	10
11		0-02	0-03	0-08			0-12		0-22	0-08	0-08	0-06	11
12		0-10			0-24		0-07		0-03		0-02	0-01	12
13	0-03	0-02			0-21		0-31		0-38	0-12		0-05	13
14	0-49				0-04	0-05	0-04		0-15	0-04		0-25	14
15	1-22				0-03	0-05	0-72		0-07	0-11		0-33	15
16	0-98			0-38			0-05		0-32	0-02		0-06	16
17	0-24		0-01	0-18			0-70		0-14			0-25	17
18	1-24		0-01			0-77	0-04		0-72	0-26		0-58	18
19	0-32		0-13	0-01			0-18		0-08	0-01		0-25	19
20	0-44	0-10		0-19			0-11		0-30	0-06		0-11	20
21	0-16	0-05							0-22	0-12		0-40	21
22	0-02				0-03		0-42		0-50	0-03	0-05	0-14	22
23	0-10	0-02			0-09		0-26	0-02	0-07		0-06	0-10	23
24	0-01	0-12					0-08	0-25	0-01		0-10	0-33	24
25	0-01			0-08	0-01		0-20	0-40		0-08	0-43	0-03	25
26	0-04	0-05					0-17	0-03	0-07	0-01	0-07	0-13	26
27		0-03	0-25					0-11	0-09	0-01	0-14		27
28		0-14	0-25							0-05	0-01	0-03	28
29			0-18						1-53			0-03	29
30		×	0-30						0-02	0-11	0-09	0-12	30
31		×	0-15	×		×			×	0-01	×	0-04	31
Total	5-62	2-47	1-71	2-92	1-20	0-99	4-13	2-85	7-62	2-46	4-66	5-76	YEAR'S TOTAL 42-39
Rain Days.	17	19	12	15	10	4	17	12	26	26	16	27	201

W. 6,500, VII. 18. W W C

card for alts ~~4~~ BRV

1636

10 JAN 26

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Blenheim gardens
in the County of Bovey Tracey Devon
by E. C. Underdown

Lat. ______ Long. ______
Time of Observation 9 a m
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ______ in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·60		0·30		0·14		0·25		0·06	0·10		1·18	1
2	0·25		0·01		0·01		0·03		0·03	0·09			2
3	0·28		0·29						0·30			0·08	3
4	0·63	0·86	0·57				0·01	0·05	1·03			0·04	4
5	0·05	0·21	1·35						0·28		0·03	0·50	5
6	0·73	1·19	0·16									0·31	6
7	0·33		0·37	0·06					0·02			0·07	7
8	0·49		0·20								0·38		8
9	0·31		0·02	0·11	0·07						0·50		9
10	0·08		0·84		0·02							0·95	10
11	0·08		0·57		0·45	0·01	0·05			0·06	0·01	0·28	11
12	0·48		0·08						0·01	0·10	0·04	0·15	12
13	0·23		0·19	0·62								0·20	13
14	0·67	0·30		1·14	0·47		0·03		0·10	0·11		0·43	14
15	0·51	0·32		0·06						0·09		0·28	15
16	0·10	1·40									0·22	0·01	16
17		0·65						0·05			0·42		17
18		0·31	0·60		0·01		0·21	0·27	0·01		0·35		18
19	0·63	0·80	0·10			0·11	0·50	0·13	0·15		0·19		19
20	0·73	0·07				0·49			0·20		0·13	0·06	20
21	0·05	1·23			0·01				0·07	0·04		0·22	21
22							0·03		0·12			0·12	22
23			0·01					0·17		0·54	0·09	0·22	23
24						0·18		0·08			0·21		24
25	0·04	0·02		0·05		0·08		0·57		0·42	0·01	0·20	25
26	0·05		0·08	0·03				0·02		0·03	0·09	0·95	26
27	0·30		0·03	0·37			0·02	1·87				0·06	27
28	0·20	0·03	0·28	0·09				0·06			0·55	0·49	28
29				0·04				0·08		0·12		0·11	29
30		✕		0·03		0·02		0·10	0·04		0·75	0·93	30
31		✕	0·09	✕		✕			✕		✕	0·10	31
TOTAL	7·82	7·39	6·14	~~2·70~~ 2·60	1·18	0·89	1·13	3·45	2·42	1·70	3·97	7·94	YEAR'S TOTAL ~~46·73~~ 46·63
Days with ·01 in. or more	23	13	20	11	8	6	9	12	14	11	16	24	167

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DL

BRAMPFORD SPEKE

DEVON

1911 – 1919.

R 1

FORM A2.
BRITISH RAINFALL.
~~26 JAN 1912~~

322

Kept at Brampf 5 in.

e Ground 1 ft. in.

in the County of S. D Sea Level 79 ft.

by Mr A. Tuck

Name

Distance Direction

IMPORTANT NOT the result entered to the previous day. If an Ol versal rule, he is earnestly requested to add the rea ar in the space provided for it at the end of thi ent of rain, the selection and placin tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·10				·01		·01		·01	1
2					·17			·35		·01	·20	·14	2
3			·02								·02		3
4			·10		·05			·01	·02	·09	·02	·43	4
5	·05		·06		·01			·82		·05	·34	·01	5
6	·18		·26					·01			·10	·64	6
7	·01										·33	·01	7
8	·04		·18								·05	·76	8
9											·33	·68	9
10	·06	·02	·10		·09						·01	·11	10
11	·21				·09				·01		·52	·08	11
12			·62						·09		·16	·26	12
13									·17	·12	·03	·35	13
14		·07										·96	14
15			·04			·04					·16	·05	15
16						·34					·26	·35	16
17		·04	·18			·21						·75	17
18		·15	·05	·30		·28				·13	·07	·47	18
19		·02		·07		·52			·25	·34	·18	·59	19
20	·04	·04	·15	·04		·10			·03	·28	·19	1·00	20
21		·05	·04					·10		·43		·07	21
22	·17	·03		·05					·21	·20			22
23		·07	·03	·06		·05			·05	·25		·04	23
24		·10				·27		·17		·37		·15	24
25				·05		·03			·02	·11		·20	25
26		·16		·20	·01			·03		·31		·17	26
27	·01	·25						·24	·08	·70		·21	27
28	·01	·16	·06	·52				·03			·11	·01	28
29				·37		·34	·24		·11	·23			29
30					·01	·01				·06	·07	·01	30
31							·10			·10		·01	31
Total	·79	1·16	1·89	1·76	·43	2·19	·34	1·77	1·04	3·79	3·15	8·52	TOTAL for year 26·83
No. of Rain Days	11	13	14	10	7	11	2	10	11	18	19	28	154

9,000, IX. '10.

8L

322

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Brampford Speke

in the County of S. Devon 6

by Mr A. Tucker

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	1 ft. in.
	" " Sea Level	79 ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·10				·01		·01		·01	1
2					·17			·35		·01	·20	·14	2
3			·02								·02		3
4			·10		·05			·01	·02	·09	·02	·43	4
5	·05		·06		·01			·82		·05	·34	·01	5
6	·18		·26					·01			·10	·64	6
7	·01										·33	·01	7
8	·04		·18								·05	·76	8
9											·33	·68	9
10	·06	·02	·10		·09						·01	·11	10
11	·21				·09				·01		·52	·08	11
12			·62						·09		·16	·26	12
13									·17	·12	·03	·35	13
14		·07										·96	14
15			·04			·04					·16	·05	15
16						·34					·26	·35	16
17		·04	·18			·21						·75	17
18		·15	·05	·30		·28				·13	·07	·47	18
19		·02		·07		·52			·25	·34	·18	·59	19
20	·04	·04	·15	·04		·10			·03	·28	·19	1·00	20
21		·05	·04					·10		·43		·07	21
22	·17	·03		·05					·21	·20			22
23		·07	·03	·06		·05			·05	·25		·04	23
24		·10				·27		·17		·37		·15	24
25				·05		·03			·02	·11		·20	25
26		·16		·20	·01			·03		·31		·17	26
27	·01	·25						·24	·08	·70		·21	27
28	·01	·16	·06	·52				·03			·11	·01	28
29				·37		·34	·24		·11	·23			29
30					·01	·01				·06	·07	·01	30
31							·10			·10		·01	31
Total	·79	1·16	1·89	1·76	·43	2·19	·34	1·77	1·04	3·79	3·15	8·52	TOTAL for year. 26·83
No. of Rain Days	11	13	14	10	7	11	2	10	11	18	19	28	154

9,000, IX. '10.

Dl ✓

Eox. H.S.lo Cor. by surv. stats 16.IV.13

315

FORM A2. BRITISH RAINFALL. 25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Brampford Speke Station

in the County of S. Devonshire S.6

by A. Tucker

RAIN GAUGE { Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation ______

Nearest Railway Station { Name ______
Distance ______ Direction ______

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·22			·59		·01	·04			·40	1
2			·10		·01	·39	·07	1·08		·79			2
3			·15			·12	·16	·02	·02			·03	3
4	·19	·03	·82			·13					·27		4
5	·37	·20	·26		·02	·27	·71	·50				·13	5
6	·39	·08	·02		·38	·22		·53				·02	6
7	·06	·65	·28	·05	·12	·90		·08				·14	7
8	·41	·30	·32			·17						·01	8
9		·02	·06	·07		1·75		·01				·45	9
10	·24	·08	·32	·02		·07		·26			·28	·17	10
11		·05	·01			·78	·02	·01			·02	·25	11
12	·03	·23	·10		·01		·07	·22					12
13	·27							·01				·04	13
14	·07	·02	·52		·15		·04	·14		·02		·02	14
15	·54		·04		·41	·55						·10	15
16	·38		·02		·05	·03		·04				·10	16
17	·13		·18			·15		·44				·04	17
18		·01	·16					·16		·06	·01	·02	18
19	·03	·12	·43			·01	·03	·28					19
20			·12		·17		·05	·16		·48			20
21	·06	·17	·19		·41		·02	·07		·06			21
22	·23	·07	·20		·11		·01	·13		·26		·02	22
23	·42	·33	·12			·05	·07	·56		·02	·05	·31	23
24	·06		·02			·25		·01		·13	·07	·18	24
25	·13					·14	·13	·52			·15	·32	25
26						·01		·18		·19	·37	·23	26
27						·31	·44	·25		·95	·02	·15	27
28		·08				·21	·06	·32	·15	·10	·28	·42	28
29		·18				·08	·06	·26	·55	·90		·05	29
30			·04			·01	·21		·15	·40			30
31			·22				·20			·01		·03	31
Total	4·01	2·62	4·92	·14	1·84	7·19	2·35	6·25	·91	4·37	1·52	3·63	TOTAL for year 39·75
No. of Rain Days.	18	17	25	3	11	23	17	26 ~~21~~	5	14	10	24	193

W. 8,000, X. '11.

82 ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
28 JAN 1914

327

Kept at Brampford Speke
in the County of S. Devonshire 6
by A. Tucker

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.20	.07	.02	.06				.09	.02	.05		1
2	.05	.04		.12	.24		.02			.30	.10	.02	2
3	.17		.01		.36							.21	3
4	.85				.13	.30	.06		.26	.60	.21	.30	4
5	.03	.05			.12	.15	.01		.42		.19	.60	5
6	.05	.07	.10		.02	.09	.05			.68		.13	6
7		.15	.01		.78	.03	.24			.38	.23	.02	7
8	.04				.31		.10	.02			.01		8
9	.03	.02			.05	.01	.07	.04			.53		9
10	.86	.01			.01			.01		.15	.11		10
11	.60			.12	.70	.12				.04	.60		11
12	.02			.01	.02						.38		12
13	.32		.02	.01				.06	.13		.09		13
14	.50		.12		.06						.08		14
15	.15		.36	.20					.14		.02		15
16	.22		.31	.02				.03	.13				16
17	.02					.01							17
18	.14		.17	.05	.02		.03						18
19	.64		.12			.03			.35	.06			19
20	.19		.01	.15						.04	.13		20
21	.01		.46	.02	.11						.48		21
22	.49		.65	.64	.01	.09	.04	.01	.12			.28	22
23	.01											.50	23
24						.03			.02	.04	.11		24
25				.31					.04			.01	25
26				.58	.01							.14	26
27	.22		.23	.10	.01			.07		.32			27
28	.12		.12	.04						.48		.24	28
29	.10		.44	.40	.03					.22			29
30	.22				.02				.05	.52	.04		30
31	.21		.17		.03		.04	.76		.01			31
Total	6.26	.54	3.37	2.79	3.10	.86	.66	1.00	1.75	3.86	3.36	2.45	YEAR'S TOTAL 30.00
Rain Days.	26	7	17	16	21	10	10 9	8	11	15	17	11	168 169

W. 7,500, XI. 12

82 311

REGISTER OF RAINFALL IN 1914

28 JAN 1915

FORM A. BRITISH RAINFALL.

Kept at Brampford Speke

in the County of S. Devonshire S6

by A. Tucker

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·14	·15		·09	·05	·22			·07	·05	1
2				·04	·02		·30						2
3	·03		·19	·21	·26							·18	3
4	·12		·02	·13	·06		·30	·41			·14	·58	4
5			·11	·28				·02			·30		5
6		·03	·06	·10	·03		·02	·06			·24	·30	6
7		·52	·06	·05	·12	·03	·30		·18			·13	7
8	·16	·02	·60	·03	·16	·40					·01		8
9	·01	·01	·36	·12	·04	·43			1·28			·13	9
10	·04	·21	·06	·18	·06	·05			·41				10
11		·02	·26			·15		·11			·06	·66	11
12		·33	·13						·14	·02	·04	·51	12
13		·08	·34				·03		·25	·25	·21		13
14		·06	·25			·11		·55		·09	·18	·06	14
15			·11				·18	·30	·01		·15	·30	15
16			·05									·03	16
17		·15	·28						·06			·23	17
18		·10	·03				·01	·04	·08			·35	18
19		·07	·55				1·76		·05		·08	·08	19
20		·32	·15			·13		·07				·20	20
21		·58				·02				·50			21
22		·01	·01		·20			·01					22
23		·07	·23		·01	·01				·20			23
24		·04	·04		·18		·07	·05			·08		24
25		·02	·31				·09	·20		·25	·01	·16	25
26			·17				·15			·04	·04	·55	26
27	·08	·01					·01			·19	·11	·18	27
28		·03	·22		·10					·30	·13	·70	28
29	·01		·05		·11						·18	·04	29
30			·03			·02				·18	·18	·71	30
31	·01						·23			1·00		·40	31
Total	·46	2·68	4·81	1·29	1·35	1·44	3·50	2·04	2·46	3·02	2·21	6·53	YEAR'S TOTAL 3179
Rain Days.	8	20	27	10	13	11	14	12	9	11	18	22	175

W.7,000, XI. 13

82

1896
~~307~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Brampford Speke
in the County of S. Devonshire
by A. Tucker

56

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·22							·05	·50		·25	1
2	·22	·16	·15			·17		·10	·03	·02		·50	2
3		·10	·04		·19		·02					·49	3
4	·03	·09			·06		·83					·17	4
5	·01	·61		·11				·07				·53	5
6	·82	·07		·10			·42					·16	6
7	·35	·25		·13			·17	·01			·01	·01	7
8	·12	·31						·10			·04	·23	8
9	·01	·04		·13							·53	·50	9
10	·16	·38	·01	·06				·12		·11	·09	·09	10
11	·15	·41	·03					·30		·11	·63	·04	11
12	·14	·73			·55			·07		·05	·15	·03	12
13	·06	·52			·31		·01	·23	·09		·15	·08	13
14							·11	·08	·02	·15		·33	14
15	·15				·27		·16			·05		·16	15
16		·46			·11		·75					·10	16
17		·09											17
18		·10											18
19					·36		·13						19
20	·30			·10		·08	·05			·15		·07	20
21	·40	·12								·15			21
22	·07		·19	·14		·08	·36			·05		·30	22
23		·03					·08		·01	1·00		·42	23
24							·08		·14	·11		·51	24
25	·05					·46						·17	25
26		·03				·53				·49	·01	·55	26
27						·31	·08						27
28		·06				·18			·36	·15	·04	·10	28
29						·07					·02	·22	29
30	·10	X				·01	·10		·02	·84	·35	·38	30
31	·03	X		X		X	·47		X	·74	X	·10	31
Total	3·45	4·78	·42	·77	1·85	1·89	3·82	1·08	·72	4·67	2·02	6·49	YEAR'S TOTAL 31·96
Rain Days.	19	20	5	7	7	9	16	9	8	16	11	26	153

W. 8,000. X. 14.

84

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Brampford Speke

in the County of S. Devonshire

by A. Tucker

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16		·13		·31	·03	·03			·35	·11		1
2	·04	·05			·01	·01	·21		·05	·21	·32		2
3		·85			·32		·04			·38	·45		3
4	·08	·10			·17	·14				·03	·84		4
5		·01	·10	·02	·10	·10				·05	·19		5
6	·03	·08	·02		·05	·12	·36			·01	·48		6
7		·30	·21		·15	·12	·22			·07	·78	·15	7
8		·28	·15		·16	·01				·10	·20	·11	8
9	·08					·11					·06	·26	9
10		·55		·07	·12		·08				·01	·16	10
11			·01	·03									11
12		·03	·43	·07	·15		·05	·03		·04			12
13		·28	·08	·03				·38					13
14	·08	·40	·21	·01	·05			·03					14
15		·11	·15	·07				·01	·03				15
16	·06	·05		·14			·08	·94	·05	·23			16
17	·02	·18		·08					·40	·26	1·36		17
18	·02	·27	·34	·07					·17				18
19	·09	·23	·15	·07							·18	·03	19
20	·07	·90	·28								·01	1·14	20
21	·01	·18	·18	·01	·13	·04					·01		21
22						·05				·47		·76	22
23		·06		·15		·16		·21		·23	·04	·10	23
24		·31	·05		·31			·05		·50		·30	24
25		·35	·14		·04	·02		·47	·01		·27		25
26	·02	·05	·05			·20		·64	1·20	·93			26
27			1·36			·18		·12	·82	·30			27
28								·11	·18	·46		·17	28
29		·39	·05			·24		1·61		·12		·21	29
30		X						·01		·40		·01	30
31		X		X		X			X	·07	X	·09	31
Total	·76	6·01 6·01	4·09	·82	2·07	1·53	1·07	4·61	2·91	5·21	5·31	3·49	YEAR'S TOTAL 37·88 37·88
Rain Days.	13	23	19	13	14	15	8	13	9	20	16	13	176

W. 8,000. X. 15.

1774
~~2557~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Brampford Speke

in the County of S. Devonshire

by A. Tucker

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground — ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·13	·20		·30		·51	-		·04		1
2				·13							·83		2
3			·78	·05		·03	·64	·05					3
4		·19	·43				·03			·45	·04		4
5	·18			·20		·47				·37	·04		5
6			·33			·03		·72		·05	·12		6
7			·02				·06	·15		·12			7
8	·40		·32	·14		·08	·75	·36		·40	·06	·25	8
9	·30		·22	·05						·46	·08		9
10	·05		·09	·15				·09		·20	·04		10
11	·04		1·30	·15				·31		·18	·30		11
12	·06		·01		·45		·01	·45		·22			12
13			·18					·33	·05	·15	·13		13
14							·05	·16	·15		·12		14
15							·13			·10		·32	15
16				·06			·08			·21		·15	16
17		·01		·06		·09	·27	·01	·40	·03		·12	17
18		·08	·01		·11	·23	·18	·02	·33	·01			18
19		·43	·17						·16				19
20		·09			·43	·03		·21	·10				20
21						·08							21
22								·57		·25			22
23		·22	·07		·16		·35	·18					23
24			·06					·02		·04			24
25		·04					·02	·06		·44			25
26					·30			·24	·08	·10			26
27					·08	1·12		·77		·03			27
28		·11	·08		·13	·90		·18				·01	28
29			·05			·20		·08		·45		·02	29
30		X	·10					·06		·05			30
31		X	·06	X	·03	X	·03	·02	X	·30	X		31
Total	1·06	1·17	4·41	1·19	1·69	3·56	2·60	5·55	1·27	4·61	1·80	·87	YEAR'S TOTAL 29·78
Rain Days.	7	8	19	10	8	12	13	23	7	22	11	6	146

W. 8,000, VIII. 16

8L

111 ~~241~~

FORM A.
BRITISH RAINFALL.

30·1·19

REGISTER OF RAINFALL IN 1918

Kept at Brampford Speke

in the County of S. Devonshire

by A. Tucker

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Funnel of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·08		·70				1·06			1·01	·10	1
2		·04			·05						·03		2
3		·04		·03						·15	·08	·10	3
4		·11		·02				·19			·25		4
5		·06	·05	·16	·27			·60	·55				5
6	·25	·06	·15					·01	·02			·05	6
7		·10	·10						·28	·06	·32	·25	7
8	·12	·08			·12				·10	·10		·05	8
9	·03	·04							·30	·49		·20	9
10	·10			·07			·30		·20			·37	10
11				·26			·28		·26	·10			11
12		·06	·10		·13		·04					·03	12
13	·20				·15	·04	·08		·53	·06		·20	13
14	·08				·02		·25		·09	·20		·06	14
15	1·22					·07	·50		·30			·24	15
16	·57			·50			·05		·15		·10	·26	16
17	·23						·40					·07	17
18	·52					·33	·12		03			·21	18
19	·12	·02	·03				·06		·70				19
20	·15	·04	·18	·03			·24		·12	·02		·20	20
21	·10	·10		·57	·15	·02	·13		·28	·18		·50	21
22						·03	·70		·10			·30	22
23							·12		·16			·25	23
24							·02	·15	·15	·05		·10	24
25		·30					·03	·43			·25	·02	25
26	·05				·15		·38	·02	·02			·03	26
27								·07	·51		·20	·05	27
28		·27							·07		·15	·03	28
29			·09						1·15				29
30		X		·15					·01	·05		·04	30
31		X		X		X	·02		X	·08	X	·05	31
													YEAR'S TOTAL
Total	3·74	1·40	·70	2·49	1·04	·49	3·72	2·53	6·08	1·53	2·39	3·76	29·87
Rain Days.	14	15	7	10	8	5	18	8	23	12	9	25	154

W. 8,000, IX. 17.

8h

~~+1~~ 8h

1664
~~25~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Brampford Speke

in the County of S. Devonshire

by A. Tucker

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ....

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.56		.03				.15			.40		1.05	1
2	.07						.05		.02			.04	2
3	.06	.02	.43						.45	.10		.02	3
4	.60	.91	.57			.05	.15	.06	.36			.14	4
5		.38	1.02						.23		.15	.12	5
6	.75	.50	.05									.48	6
7	.50		.11	.09					.02	.06			7
8	.28		.23	.10							.24	.02	8
9	.13		.10	.23	.12	.01				.04		.10	9
10				.02	.01							.28	10
11	.02		.23		.14		.05				.03	.16	11
12	.34		.02	.09		.03					.10	.02	12
13	.03	.13	.17	.25			.02					.06	13
14	.08	.03		.50	.27							.38	14
15	.05	.30		.05			.01					.25	15
16	.07	.74						.08			.15		16
17	.03	.20									.22		17
18	.04	.58	.72				.18				.20	.05	18
19	.05	.34	.25				.67	.47	.40		.13	.10	19
20	.70	.01	.03			.25		.07	.18		.12	.03	20
21	.04	.55					.12	.04	.08		.06	.04	21
22									.21			.06	22
23										.73		.18	23
24	.02					.21				.40	.10	.50	24
25	.06			.02		.03		.60			.20	.05	25
26	.27		.06	.02				.03				.18	26
27				.26				1.15			.03	.02	27
28			.15	.02				.10			.15	.55	28
29				.08								.01	29
30		X	.13	.05		.03					.65	.33	30
31		X	.05	X		X			X	.15	X	.49	31
Total	4.75	4.69	4.35	1.78	.54	.61	1.40	2.60	1.95	1.88	2.53	5.71	YEAR'S TOTAL 32.79
Rain Days.	22	13	18	14	4	7	9	9	9	7	15	28	155

W. 6,500, VII. 18. W W C

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

BRAUNTON

DEVON

1914 – 1918.

REGI

Kept at Ingpane, ... m ... Braunton

in the County of ... Symonds

by A. M. Norto... Ground 95 ft. in.

Sea Level ft.

IMPORTANT NOTI... he result entered to the previous day. If an Obs... rsal rule, he is earnestly requested to add the readi... in the space provided for it at the end of this ... ent of rain, the selection and placing ... ish Rainfall Organization are given in ... pplication to Dr. H. R. Mill, 62, Camd...

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	.03	.11	–	.38	.20	.84	–	–	.09	.12	1
2	.03	–	–	–	.02	–	.29	.39	–	–	.02	.42	2
3	.03	–	.26	.22	.39	–	–	.04	–	.03	–	.08	3
4	.28	–	.09	.23	.11	–	.58	.63	–	–	.34	.85	4
5	.10	–	.29	.33	.01	–	.04	–	–	–	.09	.02	5
6	–	.01	.17	.39	.04	–	.22	.05	–	–	.40	.19	6
7	.04	.34	.18	.28	.12	.06	.65	.16	.12	–	–	.13	7
8	.13	–	.86	–	.12	.34	.01	.05	–	–	–	.35	8
9	.19	.05	.17	.03	.21	1.12	–	.22	.66	–	–	.01	9
10	.15	.30	.27	.27	.14	.03	–	–	.44	–	.02	.03	10
11	–	.14	.33	–	.11	.13	–	–	.04	–	.19	.46	11
12	–	.54	.17	–	–	–	–	–	.43	–	.14	.07	12
13	–	.30	.28	–	–	–	–	–	.42	.10	.48	.08	13
14	–	.40	.33	–	–	–	.02	.44	.02	.09	.28	.03	14
15	–	.07	.15	–	–	–	–	.76	.08	.01	.35	.25	15
16	–	.01	.04	–	–	–	.06	–	.08	–	–	.03	16
17	–	.17	.28	–	–	–	.05	–	–	–	–	.43	17
18	–	.10	.31	–	–	–	.02	–	.23	–	–	.64	18
19	–	.09	.09	–	–	–	1.13	–	.05	–	.15	.10	19
20	–	.34	.16	–	–	.13	–	–	–	–	–	.16	20
21	–	.19	.04	–	–	–	.07	–	–	.18	–	.01	21
22	–	.08	.10	.02	.07	.57	–	.10	–	.23	–	–	22
23	–	.07	.13	–	–	.05	.13	–	–	.24	–	–	23
24	–	–	.07	–	–	.03	.02	.07	–	–	.27	–	24
25	.21	.02	.14	–	–	–	.29	.70	–	.37	.02	.20	25
26	.03	–	–	–	–	–	.27	.07	–	.19	.28	.44	26
27	.15	.02	–	–	–	–	–	–	–	.19	.39	.14	27
28	.02	.09	.21	–	.09	–	.01	–	–	.27	.16	.95	28
29	.15		.30	–	.12	–	–	–	–	.23	.24	.05	29
30	–		.13	–	–	–	–	–	–	.04	.74	.18	30
31	.05		–		.11		.46	–		.39		.14	31
Total	1.56	3.33	5.58	1.88	1.66	2.84	4.52	4.52	2.57	2.56	4.65	6.56	YEAR'S TOTAL 42.23
Rain Days.	14	20	27	9	14	10	19	14	11	14	19	28	199

W. 7,500, XI. 12

REGI

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at Iyepane, Braunton
in the County of Devon (N. N2
by A. M. Norton

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Braunton
Diameter of Rain Gauge Symonds
Height of top of Gauge above Ground 95 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	.03	.11	-	.38	.20	.84	-	-	.09	.12	1
2	.03	-	-	-	.02	-	.29	.39	-	-	.02	.42	2
3	.03	-	.26	.22	.39	-	-	.04	-	.03	-	.08	3
4	.28	-	.09	.23	.11	-	.58	.63	-	-	.34	.85	4
5	.10	-	.29	.33	.01	-	.04	-	-	-	.09	.02	5
6	-	.01	.17	.39	.04	-	.22	.05	-	-	.40	.19	6
7	.04	.34	.18	.28	.12	.06	.65	.16	.12	-	-	.13	7
8	.13	-	.86	-	.12	.34	.01	.05	-	-	-	.35	8
9	.19	.05	.17	.03	.21	1.12	-	.22	.66	-	-	.01	9
10	.15	.30	.27	.27	.14	.03	-	-	.44	-	.02	.03	10
11	-	.14	.33	-	.11	.13	-	-	.04	-	.19	.46	11
12	-	.54	.17	-	-	-	-	-	.43	-	.14	.07	12
13	-	.30	.28	-	-	-	-	-	.42	.10	.48	.08	13
14	-	.40	.33	-	-	-	.02	.44	.02	.09	.28	.03	14
15	-	.07	.15	-	-	-	-	.76	.08	.01	.35	.25	15
16	-	.01	.04	-	-	-	.06	-	.08	-	-	.03	16
17	-	.17	.28	-	-	-	.05	-	-	-	-	.43	17
18	-	.10	.31	-	-	-	.02	-	.23	-	-	.64	18
19	-	.09	.09	-	-	-	1.13	-	.05	-	.15	.10	19
20	-	.34	.16	-	-	.13	-	-	-	-	-	.16	20
21	-	.19	.04	-	-	-	.07	-	-	.18	-	.01	21
22	-	.08	.10	.02	.07	.57	-	.10	-	.23	-	-	22
23	-	.07	.13	-	-	.05	.13	-	-	.24	-	-	23
24	-	-	.07	-	-	.03	.02	.07	-	-	.27	-	24
25	.21	.02	.14	-	-	-	.29	.70	-	.37	.02	.20	25
26	.03	-	-	-	-	-	.27	.07	-	.19	.28	.44	26
27	.15	.02	-	-	-	-	-	-	-	.19	.39	.14	27
28	.02	.09	.21	-	.09	-	.01	-	-	.27	.16	.95	28
29	.15		.30	-	.12	-	-	-	-	.23	.24	.05	29
30	-		.13	-	-	-	-	-	-	.04	.74	.18	30
31	.05		-		.11		.46	-		.39		.14	31
Total	1.56	3.33	5.58	1.88	1.66	2.84	4.52	4.52	2.57	2.56	4.65	6.56	YEAR'S TOTAL 42.23
Rain Days.	14	20	27	9	14	10	19	14	11	14	19	28	199

1958

FORM A.
BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Tyspane Braunton

in the County of Devon N2

by A. M. Norton

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Braunton
Diameter of Rain Gauge Symonds
Height of top of Gauge above Ground ~~95~~ ft. in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.28	.31	–	–	.19	–	–	.21	.20	.35	.04	.40	1
2	.25	.19	.22	.10	–	.06	–	.70	.06	.03	–	.52	2
3	.01	.08	.11	.25	.25	–	.01	–	–	–	–	.48	3
4	.01	.48	.04	–	.02	–	.18	–	–	–	–	.38	4
5	.22	.40	.01	.08	.02	.02	–	.24	–	–	–	.34	5
6	.58	.08	–	.33	–	–	.24	.14	–	–	–	.26	6
7	.33	.59	–	.03	–	–	.26	.06	–	.20	.04	.34	7
8	.36	.50	–	–	–	–	–	.25	–	.04	.21	.07	8
9	.02	.38	–	.14	–	–	–	.04	–	–	.41	.90	9
10	.46	.23	.25	.13	–	–	–	.02	–	.09	.03	.01	10
11	.24	–	.08	.01	.06	–	.03	.06	–	.03	.87	.15	11
12	.28	.31	–	.05	.33	–	.08	–	–	.05	.28	.27	12
13	.08	.30	–	.03	.58	–	.18	.14	.16	.02	.11	.08	13
14	.05	–	–	–	–	–	.07	.15	.12	–	–	.59	14
15	.26	–	–	–	.37	–	.32	–	.18	–	.13	.19	15
16	.01	.64	–	.01	.23	–	1.21	–	.04	–	–	–	16
17	.02	.11	–	–	.04	–	–	–	–	–	–	–	17
18	–	.27	.02	–	–	–	.06	–	–	–	–	–	18
19	.03	.02	–	.09	.18	–	.31	–	–	–	–	–	19
20	.58	–	–	.12	–	.08	–	–	–	.13	–	.06	20
21	.39	.41	–	–	.11	.07	.17	–	.15	.20	–	.21	2
22	.18	.07	.22	.09	–	.02	.30	–	.01	.28	–	.28	2
23	.13	.08	.09	–	–	.04	.11	–	.03	.75	–	.95	2
24	–	–	.03	.03	–	.01	.03	–	.35	.22	–	.19	24
25	.01	–	–	–	–	.19	.55	–	–	.03	–	.13	25
26	–	.11	–	–	–	.03	.24	–	.15	–	–	.37	26
27	–	.12	–	–	–	.42	.10	–	–	.37	–	.04	27
28	–	.15	.02	–	–	.05	–	–	.31	.21	–	.03	28
29	–	✕	–	–	–	.09	–	–	.18	.01	.18	.04	29
30	.08	✕	–	.01	–	.10	–	–	.05	.28	.33	.15	30
31	–	✕	–	✕	–	✕	.15	.48	✕	.17	✕	.23	31
Total	4.86	5.83	1.09	1.50	2.38	1.18	4.60	2.49	1.99	3.46	2.63	7.66	YEAR'S TOTAL 39.67
Rain Days.	24	22	11	16	12	13	20	12	14	19	11	27	201

W. 8,000. X. 14.

W. CJC

19·2

FORM A. BRITISH RAINFALL
3 JAN

REGISTER OF RAINFALL IN 1916

Kept at Tyspane Braunton
in the County of Devon
by A. M. Norton

Lat. 51.7 Long. 4.9
Time of Observation 9 a.m.
Nearest Railway Station Braunton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	–	–	–	.21	.22	.30	–	–	.45	.02	.02	1
2	.52	.03	.35	–	.09	–	.01	–	.25	.85	.12	–	2
3	–	1.14	.25	–	.16	.09	.24	–	.01	.37	.11	.16	3
4	.23	.26	–	.04	.30	.30	–	–	.22	.04	.22	–	4
5	.04	.02	.02	–	.03	.11	–	–	.02	.08	.35 ~~.45~~	–	5
6	.15	.34	–	–	.07	.02	.37	–	–	.28	.45 ~~.48~~	.01	6
7	.08	.35	.10	–	.29	–	–	–	–	–	.48 ~~.17~~	.27	7
8	–	.16	.33	–	.10	.10	–	–	–	–	.17 ~~.03~~	.11	8
9	–	.08	–	–	.05	–	.28	–	–	.05	.08 ~~.04~~	.25	9
10	–	1.16	–	.14	.03	–	.01	–	–	.01	~~.04~~ .04	–	10
11	–	.02	–	.17	.12	–	–	–	.06	–	.04 ~~.03~~	–	11
12	.07	.10	.07	.03	.34	–	.10	.02	–	.40	.03 –	–	12
13	–	.49	.02	.01	.02	–	.01	.13	.03	.02	–	–	13
14	.09	.43	.14	–	.08	–	–	.39	–	.09	–	–	14
15	.03	.18	.04	.21	.04	–	–	.13	.03	–	–	–	15
16	–	.08	–	.44	.01	–	.18	.55	.02	.17	– ~~.38~~	–	16
17	.16	.25	–	.03	–	–	–	.02	1.02	.27	.38 –	–	17
18	.08	.30	.15	.02	–	–	–	.03	.15	.05	– ~~.26~~	.09	18
19	.09	.18	.04	.10	–	–	–	.07	.02	–	.26 ~~.29~~	.13	19
20	.06	.35	.20	–	–	–	–	–	–	–	.29 ~~.12~~	.37	20
21	.06	.07	.25	–	.03	.04	–	–	–	–	.12 ~~.05~~	.30	21
22	–	–	[illegible]	–	–	.08	–	– ~~.37~~	–	.16	.05 ~~.11~~	.49	22
23	.02	.04	.07	.02	–	.55	–	.37	–	.12	.11 ~~–~~	.25	23
24	–	.09	.35	–	.12	.01	–	.01	–	.37	– ~~.26~~	.25	24
25	–	.47	.39	–	–	.01	–	.40	.03	.20	.26 ~~.05~~	.01	25
26	.07	.10	.06	–	.10	.15	–	–	.39	.38	.05 ~~–~~	–	26
27	.05	.10	.83	–	.12	.01	–	–	.36	.45	– ~~.02~~	–	27
28	–	.31	–	–	–	–	–	–	.04	.37	.02	.49	28
29	–	.39	04	–	–	.44	–	.58	.16	.29	–	.33	29
30	–	╳	–	–	–	.03	–	.02	–	.66	–	.04	30
31	–	╳	–	╳	–	╳	–	.07	╳	.18	╳	.09	31
	1.88	7.49	3.70	1.21	2.31	2.16	1.50	2.79	2.81	6.31	3.65	3.76	YEAR'S TOTAL 39.5
	17	27	19	11	20	15	9	14	16	24	21	18	211

1827

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

VIII 8 JAN 1918

Kept at Tyspane, Braunton
in the County of Devon
by A. M. Norton

Lat. 51.7 Long. 4.9
Time of Observation 9 a.m.
Nearest Railway Station Braunton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	-	.30	.18	-	.48	-	.24	.04	-	.15	.03	1
2	.03	-	.07	.25	-	.06	-	.01	-	.15	.22	-	2
3	.05	.24	-	.04	-	.01	.77	-	-	.84	.72	-	3
4	-	.08	.39	-	-	-	.06	-	.12	.17	.02	-	4
5	.15	-	.18	.33	-	.18	-	-	.05	.37	.08	-	5
6	.04	-	.14	.04	-	.12	-	-	-	.07	.22	.05	6
7	.30	-	-	-	-	-	.19	.24	-	.17	.13	.02	7
8	.06	-	.05	.07	-	.16	.10	.81	.22	.75	.42	.39	8
9	-	-	.13	.02	.11	-	-	.17	-	1.0	.11	.01	9
10	.38	-	.26	.34	-	-	-	.05	-	.14	-	-	10
11	.04	-	.18	.37	-	-	-	.03	-	.40	.38	-	11
12	.28	-	-	.03	.28	-	-	.13	-	.78	.01	-	12
13	.20	-	.17	.06	.01	.02	-	.19	.43	.18	-	.02	13
14	-	-	-	.13	-	-	-	.26	.06	.09	.04	.03	14
15	-	-	-	.06	-	-		-	.03	.11	-	.22	15
16	-	.04	-	.04	-	-	.01	-	.02	.15	.14	.26	16
17	-	.03	.06	.45	-	-	.61	.15	.29	.13	.12	-	17
18	-	-	-	.01	.03	-	.36	-	1.14	.13	.08	-	18
19	-	.77	.11	-	-	.31	-	.26	.02	-	.02	-	19
20	-	.16	.01	-	.34	1.04	-	-	-	-	.01	.13	20
21	-	-	.18	-	-	.01	-	.15	-	.07	.02	-	21
22	-	-	-	-	.02	-	-	.28	-	.20	-	-	22
23	-	.35	-	-	.09	.09	-	.67	-	.16	.07	.01	23
24	-	-	-	-	-	.09	.26	.15	-	.40	.13	-	24
25	-	.05	.05	-	-	.15	.01	.16	.04	.17	.08	-	25
26	-	.02	.01	-	.46	.15	-	.36	.26	.05	.12	-	26
27	-	-	.01	-	-	.14	.03	1.28	-	.32	.01	-	27
28	-	.18	.07	-	.05	1.48	.01	.12	-	.12	.01	-	28
29	-	╳	.28	-	-	1.06	-	.01	-	.58	-	.04	29
30	-	╳	.03	-	-	-	.14	.38	-	.03	.02	-	30
31		╳	-	╳	.40	╳	-	.15	╳	.31	╳	-	31
Total	1.55	1.92	2.68	2.42	1.79	5.55	2.55	6.25	2.72	8.03	3.33	1.21	YEAR'S TOTAL 40.00
Rain Days.	11	10	20	16	10	17	12	23	13	28	25	12	197

W. 8,000, VIII. 16

Ex MS.

23

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

3.1.19

Kept at Tyspane, Braunton

in the County of N Devon

by A. M. Norton

Lat. 51°7 Long. 4°9

Time of Observation 9 a.m

Nearest Railway Station Braunton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.06	-	.10	.06	-	-	1.32	-	-	.49	.01	1
2	-	.10	-	.15	-	-	-	.33	.03	-	.06	.17	2
3	-	.09	-	.03	.09	-	-	-	.08	.11	.10	.04	3
4	-	.05	-	-	-	-	-	.13	.11	.12	.55	.38	4
5	-	.02	.05	.16	.04	-	-	.42	.96	.24	.12	-	5
6	.14	.49	-	.22	-	.02	-	-	.27	.21	-	.10	6
7	.01	.25	-	-	.01	.04	-	.02	.50	.27	.31	.08	7
8	.05	.09	-	-	-	.09	.05	-	.24	.27	.03	-	8
9	.13	.06	-	.08	-	.17	.01	.02	.33	.10	.04	.32	9
10	.14	.01	-	.22	-	-	.77	-	.32	.13	.11	.42	10
11	.04	.05	.05	.03	-	-	.17	-	.20	-	.15	.14	11
12	.02	.07	.04	-	.20	-	.07	-	.09	-	-	.02	12
13	.14	.02	-	-	-	-	-	-	.45	.29	-	.40	13
14	.48	-	-	-	.07	.09	.17	.02	.86	.22	-	.09	14
15	1.25	-	-	-	-	-	.56	-	.02	.17	-	.49	15
16	.48	-	-	.92	-	.01	.12	.02	.14	.01	-	.16	16
17	.67	-	-	.02	-	-	.05	.08	.12	.03	-	.11	17
18	.93	-	.18	-	-	.35	.08	.06	.70	.25	-	.15	18
19	.04	.19	.19	.07	-	-	.21	.13	.08	.02	-	.29	19
20	.11	.17	-	.32	-	.03	.27	.01	.14	-	-	-	20
21	.05	-	-	.03	-	.17	.09	-	.48	.04	-	.30	21
22	.01	-	-	-	.22	-	.18	-	.16	.01	-	.34	22
23	.05	.04	-	-	.08	.15	.08	-	.02	-	.03	.32	23
24	-	.43	-	-	-	.02	.11	.10	.45	-	.31	.09	24
25	-	-	-	-	.42	-	.29	.32	-	.04	.18	.04	25
26	.02	.14	-	-	-	-	.57	.02	.10	.02	.19	.34	26
27	-	.11	.05	-	-	.03	-	.09	.20	-	.38	.08	27
28	-	.19	.10	-	-	-	-	-	.12	-	.38	.58	28
29	-	X	.08	-	-	-	-	-	1.33	-	-	.09	29
30	-	X	.43	-	-	-	-	.08	.02	.02	.18	.17	30
31	-	X	.54	X	-	X	-	.04	X	-	X	.06	31
Total	4.81	2.65	1.71	2.35	1.19	1.17	2.85	3.21	8.52	2.57	3.61	5.78	YEAR'S TOTAL 41.42
Rain Days.	19	20	10	13	9	12	18	18	28	20	17	28	212

W. 8,000, IX. 17.

. REGIS

DEVON.

BRIXHAM

"LINDTHORPE"

1911, 13, 15.

FORM A.
BRITISH RAINFALL.
17 JAN 1912

Kept at Lindth Brixha

in the County of Br Dev a.m.

in.

(Miss) by Ethel M La

ove Ground ft. in.

Sea Level ft.

NOTE.—Rain should be measured da ll instructions for the measurement of rain and particulars as to the British R servers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·03	·06					·03	·02	·02	1
2			~~·02~~	·03	·43			·19		·29	·15	·66	2
3			·02		·27				·05	·03	·34	·23	3
4			·03					·03			·45	·38	4
5	·24		·09					·06		·30	·11		5
6	·61		·29							·14	·22	1·02	6
7	·03										·80	·03	7
8	·02		·09								·11	·58	8
9			·02								·18	·59	9
10	·06	·06	·79								·04	·29	10
11	·29		·03								1·25	·04	11
12			·76						·09	·02		·10	12
13			·02						·28		·08	·49	13
14		·03								·31	·02	·59	14
15		·02				·07					·41	·07	15
16						·34					·58	·76	16
17			·44			·08					·29	·49	17
18		·31	·20	·22		·11				·09	·16	·57	18
19		·03	·11	·03		·28			·37	·24	·05	·52	19
20	·03	·03	·23	·08					·07	·44		·44	20
21	·03	·31		·02		·12			·14	·65		·04	21
22	·09	·06		·07		·11			·66	·18		·79	22
23		·21	·04			·02			·03	·29	·18	·61	23
24	·03	·18				·45		·19	·08	·23		·39	24
25		·08		·11		·03		·21		·22		·11	25
26		·16	·02	·39				·12		·81		·29	26
27		·54		·04				·06	·10	·42	·06	·12	27
28		·27		·44	·07			·15	·09		·05	·02	28
29				·17			·32			·42	·02		29
30										·31	·12	·02	30
31							·04						31
Total	1·43	2·29	3·20	1·63	·83	1·64	·36	1·01	1·96	5·42	5·71	10·26	TOTAL for year 35·74
No. of Rain Days	10	14	17	12	4	10	2	8	11	19	23	28	158

6,000, XI '07.

20

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

35·74

Price 2d.

35·74

. REGIS

FORM A.
BRITISH RAINFALL.
17 JAN 1912

Kept at Lindthorpe

in the County of Brixham Devon S.4

(Miss) *by* Ethel M. Lakeman

Nearest Railway Station Brixham

Time of Observation 9 a.m.

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " Sea Level .... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·03	·06					·03	·02	·02	1
2			~~·02~~	·03	·43			·19		·29	·15	·66	2
3			·02		·27				·05	·03	·34	·23	3
4			·03					·03			·45	·38	4
5	·24		·09					·06		·30	·11		5
6	·61		·29							·14	·22	1·02	6
7	·03										·80	·03	7
8	·02		·09								·11	·58	8
9			·02								·18	·59	9
10	·06	·06	·79								·04	·29	10
11	·29		·03								1·25	·04	11
12			·76						·09	·02		·10	12
13			·02						·28		·08	·49	13
14		·03								·31	·02	·59	14
15		·02				·04					·41	·07	15
16						·34					·58	·76	16
17			·44			·08					·29	·49	17
18		·31	·20	·22		·11				·09	·16	·57	18
19		·03	·11	·03		·28			·37	·24	·05	·52	19
20	·03	·03	·23	·08					·07	·44		·44	20
21	·03	·31		·02		·12			·14	·65		·04	21
22	·09	·06		·07		·11			·66	·18		·79	22
23		·21	·04			·02			·03	·29	·18	·61	23
24	·03	·18				·45		·19	·08	·23		·39	24
25		·08		·11		·03		·21		·22		·11	25
26		·16	·02	·39				·12		·81		·29	26
27		·54		·04				·06	·10	·42	·06	·12	27
28		·27		·44	·07			·15	·09		·05	·02	28
29				·17			·32			·42	·02		29
30										·31	·12	·02	30
31							·04						31
Total	1·43	2·29	3·20	1·63	·83	1·64	·36	1·01	1·96	5·42	5·71	10·26	TOTAL for year 35·74
No. of Rain Days	10	14	17	12	4	10	2	8	11	19	23	28	158

6,000, XI '07.

20

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

35·74

Price 2d.

3507

Cor. for arith. 30. IV. 14.

FORM A. BRITISH RAINFALL.

20 APR 1914

REGISTER OF RAINFALL IN 1913

Kept at Brixham ~~W~~ DM

in the County of Devon, 4

by Ethel M. Lakeman

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Brixham

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·23	·29	·07	·[illegible]			~~·07~~	·07	·21	·40	·02	1
2	·28	·21	·02	·17	·26		·05			·24	·22	·02	2
3	·78		·10	·02	·23			~~·15~~	·15	·83	·02	·21	3
4	1·61		·21	·13	·05	·03			·24	·14	·10	·23	4
5	·19	·05			·17	·06			·51	·35	·39	·22	5
6	·07	·18	·07		·12	·13				·48	·12	·02	6
7		·60	·06		·63	·08	·11			·10	·39		7
8	·05	·47			·15	·03	·03			·02	·03		8
9	·02	·04			·05	·02	·02	·32			·29	·03	9
10	·69				·07			·06		·11	·12		10
11	·70				·95					·04	1·16		11
12					·17	·02		·02	·03	·02	·32	·04	12
13	·16		·20	·10				·04	·10		·12		13
14	·33		·21	·03	·17						·05		14
15	·34		·42	·96					·15		·04		15
16	·46		·52	·08					·43		·02		16
17	·11			·02				·02			·06		17
18	·04		·44	·16							·12		18
19	·51		·05						·44	·03			19
20	·17		·22	·47		·07		·03		·18	·37		20
21			·21	·06	·02	·03		·04		·04	·30		21
22	·20		·36			·06		·02				·30	22
23	08 ·03					·04					·09	·88	23
24	·04	·05		·09		·06					·03	·02	24
25				·44					·03	·13		·30	25
26				1·03				·22		·02			26
27	·72		·16	·47				·04	·02	·21		·07	27
28	·49		·09	·35					·02	·25			28
29	·31		·81	·22						·33			29
30	89			·02			·19	·04		·43			30
31	·09		·24		·07			·33		·04			31
Total	9·35 ✓	1·83	4·68	4·89	3·11	0·63	0·40	1·18	2:19 ~~2·21~~	4.20 ~~4·40~~	4·76	2·36	YEAR'S TOTAL ~~39·80~~ 39·58
Rain Days.	26	8	19	19	14	12	5	12	~~13~~ 12	21	22	13.	~~184~~ 183

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
9-FEB 1916
R.

Kept at Lindthorpe. Brixham
in the County of Devon
by (Dr) Ethel M Twig

Lat. ______ Long. ______
Time of Observation 9. AM
Nearest Railway Station Brixham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. 9 in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·42	·23		·03				·69	·18	·46	·03	·18	1
2	·25	·19	·17	·04		·04		·25	·05	·05		·64	2
3	·02	·07	·18		·70			·02		·02		·14	3
4	·02	·08			·02							·16	4
5	·08	·74		·15			·48	·41				·55	5
6	1·01	·15		·63			·10	·03		·02		·22	6
7	·38	·59		·08						·16	·03	·34	7
8	·07	·49					·15	·07		·06	·07	·31	8
9		·12		·02			·03			[illegible]	·43	1·01	9
10	·34	·59	·03	·05				·03		·13	1·31	·09	10
11	·08	·18	·44	·02			·03	·24		·16	·39	·04	11
12	·04	·36		·06	·76		·03	·08		·08	·04		12
13		·52			1·24		·27	·05	·04			·02	13
14	·11						·29	·02	·05			1·52	14
15	·14				·34		1·34			·05		·14	15
16		2·02			·38			·17				·27	16
17	·05	·42			·06			·03				·03	17
18		·30											18
19	·03	·03			·5~~4~~6		·06						19
20	·10			·11		·13				·12		·06	20
21	·09	·14			·05	·04	·40			·19			21
22	·07	·03	·40	·03		·03	·82		·04	·06		·42	22
23			·12			·14	·13		·22	1·32		·68	23
24	·03		·04	·04		·03	·31		·25	·11		·63	24
25			·02			·79				·02		·42	25
26	·04	·36		·05		·17	·18		·23			1·15	26
27	·05	·02				·11				·92		·02	27
28		·06				·18			·43	·10	·03	·11	28
29				·02		·39			·04	·06	·20	·04	29
30	·36	X				·25				·74	·88	·38	30
31	·03	X		X		X	·20	·03	X	1·19	X	·24	31
Total	3·84	7·64	1·40	1·33	4·17	2·30	4·82	2·12	1·53	6·02	3·41	9·81	YEAR'S TOTAL 48·44
Rain Days.	23	22	8	14	9	12	16	~~14~~ 14	10	21	10	27	186

W. 8,000. X. 15.

1652

8 JAN 20

DEVON.

BROAD CLYST.

"BROCKHILL"

1919 - 1920

FORM A. 1. **METEOROLOGI** **RGANIZATION.**

REGI 019.

Kept at Brockhill- 3°25′ W

a.m. G.M.T.

Broad Clyst

in the County of Devon Rain Gauge 5 in.

Above Ground 1 ft. in.

by Mrs. Bayne „ Sea Level 80 ft.

IMPORTANT NOTE.—Rain entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·54	"	·10	"	·02	"	·21	"	·01	·30	"	·73	1
2	·09	"	"	"	·01	"	·14	"	·04	·06	"	"	2
3	·35	"	·32	"	·02	"	"	"	·13	"	·07	·07	3
4	sn. ·59	·58	·42	"	"	·13	·01	·01	·39	"	·01	·03	4
5	·03	·38	1·23	"	·01	"	·02	"	·31	"	·03	·08	5
6	·57	·26	·05	·01	"	"	"	"	"	"	"	·32	6
7	·35	"	·15	·15	"	"	"	"	·01	"	"	·05	7
8	·22	"	·24	·01	"	"	"	"	"	"	·01	"	8
9	·08	"	"	·21	·01	"	"	"	·01	"	slt. ·23	"	9
10	·04	"	·07	·01	·01	"	"	"	"	·02	"	·25	10
11	·01	"	·24	·04	·17	"	·12	"	"	·01	sn. ·02	·17	11
12	·19	"	·01	·01	"	·01	"	"	"	·02	sn. ·11	·02	12
13	·01	·06	·15	·33	"	"	"	"	"	·07	"	·03	13
14	·10	·12	"	·56	·26	"	·02	"	"	·12	"	·34	14
15	·11	·03	"	·12	"	"	"	"	"	·14	"	·18	15
16	·10	·74	"	"	"	"	"	·22	"	"	·07	·02	16
17	·01	sn. ·53	"	"	"	"	"	"	"	"	·17	"	17
18	·06	·12	·58	"	"	"	·14	"	·01	"	·18	"	18
19	38	·42	·35	"	"	·11	1·01	·30	·29	"	·15	·07	19
20	·44	"	·01	"	"	·24	·07	·10	·10	"	·10	·01	20
21	·03	·61	slt. ·01	"	"	"	·04	·02	·07	"	"	·08	21
22	"	·01	"	"	"	"	"	"	·11	"	·02	·02	22
23	"	"	"	"	"	"	"	·10	"	·81	·01	·08	23
24	"	"	"	·01	"	·25	"	·10	"	·39	·05	·39	24
25	·06	"	"	·01	"	·03	"	·42	"	"	·10	·14	25
26	·25	·01	·06	·08	"	"	·01	·04	·04	·02	·09	·21	26
27	slt. 28	"	"	sn. ·24	"	"	·01	1·06	"	"	"	·02	27
28	"	"	·30	·01	"	"	"	·01	"	"	·67	·47	28
29	"		·02	·06	"	"	"	·10	"	·06	"	·03	29
30	"		"	·06	"	·04	"	·24	"	·01	·34	·31	30
31	·01		"		"		"	"		"		·37	31
TOTAL	4·90	3·87	4·31	1·92	·51	·81	1·80	2·72	1·52	2·03	2·43	4·49	YEAR'S TOTAL 31·31
Days with ·01 in. or more	25	13	18	17	8	7	12	13	13	13	19	26	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.162. A.&E.W.

1662

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

8 JAN 20

Kept at Brockhill - Broad Clyst.

in the County of Devon

by Mrs. Bayne

Lat. 50° 45' N Long. 3° 25' W

Time of Observation 9 a.m. G.M.T.

Nearest Railway Station Broad Clyst

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·54	"	·10	"	·02	"	·21	"	·01	·30	"	·73	1
2	·09	"	"	"	·01	"	·14	"	·04	·06	"	"	2
3	·35	"	·32	"	·02	"	"	"	·13	"	·07	·07	3
4	sn. ·59	·58	·42	"	"	·13	·01	·01	·39	"	·01	·03	4
5	·03	·38	1·23	"	·01	"	·02	"	·31	"	·03	·08	5
6	·57	·26	·05	·01	"	"	"	"	"	"	"	·32	6
7	·35	"	·15	·15	"	"	"	"	·01	"	"	·05	7
8	·22	"	·24	·01	"	"	"	"	"	"	·01	"	8
9	·08	"	"	·21	·01	"	"	"	·01	"	slt. ·23	"	9
10	·04	"	·07	·01	·01	"	"	"	"	·02	"	·25	10
11	·01	"	·24	·04	·17	"	·12	"	"	·01	sn. ·02	·17	11
12	·19	"	·01	·01	"	·01	"	"	"	·02	sn. ·11	·02	12
13	·01	·06	·15	·33	"	"	"	"	"	·07	"	·03	13
14	·10	·12	"	·56	·26	"	·02	"	"	·12	"	·34	14
15	·11	·03	"	·12	"	"	"	"	"	·14	"	·18	15
16	·10	·74	"	"	"	"	"	·22	"	"	·07	·02	16
17	·01	sn. ·53	"	"	"	"	"	"	"	"	·17	"	17
18	·06	·12	·58	"	"	"	·14	"	·01	"	·18	"	18
19	38	·42	·35	"	"	·11	1·01	·30	·29	"	·15	·07	19
20	·44	"	·01	"	"	·24	·07	·10	·10	"	·10	·01	20
21	·03	·61	slt. ·01	"	"	"	·04	·02	·07	"	"	·08	21
22	"	·01	"	"	"	"	"	"	·11	"	·02	·02	22
23	"	"	"	"	"	"	"	·10	"	·81	·01	·08	23
24	"	"	"	·01	"	·25	"	·10	"	·39	·05	·39	24
25	·06	"	"	·01	"	·03	"	·42	"	"	·10	·14	25
26	·25	·01	·06	·08	"	"	·01	·04	·04	·02	·09	·21	26
27	slt. 28	"	"	sn. ·24	"	"	·01	1·06	"	"	"	·02	27
28	"	"	·30	·01	"	"	"	·01	"	"	·67	·47	28
29	"		·02	·06	"	"	"	·10	"	·06	"	·03	29
30	"		"	·06	"	·04	"	·24	"	·01	·34	·31	30
31	·01		"		"		"	"		"		·37	31
TOTAL	4·90	3·87	4·31	1·92	·51	·81	1·80	2·72	1·52	2·03	2·43	4·49	YEAR'S TOTAL 31·31
Days with ·01 in. or more	25	13	18	17	8	7	12	13	13	13	19	26	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.162. A.&E.W.

wt ML [illegible] 1577

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

18 JAN 1921

Kept at Brockhill - Broad Clyst

in the County of Devon

by Mrs. Bayne

Lat. 50° 45' N Long. 3° 25' W

Time of Observation 9 a.m. G.mt

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	"	·01	·04	·30	"	·35	·01	·07	"	·03	·71	1
2	·26	"	·02	·17	01	"	·16	·55	·02	·10	"	·05	2
3	·02	·01	"	·11	"	"	·02	"	"	·57	"	·41	3
4	"	"	·05	"	"	"	·01	·25	"	·18	"	"	4
5	"	"	·14	·13	·08	"	·33	·07	"	·33	"	"	5
6	"	"	·26	·19	·10	"	·46	"	"	·17	"	"	6
7	"	"	"	·42	·05	"	·40	"	"	"	"	"	7
8	·11	·04	"	·29	·04	"	·23	"	"	·01	"	·21	8
9	·69	"	·02	·04	"	·34	·15	·01	·01	"	"	"	9
10	·49	·01	·03	·01	"	·40	·20	"	"	"	"	"	10
11	·21	"	·08	·46	·20	·04	·24	"	"	"	"	"	11
12	·12	"	·05	·12	"	·11	·01	"	"	·02	·03	s. ·06	12
13	·26	01	·52	·02	"	"	"	"	"	·06	"	s. ·05	13
14	·05	·02	·26	·64	"	"	·04	"	·12	·19	·17	sl. ·02	14
15	"	·11	·02	·18	·03	"	"	"	·03	·58	"	"	15
16	"	·01	02	·06	"	·04	·14	"	·21	·03	·02	"	16
17	"	"	"	·15	·13	·07	"	"	·26	"	"	"	17
18	·04	"	·04	·08	·04	·13	·08	·21	·01	"	"	"	18
19	·07	·04	"	·27	·08	·46	"	"	·01	"	"	"	19
20	·03	·01	"	·19	·01	·17	·03	"	"	"	"	·13	20
21	"	"	"	·03	"	"	·03	"	"	·06	"	·12	21
22	·01	"	"	·04	"	·01	"	"	"	·01	"	·48	22
23	"	"	·02	"	"	"	·46	·06	"	"	"	·20	23
24	·02	"	·10	"	"	"	·01	"	"	"	·24	·01	24
25	·01	·02	·06	"	·03	"	·48	"	"	"	·01	·01	25
26	·18	"	·14	"	"	·01	·01	"	"	"	·23	·06	26
27	·65	·03	·17	·13	01	·16	·01	"	"	"	·60	·34	27
28	·68	"	·09	·16	"	·02	·02	"	"	"	"	·04	28
29	·29	"	·62	·04	"	·03	"	"	"	"	·09	·08	29
30	·07		"	·01	·18	·11	"	"	·54	·05	·32	·17	30
31	·10		·37		"		·01	"		·61		03	31
TOTAL	4·39	·31	3·09	3·98	1·29	2·10	3·97	1·16	1·28	2·97	1·74	3·18	YEAR'S TOTAL 29·46
Days with ·01 in. or more	22	11	22	25	15	15	24	7	10	15	10	19	195
	16	3	13	21	10	11	15	5	5	11	6	15	132

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DEVON

BROADHEMPSTON

1911 – 1920

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGIS

Kept at Broadhemp
in the County of Devon
by Chas. Mole

5 ins
Ground One ft. — in.
Sea Level 135 ft.
.m.
ame Staverton
istance 2½ mls Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0·02		0·11			0·01		0·02		0·01	1
2				0·16	0·52			0·18		0·32	0·16	0·53	2
3					0·31				0·04	0·01	0·44	0·08	3
4											0·43	0·58	4
5			0·17					0·09		0·04	0·18	0·01	5
6			0·25					0·17		0·11	0·12	1·08	6
7	0·31										0·52	0·02	7
8			0·07								0·12	0·62	8
9	0·01					0·12					0·30	0·84	9
10	0·08	0·04	0·64		0·04						0·03	0·32	10
11	0·41								0·01		1·08	0·04	11
12			0·64						0·21	0·02	0·08	0·27	12
13			0·04						0·20		0·02	0·51	13
14										0·07	0·05	0·66	14
15			0·01			0·04				0·01	0·45	0·11	15
16		0·07									0·64	0·77	16
17	0·01		0·79			0·36				0·01	0·33	0·72	17
18		0·32	0·39			0·20				0·16	0·33	0·61	18
19		0·08	0·17	0·32		0·22			0·52	0·21	0·09	0·59	19
20	0·03	0·04	0·17	0·03		0·33			0·10	0·66	0·01	0·80	20
21		0·43	0·01	0·20		0·02			0·18	0·52		0·05	21
22	0·08	0·08	0·02	0·03		0·09	0·	0·03	0·37	0·21	0·02	0·51	22
23		0·34	0·08	0·05					0·01	0·31	0·08	0·74	23
24	0·02	0·22				0·31				0·32		0·51	24
25		0·07		0·12		0·01		0·09	0·15	0·21		0·16	25
26		0·20		0·49						0·61		0·24	26
27		0·75	0·03	0·04				0·20	0·12	0·41	0·04	0·19	27
28		0·36		0·58				0·09	0·01	0·52	0·04		28
29			0·01			0·36	0·82	0·07	0·13				29
30						0·01	0·01			0·42	0·25		30
31							0·08			0·07			31
Total	0·95	3·00	3·51	2·02	0·98	2·07	0·91	0·93	2·05	5·24	5·81	11·57	TOTAL for year 39·04 ✓
No. of Rain Days	8 days	13 days	17 days	10 days	4 days	12 days	3 days	9 days	13 days	22 days	24 days	27 days	162 days ✓

9,000, IX. '10.

REGIS

FORM A2. BRITISH RAINFALL. 9 - JAN 1912

Kept at Broadhempston

in the County of Devon S4

by Chas. Mole

RAIN GAUGE	Diameter of top	5 ins
	Height of top above Ground	One ft. – in.
	" " " Sea Level	135 ft.

Time of Observation 9a.m.

Nearest Railway Station: Name Staverton; Distance 2½ ml; Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0·02		0·11			0·01		0·02		0·01	1
2				0·16	0·52			0·18		0·32	0·16	0·53	2
3					0·31				0·04	0·01	0·44	0·08	3
4											0·43	0·58	4
5			0·17					0·09		0·04	0·18	0·01	5
6			0·25					0·17		0·11	0·12	1·08	6
7	0·31										0·52	0·02	7
8			0·07								0·12	0·62	8
9	0·01					0·12					0·30	0·84	9
10	0·08	0·04	0·64		0·04						0·03	0·32	10
11	0·41								0·01		1·08	0·04	11
12			0·64						0·21	0·02	0·08	0·27	12
13			0·04						0·20		0·02	0·51	13
14										0·07	0·05	0·66	14
15			0·01			0·04				0·01	0·45	0·11	15
16		0·07									0·64	0·77	16
17	0·01		0·79			0·36				0·01	0·33	0·72	17
18		0·32	0·39			0·20				0·16	0·33	0·61	18
19		0·08	0·17	0·32		0·22			0·52	0·21	0·09	0·59	19
20	0·03	0·04	0·17	0·03		0·33			0·10	0·66	0·01	0·80	20
21		0·43	0·01	0·20		0·02			0·18	0·52		0·05	21
22	0·08	0·08	0·02	0·03		0·09	0·	0·03	0·37	0·21	0·02	0·51	22
23		0·34	0·08	0·05					0·01	0·31	0·08	0·74	23
24	0·02	0·22				0·31				0·32		0·51	24
25		0·07		0·12		0·01		0·09	0·15	0·21		0·16	25
26		0·20		0·49						0·61		0·24	26
27		0·75	0·03	0·04				0·20	0·12	0·41	0·04	0·19	27
28		0·36		0·58				0·09	0·01	0·52	0·04		28
29			0·01			0·36	0·82	0·07	0·13				29
30						0·01	0·01			0·42	0·25		30
31							0·08			0·07			31
Total	0·95	3·00	3·51	2·02	0·98	2·07	0·91	0·93	2·05	5·24	5·81	11·57	TOTAL for year 39·04
No. of Rain Days	8 dys	13 dys	17 dys	10 dys	4 dys	12 dys	3 dys	9 dys	13 dys	22 dys	24 dys	27 dys	162 dys

9,000, IX. '10.

P. made

Ent 21·11·13

FORM A2. BRITISH RAINFALL.

8 JAN 1913

REGISTER OF RAINFALL IN 1912.

H 12

Kept at Broadhempston

in the County of Devon S 4

by Chas. Mole

RAIN GAUGE
Pattern Funnel Shaped ordinary
Diameter of top 5 ins.
Height of top above Ground 0'10 ft.
" " " Sea Level 135 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Staverton
Distance 2½ mls Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0·10			0·56	0·02	0·01		0·98	0·02	0·41	1
2			0·23			0·54	0·01	0·01	0·10	0·03			2
3			0·23			0·27	0·06	1·10	0·01				3
4	0·06	0·07	0·99		0·04	0·46	0·01	0·21			0·11	0·10	4
5	0·68	0·39	0·25		0·02	0·01		0·48			0·01	0·26	5
6	0·76	0·08	0·02		0·31	0·19		0·10				0·03	6
7	0·10	0·75	0·23		0·10	0·32		0·09				0·32	7
8	0·89	0·20	0·59				0·04					0·03	8
9	0·09	0·07	0·11			0·06	0·09	0·38				0·42	9
10	0·19	0·08	0·10	0·18		0·01	0·05	0·04			0·17	0·27	10
11	0·02	0·10	0·01					0·08			0·30	0·63	11
12	0·01	0·43	0·18				0·12	0·50			0·04	0·02	12
13	0·18	0·01	0·01				0·30			0·17		0·35	13
14	0·08	0·08	0·61		0·08			0·05		0·02		0·11	14
15	0·78	0·20	0·12		0·39	0·26						0·26	15
16	0·29	0·02	0·46		0·14	0·02		0·42		0·15	0·01	0·06	16
17	0·02		0·24		0·04	0·02		1·26			0·02	0·14	17
18			0·14					0·31				0.04	18
19	0·04	0·06	0·45			0·06	0·03	0·14				0.02	19
20		0·09	0·46		0·20	0·01		0·19		0·26			20
21	0·02	0·38	0·38		0·35		0·03	0·11		0·15			21
22	0·48	0·66	0·31				0·08	0·10		0·05	0·04	0.20	22
23	0·58	0·37	0·21			0·11	0·01	0·41		0·06	0·06	0.34	23
24	0·13	0·06	0·05			0·40				0·08	0·01	0.28	24
25	0·18	0·02	0·02			0·02	0·12	0·30		0·09	0·42	0.30	25
26		0·10					0·03	0·09		0·77	0·80	0.71	26
27		0·07				0·34	0·36	0·13		1·42		0.97	27
28		0·18				0·19	0·14	0·92	0·41	0·50	0·46	0.70	28
29		0·44				0·09	0·22	0·47	0·54	0·52		0.05	29
30						0·06	0·20		0·32	0·39			30
31			0·25				0·62			0·02		0.15.	31
Total	5·54	4·91	6·48	0·18	1·67	4·00	2·54	8·50	1·38	5·96	2·47	7.17	51.10 TOTAL for year
No. of Rain Days.	20	24	26	1	10	21	20	25	5	14	14	7·17 26	209

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

-7 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Broadhempston

in the County of S. Devon

by Chas. Mole.

RAIN GAUGE
Pattern Funnel shaped
Diameter of top 5 ins.
Height of top above Ground one ft. 1 in.
" " " Sea Level 135 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Staverton
Distance 2½ mls Direction S. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·07	0·17	0·29	0·10	0·12				0·32	0·07	0·46	0·02	1
2	0·29	0·30	0·04	0·14	0·45		0·02		0·05	0·13	0·26	0·06	2
3	0·60	0·01	0·19	0·08	0·18				0·01	0·18	0·01	0·34	3
4	1·06	0·01	0·22	0·17	0·09	0·04			0·24	0·12	0·11	0·34	4
5	0·10	0·02	0·05		0·15	0·07			0·18	0·19	0·27	0·22	5
6	0·23	0·18	0·09		0·15	0·15			1·02	0·62	0·09	0·03	6
7	0·02	0·64	0·06		0·79	0·16	0·26		0·03	0·30	0·25	0·01	7
8	0·06	0·57	0·01		0·21	0·01	0·04			0·03	0·02		8
9	0·15	0·05	0·01		0·06	0·01	0·18				0·38	[illegible]	9
10	1·02	0·01			0·03	0·03		0·16		0·11	0·11	[illegible]	10
11	0·34	0·01			0·17	0·03		0·08		0·11	1·16	0·04	11
12	0·11	0·02		0·03	0·09	0·11			0·02	0·01	0·41	0·01	12
13	0·12		0·20	0·03				0·04	0·26		0·11	0·03	13
14	0·36	0·02	0·32	0·04	0·38				0·02		0·01		14
15	0·50		0·58	1·13					0·14		0·05	0·01	15
16	0·45		0·58	0·04					0·90		0·01		16
17	0·11		0·04	0·09				0·05			0·11		17
18	0·05		0·48	0·17							[illegible]		18
19	0·61		0·05			0·13			0·42	0·07	0·01		19
20	0·20		0·21	0·37						0·07	0·71		20
21	0·02		0·46	0·03	0·03	0·06				0·05	0·45	0·02	21
22	0·28		0·54			0·02			0·03	0·03	0·09	0·26	22
23	0·01		0·04			0·03		0·11			0·05	0·86	23
24	0·02	0·15		0·06							0·01	0	24
25		0·02		0·46					0·05	0·13	0·03	0·07	25
26				1·38					0·02			0·12	26
27	0·57		0·27	0·28				0·04		0·61			27
28	0·32		0·11	0·36						0·30			28
29	0·16		0·70	0·39	0·02				0·02	0·15			29
30	0·92		0·02	0·07	0·02		0·09		0·03	0·60	0·01		30
31	0·15		0·13		0·01					0·06	0·01		31
Total	8·87	2·18	5·69	5·39	3·25	0·85	0·59	0·48	3·76	3·94	5·42	2·76	TOTAL for year 45·78 in
No. of Rain Days.	29	15	25	20	17	13	5	6	18	21	26	17	212 dys

W. 8,000, X. '11.

Cor'd by Observer 17·III·15.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

12 JAN 1915

Kept at Broadhempston
in the County of Devon S4
by Chas. Mole

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Staverton
Diameter of Rain Gauge 5 ins.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·32

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·02	0·04	0·15		0·06	0·14	0·35				0·29	1
2	0·11		0·08		0·06		0·15	0·02			0·22	0·43	2
3				0·16	0·78						0·02		3
4			0·04	0·45	0·24		0·49				0·83	0·70	4
5	0·03		0·22	0·21	0·08		0·01	0·38	0·03		0·02		5
6	0·12	0·15	0·38	0·24	0·14		0·03					1·10	6
7	0·01	1·08	0·09	0·31	0·12	0·05	0·25	0·12	0·03			0·60	7
8	0·05	0·01	0·93	0·13	0·10	0·45	0·01	0·18	0·18			0·12	8
9	0·05	0·05	0·58					0·21	0·02		0·01		9
10	0·07	0·64	0·10	0·24	0·02	0·12		0·32	0·83			0·27	10
11			0·63	0·16					0·27		0·05	0·84	11
12		0·21	0·11			0·10			0·20	0·12	0·04	0·63	12
13		1·05	0·42				0·11		0·16	0·17	0·39	0·20	13
14		0·66	0·65			0·10			0·04		0·68	0·07	14
15			0·21					0·57		0·04	0·35	0·21	15
16			0·04					0·33	0·56	0·04		0·01	16
17	0·05	0·68	0·32									1·31	17
18		0·09	0·08				0·06		0·17			0·22	18
19		0·06	0·81				1·75		0·02		0·06	0·07	19
20		0·36	0·18									0·20	20
21		0·55								0·36			21
22		0·07	0·03		0·15					0·31		0·04	22
23		0·07	0·55		0·02			0·10		0·47			23
24		0·17			0·02					0·02			24
25	0·17	0·01	0·20					0·02		0·48	0·08		25
26	0·07		0·14					0·38		0·04	0·07	0·59	26
27	0·02	0·05					0·04	0·05		0·01	0·30	0·50	27
28			0·48		0·08					0·15	0·42	0·43	28
29	0·56		0·20		0·08					0·05	0·95	0·73	29
30	0·02		0·14		0·01	0·01	0·02			0·28	0·94	0·03	30
31	0·20						0·53	0·01		1·34		0·58	31
Total	1·53	5·98	7·65	2·05	1·90	0·89	3·59	3·04	2·51	3·87	5·43	~~10·17~~ ·32 10·49	YEAR'S TOTAL 48·93
Rain Days.	14	19	26	9	14	7	13	14	12	15	17	~~24~~ 25	185

W. 7,500, XI. 12

B. made

ckd by P.C. ~~by own state~~ 14·11·16

1826

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
10 JAN 1916

Kept at Broadhempston
in the County of Devon
by Chas. Mole

54

Lat. Long.
Nearest Railway Station Staverton
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 ins.
Height of top of Gauge above Ground one ft. —— in.
" " " Sea Level 135 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·30	0·28						0·69	0·12	0·38	0·05	0·36	1
2	0·42	0·23	0·20	0·06		0·06		0·41	0·01	0·05		0·71	2
3	0·02	0·26	0·20	0·04	0·30			0·62		0·02		0·68	3
4		0·11	0·01		0·05							0·31	4
5	0·10	0·96		0·30				0·30				0·75	5
6	1·20	0·13		0·43		0·01	0·65	0·03				0·24	6
7	0·11	0·53		0·08			0·07			0·15	0·02	0·43	7
8		0·34					0·07	0·10		0·01	0·13	0·34	8
9	0·33	0·11		0·05			0·08	0·01	0·01		0·33	1·20	9
10	(·32)	0·45	0·03							0·12	0·08	0·09	10
11	0·15	0·16	0·34	0·03			0·03			0·20	1·33	0·03	11
12	0·04	0·56	0·02	0·04	0·57			0·30	0·01	0·06	0·54		12
13	0·01	0·85			1·46				0·04		0·09	0·02	13
14	0·14	0·01			0·01		0·34	0·12	0·04	0·08		1·52	14
15	0·22				0·40		0·32			0·08	0·03	0·17	15
16		1·67			0·17		1·03					0·13	16
17	0·03	0·49	0·01		0·07				0·02			0·02	17
18	0·02	0·35	0·58		0·01					0·01			18
19	0·01		0·04	0·02	0·39		0·07	0·11					19
20	0·14			0·13	0·02	0·12				0·13		0·03	20
21	0·18	0·03			0·06	0·04	0·46			0·09			21
22	0·15	0·06		0·04			0·45			0·03		0·46	22
23						0·10	0·05		0·15	1·48		0·~~[illegible]~~ 29	23
24	0·01			0·02		0·08	0·02		0·15	0·13		0·[illegible]	24
25	0·10			0·04		0·50	0·10		0·01		0·02	0·50	25
26	0·04	0·42				0·15	0·11		0·13			1·04	26
27	0·06	0·02								0·73		0·04	27
28		0·07				0·12		0·03	0·31	0·08	0·02	0·14	28
29						0·68	0·08		0·03	0·01	0·~~75~~ 33	0·10	29
30	0·20					0·07	0·04		0·01	0·92	0·75	0·34	30
31	0·03						0·19	0·10		1·15		0·48	31
Total	4·33 ~~4·01~~	8·09	1·43	1·28	~~3·51~~	1·93	4·16	2·22	1·04	5·91	3·72	11·81	TOTAL for year 49·43
No. of Rain Days	25 ~~24~~	22	9	13	12	11	18	12	14	21	13	27	107

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price

Smale

1782

FORM A.
BRITISH RAINFALL.
9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Broadhempston
in the County of Devon
by Chas. Mole

Lat. Long.
Time of Observation ~~Staverton~~ 9. a.m.
Nearest Railway Station Staverton
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.27		0.05		0.18	0.07	0.03		0.10	0.27	0.12		1
2	0.77	0.11	0.02						0.05	0.20	0.41		2
3	0.10	1.05			0.41	0.03			0.03	0.68	0.18	0.02	3
4	0.41	0.15			0.04	0.28			0.02	0.16	0.72		4
5	0.02	0.34	0.02		0.04	0.05	0.01			0.26	0.11		5
6	0.06	0.21			0.16	0.06	0.28			0.16	1.02		6
7	0.04	0.20	0.23		0.06	0.04				0.02	0.57	0.07	7
8		0.19	0.30		0.20	0.46					0.06	0.18	8
9		0.22	0.15		0.02	0.06				0.03	0.12	0.31	9
10		0.41			0.05		0.09			0.05	0.01	0.01	10
11		0.06		0.06	0.03						0.01		11
12	0.02	0.06	0.10	0.02	0.13			0.05		0.02	0.01		12
13		0.41	0.15	0.07	0.01		0.10	0.20					13
14		0.75	0.23		0.01			0.16		0.20			14
15	0.01	0.37	0.24	0.13				0.08				0.25	15
16	0.30	0.13		0.10				0.29		0.10		0.11	16
17	0.35	0.07		0.05					0.06	0.30	1.06		17
18	0.07	0.19	0.44	0.02					0.11	0.03		0.16	18
19	0.41	0.18	0.14	0.04							0.08	0.05	19
20	0.13	1.07	0.22	0.05							0.03	1.18	20
21	0.04	0.09	0.11		0.06							0.29	21
22		0.01	0.01			0.16		0.08		0.26	0.02	0.70	22
23	0.04			0.05		0.13		0.13		0.30	0.58	0.10	23
24		0.06		0.30	0.26	0.01		0.20		0.66	0.04	0.34	24
25	0.01	0.35	0.15			0.04		0.15			0.20		25
26	0.01	0.26	0.05		0.21	0.21		0.27	1.24	1.14	0.01	0.06	26
27		0.12	1.42			0.07		0.42	0.10	0.44			27
28		0.05	0.01			0.01		0.20	0.54	0.58		0.58	28
29		0.15	0.06			0.55		2.67	0.06	0.11		0.41	29
30		X	0.01			0.01		0.01		0.61			30
31		X		X		X		0.06	X	0.36	X	0.04	31
Total	3.06	7.26	4.11	0.89	1.87	2.24	0.51	4.97	2.31	6.94	5.36	4.86	YEAR'S TOTAL 44.3
Rain Days.	18	27	21	11	16	17	5	15	10	23	20	18	201

W. 8,000. X. 15.

Smade ✓ Exd e r 1704

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

JAN 1918

Kept at Broadhempston

in the County of Devon

by Chas. Nole.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Staverton

Diameter of Funnel of Rain Gauge 5 ins.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0. 00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			0·03	0·15		0·40		0·18		0·01	0·01		1
2				0·15		0·03							2
3				0·03			0·09			0·37	0·81		3
4		0·03	0·51				0·02		0·04	0·43			4
5			0·29	0·06		0·70				0·11	0·17		5
6			0·19			0·07			0·06	0·12	0·09	0·04	6
7	0·40			0·05			0·17	0·16		0·19	0·06	0·02	7
8	0·10		0·50	0·10			0·13	0·37	0·01	0·36	0·08	0·25	8
9			0·14	0·04			0·06			0·19	0·22	0·04	9
10	0·19		0·34	0·47				0·27	0·01	0·01			10
11			1·40	0·30						0·40	0·19	0·03	11
12	0·17		0·01		0·40			0·04		0·40			12
13	0·02		0·26	0·07		0·02		0·12	0·08	0·06	0·01		13
14				0·19			0·12	0·28					14
15	0·41						0·09	0·04		0·50		0·49	15
16		0·17		0·05					0·02	0·40	0·01	0·18	16
17		0·04		0·02	0·13		0·34	0·10	0·70	0·08			17
18		0·07			0·64	0·06	0·35	0·14	0·64	0·05			18
19		0·46	0·06		0·01	0·07		0·11	0·12				19
20		0·06	0·03		0·55	0·05							20
21									0·01	0·03	0·01	0·04	21
22			0·03		0·03			0·60		0·05			22
23	0·01	0·08			0·13			0·53		0·21			23
24							0·44	0·03		0·24	0·02		24
25			0·04					0·23	0·10	0·03	0·08		25
26					0·25	0·08		0·26	0·09		0·01		26
27						0·70	0·02	0·84		0·03			27
28			0·16		0·02	0·27		0·90				0·03	28
29			0·09			0·25				0·72		0·13	29
30		✕	1·19				0·10	0·40		0·02	0·02		30
31		✕	0·03	✕	0·12	✕		0·04	✕	0·25	✕	0·02	31
Total	1·30	0·91	5·30	1·68	2·28	2·70	1·93	5·64	1·88	5·26	1·79	1·27	YEAR'S TOTAL 31·94
Rain Days.	7	7	18	13	10	12	12	20	12	25	15	11	11

W. 8,000, VIII. 16

48

FORM A.
BRITISH RAINFALL.

15.1.19

REGISTER OF RAINFALL IN 1918

Kept at Broadhempston

in the County of S Devon

by Chas Mole.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Staverton

Diameter of Funnel of Rain Gauge 5 ins

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·27		0·14	0·02			0·49		0·03	0·70	0·06	1
2		0·25		0·13				0·03	0·01	0·01		0·76	2
3		0·20		0·60	0·05				0·03	0·04	0·19	0·03	3
4		0·02		0·10					0·51		0·94	0·32	4
5			0·17	0·08	0·60			0·54	0·45	0·43		0·03	5
6	0·17	0·45	0·09	0·13						0·24		0·12	6
7		0·18			0·02			0·02	0·41	0·07	0·40	0·30	7
8		0·17							0·10	0·24		0·02	8
9	0·12	0·01		0·03		0·04	0·29		0·58	0·02	0·02	0·51	9
10	0·01			0·31			0·50		0·12	0·23		0·32	10
11			0·28	0·03			0·50		0·13	0·08	0·06	0·06	11
12		0·12	0·06		0·17		0·10		0·16			0·03	12
13	0·01				0·10		0·27		0·61	0·06		0·21	13
14	0·34					0·01			0·32	0·03		0·15	14
15	0·79				0·16	0·11	0·63		0·11	0·09		0·22	15
16	0·74			0·17		0·04	0·03		0·15	0·01		0·03	16
17	0·30		0·01	0·14		0·01	0·40		0·04			0·40	17
18	1·08		0·05			0·69	0·19		0·58	0·39		0·33	18
19	0·16		0·18				0·15		0·05	0·02		0·16	19
20	0·06	0·22		0·15			0·04		0·38	0·04			20
21	0·09	0·04		0·01		0·01	0·06		0·43	0·54		0·35	21
22	0·11	0·01			0·05		1·11		0·17	0·04	0·05	0·27	22
23	0·23	0·01			0·09		0·01		0·06		0·02	0·24	23
24	0·02	0·13					0·03	0·18	0·02		0·17	0·18	24
25				0·14			0·12	0·38		0·04	0·21		25
26	0·04	0·01			0·03		0·12	0·04	0·15	0·01	0·02	0·39	26
27	0·02	0·01	0·29					0·14	0·03	0·02		0·02	27
28		0·15	0·20						0·13	0·04	0·06		28
29			0·20						1·61		0·01	0·05	29
30			0·34						0·03	0·03		0·07	30
31			0·13										31
Total	4·19	2·25	2·00	2·16	1·29	·91	4·55	1·82	7·34	2·75	2·85	5·63	YEAR'S TOTAL 37·77
Rain Days.	17	17	12	14	10	7	17	8	27	24	13	27	193

W. 8,000, IX. 17.

1608

FORM A.
BRITISH RAINFALL

13 JAN

under Staverton

REGISTER OF RAINFALL IN 1919

Kept at Broadhempston Cl. School

in the County of Devon

by Charles Mole

Lat. .... Long. ....

Time of Observation 9 o'clock

Nearest Railway Station Staverton 2½ mls

Diameter of Funnel of Rain Gauge Five ins

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	23 dys	17 dys	21 dys	13 dys	9 dys	7 dys	6 dys	11 dys	14 dys	11 dys	18 dys	27 dys	
1	0·47		0·19		0·09		0·08			0·11		1·04	1
2	0·22		0·01						0·11	0·06		0·03	2
3	0·39		0·45						0·09			0·06	3
4	0·54	0·46	0·47			0·01	~~0·06~~	0·06	0·25		0·12		4
5	0·04	0·27	0·67		0·02				0·54		0·06	0·09	5
6	0·50	1·19	0·15	0·05					0·34			0·14	6
7	0·32		(0·32)	0·05								0·03	7
8	0·32		0·19		0·01	0·01					0·28		8
9	0·17		0·04	0·08							0·48	0·01	9
10	0·12		0·87	0·01						0·02		0·29	10
11	0·10		0·35	0·09	0·31		0·13			0·03		0·36	11
12	0·36		0·02		0·01	0·02				0·04	0·05	0·02	12
13	0·20	0·11	0·18	0·55						0·01		0·21	13
14	0·76	0·30		0·49	0·37				0·15			0·17	14
15	0·38	0·15		0·10						0·09		0·24	15
16	0·07	1·20			0·02						0·10	0·01	16
17	0·01	0·91									0·33	0·03	17
18		0·35	0·54		0·02		0·51	0·23			0·30	0·02	18
19	0·72	0·54	0·09			0·20	0·29	0·59	0·09		0·20		19
20	0·56	0·06	0·03			0·41		0·20	0·12		0·20	0·10	20
21	0·10	0·90			0·02		0·03		0·07		0·01	0·04	21
22		0·02							0·26		0·02		22
23			0·13					0·12	0·01	0·38	0·10	0·21	23
24		0·01				0·22		0·08		0·28	0·16	0·28	24
25		0·04				0·04		0·35	0·01		0·04	0·42	25
26	0·15	0·02	0·07	0·08					0·04	0·01		0·07	26
27	0·35		0·221	0·22			0·18	0·02			0·02	0·43	27
28	0·02	0·04	0·24	0·14				1·02			0·48	0·13	28
29				0·01				0·07		0·10		0·85	29
30		✕	0·03	0·01				0·04	0·04		0·60	0·75	30
31		✕		✕		✕			✕		✕	0·05	31
Total	6·87	6·57	5·25	1·88	0·87	0·91	1·22	2·78	2·12	1·13	3·55	6·08	YEAR'S TOTAL 39·23
Rain Days.	23 dys	17	21	13	9	7	6	11	14	11	18	27	177

W. 8,000, IX. 17.

1523

12 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Broadhempston
in the County of Devon
by Chas. Mole

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Staverton, nr. Totnes
Diameter of Funnel of Rain Gauge 5 ins.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·05	0·01	0·01	0·15	0·01		0·59	0·09	0·03	0·03	0·02	0·83	1
2	0·16		0·02	0·02			0·03	0·11	0·01	0·09		0·25	2
3	0·43	0·08		0·23			0·06			0·70		0·23	3
4	0·03		0·02				0·01	0·74		0·32			4
5		0·02	0·14	0·09	0·03		0·16			0·14			5
6					0·19		0·15	0·34		0·05			6
7	0·06		0·31	0·14			0·45			0·01		0·03	7
8	0·12	0·02	0·01		0·01		0·01			0·01		0·18	8
9	1·27	0·05	0·01			0·13	0·27						9
10	1·75	0·18	0·05			0·28	0·17						10
11	0·80	0·02	0·21	0·46	0·26	0·05	0·30						11
12	0·10	0·23	0·11	0·54	0·01	0·05	0·04				0·23	0·18	12
13	0·09	0·03	0·49	0·05								0·13	13
14		0·03	0·55	0·69			0·03		0·14	0·57	0·65		14
15		0·10	0·07	0·55	0·04				0·02	0·59	0·03		15
16		0·04	0·03	0·02		0·04	0·19		0·18	0·03			16
17				0·03	0·43	0·05	0·02		0·54				17
18	0·17	0·04		0·04	0·05	0·32	0·09		0·04				18
19	0·02	0·01		0·49	0·03	0·30		0·24		0·03			19
20				0·19		0·12				0·16		0·61	20
21				0·05			0·01			0·03		0·04	21
22	0·06	0·03		0·03			0·09					0·36	22
23	0·04		0·01				0·18					0·85	23
24	0·02	0·02	0·30				0·05	0·02			0·21	0·33	24
25	0·01	0·01	0·14				0·68					0·11	25
26	0·26		0·33				0·07				0·24	0·10	26
27	0·72	0·08	0·13	0·06		0·15					0·32	0·25	27
28	0·64		0·08	0·01		0·05	0·05					0·13	28
29	0·64		0·80	0·01					0·01		0·36	0·63	29
30	0·22	X		0·62		0·36	0·06		0·77		0·33	0·64	30
31	0·15	X	0·27	X		X	0·20		X	0·43	X	0·38	31
TOTAL	7·81	1·00	4·09	4·47	1·06	1·90	3·96	1·54	1·74	3·19	2·39	6·26	YEAR'S TOTAL 39.41
Days with ·01 in. or more	23	18	22	21	10	12	25	6	4	15	9	19	~~190~~ 189
Days with ·04 in. or more	19	8	15	15	5	12	19	5	5	8	7	18	[illegible]

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DEVON.
BUCKFASTLEIGH.
"HAREWOOD"
1912 – 1917

FORM A.
BRITISH RAINFALL.

24 JUN 1913

REGIST

Kept at Harewoo
Buckfa
am
Buckfastleigh

in the County of D

5 in.

by J S Trelaw

e Ground 1 ft. – in.

Sea Level 230 ft.

IMPORTANT NOTE.— the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·52		–	·44	·02	[illegible]	·12	1·12	–	·67	1
2	–	–	·35		–	·85	–	·01	–	·09	·03	–	2
3	–	–	·49		–	·35	·09	1·40	·05		–	24	3
4	·27	–	1·38		–	·64	–	·20			·17	–	4
5	1·09	–	·42		·11	–	–	·84			·02	·33	5
6	1·10	·41	·02		·47	·20	–	·10			–	·02	6
7	·13	·88	·30		·18	·32	–	·07			–	·35	7
8	1·42	·25	·59		–	·11	·09	–			–	·01	8
9	·06	·17	·20	·17	–	–	·09	·24			–	·75	9
10	·22	·02	·07		–	·03	·11	·08			·44	·25	10
11	·01	·10	·29		–	–	·03	·06			·47	·95	11
12	·01	·66	·34		·01	–	·06	·52			·02	·02	12
13	·41	–	–		–	–	·24	–		·20	–	·70	13
14	·22	·11	·83		·08	–	–	·03		·02	–	·09	14
15	·98	·46	·09		·45	·37	–	–		.	–	[illegible]	15
16	·21	–	1·15		·21	–	–	·65		·23	03	·58	16
17	.	–	·18		02	·06	–	1·65		.	–	·20	17
18	.	–	·22		–	–	–	·52		·02	·03	·25	18
19	01	·25	·39		–	·06	–	·30		·01	–	·08	19
20	08	·14	·78		·20	·03	–	·28		·49	·02	·04	20
21	–	·75	·43		·50	–	·07	·16		·20	–	–	21
22	1·02	·90	·40		–	·03	·07	·29		–	–	·28	22
23	·44	·47	·29		–	·06	–	1·09		·09	–	·50	23
24	·18	·11	·05		–	·68	–	·01		–	–	·44	24
25	·26	·04	·02		–	·05	·26	·19		·36	·87	·42	25
26	–	·19	–		–	–	·09	·07		·80	·96	·86	26
27	–	·09	–		–	·68	·47	·08		2·38	·10	1·31	27
28	–	·18	–		–	·34	·48	1·10	·29	·70	·65	·54	28
29	–	·44	–		–	·05	·29	·63	·42	·80	·02	·10	29
30	–	–	·05		–	·05	·28	–	26	·42	–	–	30
31	–	–	·27	·17	–	–	·78	–	–	03	–	·40	31
Total	8·04	6·62	10·12	·17	2·23	5·40	3·52	10·57	1·14	7·96	3·83	10·28	YEAR'S TOTAL 69·88
Rain Days.	19	20	26	1	10	20	17	25	5	17	14	26	200

W. 7,500, XI. 12

REGIST

24 JUN 1913

FORM A. BRITISH RAINFALL.

Kept at Harewood, Buckfastleigh, 54

in the County of Devon.

by J. S. Trelawny

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Buckfastleigh

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·52		–	·44	·02	~~·07~~	·12	1·12	–	·67	1
2	–	–	·35		–	·85	–	·01	–	·09	·03	–	2
3	–	–	·49		–	·35	·09	1·40	·05		–	24	3
4	·27	–	1·38		–	·64	–	·20			·17	–	4
5	1·09	–	·42		·11	–	–	·84			·02	·33	5
6	1·10	·41	·02		·47	·20	–	·10			–	·02	6
7	·13	·88	·30		·18	·32	–	·07			–	·35	7
8	1·42	·25	·59		–	·11	–09	–			–	·01	8
9	·06	·17	·20	·17	–	–	–09	·24			–	·75	9
10	·22	·02	·07		–	·03	·11	·08			·44	·25	10
11	·01	·10	·29		–	–	·03	·06			·47	·95	11
12	·01	·66	·34		·01	–	·06	·52			·02	·02	12
13	·41	–	–		–	–	·24	–		·20	–	·70	13
14	·22	·11	·83		·08	–	–	·03		·02	–	·09	14
15	·98	·46	·09		·45	·37	–	–			–	[illegible]	15
16	·21	–	1·15		·21	–	–	·65		·23	03	·58	16
17		–	·18		02	·06	–	1·65			–	·20	17
18		–	·22		–	–	–	·52		·02	·03	·25	18
19	01	·25	·39		–	·06	–	·30		·01	–	·08	19
20	08	·14	·78		·20	·03	–	·28		·49	·02	·04	20
21	–	·75	·43		·50	–	·07	·16		·20	–	–	21
22	1·02	·90	·40		–	·03	·07	·29		–	–	·28	22
23	·44	·47	·29		–	·06	–	1·09		·09	–	·50	23
24	·18	·11	·05		–	·68	–	·01		–	–	·44	24
25	·26	·04	·02		–	·05	·26	·19	–	·36	·87	·42	25
26	–	·19	–		–	–	·09	·07	–	·80	·96	·86	26
27	–	·09	–		–	·68	·47	·08		2·38	·10	1·31	27
28	–	·18	–		–	·34	·48	1·10	·29	·70	·65	·54	28
29	–	·44	–		–	·05	·29	·63	·42	·80	·02	·10	29
30	–	–	·05		–	·05	·28	–	26	·42	–	–	30
31	–	–	·27	·17	–	–	·78	–	–	03	–	·40	31
Total	8·04	6·62	10·12	·17	2·23	5·40	3·52	10·57	1·14	7·96	3·83	10·28	YEAR'S TOTAL 69·88
Rain Days.	19	20	26	1	10	20	17	25	5	17	14	26	200

W. 7,500, XI. 12

Cor. for auth. & part W.D. 17. VII. 14.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

17 JUL 1914

Kept at Harewood, Buckfastleigh.

in the County of Devon. 4

by J. S. Trelawny. ~~[illegible]~~

Lat. 50° 30' N. Long. 3° 45' W.

Time of Observation 9.0 a.m.

Nearest Railway Station Buckfastleigh

Diameter of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 230 C.S. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·22	·60	·20	·02	·15	—	—	—	·20	·50	—	1
2	·26	·43	·06	·18	·30	·01	·02	—	—	·15	·41	—	2
3	·83	·02	·39	·08	·26	—	—	—	·42	·02	·38	·25	3
4	1·64	·03	·43	·13	·03	·04	—	—	·39	·16	—	·40	4
5	·08	·05	·07	—	·24	·21	—	—	·91	·12	·17	·65	5
6	·62	·25	·15	—	·28	·36	·01	—	—	·76	·46	·20	6
7	·03	1·07	·07	—	1·17	·16	·14	—	—	·63	·15	·05	7
8	·11	·87	—	—	·30	—	·04	—	—	·04	·45	—	8
9	·19	·07	—	—	·11	·04	·05	·14	—	—	·09	·02	9
10	1·00	—	·02	·01	·10	·02	—	·05	—	·17	·32	·03	10
11	·60	—	—	·02	·76	·05	—	—	—	·23	·50	—	11
12	—	—	—	·02	·14	—	—	—	·09	·01	·94	—	12
13	·23	—	·84	·02	—	—	—	·04	·85	—	·42	—	13
14	·37	—	·56	·06	·29	—	—	—	·05	—	·23	—	14
15	·58	—	·60	1·97	—	—	—	—	·05	—	·12	—	15
16	·56	—	·88	·14	—	—	—	·29	1·05	—	·10	—	16
17	·16	—	·10	·16	—	—	—	—	—	—	—	—	17
18	·07	—	·86	·29	·05	—	—	—	—	—	·50	—	18
19	·74	—	·08	—	—	—	—	—	·55	·10	·40	—	19
20	·25	—	·32	·56	—	—	—	—	·01	·11	·75	—	20
21	—	—	·25	·20	·06	—	—	—	—	—	·32	—	21
22	·37	—	·78	—	·01	·15	—	·20	·04	—	—	—	22
23	—	—	·04	—	—	·01	—	—	—	—	·30	·50	23
24	·07	·27	—	·11	—	·01	—	—	—	—	—	·69	24
25	—	·02	—	·75	—	—	—	—	·04	—	—	—	25
26	—	—	—	1·82	—	—	—	·06	—	—	—	·06	26
27	·68	—	·22	·29	—	—	—	·05	—	—	—	·65	27
28	·52	—	·27	·50	—	—	—	—	·05	·41	—	·09	28
29	·13	—	·87	·47	—	—	—	—	—	·50	—	·14	29
30	1·52	—	—	·10	·08	—	·20	·47	—	·13	—	—	30
31	·19	—	·10	—	—	—	—	·31	—	·67	—	—	31
Total	11·74	3·30	8·56 ~~8·66~~	8·08	4·20 ~~4·80~~	1·21	·46	1·61	4·00	56 ~~480~~ 4·90	~~7·51~~ 7·01	3·73	YEAR'S TOTAL 58 8 ~~59·70~~ 58·80
Rain Days.	25	11	23	22	17	12	6	9	13	18 ~~17~~	~~20~~ 19	13	188

58·80

W.7,000, XI. 13

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
19 APR 1915

Kept at Harewood. Buckfastleigh
in the County of Devon
by J. S. Trelawny

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Buckfastleigh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 230? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. -46

Date.	Jan.	Feb. 2	March 1	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	09	29	.	.	.	.	.35			77	19	1
2	-	.		08		07	.28	07			39	62	2
3	-	14		05	.15		.10	.			01	10	3
4	-	40		.33	1.16			.37	.02		57	85	4
5	06	13		74	29		.62	.08			12	10	5
6	15	41		47	19			.15			01	1.54	6
7	-	17	.08	21	20			35	.24			51	7
8	07	83	1.55	43	28		.31	48				13	8
9	21	1.54	-	18	05	.40		.36	.73			.	9
10	13	27	.07	42	12	.43		.	34			28	10
11	.08	06	88	29		.09		.	02		.07	1.01	11
12	.	1.14	30					.	31	.17	65}	85	12
13	.	19	35					.	39	07		29	13
14	.	65	1.62				.10	.73	.06	04	90	-	14
15	.	99	1.03			08	(–) .02	.26	.01		62	38	15
16	.	31	.						.80			.	16
17	.	03	.						.			2.01	17
18	.	46	92				.10		15			39	18
19	.	15	19				1.96		.		08	09	19
20	.	79	09								03	23	20
21	.	15	56			09				.43		-	21
22	.	01	52					.07		.58		05	22
23	.	03	11		.17					.30			23
24	.	62	09	19			.04	.06		{81			24
25	.	09	.				.05	84			.22		25
26	23	25	.				.14	04		-	49	.84	26
27	07	08	08				.	/		10	50	1.27	27
28	03	-	14				05	.		15	57	81	28
29	03	62					.	.		02	1.74	1.08	29
30	90	38			.16		.	.		23	1.00	.03	30
31	11	26					.78	/		.67		1.28	31
Total	.29 2.07 2.36	~~11.24~~ 11.15	.09 8.77 8.67	3.39	2.77	1.76	4.55	4.21	3.07	3.57	8.74	14.93	YEAR'S TOTAL 68.37 68.57
Rain Days.	12	29	18	11	10	6	13	14	11	13	19	24	180

W.7,000, XI. 13

Cnd pr auth 26·VI·16 1827

FORM A. BRITISH RAINFALL. 29 APR 1916

REGISTER OF RAINFALL IN 1915

Kept at Harewood, Buckfastleigh,
in the County of Devon.
by J. S. Trelawny

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Buckfastleigh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·46	·59	–	–	01	–	–	·87	24	·35	04	·30	1
2	·42	·34	40	10	–	10	–	·46	–	–	–	78	2
3	·05	·45	32	10	33	–	–	–	–	–	–	70	3
4	·04	25	01	–	06	–	–	40	–	–	–	54	4
5	·07	1·15	–	·25	–	–	–	–	–	–	–	·96	5
6	1·80	·24	–	·90	·08	–	·69	–	–	–	–	·52	6
7	·81	1·15	–	·10	–	–	·10	·01	–	·25	–	·48	7
8	·25	·46	–	–	–	–	·01	08	–	·03	·32	·45	8
9	·02	·20	–	10	–	–	–	–	–	–	·57	1·64	9
10	·70	·84	–	04	–	–	–	–	–	·24	·11	·09	10
11	·28	·10	25	–	–	–	·01	·22	–	·23	1·98	·06	11
12	–	56	–	–	·67	–	–	·11	–	·18	·55	–	12
13	·07	1·85	–	02	1·62	–	–	·15	–	–	·16	09	13
14	·24	–	–	–	–	~~30~~	·30	·20	·21	12	–	2·82	14
15	·40	–	–	–	·40	–	·44	–	01	11	–	·32	15
16	·03	2·98	–	–	·38	–	1·33	–	–	·09	–	20	16
17	·02	·67	02	–	·02	–	–	–	–	–	–	–	17
18	–	·43	–	–	–	–	–	–	–	–	–	–	18
19	·~~21~~	+·02	–	·03	·67	–	·12	·21	–	–	–	–	19
20	·41	·05	–	·09	·10	·14	–	–	–	·14	–	–	20
21	·21	·	·	·	·	·	·73	–	–	·11	–	·03	21
22	·12	·06	·65	–	–	·03	·72	–	–	·12	–	·81	22
23	01	–	07	–	–	·24	·02	–	·22	1·70	–	1·20	23
24	–	–	–	–	–	·04	·03	–	·07	·18	–	·94	24
25	–	–	–	·14	–	·62	·05	–	·01	–	–	·74	25
26	06	·84	–	–	–	·17	·06	–	03	–	–	1·39	26
27	–	04	–	–	–	·02	·01	–	–	1·18	–	·01	27
28	–	12	–	–	–	·20	–	–	·23	08	·02	·13	28
29	–	X	–	–	–	·44	·27	–	·10	–	·48	·37	29
30	·25	X	–	–	–	·09	·03	–	–	1·00	·70	·56	30
31	–	X	–	X	–	X	·29	·15	X	1·25	X	·54	31
Total	6·72	13·39 13.39	1·72	1·87	4·34 4·34	2·09	5·21	2·86	1·12	7·36	4·93	16·67	YEAR'S TOTAL ~~67·31~~ 68·28
Rain Days.	22	22	7	11	11	11	18	11	9	18	10	26	175

W. 8,000. X. 15. +·02

[illegible] ~~H~~ [illegible]

1784

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JUL 1917

Kept at Harewood - Buckfastleigh
in the County of Devonshire
by J. S. Trelawny

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Buckfastleigh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.41		03		.10	.17	.06						1
2	1.09	.23	.11						.22	.38			2
3	-11	1-65			.40	.14				.25	.15		3
4	.52	.33			.11	.77			.10	1.04	.52		4
5	.03	.48	02		.08					.34	.27		5
6	.10	.41			.24	.17	1.05			.45	1.35		6
7	.12	.34	73		.12	.05				.36	.80		7
8		.35			.36	.71				.12	.87		8
9		.14			.04						.77	.09	9
10		.65		.05	.10	09				.22		.37	10
11		.01		.11	.05						.14	.37	11
12		.10	.09	.04	.12		.33	.11		.07	.08		12
13		.60	.21	.10				.25			.03		13
14		1-00								.25			14
15		.95	35	.02				.38		.17		.40	15
16	.61			.08						.19			16
17	.62	35		.06				.52			1.20		17
18	.10	40	.46	.03					.45	.55	.25	2.50	18
19	.92	30	.18	.10									19
20	.16	1-11	.22	.05									20
21	.14	.09	.04		.08								21
22			.01			.26		.09					22
23	.10		–	.18		.15		.31		.44	.23	27	23
24			.04	.92	.26	.02		.23		1.12	1.00	30	24
25	.02		.16					.28	1.00	1.18	.05		25
26	.01		.15			.24		.57		.46	.25		26
27			1-58		.02	.19		.45		.64	.02	05	27
28			.01			.91				.30		.95	28
29			.11			.92		2.17	.68	.70		.82	29
30		✕				~~.12~~				1.00			30
31		✕		✕		✕		.21	✕		✕		31
Total	4.86	9.[illegible]9	4.50	1.74	2.0~~9~~8 2.08	3.~~8~~99 3.99	1.44	5.57	2.45	10.43	7.98	6.12	YEAR'S TOTAL. 60.~~85~~45 60.45
Rain Days.	16	19	18	12	14	14	3	12	5	21	17	10	161

W. 8,000, VIII. 16

5 mags ✓

FORM A.
BRITISH RAINFALL
12 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Harewood, Bideford
in the County of Devon
by J. S. Trelawny

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						.52			.05				1
2				.45				.12					2
3			5	.5			.3			.80	.70		3
4	.15		.76				.55		.04	.67			4
5	.10		.29			.66			.07	.17	34		5
6			.20			.10			.29	.57		.12	6
7	.50						.53	.5		.15	.34		7
8	.40						.21	.43		.68	.25	.26	8
9			.34	.27	.4					.28	.39		9
10			.61					.48	.08				10
11			1.09	1.09				.15			.22		11
12	.57			.27	.59								12
13			.36			.7		.12	.16	1.91			13
14							.41	.10		.14			14
15				.31			.16					.60	15
16		.23		.16				.27	.04	.91		.41	16
17				.9			.35		.93	.58			17
18		.51			.90				.87	.8			18
19		.33				.47		.7	.11				19
20					.61	.12				.11			20
21									.05				21
22								1.00		.28			22
23		.21			.19			.45		.49			23
24							.53	.07		.14	.15		24
25								.42	.24	.12			25
26					.28			.31	.22	.03			26
27						1.36		1.32					27
28			.46			.33		1.22		1.40			28
29			.20			.31	.41	.06		.07		.23	29
30		╳	.25		.32			.51		.34	.21	.01	30
31		╳		╳		╳		.09	╳		╳		31
Total	1.72	1.28	4.61	2.69	2.93	3.64 3.94	3.18	7.54	3.15	9.72	2.60	1.63	YEAR'S TOTAL ~~45.46~~ 44.99
Rain Days.	5	4	11	8	7	9	9	19	13	21	8	6	120

W. 8,000, IX. 17.

V.P. written 22.III.15

RE

III.15 1801

FORM A.
BRITISH RAINFALL.
4 JAN 1915

BUDLEIGH SALTERTON
LINDENWOOD
DEVON

~~1914–18~~
1914–20

Kept at Lindenwo… …A.M.

…Salterton 3/4 miles

in the County of De… …tive in.

by Lt Colonel J. H. … …e Ground one ft. — in.

Sea Level 230 – ft.

IMPORTANT N… the result entered to the previous day. If an … ersal rule, he is earnestly requested to add the re… r in the space provided for it at the end of t… ment of rain, the selection and placi… tish Rainfall Organization are given … pplication to Dr. H. R. Mill, 62, Ca…

Jan. 1, following. ·17

Date	Jan.	Feb.	March								Nov.	Dec.	Date.
1		·05	·05								·60	·45	1
2			·06			·08	·25	·37			·05	·13	2
3			·03	·10	·03		·32	·01			·66	·30	3
4			·09	·12	·57						·03		4
5	·13		·01	·20	·09		·41	·11			·63	·57	5
6	·08		·04	·13	·03		·01					·04	6
7		·09		·11	·10		·05				·01	·43	7
8	·03	·94	·16	·16	·05		·28	·04	·10	[illegible]		·37	8
9	·03		·38	·02	·02	·15			·03			·07	9
10		·05	·47	·20	·03	1·16		·29	1·00				10
11	·07	·44	·04	·08	·05	·04			·73			·02	11
12		·08	·25		·06	·11	·37				·02	·78	12
13		·20	·12						·13	·07	·01	·79	13
14		·31	·30				·04		·14	·18	·19	·18	14
15		·21	·21			·28		·67		·05	·36	·37	15
16			·07				·01	·22		·15	·28	·13	16
17			·03						·28			·01	17
18		·20	·17									·40	18
19		·02	·15				·12		·04			·23	19
20		·05	·53				1·79		·15		·05	·10	20
21		·34	·21			·04					·01	·17	21
22		·52				·01				·26		·03	22
23		·01	·04	·03	·18	·06				·12			23
24		·06	·24		·03					·40			24
25		·04			·27		·02	·05		·03	·03	·02	25
26	·10		·27		·03		·07	·32		·32	·02	·25	26
27	·09		·09				·11	·05		·02	·11	·66	27
28	·02	·02		J.H.H. ~~[illegible]~~			·02			·03	·19	·22	28
29			·31		·02					·05	·21	·91	29
30	·06	✗	·16		·11					·11	·57	·03	30
31	·01	✗	·11	✗		✗			✗	·17	✗	·76	31
Total	·05 ~~·62~~	·05 ~~3·63~~	~~4·59~~	·05 ~~1·16~~	~~1·72~~	~~1·93~~	·54 ~~3·87~~	~~2·87~~	~~2·60~~	·60 ~~1·96~~	·45 ~~4·03~~	·17 ~~8·42~~	YEAR'S TOTAL ~~37·40~~
Rain Days.	10	18	26	12	16	9	16	10	9	15	19	27	188
W. 8,000. X. 14.	·67	3·63	4·54	1·21	1·67	1·93	4·41	2·33	2·60	2·56	3·88	8·14	37·57

written 22.III.15

RE[redacted] 1.15

1801

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Lindenwood, Budleigh Salterton

in the County of Devon S.7

by Lt Colonel J. H. Hamersley

Time of Observation 9 A.M.
Nearest Railway Station B. Salterton 3/4 mile
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 230 – ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·17

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·05	·05		·05			·54			·60	·45	1
2			·06	·01		·08	·25	·57			·05	·13	2
3			·03	·10	·03		·32	·01			·66	·30	3
4			·09	·12	·57						·03		4
5	·13		·01	·20	·09		·41	·11			·63	·57	5
6	·08		·04	·13	·03		·01					·04	6
7		·09		·11	·10		·05				·01	·43	7
8	·03	·94	·16	·16	·05		·28	·04	·10	~~[illegible]~~		·37	8
9	·03		·38	·02	·02	·15			·03			·07	9
10		·05	·47	·20	·03	1·16		·29	1·00				10
11	·07	·44	·04	·08	·05	·04			·73			·02	11
12		·08	·25		·06	·11	·37				·02	·78	12
13		·20	·12						·13	·07	·01	·79	13
14		·31	·30				·04		·14	·18	·19	·18	14
15		·21	·21			·28		·67		·05	·36	·37	15
16			·07				·01	·22		·15	·28	·13	16
17			·03						·28			·01	17
18		·20	·17									·40	18
19		·02	·15				·12		·04			·23	19
20		·05	·53				1·79		·15		·05	·10	20
21		·34	·21			·04					·01	·17	21
22		·52				·01				·26		·03	22
23		·01	·04	·03	·18	·06				·12			23
24		·06	·24		·03					·40			24
25		·04			·27		·02	·05		·03	·03	·02	25
26	·10		·27		·03		·07	·32		·32	·02	·25	26
27	·09		·09				·11	·05		·02	·11	·66	27
28	·02	·02		J.H.H. ~~[illegible]~~			·02			·03	·19	·22	28
29			·31		·02					·05	·21	·91	29
30	·06	✗	·16		·11					·11	·57	·13	30
31	·01	✗	·11	✗		✗			✗	·17	✗	·76	31
Total	·05 ~~·62~~	·05 ~~3·63~~	~~4·59~~	·05 ~~1·16~~	~~1·72~~	~~1·93~~	·54 ~~3·87~~	~~2·87~~	~~2·60~~	·60 ~~1·96~~	·45 ~~4·03~~	·17 ~~8·42~~	YEAR'S TOTAL ~~37·40~~
Rain Days.	10	18	26	12	16	9	16	10	9	15	19	27	188
	·67	3·63	4·54	1·21	1·67	1·93	4·41	2·33	2·60	2·56	3·88	8·14	37·57

W. 8,000. X. 14.

LINDENWOOD,
BUDLEIGH SALTERTON,
DEVON.

~~24~~ MAR 1915

24th March 1915

Dear Sir

In reply to your letter of the 22nd inst, my rain gauge recorded ·17, at 9 AM. on the 1st January 1915.

In future the register of the rainfall shall be kept in accordance with rule IX.

Yrs truly

J. H. Hamersley

To Hugh R. Mill D. Sc. &c &c

1911

FORM A.
BRITISH RAINFALL.

18 JAN 1916

IN 1915

Ke

in

by

Long.

Observation 9 A.M.

Railway Station Budleigh Salterton L.S.W.

er of Funnel of Rain Gauge five in.

of top of Gauge above Ground one ft. in.

" " " Sea Level 230 ft.

y at 9 a.m. and the result entered to the this almost universal rule, he is earnestly he following year in the space provided or the measurement of rain, as to the British Rainfall nt post-free on application to

Jan. 1, following.

Date.								g.	Sept.	Oct.	Nov.	Dec.	Date.
1								8	·10	·40	"	·20	1
2								2	·06	·20	"	·42	2
3									"	·01	"	·52	3
4									"	"	"	·40	4
5								7	"	"	"	·52	5
6									"	"	"	·15	6
7									"	"	·01	·31	7
8								9	"	"	"	·09	8
9								1	"	"	·29	·80	9
10									"	·09	·12	·10	10
11								2	"	·04	·89	·01	11
12								3	"	·01	·48	"	12
13	[illegible]	41	"	"	29	"	"	0	·05	"	·19	"	13
14	"	·26	"	"	·02	"	·25	·45	·05	·15	·01	·62	14
15	"	"	"	"	·28	"	·07	"	"	·04	·03	·13	15
16	·09	"	"	"	·27	"	·70	"	"	"	"	·17	16
17	"	·94	"	"	·18	"	"	"	·02	"	"	·18	17
18	·02	·64	"	"	·01	"	"	·01	"	"	"	"	18
19	"	·09	"	"	·32	"	·13	"	"	"	"	"	19
20	·02	"	"	·14	"	·09	"	"	"	·62	"	·09	20
21	·20	"	"	"	"	·01	·06	"	"	·22	"	·04	21
22	·36	·06	·33	·07	·02	·04	·47	"	"	"	"	·23	22
23	·03	·03	·04	"	"	·10	·19	"	·15	2·10	"	·27	23
24	"	·05	"	·02	"	"	·31	"	·13	·08	"	·33	24
25	"	"	"	"	"	·36	·10	"	"	"	·04	·24	25
26	·02	"	"	"	"	·01	·20	"	"	"	"	·83	26
27	·02	·09	"	"	"	·60	·06	"	"	·53	"	"	27
28	"	·03	"	"	"	·19	"	"	·32	·15	"	·09	28
29	"	"	"	"	"	·39	·02	"	"	"	·15	·02	29
30	"	X	"	"	"	·01	·02	"	"	·68	·43	·29	30
31	·14	X	"	X	"	X	·15	·03	X	1·13	X	·28	31
Total	2·82	5·73	·81	·75	2·18	1·89	3·43	2·11	·88	6·47	2·64	7·33	YEAR'S TOTAL 37·04
Rain Days.	20	21	7	11	11	11	18	11	8	16	14	26	241 171

W. 8,000. X. 15.

6x 942 1911

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 18. JAN. 191

Kept at Lindenwood, Budleigh Salterton
in the County of Devon
by Lt. Col. J. H. Hamersley

S7

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Budleigh Salterton L.S.W.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	"	·09	"	"	"	"	·18	·10	·40	"	·20	1
2	·32	·17	"	"	"	·09	"	·62	·06	·20	"	·42	2
3	·19	·18	·10	·05	·20	"	"	"	"	·01	"	·52	3
4	"	·08	·05	"	·04	"	"	"	"	"	"	·40	4
5	·04	·07	"	·05	"	"	"	·37	"	"	"	·52	5
6	·01	·66	"	·24	"	"	·50	"	"	"	"	·15	6
7	·58	·14	"	·04	"	"	·13	"	"	"	·01	·31	7
8	·16	·40	"	"	"	"	·06	·09	"	"	"	·09	8
9	·05	·34	"	·01	"	"	"	·01	"	"	·29	·80	9
10	"	·08	"	·04	"	"	"	"	"	·09	·12	·10	10
11	·11	·36	·06	·01	·03	"	·01	·02	"	·04	·89	·01	11
12	·12	·59	·14	·08	·54	"	"	·13	"	·01	·48	"	12
13	·17	·47	"	"	·29	"	"	·20	·05	"	·19	"	13
14	"	·26	"	"	"	"	·25	·45	·05	·15	·01	·62	14
15	"	"	"	"	·28	"	·07	"	"	·04	·03	·13	15
16	·09	"	"	"	·27	"	·70	"	"	"	"	·17	16
17	"	·94	"	"	·18	"	"	"	·02	"	"	·18	17
18	·02	·64	"	"	·01	"	"	·01	"	"	"	"	18
19	"	·09	"	"	·32	"	·13	"	"	"	"	"	19
20	·02	"	"	·14	"	·09	"	"	"	·62	"	·09	20
21	·20	"	"	"	"	·01	·06	"	"	·22	"	·04	21
22	·36	·06	·33	·07	·02	·04	·47	"	"	"	"	23	22
23	·03	·03	·04	"	"	·10	·19		·15	2·10	"	·27	23
24	"	·05	"	·02	"	"	·31	"	·13	·08	"	·33	24
25	"	"	"	"	"	36	·10	"	"	"	·04	·24	25
26	·02	"	"	"	"	·01	·20	"	"	"	"	·83	26
27	·02	·09	"	"	"	·60	·06	"	"	·53	"	"	27
28	"	·03	"	"	"	·19	"	"	·32	·15	"	·09	28
29	"	"	"	"	"	·39	·02	"	"	"	·15	·02	29
30	"	╳	"	"	"	·01	·02	"	"	·68	·43	·29	30
31	·14	╳	"	╳	"	╳	·15	·03	╳	1·13	╳	·28	31
Total	2·82	5·73	·81	·75	2·18	1·89	3·43	2·11	·88	6·47	2·64	7·33	YEAR'S TOTAL 37·04
Rain Days.	20	21	7	11	11	11	18	11	8	16	11	26	241 171

W. 8,000. X. 15.

1266

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Budleigh Salterton

in the County of Devon

by Lt. Col. J. H. Hammersley

Lat. Long.

Time of Observation 8 A.M.

Nearest Railway Station Budleigh Salterton

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. – in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	"	"	"	"	·30	"	"	"	·19	·29	·23	"	1
2	·08	·06	"	"	·04	"	"	"	·15	·46	·25	"	2
3	"	1·10	"	"	·12	"	"	"	"	·50	·39	"	3
4	·09	·14	"	"	·25	·12	"	"	"	·10	·78	"	4
5	"	"	·15	"	·06	·10	"	"	"	·05	·11	"	5
6	"	·11	"	"	·11	·03	·61	"	"	·22	·80	"	6
7	·07	·05	·09	"	·04	·11	"	"	"	"	·60	·11	7
8	"	Snow ·17	·21	"	·16	"	·06	"	"	"	·10	·21	8
9	"	·12	·03	"	·05	·09	·03	"	"	"	·11	·25	9
10	"	·60	"	·02	·02	"	"	"	"		·01	·15	10
11	"	"	"	·01	"	"	"	"	"	·02	"	"	11
12	·03	"	·43	"	·18	"	·05	·13	"	·01	"	"	12
13	"	·16	·09	"	"	"	"	·19	"	"	"	"	13
14	"	·49	·07	"	·04	"	"	·18	"	·01	"	"	14
15	"	·23	·14	·05	"	"	"	·10	"	·02	"	·23	15
16	·16	·05	"	·23	"	"	·10	·50	"	·0~~8~~5	"	"	16
17	·14	·09	"	·01	"	"	"		·16	~~·05~~ ·29	·98	"	17
18	·03	·08	·24	·01	"	"	"		·27	·03	"	·09	18
19	·05	·14	·28	·01	"	"	"			"	·21	·05	19
20	·08	·87	·22	"	"	"	"			"	·04	1·32	20
21	"	·08	·07	"	·03	"	"			"	"	·49	21
22	"	"	"	"	·04	"	"			·24	"	·61	22
23	"	"	"	"	"	·05	"	·29		"	·09	"	23
24	"	Snow ·07	·02	·08	·40	·09	"	·10		·78	·03	·36	24
25	"	·41	·03	"	·06	·04	"	·41		"	·16	"	25
26	"	·08	·01	"	·02	"	"	·18	1·26	·82	·01	"	26
27	"	"	1·15		"	·47	"	·24	1·17	·08	"	"	27
28	"	·10	·02	·03	"	·22	"	·11	·06	·41	"	·15	28
29	"	·39	·01	"	"	·24	"	2·02	·13	·06	"	·34	29
30	"	✕	·02	"	"	"	"		"	·76	"	"	30
31	"	✕	"	✕	"	✕	"	·02	✕	·21	✕	"	31
Total	·73	5·59	3·28	·45	1·92	1·56	·85	4·47	3·39	5·41	4·90	4·36	YEAR'S TOTAL 36·91
Rain Days.	9	22	19	9	17	11	5	13	8	21	17	13	164

W. 8,000, VIII. 16

[illegible] ~~[illegible]~~ 1788

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL

7 JAN 1918

Kept at Lindenwood

in the County of Budleigh Salterton Devon.

by Lt. Col. J. H. Hamersley

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Budleigh Salterton 3/4 mile

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 130 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	..	..	·16	·24	..	·15	..	·35	..	..	·08	..	1
2	..	..	..	..	..	·19	·65	..	..	·04	..	..	2
3	·02	..	..	·19	..	..	·05	·04	..	·09	·88	..	3
4	..	..	·54	..	·03	..	..	..	..	·32	..	..	4
5	·10	Snow ·10	·25	·10	..	·13	..	..	·06	·11	·07	..	5
6	..	..	·19	..	..	..	..	·01	..	·03	·09	·01	6
7	·32	..	..	..	..	·04	..	·20	..	·21	·07	·02	7
8	·16	..	Snow ·35	·10	..	..	·89	·34	·05	·26	·05	·29	8
9	..	..	..	·02	·03	..	·04	·34	..	·33	·13	..	9
10	·22	..	·38	·31	..	..	..	·28	..	·08	..	..	10
11	·03	..	·95	·04	..	..	..	·09	·05	·16	·15	..	11
12	·10	..	..	..	·55	..	..	..	..	·25	..	..	12
13	..	..	·29	·01	..	..	..	·20	·03	·08	..	..	13
14	..	..	..	·15	..	·01	·20	·17	·02	·07	..	..	14
15	..	..	..	·01	..	..	·05	·08	..	·11	..	·51	15
16	..	·14	..	·06	..	..	..	·01	..	·21	..	·20	16
17	..	·01	..	·02	..	..	·21	·05	·50	·06	..	..	17
18	..	·10	..	..	·09	..	·09	..	·46	..	..	..	18
19	..	·52	·09	..	..	·17	..	·02	·19	..	..	..	19
20	..	·05	·04	..	·43	·04	..	·04	·11	..	..	..	20
21	..	..	·07	..	..	·01	..	·02	..	..	..	..	21
22	..	..	·03	..	·01	..	..	·08	..	·04	·01	..	22
23	·02	·14	..	..	·23	..	..	·13	..	·10	·01	·02	23
24	..	..	·09	..	..	·02	·30	·01	..	·03	..	..	24
25	..	..	·05	..	..	..	·05	·10	·04	·03	·08	..	25
26	..	..	..	..	·31	·04	..	·54	·08	·01	·01	..	26
27	..	..	..	..	·13	·38	..	·68	..	..	..	..	27
28	..	·08	·08	..	·03	·36	..	·40	..	·01	..	..	28
29	..	..	·01	..	..	·31	..	·01	..	·45	..	·08	29
30	..	X	·27	..	..	..	·19	·19	..	..	..	..	30
31	..	X	·03	X	·01	X	..	..	X	·27	X	..	31
Total	·97	1·14	3·87	1·25	1·85	1·85	2·72	4·38	1·59	3·35	1·63	1·13	YEAR'S TOTAL 25·73
Rain Days.	8	8	18	12	14	13	11	25	11	24	12	7	158

25·73
160

W. 8,000, IX. 17.

122

FORM A.
BRITISH RAINFALL.
2. 1.

REGISTER OF RAINFALL IN 1918

Kept at Lindenwood, Budleigh Salterton
in the County of S Devon
by Lt Colonel J. H. Hamersley

Lat. .... Long. ....
Time of Observation 9 A. M.
Nearest Railway Station Budleigh Salterton L.S.W.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .. in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		·22											
1	..	·14	·18	·17	..	..	..	1·15	..	..	·74	..	1
2	..	·10	..	..	..	..	..	..	..	·02	..	·11	2
3	..	·02	..	·25	·08	..	..	..	..	..	..	..	3
4	..	..	..	·03	..	..	..	..	·58	..	·93	·18	4
5	..	·05	..	..	·27	..	..	·16	·89	·15	..	·04	5
6	·20	·07	..	·09	..	..	..	·45	..	·15	..	·19	6
7	·08	·11	..	..	·12	..	..	..	·17	·07	·36	·05	7
8	·10	..	..	..	..	..	..	..	·04	·31	..	..	8
9	·12	..	..	·08	..	·04	·48	..	·33	·03	..	·31	9
10	·05	..	..	·23	..	..	·30	..	·21	·18	·01	·33	10
11	..	..	..	·05	..	..	·47	..	·09	..	·06	·03	11
12	·04	·06	..	..	·23	..	·10	..	·06	·10	..	..	12
13	·06	..	..	..	·13	..	·27	..	·20	·12	..	..	13
14	·23	..	..	..	·08	·12	·01	..	·21	·08	..	·15	14
15	1·35	..	..	·02	·08	·03	·39	..	·01	·04	..	·21	15
16	·43	..	..	·18	..	·13	·04	..	·10	..	..	·18	16
17	·27	..	·04	·21	..	..	·45	..	..	..	..	·12	17
18	·80	..	·08	..	..	·49	·12	..	·25	·03	..	·29	18
19	·18	·10	·02	..	..	..	·11	·04	·07	..	..	·25	19
20	·04	..	..	·38	..	..	·18	..	·13	..	..	..	20
21	·03	..	..	..	..	·05	·05	..	·32	·19	..	·40	21
22	·05	..	..	..	·07	..	·65	..	·19	·20	..	·09	22
23	·04	·02	..	..	·04	..	·12	·04	·05	..	·03	·12	23
24	..	..	..	..	..	..	·57	..	·12	..	·13	·34	24
25	..	..	..	·16	·09	..	·19	·50	..	·04	·22	..	25
26	..	..	..	..	..	..	..	..	..	..	·03	·09	26
27	..	·05	·08	..	..	..	·07	·07	·14	..	·15	..	27
28	..	·03	·18	·02	..	..	..	..	..	·05	·01	·04	28
29	..		·05	..	..	..	..	..	1·44	..	..	..	29
30	..	✕	·35	..	..		..	..	·15	·04	·20	·05	30
31	..	✕	·08	✕		✕		·03	✕	·08	✕	..	31
Total	4·07	·97	1·06	1·87	1·19	·86	4·57	2·44	5·75	1·88	2·87	3·57	YEAR'S TOTAL 31·10
Rain Days.	17	12	9	13	10	6	18	8	22	18	12	21	166 ✓

W. 8,000, IX. 17.

1674

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Budleigh Salterton

in the County of Devon

by Lt. Colonel J. H. Hamersley

Lat. Long.

Time of Observation 10 A.M.

Nearest Railway Station Budleigh Salterton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·52	"	·10	"	·01	"	·16	"	·01	·23	"	·80	1
2	·23	"	"	Snow ·02	·02	"	·23	"	·12	·07	"	·01	2
3	·47	"	·34	"	·06	"	"	"	·19	"	·03	·01	3
4	·70	·69	·50	"	"	·11	"	·08	·36	"	·04	·04	4
5	·03	·32	·38	"	·02	"	"	"	·62	"	·05	·02	5
6	·30	·77	·03	"	"	"	"	"	"	"	"	·26	6
7	·20	"	·26	·13	"	"	"	"	"	"	"	·06	7
8	·29	"	·35	"	"	"	"	"	"	"	"	"	8
9	·09	"	·01	·20	·05	"	"	"	"	"	·18	"	9
10	·22	"	·33	·08	"	"	"	"	"	·03	"	·13	10
11	·04	"	·37	"	·25	"	·10	"	"	·03	·01	·26	11
12	·14	"	·01	·09	"	·01	"	"	·02	"	·16	·02	12
13	·05	·10	·16	·34	"	"	"	"	"	"	"	·08	13
14	·32	·22	"	·49	·38	"	·04	"	·11	·09	"	·21	14
15	·17	·10	"	·04	"	"	"	"	"	·05	"	·14	15
16	·11	·81	"	"	"	"	"	·03	"	·14	·04	"	16
×partly Snow 17	"	×·78	"	"	"	"	"	"	"	"	·08	·01	17
18	"	·24	·69	"	"	"	·25	"	"	"	·10	"	18
19	"	·33	·22	"	"	·15	·85	·35	·15	"	·07	·03	19
20	·67	"	·13	"	"	·34	"	·15	·07	"	·06	·03	20
21	·20	·81	"	"	"	"	·03	"	·09	"	"	·05	21
22	"	"	"	"	"	"	·04	"	·12	"	·01	"	22
23	"	"	·03	"	"	"	"	·19	·04	"	·02	·07	23
24	"	"	"	"	"	·25	·04	·25	"	·63	·21	·18	24
25	·12	·04	"	·02	"	·06	"	·34	"	·20	·03	·04	25
26	·21	·02	·05	·08	"	"	"	·01	·04	"	·07	·21	26
27	·33	"	"	·21	"	"	·16	1·45	"	·01	"	·09	27
28	"	"	·19	"	"	"	"	·06	"	"	·01	·39	28
29	"		"	·10	"	"	"	·15	"	"	"	·07	29
30	"		"	·06	"	·09	"	·22	·01	·03	·54	·47	30
31	"		"		"		"	"		"		·52	31
Total	5·38	5·23	4·15	1·86	·79	1·01	1·90	3·28	1·95	1·51	2·31	4·20	Year's Total 33·57
Days with ·01 in. or more	21	13	18	13	7	7	10	12	14	11	18	26	170

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1588

2 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Budleigh Salterton
in the County of Devon
by Lt. Colonel J. H. Hamersley

Lat. .... Long. ....
Time of Observation 10 A.M.
Nearest Railway Station B. Salterton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	..	·01	·07	·46	..	·36	..	·09	·02	·03	·78	1
2	·30	..	..	·18	..	..	·43	·06	·02	·06	..	·10	2
3	·02	·02	..	·07	..	..	..	..	..	·35	..	·21	3
4	..	..	·01	..	..	..	·09	·40	..	·13	..	..	4
5	..	..	·09	·07	·01	..	·45	·07	..	·24	..	..	5
6	..	..	·24	·04	·12	..	·23	..	..	·08	..	..	6
7	..	..	..	·16	·09	..	·57	..	..	..	..	·01	7
8	·05	·06	..	·25	·04	..	·54	..	..	·01	..	·10	8
9	·48	..	..	·04	..	·38	·12	..	..	..	..	..	9
10	·89	·02	·06	..	..	·42	..	..	..	..	..	..	10
11	·29	..	·12	·34	·30	·03	·37	..	..	..	..	..	11
12	·10	·03	·08	·09	..	·09	·01	..	..	..	·08	·25	12
13	·17	..	·45	·03	..	..	..	..	..	·02	..	·05	13
14	·03	·06	·25	·60	..	..	..	..	·08	·16	·22	·01	14
15	..	·07	·01	·20	·07	..	..	..	..	·48	..	..	15
16	..	·01	..	..	..	·03	·27	..	·19	..	·06	..	16
17	..	..	..	·20	·25	·11	·02	..	·22	·02	..	..	17
18	·09	..	..	·24	·07	·29	·02	·29	..	..	..	..	18
19	·04	·07	..	·26	..	·37	..	·04	·05	..	..	..	19
20	..	·02	..	·28	..	·27	..	..	..	..	..	·27	20
21	..	..	..	·08	..	..	·04	..	..	·28	..	·17	21
22	..	..	..	·16	..	..	..	..	..	..	..	·37	22
23	..	..	..	..	..	..	·19	·04	..	..	·17	·39	23
24	..	..	·22	..	..	..	..	..	..	..	..	·08	24
25	·01	·01	·09	..	·05	..	·57	..	..	..	..	·01	25
26	·20	..	·29	..	..	..	·02	..	..	..	·18	·17	26
27	·65	·07	·10	·06	·01	·08	·04	..	..	..	·41	·25	27
28	·68	·01	·15	·07	..	..	·05	..	..	..	..	·07	28
29	·43	..	·71	·06	..	..	..	..	..	..	·14	·19	29
30	·11	✕	..	..	·01	·09	·09	..	·51	..	·41	·41	30
31	·06	✕	·40	✕	..	✕	..	..	✕	·35	✕	·06	31
TOTAL	4·65	·45	3·28	3·55	1·48	2·16	4·12	·90	1·16	2·40	1·70	3·95	YEAR'S TOTAL 29·80 or
Days with ·01 in. or more	19	12	17	22	12	11	20	6	7	13	9	20	168 ~~154~~
Days with ·04 in. or more	16	5	14	21	10	9	16	6	6	9	8	17	137

Snow

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BUDLEIGH SALTERTON

KNOWLE HD.

DEVON

1911 –

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

9 11

Kept at Knowle H
= Sa

in the County of

by Captain

nich Howard's

p 5 in.

above Ground — ft. 15 in.

„ Sea Level 200 ft.

9. a.m

on { Name Budleigh Salterton
Distance 1¼ miles Direction East

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the g year in the space provided for it at the end of surement of rain, the selection and pl British Rainfall Organization are give on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.15			·3						1
2					·34			·4		·1	·17		2
3					·12					·4	~~·15~~	·28	3
4			·4					·4					4
5								·9		·2	·5	·50	5
6	·40		·31								·15		6
7			·11								·3	·105	7
8			·12								·35		8
9											·5	·134	9
10		·6											10
11					·6						~~·95~~	·23	11
12	·35		·82								·95	·13	12
13									·28		·2	·40	13
14		·14											14
15		·4				·2					·20	·97	15
16						·36					·12	·6	16
17			·48			·17					·50	·54	17
18			·19	·21		·10					·22	·50	18
19		·3				·16			·30	·11	·15	·38	19
20			·22			·34			·5	·29	·16	·43	20
21				·11		·4			·1	·62		·54	21
22	·38	·4		·1					·19	·45		·4	22
23						·15				·7		·55	23
24		·5				·95		·3	·6	·19	·4		24
25		·3						·3	·10	·33		·29	25
26				·22		·8				·35		·6	26
27								·3	·13	·8		·15	27
28		·21 ·25	·4	·39						·1	·5	·17	28
29					·43	·20	·50		·19				29
30				·22					·2	·20		·5	30
31										·15			31
Total	1·13	85	2·33	1·31	95	2·57	·53	·26	1·33	2·92	3·21	8·66	TOTAL for year 26·05
No. of Rain Days.	3	9	9	7	4	11	2	6	10	15	16	21	M 3

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
9 JAN 1912

Kept at Knowle House near Budleigh = = Salterton - Devon 57

in the County of —

by Captain Arthur Pepys

RAIN GAUGE
Pattern 5 inch Howard's
Diameter of top 5 in.
Height of top above Ground — ft. 15 in.
" " " Sea Level 200 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Budleigh Salterton
Distance 1¼ miles Direction East

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.15			·3						1
2					·34			·4		·1	·17		2
3					·12					·4	~~·15~~	,28	3
4			·4					·4					4
5								·9		·2	·5	,50	5
6	·40		·31								,15		6
7			,11								·3	,105	7
8			·12								·35		8
9											·5	,134	9
10		,6											10
11					·6						~~·95~~	,23	11
12	·35		·82								,95	,13	12
13									,28		.2	,40	13
14		·14											14
15		·4				·2					,20	·97	15
16						·36					·12	·6	16
17			·48			·17					·50	,54	17
18			·19	,21		·10					·22	,50	18
19		·3				·16			,30	·11	·15	·38	19
20			,22			·34			,5	,29	,16	,43	20
21				·11		·4			·1	·62		,54	21
22	·38	·4		·1					·19	,45		·4	22
23						·15				·7		·55	23
24		·5				·95		·3	·6	·19	·4		24
25		·3						·3	·10	·33		,29	25
26				·22		·8				·35		·6	26
27		·21						·3	·13	·8		,15	27
28		·25	·4	,39						·1	·5	,17	28
29					·43	·20	·50		·19				29
30				·22					,2	·20		·5	30
31										·15			31
Total	1·13	85	2·33	1·31	95	2·57	·53	·26	1·33	2·92	3·21	8·66	TOTAL for year 26·05
No. of Rain Days.	3	9	9	7	4	11	2	6	10	15	16	21	143

W. 8,000, X. '11.

cord for autts 21.11.13

REGISTER OF RAINFALL IN 1912

W 5313

FORM A. BRITISH RAINFALL. 23 JAN 1913

Kept at Knole House - Budleigh-Salterton

in the County of Devon S.7

by Captain Arthur Pepys

Lat. 51 Long. 3

Time of Observation 9. a.m.

Nearest Railway Station Budleigh Salterton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 14 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			.4			.27	.3		.5	.63		.35	1
2			.15			.40	.4				.10	.3	2
3			.50				.24	1.05	.1			.5	3
4			.32			.35		.4			.39		4
5	.36	.35	.27			.21		.51					5
6	.31		~~.15~~		.31	~~1.05~~		.12				.38	6
7		.78	.23		.11	1.05		.5				.24	7
8		.12	.49			.56	.5	.					8
9		.3		.10		.41						.44	9
10	.15	.8						.1			.7	.16	10
11		.4					.8	.4				.52	11
12		.45	.18					.42					12
13	.15					.5	.16					.3	13
14	.5	.11	.42		.13			.15					14
15	.60	.7			.44	.35		.4				.10	15
16	.34		.30										16
17	.9		.27		.11	.8		.81				.4	17
18	.7		.9					.12				.5	18
19		.8	.22			.12	.5	.6					19
20	.20	.7	.45		.18		.2	.44		.20			20
21		.10	.30		.45			.10					21
22	.38	.32			.12		.5	.9			.7		22
23	.50	.32	.11				.5	.38			.7	.30	23
24	.9	.5				.42		.3				.18	24
25	.17							.23		.72		.49	25
26		.3						.52		.20	.42	.52	26
27						.38	.59	.20		1.27		.20	27
28		.10				.32	.4	.40		.52	.35	.52	28
29		.40					.16	.28	.45	.55			29
30						.23	.4		.29	.27			30
31			.22		.27		.51						31
Total	3.36	3.50	4.56	.10	2.12	5.23 5.20	2.11	6.09	80	4.26	1.47	4.80 4.60	YEAR'S TOTAL 38.17
Rain Days.	14	18	17	1	9	15	15	23	4	8	7	18	149

W. 7,500, XI. 12

38.17

cnd for auth 18.III.16

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL

4. JAN 1916

Kept at Knole House Budleigh Salterton
in the County of Devon
by Arthur Pepys

5

Lat. 40 Long. 1½
Time of Observation 9 am
Nearest Railway Station 1 mile ¼.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~1~~ ft. 12 in.
" " " " Sea Level 238 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.24	.15	. 8					.47	.16	.54		.10	1
2	.23	.17	.12			.11		.36	. 8	.16		.62	2
3		.10	. 7		.22							.47	3
4	. 4	.6 (.06)			. 6							.33	4
5	.54	.64						.36				.53	5
6		.16		.37			.48					.17	6
7	.19	.50		. 5								.28	7
8	. 6	.36					. 3	. 9				.17	8
9		. 6									.31	.67	9
10	.10	.32	. 7							. 9	.17	. 9	10
11	.15	.66	.10		. 4			. 6		. 4	1.02		11
12	.16	.45		.14	.56			.11		. 2	.44	. 2	12
13		.28						.28			.20		13
14							.35	.35	. 9	.14	. 2	.58	14
15	.10				.31		.12			. 3	. 2	. 9	15
16	. 1	.92			.34		.60					.32	16
17		.34			.17							.13	17
18		. 9											18
19		. 2			.40		.18						19
20	.22			.13								. 9	20
21	.33	. 8					.13			.27		. 4	21
22	. 3	. 3	.36		.22	. 5	.38			. 3		.22	22
23			. 3			. 7	.13		.13	. 3		.26	23
24							.52		.16	. 8		.34	24
25	. 5	.13				.40	. 5					.27	25
26	. 3					. 2	.16					.75	26
27		. 3				.54	.15			.57		. 2	27
28						.23	. 2		.35	.16		. 8	28
29						.48	. 2				.16	. 4	29
30	.16	X				. 2				.79	.53	.32	30
31		X		X		X	.17		X	1.02	X	.31	31
Total	2.63	~~5.49~~ 5.55	.82	.69	2.32	1.92	~~2.88~~ 3.49	2.08	.97	3.97 3.97	2.87	~~6.31~~ 7.31	YEAR'S TOTAL ~~34.82~~ 34.62
Rain Days.	17	21	7	4	9	9	16	8	6	15	9	27	148

W. 8,000. X. 15.

The House is numbered 3/5

REGIST

DEVON.

BUDLEIGH SALTERTON.
"WEST HILL LODGE"
1911 - 1913

FORM A2.
BRITISH RAINFALL.
JAN 191

Kept at West Hill Lodge.
Budleigh Salterton
in the County of Devonshire
by E. L. Stewpord.

[illegible] 3 [illegible]
in.
round 3 ft. 6 in.
ea Level 120 ft. about
M.
ame Budleigh Salterton
Agar
istance 1/2 Mile Direction ENE

IMPORTANT NOTE.—Rain should be [illegible] the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1												.01	1
2								.15		.05	.17	.25	2
3									.04		.07	.06	3
4								.03			.08	.43	4
5								.08					5
6											.07	1.13	6
7											.34	.04	7
8											.04	.65	8
9											.59	.66	9
10											.02	.18	10
11									.02		.95	.08	11
12									.13		.01	.10	12
13									.22		.12	.49	13
14										.17		.98	14
15											.17	.04	15
16											.52	.47	16
17											.25	.41	17
18										.11	.16	.39	18
19									.34	.29	.17	.40	19
20									.05	.80		.58	20
21									.02	.14		.06	21
22										.10	.07	.63	22
23										.22		.25	23
24								.04		.43		.24	24
25									.09	.21		.13	25
26								.15	.04	.51	.04	.15	26
27								.11	.15	.55	.05	.18	27
28								.06		.02	.02		28
29									.20	.21	.01		29
30										.15	.07	.06	30
31										.01			31
Total								.62	1.30	3.97	3.99	9.05	TOTAL for year
No. of Rain Days.								7	11	16	22	27	

W. 8,000, X. '11.

The House is numbered 31

REGIST

C. 3 Hest-Thrush

FORM A2.
BRITISH RAINFALL.
9 JAN 1915

Kept at West Hill Lodge.
Budleigh Salterton
in the County of Devonshire
by E. L. Shurford.

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 3 ft. 6 in.
" " " Sea Level 120 ft. about

Time of Observation 9 a.m.

Nearest Railway Station
Name Budleigh Salterton
Distance about 1/2 mile Direction E N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1												.01	1
2								.15		.05	.17	.25	2
3									.04		.07	.06	3
4								.03			.08	.43	4
5								.08					5
6											.07	1.13	6
7											.34	.04	7
8											.04	.65	8
9											.59	.66	9
10											.02	.18	10
11									.02		.95	.08	11
12									.13		.01	.10	12
13									.22		.12	.49	13
14										.17		.98	14
15											.17	.04	15
16											.52	.47	16
17											.25	.41	17
18										.11	.16	.39	18
19									.34	.29	.17	.40	19
20									.05	.80		.58	20
21									.02	.14		.06	21
22										.10	.07	.63	22
23										.22		.25	23
24								.04		.43		.24	24
25									.09	.21		.13	25
26								.15	.04	.51	.04	.15	26
27								.11	.15	.55	.05	.18	27
28								.06		.02	.02		28
29									.20	.21	.01		29
30										.15	.07	.06	30
31										.01			31
Total								.62	1.30	3.97	3.99	9.05	TOTAL for year
No. of Rain Days.								7	11	16	22	27	

W. 8,000, X. '11.

Cord for arith 24.11.13

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

4 JAN 1913

S.7

Kept at West Hill Lodge Budleigh Salterton
in the County of Devon.
by Ernest Charles Shuyord

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Budleigh Salterton
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level About 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.09			.26	.05		.05	.70		.36	1
2			.10	.04		.33	.03				.02	.02	2
3			.18			.30	.12	.93	.02			.03	3
4						.32		.06			.38		4
5	.16	.10	.73			.40		.43				.28	5
6	.35	.06	.26		.32	.16	.05	.12					6
7	.32	.16	.15			.89		.07				.15	7
8	.02	.69	.45			.56						.01	8
9	.47	.02	.29	.07		.18	.04	.08				.34	9
10	.03	.11			.10	.02		.26			.07	.28	10
11	.14	.07	.10					.09				.48	11
12	.08	.03					.07	.44				.03	12
13	.06	.35	.07			.04	.12			.05		.02	13
14	.05	.01	.38		.15			.17			.02		14
15	.49	.13			.40	.36				.05		.11	15
16	.31					.04		.03					16
17	.10		.19			.12		.71				.03	17
18	.06	.03	.11		.03			.09				.07	18
19	.02	.06	.21		.08	.03	.04	.07		.02	.02	.02	19
20		.05	.31				.06	.43		.18	.04		20
21	.06	.07	.23		.38		.02	.09		.14			21
22	.42	.29	.16		.05		.10	.10		.21	.02	.09	22
23	.44	.31	.11			.04	.04	.36		.06	.07	.24	23
24	.10	.04				.28		.04				.27	24
25	.25					.07		.51		.46	.14	.36	25
26		.02						.21		.22	.37	.46	26
27						.36	.68	.16		1.16	.36	.22	27
28		.08				.05	.13	.34	.13	.46		.51	28
29						.43	.12	.16	.49	.51			29
30			.07			.26	.10		.28	.29			30
31			.18				.53						31
Total	3.93	2.68	4.37	.11	1.51	5.50 5.50	2.30	5.95 5.95	.97	4.51 4.51	1.51	4.38	YEAR'S TOTAL 37.72 37.72
Rain Days.	20	20	20	2	8	22	17	24	5	14	11	22	185

W. 7,500, XI. ·12

#92

FORM A.
BRITISH RAINFALL.
-2 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Budleigh Salterton

in the County of S Devon

by P.C. Thurgood. West Hill Lodge

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Budleigh Salterton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level About 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.17	.10	.02	.27				.12	.07	.12		1
2	.12	.10		.11	.26		.05				.06		2
3	.51		.02		.25					.04		.20	3
4	.89				.08				.19	.24	.03	.20	4
5	.13	.10	.05			.08	.08		.82	.08	.29	.44	5
6	.05	.11	.07			.07	.09			1.20	.04	.26	6
7	.07	.36	.10		.58	.02	.07			.28	.14		7
8		.08			.13		.08						8
9		.02			.05		.03				.27		9
10	.50	.06						.07		.18	.04		10
11	.73			.08	.58	.08		.07		.05	.66		11
12	.07				.02				.02		.43		12
13	.08							.10	.09		.08		13
14	.44		.13	.04	.29								14
15	.31		.40	.37					.12		.08		15
16	.18		.27	.02		.02			.14				16
17	.07		.05	.04									17
18	.02		.18	.04							.10		18
19	.42		.04		.03	.03			.38	.03			19
20	.19		.18	.34						.09	.15		20
21	.08		.22	.05			.03				.38		21
22	.27		.44		.07	.06		.03	.08	.19		.26	22
23											.11	.66	23
24				.05									24
25				.23					.03	.04			25
26				1.00				.19				.12	26
27	.46		.17	.44						.22			27
28	.42		.06	.22	.03					.24			28
29	.19		.43					.02		.07			29
30	.18			.24				.57	.40	.39			30
31	.17		.10		.03			.40		.04			31
Total	6.55✓	1.00	3.01	3.29	2.67 2.67	.36	.43	1.45	2.39	3.45	2.98	2.14	YEAR'S TOTAL 29.72
Rain Days.	24	8	18	16	14	7	7	8	11	17	16	7	153

W.7,000, XI. 13

REC

BUDLEIGH SALTERTON

SQUABMOOR

DEVON

1911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Squabm

in the County of Dev

by

5 in.

round 1 ft. 0 in.

ea Level 267 ft.

0. Budleigh Salterton

ame ~~E Budleigh~~

istance 1¾ mile Direction S.E

IMPORTANT NOTE. … the result entered to the previous day. If an Obs… …rsal rule, he is earnestly requested to add the readi… … in the space provided for it at the end of this … …nt of rain, the selection and placing … …sh Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·10								·01	1
2					·38			·13		·01	·20	·80	2
3					·14					·05	·07	·05 ~~·30~~	3
4			·09		·01			·04			·10	·49	4
5	·03		·04					·26		·03	·08		5
6	·39		·41					·01			·10	·99	6
7	·04										·39	·02	7
8			·11								·04	·67	8
9											·40	·50	9
10	·03	·02	·28		·04							·40	10
11	·21		·01		·02						·90	·11	11
12		·01	·80								·03	·08	12
13									·33			·41	13
14		·14								·15		·98	14
15	·01	·04	·02			·01					·24	·04	15
16						·41					·64	·47	16
17			·31			·17					·21	·49	17
18		·19	·25	·22		·15				·09	·14	·52	18
19		·03	·03	·03		·31			·36	·29	·16	·32	19
20	·02	·03	·22	·02		·01			·02	·23		·57	20
21	·01	·07		·06		·03			·03	·89		·11	21
22	·35	·02	·01	·02					·23	·13		·60	22
23	·01	·14	·01			·04			·06	·18	·05	·29	23
24		·06				1·00		·04		·33		·26	24
25		·04		·02		·07		·02	·09	·13		·10	25
26		·05		·20				·03		·19	·03	·13	26
27		·15	·01	·02				·07	·15	1·09	·02	·19	27
28		·30	·03	·40				·08		·01	·04		28
29				·26	·44	·20	·58		·17	·18			29
30			·01			·04			·02	·17	·06	·04	30
31							·04			·01			31
Total	1·10	1·29	2·65	1·35	1·03	2·44	·62	·68	1·46	4·16	3·90	9·14	TOTAL for Year 29·82
No. of Rain Days	10	15	18	11	6	12	2	9	10	18	20	27 ~~26~~	157 155

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

RE

Kept at Squabmoor

in the County of Devonshire S.7

by Samuel Hutton Water Engineer Exmouth

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 267 ft.

Time of Observation 7.30

Nearest Railway Station
Name ~~E Budleigh~~ Budleigh Salterton
Distance 1¾ mls Direction S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·10								·01	1
2					·38			·13		·01	·20	·80	2
3					·14					·05	·07	~~·30~~ ·05	3
4			·09		·01			·04			·10	·49	4
5	·03		·04					·26		·03	·08		5
6	·39		·41					·01			·10	·99	6
7	·04										·39	·02	7
8			·11								·04	·67	8
9											·40	·50	9
10	·03	·02	·28		·04							·40	10
11	·21		·01		·02						·90	·11	11
12		·01	·80								·03	·08	12
13									·33			·41	13
14		·14								·15		·98	14
15	·01	·04	·02			·01					·24	·04	15
16						·41					·64	·47	16
17			·31			·17					·21	·49	17
18		·19	·25	·22		·15				·09	·14	·52	18
19		·03	·03	·03		·31			·36	·29	·16	·32	19
20	·02	·03	·22	·02		·01			·02	·23		·57	20
21	·01	·07		·06		·03			·03	·89		·11	21
22	·35	·02	·01	·02					·23	·13		·60	22
23	·01	·14	·01			·04			·06	·18	·05	·29	23
24		·06				1·00		·04		·33		·26	24
25		·04		·02		·07		·02	·09	·13		·10	25
26		·05		·20				·03		·19	·03	·13	26
27		·15	·01	·02				·07	·15	1·09	·02	·19	27
28		·30	·03	·40				·08		·01	·04	—	28
29				·26	·44	·20	·58		·17	·18		—	29
30			·01			·04			·02	·17	·06	·04	30
31							·04			·01		—	31
Total	1·10	1·29	2·65	1·35	1·03	2·44	·62	·68	1·46	4·16	3·90	9·14	29·82
No. of Rain Days	10	15	18	11	6	12	2	9	10	18	20	~~26~~ 27	157 155

9,000, IX. '10.

123

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

4 · 1 · 19

Kept at Exmouth (Squabmoor)
in the County of S Devon.
by Geo Parsford, Deputy Surveyor.

Lat. 50-36. Long. 3 - 24 w.
Time of Observation 7·00
Nearest Railway Station Exmouth
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground — ft. 12 in.
" " " " Sea Level Approx. 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·21	—	·04	·02	—	—	1·08	—	—	·98	—	1
2	—	·16	—	·05	—	—	—	·02	—	·03	—	·13	2
3	—	·18	—	·50	·06	—	—	—	·01	·01	·02	·02	3
4	—	·02	—	·03	—	—	—	·14	·49	—	1·03	·24	4
5	—	—	·15	—	·25	—	—	·49	·85	—	—	·05	5
6	·17	·04	—	·11	—	—	—	·08	·16	·12	·02	·27	6
7	—	·01 ·07	—	·02	·15	—	—	—	—	·17	·40	—	7
8	Sleet & Snow ·01	·14	—	—	—	—	—	—	·25	·25	—	·09	8
9	·17	·01	—	·04	—	·05	·50	—	·44	·07	—	·28	9
10	·02	—	—	·30	—	—	·25	—	·14	·17	·01	·41	10
11	—	—	·05	·04	—	—	·52	—	·20	·04	·06	·02	11
12	—	·07	·18	—	·24	—	·07	—	·05	—	·01	—	12
13	·05	·01	·01	—	·14	—	—		·26	·12	—	—	13
14	·29	—	—	—	·05	·08 ·09	·43	2 mornings	—	·30	—	—	14
15	1·26	—	—	·01	·08	—	·47	—	·17	·04	—	·33	15
16	·55	—	—	·21	—	·04	·02	—	·12	·02	—	·11	16
17	·27	—	·03	·24	—	—	·37	—	·02	—	—	·20	17
18	·85	—	·01	·01	—	·68	·11	·02	·36	·02	—	·20	18
19	·14	—	·09	·02	—	—	·13	·02	·03	—	—	·27	19
20	·09	·08	—	·35	—	—	—	—	·16	·02	—	—	20
21	·03	·01	—	·01	—	·05	·10	—	—	·12	—	—	21
22	·04	—	·02	—	·06	—	·48	—	·35	·11	—	·51	22
23	·03	—	—	—	·07	—	·61	·03	—	·01	—	·11	23
24	—	·12	—	—	—	—	·04	—	·15	·04	·24	·41	24
25	·01	—	—	·13	·14	—	·11	·55	—	—	·20	·02	25
26	—	·07	—	—	—	—	·08	·01	—	·03	·04	·07	26
27	·02	·03	·03	—	—	—	—	·07	·12	—	·16	·01	27
28	—	·03 ·17	·19	—	—	—	—	·01	—	·02	·02	—	28
29	—		·08	—	—	—	—	—	1·39	·01	·02	·03	29
30	—	X	·28		—	—	—	—	·13	·05	·17	·03	30
31	—	X	·08	X	—	X	—	·05	X	·01	X	—	31
Total	4·01	1·43	1·20	2·11	1·26	·99	4·29	2·57	5·85	1·78	3·38	3·81	YEAR'S TOTAL 32·68
Rain Days.	18	16	13	17	11	5	16	13	21	23	15	22	190

W, 6,500, VII. 18. W W C

FORM A. 1. **METEORO** … **RGANIZATION.**

BUCKLAND BREWER

DEVON

1920

…20……

18 MAY 1921

Kept at *The Cottag*… …g 4. W.

…a. m. (about).

in the County of De… …n Bideford.

…Rain Gauge 5. in.

by *Miss Beatrice*… …above Ground ft. 10½. in.

„ Sea Level 469. ft.

IMPORTANT NO… …entered to the previous day.

If an Observer prefers … …quested to add the reading at 9 a.m. o… …it at the end of this paragraph. Full in… …of rain gauges, and particulars as to t… …*nfall Observers,"* sent post-free on appli… …n, 62, Camden Square, London, N.W. 1…

…orm.

Jan. 1, following.
~~10~~
·16

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·65.	·09.	·01.	·41.	·02.	–	·41.	·01.	–	1·10.	·63.	·28.	1
2	·26.	–	·03.	·07.	·32.	–	·76.	·34.	·22.	·33.	·05.	·52.	2
3	·14.	–	·01.	·40.	·01.	–	·15.	·08.	·25.	·07.	–	·20.	3
4	·07.	·15.	–	·03.	·02.	–	·14.	·04.	·07.	·77.	–	·20.	4
5	–	–	–	–	·01.	–	·01.	·67.	·03.	·44.	–	–	5
6	–	–	·15.	–	·70.	–	·50.	·05.	–	·57.	–	–	6
7	–	–	·38.	·02.	·01.	–	·25.	·01.	–	–	·03.	–	7
8	·08.	–	–	·70.	·05.	–	·12.	–	–	·02.	·03.	–	8
9	·05.	·08.	–	·20.	·14.	–	·32.	·18.	–	–	·01.	·03.	9
10	1·40.	·59.	·05.	·13.	–	·09.	·58.	–	·10.	–	·04.	–	10
11	1·13.	·37.	·15.	·56.	–	·68.	·04.	–	–	–	·13.	–	11
12	·85.	–	–	·13.	·20.	–	·07.	·08.	–	–	·24.	–	12
13	·11.	·20.	·37.	·34.	·02.	·06.	·12.	–	–	·08.	·04.	–	13
14	·26.	·03.	·28.	·01.	–	·08.	–	–	–	·79.	–	–	14
15	·14.	·05.	·55.	·88.	–	·52.	·15.	–	·32.	·65.	·78.	–	15
16	·03.	·13.	·09.	·27.	·13.	·11.	–	–	·01.	·29.	·17.	–	16
17	·07.	–	·05.	–	·03.	·16.	·08.	–	·50.	·81.	–	–	17
18	·12.	–	·06.	·02.	·31.	·13.	·01.	·34.	1·14.	·07.	·01.	–	18
19	·46.	–	·01.	·07.	·04.	·03.	–	–	·09.	–	–	–	19
20	·06.	·16.	–	·05.	·02.	·24.	–	–	·22.	·01.	–	–	20
21	·06.	–	–	·04.	–	–	·02.	–	–	·08.	–	·34.	21
22	–	–	–	–	–	–	·03.	–	–	–	–	·43.	22
23	·09.	–	–	–	–	–	·29.	·04.	–	–	–	·44.	23
24	·03.	–	·05.	·03.	–	–	·66.	·46.	–	–	–	·52.	24
25	–	·15.	·33.	–	–	·04.	·90.	–	–	–	·12.	·31.	25
26	·40.	·09.	·25.	–	–	–	–	·03.	·02.	–	·01.	–	26
27	·04.	–	·57.	·25.	–	·11.	·45.	–	·01.	–	·18.	·24.	27
28	·35.	·10.	·25.	·07.	·09.	·53.	·09.	–	–	–	·53.	·20.	28
29	·64.	·08.	·50.	·86.	·02.	·14.	·04.	–	–	–	·20.	·78.	29
30	·19.	✕	·20.	·18.	·51.	·09.	·04.	–	·02.	–	·15.	·05.	30
31	·49.	✕	·09.	✕	·08.	✕	·40.	–	✕	·20.	✕	·30.	31
	·09	·01	·41	·02		·41	·01		1.10	·63	·28	·16	YEAR'S TOTAL 52·28
TOTAL	~~8·17.~~ 7·61	~~2·27.~~ 2·19	~~5·72.~~ 6·12	~~4·43.~~ 4·04	~~2·73.~~ 2·71	~~3·01.~~ 3·42	~~6·63.~~ 6·23	~~2·33.~~ 2·32	~~3·01.~~ 4·11	~~6·28~~ 5·81	~~3·35.~~ 3·00	~~4·84.~~ [illegible]	~~52·87.~~
Days with ·01 in. or more	2. 26	1. 14	~~4~~ 22	5. 23	19 ~~9~~ ~~8~~	~~7~~. 16	~~4~~. 26	12 3. ~~13~~	15. 14	2. 16	5. 15	1. 15	22 21 42.
Days with ·04 in. or more	24.	~~13.~~ 12	~~18~~ 19	1~~8~~ 17	11.	~~14~~ 15	~~22~~ 21	10.	~~9.~~ 10	14.	13.	14.	1~~8~~9.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

PWD

Form A. 1. METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

18 MAY 1921

Kept at The Cottage. Buckland Brewer. Bideford

in the County of Devon (North).

by Miss Beatrice G. Rogers.

Lat. 51. Long. 4. W.

Time of Observation 11. a. m. (about).

Nearest Railway Station Bideford.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground ....ft. 10½. in.

" " " " Sea Level 469. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ~~(10)~~ ·16

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·65.	·09.	·01.	·41.	·02.	–	·41.	·01.	–	1·10.	·63.	·28.	1
2	·26.	–	·03.	·07.	·32.	–	·76.	·34.	·22.	·33.	·05.	·52.	2
3	·14.	–	·01.	·40.	·01.	–	·15.	·08.	·25.	·07.	–	·20.	3
4	·07.	·15.	–	·03.	·02.	–	·14.	·04.	·07.	·77.	–	·20.	4
5	–	–	–	–	·01.	–	·01.	·67.	·03.	·44.	–	–	5
6	–	–	·15.	–	·70.	–	·50.	·05.	–	·57.	–	–	6
7	–	–	·38.	·02.	·01.	–	·25.	·01.	–	–	·03.	–	7
8	·08.	–	–	·70.	·05.	–	·12.	–	–	·02.	·03.	–	8
9	·05.	·08.	–	·20.	·14.	–	·32.	·18.	–	–	·01.	·03.	9
10	1·40.	·59.	·05.	·13.	–	·09.	·58.	–	·10.	–	·04.	–	10
11	1·13.	·37.	·15.	·56.	–	·68.	·04.	–	–	–	·13.	–	11
12	·85.	–	–	·13.	·20.	–	·07.	·08.	–	–	·24.	–	12
13	·11.	·20.	·37.	·34.	·02.	·06.	·12.	–	–	·08.	·04.	–	13
14	·26.	·03.	·28.	·01.	–	·08.	–	–	–	·79.	–	–	14
15	·14.	·05.	·55.	·88.	–	·52.	·15.	–	·32.	·65.	·78.	–	15
16	·03.	·13.	·09.	·27.	·13.	·11.	–	–	·01.	·29.	·17.	–	16
17	·07.	–	·05.	–	·03.	·16.	·08.	–	·50.	·81.	–	–	17
18	·12.	–	·06.	·02.	·31.	·13.	·01.	·34.	1·14.	·07.	·01.	–	18
19	·46.	–	·01.	·07.	·04.	·03.	–	–	·09.	–	–	–	19
20	·06.	·16.	–	·05.	·02.	·24.	–	–	·22.	·01.	–	–	20
21	·06.	–	–	·04.	–	–	·02.	–	–	·08.	–	·34.	21
22	–	–	–	–	–	–	·03.	–	–	–	–	·43.	22
23	·09.	–	–	–	–	–	·29.	·04.	–	–	–	·44.	23
24	·03.	–	·05.	·03.	–	–	·66.	·46.	–	–	–	·52.	24
25	–	·15.	·33.	–	–	·04.	·90.	–	–	–	·12.	·31.	25
26	·40.	·09.	·25.	–	–	–	–	·03.	·02.	–	·01.	–	26
27	·04.	–	·57.	·25.	–	·11.	·45.	–	·01.	–	·18.	·24.	27
28	·35.	·10.	·25.	·07.	·09.	·53.	·09.	–	–	–	·53.	·20.	28
29	·64.	·08.	·50.	·86.	·02.	·14.	·04.	–	–	–	·20.	·78.	29
30	·19.		·20.	·18.	·51.	·09.	·04.	–	·02.	–	·15.	·05.	30
31	·49.		·09.		·08.		·40.	–		·20.		·30.	31
	·09	·01	·41	·02		·41	·01		1·10	·63	·28	·16	YEAR'S TOTAL 52·28
TOTAL	~~8·17.~~ 7·61	~~2·27.~~ 2·19	~~5·72.~~ 6·12	~~4·43.~~ 4·04	~~2·73.~~ 2·71	~~3·01.~~ 3·42	~~6·63.~~ 6·23	~~2·33.~~ 2·32	~~3·01.~~ 4·11	~~6·28~~ 5·81	~~3·35.~~ 3·00	~~4·84.~~ 4·62	~~52·87.~~ 222
Days with ·01 in. or more	2. 26	1. 14	~~4~~ 22	5. 23	19 ~~8~~	~~7~~ 16	4. 26	12 3. 18	15. 14	2. 16	5. 18	1. 15	42.
Days with ·04 in. or more	24.	~~13.~~ 12	~~18~~ 19	~~18~~ 17	11.	~~14~~ 15	~~22~~ 21	10.	9. 10	14.	13.	14.	~~18~~9.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DEVON

BURLESCOMBE VIC:

1920

FORM A. 1. **METEOROLOGICAL** **NIZATION.**

REGIST

.15. W

Kept at Burlescombe Vicarage

in the County of Devon

by H. Satchell

Burlescombe

Gauge 5 in.

ve Ground 1 ft. in.

Sea Level 436 ft.

IMPORTANT NOTE.—Rain should be measured ntered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·11									1
2				·15									2
3		·03		·19									3
4				·02									4
5	(3.50)		·25	·10									5
6			·50	·08									6
7				·30									7
8	Set	·08		·20									8
9	gauge	·16	·03	·11									9
10	in position	·22	·09										10
11	at	·03	·13	·33									11
12	6.p.m.	·06	·05	·18									12
13	on 13th	·11	·59	·07									13
14	·20		·41										14
15	·03	·14	·12										15
16	·00	·02	·08										16
17	·04		·03										17
18	·05	·02	·06										18
19	·05	·11											19
20	·02	·02											20
21													21
22	·01												22
23													23
24	·03	·01	·19										24
25	·02	·06	·22										25
26	·20		·43										26
27	·35	·02	·09										27
28	·58		·14										28
29	·12	·04	·56										29
30	·12	✕											30
31	·06	✕	·53	✕		✕			✕		✕		31
TOTAL	(5·38)	1.13	4.50										YEAR'S TOTAL
Days with ·01 in. or more		~~Sixteen~~ 16	~~[illegible]~~ 19										
Days with ·04 in. or more		Nine	Seventeen										

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGICAL NIZATION.**

REGIST ....

Kept at Burlescombe Vicarage

in the County of Devon

by H. Satchell

Lat. 51 Long. 3. 15. W

Time of Observation 9 a.m

Nearest Railway Station Burlescombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 436 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·11									1
2				·15									2
3		·03		·19									3
4				·02									4
5	(3.50)		·25	·10									5
6			·50	·08									6
7				·30									7
8	Set	·08		·20									8
9	gauge in	·16	·03	·11									9
10	position	·22	·09										10
11	at	·03	·13	·33									11
12	6.p.m.	·06	·05	·18									12
13	on 13th	·11	·59	·07									13
14	·20		·41										14
15	·03	·14	·12										15
16	·00	·02	·08										16
17	·04		·03										17
18	·05	·02	·06										18
19	·05	·11											19
20	·02	·02											20
21													21
22	·01												22
23													23
24	·03	·01	·19										24
25	·02	·06	·22										25
26	·20		·43										26
27	·35	·02	·09										27
28	·58		·14										28
29	·12	·04	·56										29
30	·12												30
31	·06		·53										31
TOTAL	(5·38)	1.13	4·50										YEAR'S TOTAL
Days with ·01 in. or more		~~Sixteen~~ 16	~~[illegible]~~ 19										
Days with ·04 in. or more		Nine	Seventeen										

CHAGFORD
~~FORD~~

DARTMOOR SANATORIUM.

DEVON

1911, -14, 1915.

FORM A2.
BRITISH RAINFALL.

R 11

Kept at Dartmo

in the County of

by Dr A.

nowdon

5 in.

ove Ground ft. in.

,, Sea Level 750 ft.

:0 A.M.

Name Moretonhampstead
Distance 6 miles Direction E

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the year in the space provided for it at the end of rement of rain, the selection and pl British Rainfall Organization are given on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15		·05	·06	·55						·11	·25	1
2			·01	·18	·45			·80			·06	·02	2
3								·05	·02		·22	·55	3
4			·18					·15			·36	·15	4
5	·30							·79			·25	·65	5
6	·55		·29								·38	·09	6
7	·02										·30	1·05	7
8	·03		·10								·75	·02	8
9	·11				·10						·30	1·10	9
10	·12		·61		·09						·56	1·13	10
11	·49	—									·15	·19	11
12			·65						·20		·62		12
13			·08						·25		·35	·75	13
14		·13	·03			·02					·07	·72	14
15		·02	·03			·22					·01	1·08	15
16	·03					·42					·50	·13	16
17		·05	·80	·05		·40					·50	1·30	17
18		·70	·58	·50		·48				Register mislaid	·23	1·32	18
19		·15	·03	·15		·12					·67		19
20	·03	·50	·18	·03		·03			·62		·32	·92	20
21	·01	·45	·01	·10		·04		·15	·10		·01	·92	21
22	·05	·10		·08		·10			·30			·25	22
23	-	·50	·05			·35			·25			·41	23
24	·02	·50			·25	·04		·22	·04		·09		24
25		·18		·15	·55			·01					25
26		·08		·48				·08	·22			·78	26
27		·63		·04	·11			·40			·03	·32	27
28		·23	·04	·80				·03	·17		·01	·13	28
29				·32		·06	·42	·01			·28		29
30						·10	·10		·40				30
31				·18			·13					·02	31
Total	1·91	4·22	3·72	3·12	2·10	2·38	·65	2·69	2·54	(6·00)	7·13	14·25	TOTAL for Year (50·74)
No. of Rain Days.	13	14	17	14	7	13	3	11	11		25	25	~~128~~ 153

W. 8,000, X. '11.

11

FORM A2.
BRITISH RAINFALL

Kept at Dartmoor Sanatorium Chagford

in the County of Devon S.5

by Dr A. Scott Smith

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. in.
,, ,, ,, Sea Level 750 ft.

Time of Observation 9·0 A.M.

Nearest Railway Station
Name Moretonhampstead
Distance 6 miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15		·05	·06	·55						·11	·25	1
2			·01	·18	·45			·80			·06	·02	2
3								·05	·02		·22	·55	3
4			·18					·15			·86	·15	4
5	·30							·79			·25	·65	5
6	·55		·29								·38	·09	6
7	·02										·30	1·05	7
8	·03		·10								·75	·02	8
9	·11				·10						·30	1·10	9
10	·12		·61		·09						·56	1·13	10
11	·49										·15	·19	11
12			·65						·20		·62		12
13			·08						·25		·35	·75	13
14		·13	·03			·02					·07	·72	14
15		·02	·03			·22				Register mislaid	·01	1·08	15
16	·03					·42					·50	·13	16
17		·05	·80	·05		·40					·50	1·30	17
18		·70	·58	·50		·48					·23	1·32	18
19		·15	·03	·15		·12					·67		19
20	·03	·50	·18	·03		·03			·62		·32	·92	20
21	·01	·45	·01	·10		·04		·15	·10		·01	·92	21
22	·05	·10		·08		·10			·30			·25	22
23	-	·50	·05			·35			·25			·41	23
24	·02	·50			·25	·04		·22	·04		·09		24
25		·18		·15	·55			·01					25
26		·08		·48				·08	·22			·78	26
27		·63		·04	·11			·40			·03	·32	27
28		·23	·04	·80				·03	·17		·01	·13	28
29				·32		·06	·42	·01			·28		29
30						·10	·10		·40				30
31				·18			·13					·02	31
Total	1·91	4·22	3·72	3·12	2·10	2·38	·65	2·69	2·54	(6·00)	7·13	14·25	TOTAL for year 50·74
No. of Rain Days.	13	14	17	14	7	13	3	11	11		25	25	~~128~~ 153

W. 8,000, X. '11.

only mm stats 17·V·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
19 APR 1915

Kept at Dartmoor Sanatorium, Chagford.

in the County of Devon

by D. L. McCullough.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Moretonhampstead

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground ~~ft.~~ 15" in.

" " " " Sea Level 760 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·21	·06	·19	—	·03	·03	—	·03	—	·67	·22	1
2	—	—	·05	·10	·02	·03	·01	—	·01	—	·11	(1·19) 1·91	2
3	—	—	·50	·09	·48	—	·02	—	·02	—	·04	·22	3
4	—	—	·50	·29	·22	—	—	—	—	—	·56	1·30	4
5	·20	—	·20	·37	·19	—	—	·04	·01	—	·01	·13	5
6	·12	·27	—	·26	·09	·01	—	·02	—	—	—	·82	6
7	·01	1·00	—	·16	·60	—	—	—	·02	—	—	·38	7
8	·03	—	·90	·70	·19	—	·02	—	·01	—	—	·01	8
9	·12	·02	·65	·25	·03	·03	—	—	·05	—	—	·01	9
10	·10	·57	·15	·40	·10	·01	—	—	·07	—	—	·30 ~~·80~~	10
11	·03	·13	·78	—	·01	—	—	—	·01	—	·18	·90	11
12	—	·78	·12	—	—	—	·03	—	·02	·07	·13	·70	12
13	—	·66	·68	—	—	·01	—	—	·03	·15	·75	·22	13
14	—	1·04	·55	—	—	—	—	—	·01	·02	·51	·02	14
15	—	·01	·32	—	—	—	—	—	·01	·05	·25	·17	15
16	—	—	·03	—	—	—	—	—	·01	—	—	·03	16
17	—	·49	·11	—	—	—	·10	·03	—	—	—	1·50	17
18	—	·14	·47	—	—	·10	·02	—	—	—	—	·38	18
19	—	·36	·65	—	—	—	—	·02	—	—	·09	·09	19
20	—	·59	·25	—	—	—	—	·17	—	—	·05	·13	20
21	—	·71	·01	—	—	—	—	—	—	·45	—	·11	21
22	—	·20	·03	—	·14	—	—	—	—	·55	—	—	22
23	—	·02	·26	—	·01	·03	—	·03	—	·17	—	—	23
24	—	—	·03	—	—	—	—	·02	—	·01	·10	—	24
25	—	—	·20	·02	·01	—	·30	·01	—	·44	·17	·29	25
26	·14	—	·01	—	—	—	·20	—	—	·03	·48	·79	26
27	·11	·03	~~·005~~	—	—	—	—	·02	—	·10	·86	·46	27
28	·16	·04	·20	—	·11	·03	—	·01	—	·21	·27	·99	28
29	·02	✕	·18	—	·05	·01	—	·03	—	·07	1·31	·11	29
30	·36	✕	·25	—	—	·03	—	·01	—	·41	1·14	1·63	30
31	·02	✕	·04	✕	·03	✕	—	—	✕	1·40	✕	·60	31
Total	1·42	6·97	8·18	2·83	2·28	·32	·73	·41	·31	4·13	7·68	13·70	YEAR'S TOTAL 48·96
Rain Days.	13/31	19/28	28/31	19/30	16/31	11/30	9/31	12/31	14/30	15/31	19/30	28/30	~~204~~ 365 195

W. 8,000. X. 14.

~~W~~ GMD [illegible] 15.iii.16

1875

FORM A.
BRITISH RAINFALL.

4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Dartmoor Sanatorium, Chafford.

in the County of Devon

by D. L. McCullough, B.A., M.B.,

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Moretonhampstead Devon.

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 760 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan. ?	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·25	—	—	·01	—	—	1·20	·32	—	record not kept at all during this month		1
2	·45	·51	·16	·12	—	·02	—	·35	·03	·06			2
3	·29	·51	·17	·12	·23	—	·04	·06	—	—			3
4	~~·80~~ (·08)	·43	—	—	·02	—	—	—	—	—		—	4
5	·02	·65	—	·38	—	—	—	·05	—	—		·44	5
6	1·05	·31	·01	·29	—	—	·65	·04	—	—		·29	6
7	·54	·75	—	·21	—	—	·35	—	—	—		·22	7
8	·32	·69	—	—	—	—	·01	·08	—	·28		·13	8
9	·21	·23	—	·33	—	—	—	—	—	—		·52	9
10	·50	·67	—	·03	—	—	—	·17	—	·21		·07	10
11	·18	·20	—	—	·02	—	·09	·18	—	·26		·10	11
12	·01	·60	·02	·10	·82	—	—	·22	—	·10		SNOW.	12
13	—	1·68	—	—	1·19	—	—	·02	—	—		·08	13
14	·12	·03	—	—	—	—	·25	·13	—	·23		·77	14
15	·32	·06	—	—	·28	—	·11	·01	·02	·14		·26	15
16	·12	1·83	—	—	·11	—	·86	—	·01	—		·15	16
17	·01	·41	·04	—	·60	—	—	—	—	—		—	17
18	·003	·28	·01	—	—	—	—	—	—	—		—	18
19	·02	·06	—	—	·19	—	·18	—	—	record broken.		—	19
20	·12	—	—	1·30	·04	·14	·01	—	—			·20	20
21	·18	·11	—	—	·14	—	·21	—	—			incomplete record.	21
22	·03	—	·23	—	—	·04	·50	—	—				22
23	·075	·09	·11	—	—	·07	·20	—	·01				23
24	·001	—	—	·02	—	·05	·05	—	·15				24
25	·005	—	—	·03	—	·26	·06	—	—				25
26	·007	·42	—	—	—	·11	—	—	·15				26
27	—	·15	—	—	—	·13	·20	—	·04				27
28	—	·09	—	·07	—	·18	—	—	1·35				28
29	·001	×	—	—	—	·52	—	—	·10				29
30	·29	×	—	·01	—	·05	—	—	·07				30
31	·05	×	—	×	—	×	·13	·08	×		×		31
Total	5·422 ~~5·992~~	11·01	·75	3·01	3·65	1·57	3·90	2·59	2·25	mp		mp	YEAR'S TOTAL
Rain Days.	25	24	8	13	12	11	17	13	11				

very unreliable for small fractions.

W. 8,000. X. 14.

CHAGFORD

THORNWORTHY

DEVON

1916 - 1918.

1753

FORM A.
BRITISH RAINFALL
8 MAY 1917

16

Kept at Thornwor

in the County of

by H. B. Varwe

Long. 3 53 w.

9h S.M.T.

tion Moreton hampstead (10 m

of Rain Gauge 5 in.

ge above Ground 1 ft. 0 in.

" Sea Level 1180 ft.

IMPORTANT … and the result entered to the previous day. If … universal rule, he is earnestly requested to add th… g year in the space provided for it at the end o… asurement of rain, the selection and p… e British Rainfall Organization are giv… e on application to Dr. H. R. Mill, 62,

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.34	-	.77^{s}	-	.21	-	.21	-	.05	.19	.10	-	1
2	.93	-		-	-	-	-	-	.15	.21	.50	-	2
3	.03	.20		-	.38	.26	-	-	.15	1.04	.25	-	3
4	.33	2.12	-	-	-	1.50	.10	-	.20	.39	1.50	-	4
5	.06	.41	.04^{s}	-	.06	.27	-	-	-	.60	1.11	-	5
6	.22	.35	.03^{s}	-	.34	.05	.70	-	-	1.24	1.57	-	6
7	.02	.63	.26^{s}	-	.35	-	-	-	-	.08	1.70	-	7
8	-	.42	.40^{s}	-	.28	.58	-	-	-	.31	.18	.60	8
9	.06	.74^{s}	* .03^{s}	-	.03	.12	-	-	-	.13	.11	.30	9
10	.04		.01^{s}	.25	.08	.02	-	-	-	-	-	-	10
11	-	.83	.02^{s}	.31	.10	-	-	-	.05	-	-	-	11
12	.01	-	.17	.44	.05	-	-	-	-	.26	-	-	12
13	.06	.21	.12	.08	-	-	.35	1.20	.07	.05	-	-	13
14	-	.82^{s}	-	-	.20	-	-	.33	-	.50	-	.60	14
15	.04	1.10	.32	.15	-	-	-	.24	-	.06	-	-	15
16	-	1.40	-	.39	-	-	.01	1.00	-	.21	-	.10	16
17	.05	.26	-	.01	-	-	-	-	.88	.61	.85^{s}	2.84^{s}	17
18	.08	.31	.50	.40	-	-	-	-	.60	.18	-		18
19	.04	.87	.25	.49	-	-	-	-	-	-	.65^{s}		19
20	.70	.19	.31	-	-	-	-	-	-	-	-		20
21	.18	1.06	.08^{s}	.15	.03	-	-	-	-	-	-		21
22	-	.16^{s}	.03^{s}	.01	-	.17	-	-	-	1.04	.25		22
23	-	-	-	.17	-	.29	-	.28	-	.33	-		23
24	.12	.10^{s}	.11^{s}	.44	.20	-	-	.27	-	.63	-	-	24
25	-	.19^{s}	.53^{s}	-	.02	.02	-	.66	-	.05	1.72	.31^{s}	25
26	.01	.78^{s} *	.03^{s}	-	.01	-	-	1.21	1.37	1.48	.15	-	26
27	.06		.80^{s}	-	-	.08	-	.41	-	1.50	-	-	27
28	.04		-	-	.03	-	-	.07	-	.84	-	1.10	28
29	-		.18^{s}	-	-	.81	-	2.48	.45	.83	-	1.70	29
30	-		-	.03	-	-	-	.03	-	.50	-	.04	30
31	-		-		-		-	.25		.70		.16	31
Total	3.42 ✓	13.15 ✓	4.93 ✓	3.32 ✓	2.37 ✓	3.67 ✓	1.37 ✓	8.43 ✓	3.97 ✓	13.96 ✓	10.64 ✓	7.75 ✓	YEAR'S TOTAL 76.98 ✓
Rain Days.	21 ✓	25 ✓	23 ✓	14 ✓	16 ✓	12 ✓	5 ✓	13 ✓	10 ✓	26 ✓	14 ✓	16 ✓	195 ✓

W. 8,000. X. 15.

* Snow 12" deep; drift 8 ft.

{ Absolute drought 27 days July - Aug.

{ Rain-spell Oct. 22 - Nov. 9
{ 19 days with 14.92 ins.

1753

FORM A. BRITISH RAINFALL. 8 MAY 1917

REGISTER OF RAINFALL IN 1916

Kept at Thornworthy, Dartmoor

in the County of Devon

by H. B. Varwell Esq. for E. G. Hawke

Lat. 50° 39' N. Long. ~~[illegible]~~ 3.53 W.

Time of Observation 9h G.M.T.

Nearest Railway Station Moreton Hampstead (10 m)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 1180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34	-	}	-	·21	-	·21	-	·05	·19	·10	-	1
2	·93	-	·77 s	-	-	-	-	-	·15	·21	·50	-	2
3	·03	·20	}	-	·38	·26	-	-	·15	1·04	·25	-	3
4	·33	2·12	-	-	-	1·00	·10	-	·20	·39	1·50	-	4
5	·06	·41	·04 s	-	·66	·27	-	-	-	·60	1·11	-	5
6	·22	·35	·03 s	-	·34	·05	·70	-	-	1·24	1·57	-	6
7	·02	·63	·26 s	-	·35	-	-	-	-	·08	1·70	-	7
8	-	·42	·40 s	-	·28	·58	-	-	-	·31	·18	·60	8
9	·06	} ·74 s	* ·03 s		·03	·12	-	-	-	·13	·11	·30	9
10	·04	}	·01 s	·25	·08	·02	-	-	-	-	-	-	10
11	-	·83	·02 s	·31	·10	-	-	-	·05	-	-	-	11
12	·01	-	·17	·44	·05	-	-	-	-	·26	-	-	12
13	·06	·21	·12	·08	-	-	·35	1·20	·07	·05	-	-	13
14	-	·82 s	-	-	·20	-	-	·33	-	·50	-	·60	14
15	·04	1·10	·32	·15	-	-	-	·24	-	·06	-	-	15
16	-	1·40	-	·39	-	-	·01	1·00	-	·21	-	·10	16
17	·05	·26	-	·01	-	-	-	-	·88	·61	·85 s	}	17
18	·08	·31	·50	·40	-	-	-	-	·60	·18	-	}	18
19	·04	·87	·25	·49	-	-	-	-	-	-	·65 s	}	19
20	·70	·19	·31	-	-	-	-	-	-	-	-	2·84 s	20
21	·18	1·06	·08 s	·15	·03	-	-	-	-	-	-	}	21
22	-	·16 s	·03 s	·01	-	·17	-	-	-	1·04	·25	}	22
23	-	-	-	·17	-	·29	-	·28	-	·33	-		23
24	·12	·10 s	·11 s	·44	·20	-	-	·27	-	·63	-	-	24
25	-	·19 s	·53 s	-	·02	·02	-	·66	-	·05	1·72	·31 s	25
26	·01	}	·03 s	-	·01	-	-	1·21	1·37	1·48	·15	-	26
27	·06	} ·78 s *	·80 s	-	-	·08	-	·41	-	1·50	-	-	27
28	·04	}	-	-	·03	-	-	·07	-	·84	-	1·10	28
29	-	}	·18 s	-	-	·81	-	2·48	·45	·83	-	1·70	29
30	-		-	·03	-	-	-	·03	-	·50	-	·04	30
31	-		-		-		-	·25		·70		·16	31
Total	3·42 ✓	13·15 ✓	4·93 ✓	3·32 ✓	2·37 ✓	3·67 ✓	1·37 ✓	8·43 ✓	3·97 ✓	13·96 ✓	10·64 ✓	7·75 ✓	YEAR'S TOTAL 76·98 ✓
Rain Days.	21 ✓	25 ✓	23 ✓	14 ✓	16 ✓	12 ✓	5 ✓	13 ✓	10 ✓	26 ✓	14 ✓	16 ✓	195 ✓

W. 8,000. X. 15.

* Snow 12" deep; drift 8 ft.

{Absolute drought 27 days July – Aug.

{Rain-spell Oct. 22 – Nov. 9
{19 days with 14·92 ins.

1797

1753

BRITISH RAINFALL FORM A.
JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Thornworthy. Chagford

in the County of Devon

by H. B. Varwell

Lat. .... Long. ....
Time of Observation 8·30 am
Nearest Railway Station Moreton Hampstead G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 1150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13			·50 s				·41	·20		·08	·08	1
2	·07		·15						·03		·03		2
3	·50						·28			1·46	·78		3
4	·05	– ·20 snow	·38						·02	·79	·02		4
5	·49					1·50			·05	·62	·59		5
6	· -		·95	2·14		·10		·92	1·25	·20	·35	·10	6
7	1·30						·31			·65	·67	·12	7
8	· -		·15	·45			·30	·73		1·56	·60	·35	8
9	· -		·40		·25		·06	·03	·03	·71	·75		9
10	· ·		·50					·58		·03	·17		10
11	·10		·50	1·25				·61	·03	1·00	·20		11
12	1·00				·58			·04		1·20			12
13	·		·39					·60	·57	·46		·04	13
14	·				·01		·14	·78	·06	·18		·07	14
15	·			·06			·07	·14		·83		·38	15
16				·20				·02		·54		·62 s	16
17	·			·50				·40	·63	·10			17
18	·	·20		·20	·78		·40	·07	1·22	·04			18
19	·	·45	·50			1·00	1·00	·11	·06		·10		19
20	·	·25			1·15	·06	·02	·05	·11		·11		20
21	·						·23	·78		·12	·21		21
22	·				·18			1·00	—	·40	·04		22
23	·	·10			·05	·10		·35		·20	·11	·18	23
24	·					·04				·80	·40		24
25	·	·10						·38	·26	·64	·25		25
26	·				·37			·47	·09	·16	·29	·11	26
27	·					·69		2·04			·11		27
28	·		·40		·02	1·31		1·78		·11	·06		28
29	·		·50			·19		·25		1·47	·05	·24 s	29
30	·	✕					·20	·46		·13	·07		30
31	·	✕	·30	✕	1·20	✕		·06	✕	·25	✕		31
Total	3·64	1·30	5·12	5·30	4·59	4·99	3·01	13·06	4·61	14·65	6·04	2·29	YEAR'S TOTAL 6860
Rain Days.	8	6	12	8	10	9	11	25	15	26	23	11	164

W. 8,000, IX. 17.

61.

94
1753

FORM A.
BRITISH RAINFALL

9 1 19

REGISTER OF RAINFALL IN 1918

Kept at Thornworthy · Chagford
in the County of S Devon
by H. B. Varwell

Lat. .... Long. ....
Time of Observation 8·30 a.m.
Nearest Railway Station Moreton Hamp
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 1150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·32	04			·59	·02	·02	1·55		1
2		·69		·15				·03	·01	·03		·60	2
3		·52			02			·02	·07	·25	1·00	·06	3
4		·09		·35				·17	·54	·03	1·55	·60	4
5		·31	·45	·03	46			1·35	·39	·83		·11	5
6	·30	·71	·10	·12	·03			·01	·02	·27		·28	6
7	·03	·52		·70	04				·71	·62	·82	·40	7
8	·15	·41		·06			·05		·50	·52	·02		8
9	·33	·27				·78	·29		·94	·20	·01	·75	9
10	·33			·32			·42		·55	·40	·02	·60	10
11	·03	·15	·16		04		·28		·55			·55	11
12		·28	·03		26	·02	·23		·08			·44	12
13	·12	·18		·06		·02	·12		·99	·13	·12	·58	13
14	1·05				21	·39	·09		·36			·60	14
15	2·25					·09	·62		·13	·29		·95	15
16	·85			·63			·07	·15	·65	·12		·20	16
17	·55			·16		·01	·29	·17	·19			·55	17
18	2·31					1·00	·28	·02	·55	·45		1·05	18
19	·40	·05	·27	·32		·02	·22	·01	·22			·50	19
20	·60	·32				·09	·22		·75	·07		·02	20
21	·32	·25				·14	·10		1·19	·10		·29	21
22	·06	·12			28		·81		·44	·12	·05	1·15	22
23	·32				·08		·32		·30		·05	·36	23
24	·15	·30					·04	·17	·24		·44	·38	24
25					07		·53	·93	·02			·11	25
26	·07	·30		·06			·40	·04	·30			1·00	26
27		·59	·76				·01	·29	·62	·06	·55	·34	27
28		·25							·02		·30	·91	28
29			·14						1·84			·37	29
30		X	·49	·16				·08	·03	·20	·06	·27	30
31		X	1·19	X		X		·03	X	·16	X		31
Total	10·22	6·31	3·59	3·44	1·53	2·56	5·39	4·06	13·22	4·92	6·54	14·01	YEAR'S TOTAL 75·79
Rain Days.	19	19	9	14	11	10	20	16	30	20	14	28	210

W, 6,500, VII. 18. W W C

DEVONPORT
ROWDEN'S RES
DEVON
1911 - 1920

19*11*

FORM A2.
BRITISH RAINFALL.

9 MAY 1912

Kept at *Rowd*

in the County of

by *Mr. F. M*

of top *5* in.
top above Ground *1* ft. in.
" " Sea Level *201* ft.
ion *7 a.m.*
Station { Name *Devonport*
Distance Direction

IMPORTAN .m., and the result entered to the previous day. ost universal rule, he is earnestly requested to add owing year in the space provided for it at the e measurement of rain, the selection a the British Rainfall Organization are given in -free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·16	—	—	—	—	—	—	·05	·01	1
2	—	—	—	·21	·47	—	—	·74	—	·02	·13	·28	2
3	—	—	·04	—	·18	—	—	—	·02	—	·07	·07	3
4	—	—	·06	—	—	—	—	·17	—	—	·28	·45	4
5	·33	—	·09	—	—	—	—	·71	—	·05	·12	—	5
6	·38	—	·20	—	—	—	—	—	—	·11	·10	·86	6
7	·05	—	—	·01	—	—	—	—	—	—	·40	·01	7
8	·03	—	·16	—	—	—	—	—	—	—	·07	·51	8
9	·03	—	—	—	—	—	—	—	—	—	·12	·62	9
10	·06	·12	1·10	—	—	—	—	—	—	—	—	·28	10
11	·19	—	—	—	—	—	—	—	·01	—	·97	·06	11
12	—	—	·60	—	—	—	—	—	·08	—	·09	·23	12
13	—	—	·04	—	—	—	—	—	·28	—	·11	·31	13
14	—	·10	·03	—	—	—	—	—	—	·06	—	·23	14
15	—	·04	·09	—	—	·03	—	—	—	—	·35	·02	15
16	—	·01	·01	—	·01	·32	—	—	—	—	·54	·30	16
17	—	·02	·32	—	—	·07	—	—	—	·01	·24	·45	17
18	—	·30	·21	·10	—	·07	—	—	—	·17	·25	·31	18
19	—	·01	—	·01	—	·72	—	—	·61	·11	·12	·67	19
20	·01	·02	·02	·12	—	·01	—	—	·14	·47	—	·88	20
21	·01	·33	·01	·03	—	·04	—	—	·40	·47	—	·06	21
22	·18	·04	·01	·20	—	·05	—	·07	·40	·15	—	·45	22
23	—	·15	—	·02	—	—	—	—	·17	·22	—	·31	23
24	·05	·32	—	—	—	·41	—	·14	—	·18	—	·31	24
25	·01	—	—	·18	—	·02	—	·06	·06	·08	—	·15	25
26	—	·18	—	·46	—	—	—	·16	·01	·60	—	·32	26
27	—	·45	—	·02	·18	—	—	·12	·15	·38	—	·21	27
28	—	·28	—	·25	—	—	—	·09	·01	—	·30	·01	28
29	—	—	—	·20	·22	·51	1·27	—	·13	·32	·01	—	29
30	—	—	·01	—	—	·01	·06	—	·02	·10	·28	·04	30
31	—	—	·12	—	—	—	·05	—	—	·02	—	—	31
Total	1·33	2·37	3·12	1·97	1·06	2·26	1·38	2·26	2·49	3·52	4·60	8·41	TOTAL for year 34·77
No. of Rain Days.	12	15	18	14	5	12	3	9	15	18	20	28	169

W. 8,000, X. '11.

REGISTER OF RAIN... 1911

FORM A2.
BRITISH RAINFALL.
9 MAY 1912

Kept at Rowden's Reservoir

in the County of Devon 2

by Mr. F. W. Sillicrap

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 201 ft.

Time of Observation 7 a.m.

Nearest Railway Station
Name Devonport.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·16	—	—	—	—	—	—	·05	·01	1
2	—	—	—	·21	·47	—	—	·74	—	·02	·13	·28	2
3	—	—	·04	—	·18	—	—	—	·02	—	·07	·07	3
4	—	—	·06	—	—	—	—	·17	—	—	·28	·45	4
5	·33	—	·09	—	—	—	—	·71	—	·05	·12	—	5
6	·38	—	·20	—	—	—	—	—	—	·11	·10	·86	6
7	·05	—	—	·01	—	—	—	—	—	—	·40	·01	7
8	·03	—	·16	—	—	—	—	—	—	—	·07	·51	8
9	·03	—	—	—	—	—	—	—	—	—	·12	·62	9
10	·06	·12	1·10	—	—	—	—	—	—	—	—	·28	10
11	·19	—	—	—	—	—	—	—	·01	—	·97	·06	11
12	—	—	·60	—	—	—	—	—	·08	—	·09	·23	12
13	—	—	·04	—	—	—	—	—	·28	—	·11	·31	13
14	—	·10	·03	—	—	—	—	—	—	·06	—	·23	14
15	—	·04	·09	—	—	·03	—	—	—	—	·35	·02	15
16	—	·01	·01	—	·01	·32	—	—	—	—	·54	·30	16
17	—	·02	·32	—	—	·07	—	—	—	·01	·24	·45	17
18	—	·30	·21	·10	—	·07	—	—	—	·17	·25	·31	18
19	—	·01	—	·01	—	·72	—	—	·61	·11	·12	·67	19
20	·01	·02	·02	·12	—	·01	—	—	·14	·47	—	·88	20
21	·01	·33	·01	·03	—	·04	—	—	·40	·47	—	·06	21
22	·18	·04	·01	·20	—	·05	—	·07	·40	·15	—	·45	22
23	—	·15	—	·02	—	—	—	—	·17	·22	—	·31	23
24	·05	·32	—	—	—	·41	—	·14	—	·18	—	·31	24
25	·01	—	—	·18	—	·02	—	·06	·06	·08	—	·15	25
26	—	·18	—	·46	—	—	—	·16	·01	·60	—	·32	26
27	—	·45	—	·02	·18	—	—	·12	·15	·38	—	·21	27
28	—	·28	—	·25	—	—	—	·09	·01	—	·30	·01	28
29	—	—	—	·20	·22	·51	1·27	—	·13	·32	·01	—	29
30	—	—	·01	—	—	·01	·06	—	·02	·10	·28	·04	30
31	—	—	·12	—	—	—	·05	—	—	·02	—	—	31
Total	1·33	2·37	3·12	1·97	1·06	2·26	1·38	2·26	2·49	3·52	4·60	8·41	TOTAL for year 34·77
No. of Rain Days.	12	15	18	14	5	12	3	9	15	18	20	28	169

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.

26 JUN 1913

Kept at Rowden's Reservoir
in the County of Devon S 2
by Mr. F. W. Sillicrap

Lat. ______ Long. ______
Time of Observation 7 a.m.
Nearest Railway Station Devonport
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ___ in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12		·03	·40	·04		·11	·68		·20	1
2			·20	·01		1·02	·01	·09		·01	·01	·01	2
3	·02		·22			·20		·95	·05			·04	3
4	·18		·26		·10	·14		·05			·34		4
5	·68	·13	·30	·01	·04		·05	1·87			·02	·05	5
6	·26	·28	·02		·56	·02		·28			·01	·01	6
7		·60	·23	·03	·12	·62		·10			·03	·13	7
8	·45	·25	·25	·01	·01	·11	·03						8
9	·03	·09	·33	·09		·06	·11	·04				·60	9
10	·35	·03	·23	·06		·22	·05	·12	·01		·08	·24	10
11	·03	·05	·05			·31	·05	·08			·16	·37	11
12	·02	·40	·15	·01	·18		·33	·48			·12	·02	12
13	·30		·04			·01	·11	·06		·04		·21	13
14	·13	·20	·45		·22			·03		·05		·06	14
15	·26	·18	·03		·06	·44		·01				·35	15
16	·19		·30			·01		·33		·15	·01	·07	16
17			·24			·22		1·18			·19	·07	17
18		·07	·08					·21		·02	·02	·03	18
19		·03	·35			·02	·04	·15		·03	·01	·01	19
20	·03	·13	·34		·31			·11		·20	·02		20
21		·50	·14		·26		·07	·03		·14			21
22	·22	·40	·30		·03	·02	·02	·24		·05	·07	·13	22
23	·12	·46	·37			·04	·02	·87		·15	·14	·35	23
24	·06	·09	·07			·25		·03		·01		·25	24
25						·09	·02	·07		·30	·31	·35	25
26		·02					·06	·10		·29	·28	·34	26
27		·04	·01			·65	·55	·12		1·34	·07	·57	27
28		·15				·08	·08	·65	·90	·40	·37	·47	28
29		·15				·17	·06	·16	·88	·19		·04	29
30			·05		·01	·10	·15		·20	·38			30
31			·23				·58	·01		·04		·21	31
Total	3·63	4·25	5·66	·22	1·93	5·20	2·43	8·42	2·15	4·47	2·26	5·18	YEAR'S TOTAL 45·80 ✓
Rain Days.	17	21	27	7	13	23	20	28	6	19	19	26	226 ✓

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
6 MAY 1914

Kept at Rowden's Reservoir.
in the County of Devon. S.2
by Mr. F. W. Sillicrap.

Lat. Long.
Time of Observation 7 a.m.
Nearest Railway Station Devonport
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·26	·31	·05	·25	—	—	—	·23	·07	·29	—	1
2	·04	·12	·01	·20	·29	—	—	—	—	·01	·11	·03	2
3	·32	·01	·08	—	·20	·01	—	—	·40	—	—	·15	3
4	1·40	—	·06	—	·02	·12	—	—	·08	·05	·05	·32	4
5	·07	·04	·09	—	·54	·09	·05	—	·65	·07	·59	·47	5
6	·08	·09	·02	—	·21	·11	—	—	—	·40	·21	—	6
7	·02	·25	·05	—	·67	·04	—	—	—	·22	·41	—	7
8	·12	·15	—	—	·18	—	·20	·26	—	·04	·01	·07	8
9	·11	·10	—	—	·12	·01	—	·38	—	—	·41	·01	9
10	·90	·01	—	·01	·03	·06	—	·02	—	·20	·16	—	10
11	·67	—	—	—	·59	·03	—	—	·05	·08	·82	·04	11
12	·05	·01	—	—	·04	·01	—	—	·06	—	·32	—	12
13	·08	—	·05	·14	·01	—	·03	—	·13	—	·16	—	13
14	·26	—	·10	·05	·15	—	—	—	·05	·01	·04	·04	14
15	·22	—	·42	·50	—	—	—	—	·06	—	·16	—	15
16	·26	—	·52	·07	—	—	—	—	·16	—	·03	—	16
17	·07	—	·03	·08	—	—	·01	—	—	—	·01	—	17
18	·05	—	·21	·12	—	—	—	—	—	—	·06	—	18
19	·50	—	·06	—	·03	·07	—	—	·54	·10	—	—	19
20	·20	—	·07	·30	·02	—	—	—	—	·12	·22	—	20
21	·01	—	·09	·35	·01	·02	—	·01	—	·16	·30	—	21
22	·31	—	·51	—	·01	·17	—	·01	·04	·09	—	·20	22
23	·01	—	·07	—	·01	·03	—	—	·01	—	·08	·96	23
24	·02	·12	—	·12	—	·05	—	—	—	—	—	·01	24
25	—	·02	—	·48	—	—	—	·02	·07	·07	·04	·01	25
26	—	—	—	·45	—	—	—	·06	—	·03	—	·17	26
27	·70	—	·23	·40	—	—	—	·16	—	·30	—	·06	27
28	·39	—	·09	·23	·05	—	—	—	·20	·20	—	·13	28
29	·12		·39	·24	·02	—	—	—	—	·21	·01	—	29
30	·57		—	·04	·01	—	·09	—	—	·92	—	—	30
31	·05		·22		—		—	·14		·39		—	31
Total	7·60	1·18	3·68	3·83	3·46	·82	·38	1·06	2·73	3·74	4·49	2·67	YEAR'S TOTAL 35·64
Rain Days.	28	12	22	18	22	14	5	9	15	21	22	15	203

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at Rowdens Reservoir Devonport
in the County of Devon S2
by F. W. Lillicrap (Esq)

Lat. Long.
Time of Observation 7 am
Nearest Railway Station Devonport
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·03	·15	-	·07	·08	1·20	-	-	1·02	·05	1
2	·01	-	·10	·08	·08	·02	·15	-	-	-	·03	·46	2
3	·04	-	·14	·23	·57	-	-	·15	-	-	·01	·01	3
4	·11	-	·03	·46	·10	-	·96	-	·06	-	·05	·54	4
5	·17	-	·20	·15	·01	-	-	·03	-	-	+	·05	5
6	-	·13	·08	·04	·22	-	·08	·65	-	-	-	·52	6
7	·04	·72	·37	·20	·06	·08	·39	·14	·72	-	·02	·30	7
8	·14	-	·68	·03	·02	·16	-	·08	·01	-	·01	·15	8
9	·05	·06	·59	·25	·07	·50	-	·14	·43	-	-	-	9
10	·10	·42	·05	·28	·08	·05	-	-	·39	-	-	·18	10
11	-	·17	·75	-	-	·08	-	-	·04	-	·03	·69	11
12	-	·60	·25	-	-	-	-	-	·17	·05	·01	·41	12
13	-	·40	·20	-	-	-	·09	-	·11	·06	·26	·18	13
14	-	·25	·25	-	-	·09	-	·12	·05	·01	·56	·37	14
15	-	-	·22	-	-	-	·03	·07	·02	·03	·28	·66	15
16	-	-	-	-	-	-	·01	-	·50	-	-	-	16
17	-	·58	·25	-	-	-	·01	-	·24	-	-	·66	17
18	-	·09	·14	-	-		·14	-	·03	-	-	·24	18
19	-	·09	·55	-	-	-	1·75	-	-	-	·05	·05	19
20	-	·36	·20	-	-	·11	-	-	-	-	·01	·18	20
21	-	·33	-	-	-	-	·01	-	-	·50	-	-	21
22	-	·11	·01	-	·08	·02	·01	·13	-	·17	-	-	22
23	-	·08	·38	·01	·04	-	-	·01	-	·06	-	-	23
24	-	·04	·01	-	-	-	·01	·05	-	·03	·02	-	24
25	·16	-	·27	-	·07	-	·07	·60	-	·79	·03	·68	25
26	·01	·11	·16	-	-	-	·17	-	-	·03	·18	·50	26
27	·04	·17	-	-	-	-	·06	-	-	·04	·14	·39	27
28	·07	·07	·41	-	·13	-	·07	-	-	·15	·44	·58	28
29	·26	-	·13	-	·16		·41	-	-	-	·35	·01	29
30	·01	╳	·10	-	-	·02	·03		-	·07	·16	·72	30
31	·03	╳	-	╳	·01	╳	-		╳	·65	╳	·31	31
Total	1·19	4·78	6·53	1·88	1·70	1·20	4·53	3·37	2·77	2·64	3·66	8·89	YEAR'S TOTAL 43·14
Rain Days.	15	19	27	11	15	11	20	13	13	14	20	25	203

W. 8,000. X. 14.

1777

13rd JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Row-den's Reservoir by Frank Howarth

in the County of Devon 52

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'-0"

Lat. Lon. Time of Observation 7 AM. " " " Sea Level 201 ft

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22	·36			·03			·26	·44	·25		·10	1
2	·44	·13	·15	·10		·20		·20	·02	·01		·35	2
3	·04	·11	·22	·16	·05							·57	3
4	·07	·74	·01		·02	02						·24	4
5	·14	·45	·01	·10				·40				·88	5
6	1·05	·16		·65			·46	·02				·25	6
7	·33	·43		·04			·13			·76	·02	·48	7
8	·09	·20					·01	·13		·03	·05	·08	8
9		·11		·02				·03			·38	·75	9
10	·37	·32	·02	·07		·02		·03		·20	·02	·15	10
11	·12		·17				·01	·30			1·10	·17	11
12	·07	·43		·05	·53			·22		·05	·37	·12	12
13	·02	·45			·69		·04	·02			·16	·04	13
14	·07	·03					·15	09	·16	·20	·17	1·04	14
15	·21				·30		·29		·01		·11	·25	15
16		1·32			·33		1·38			·01		·29	16
17	·02	·14			·10								17
18		·18	·02				·03						18
19	·01	·01			·39		·11						19
20	·20	·05		·12	·03	·23				·29			20
21	·20	·14			·22	·08	·13		·01	·08		·03	21
22	·02	·17	·31	·03			·65			·03		·34	22
23	·05	·03	·01			·02	·10		·03	1·17		·69	23
24				·02		·02	·05		·05	·15		·70	24
25						·22	·19					·35	25
26	·02	·30				·41			·26			·74	26
27	·01	·05				·10	·02			·61			27
28		·06				·21			·33	·13	01	·11	28
29						·24		01	·12	·16	·24	·16	29
30	·13					·16	·02		·13	·55	·43	·35	30
31	·03						·23			·56		·21	31
Totals	3·93	6·37	·92	1·36	2·69	1·93	4·00	1·71	1·56	5·24	3·06	9·44	Years Total 42·21
Rain ~~Total~~ from Jan. 1 Days	24	24	9	11	11	13	18	12	11	18	12	26	189

Exd MD

~~18~~ 20. JAN 1917

1737

REGISTER OF RAINFALL IN 1916

Kept at Row-den's Reservoir by Frank Howarth

in the County of Devon

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'-0"

Lat. Lon. Time of Observation 9. AM. " " " Sea Level 201 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24		·02		·16	·04	·03		·04	·67	·10		1
2	·23	·06	·13						·17	·27	·30		2
3	·03	1·07			·27	·06			·05	·70	·26		3
4	·11	·11		·03	·04	·24			·04	·14	·42	·01	4
5	·07	·13	·01		·02	·10				·12	·18		5
6	·03	·08			·16	·07	·92			·07	·73		6
7	·03	·17	·06		·08	·08				·14	·93	·08	7
8		·28	·12		·44						·18	·26	8
9		·10	·20		·03	·16				·01	·21	·28	9
10		·85		·06	·09		·01			·01	·09	·09	10
11		·03		·05	·03		·01		·03		·01	·05	11
12	·04	·08	·01	·08	·18		·11	·09		·08	·01		12
13		·30	·06	·06	·03		·02	·24		·01		·02	13
14	·01	·37			·04			·30		·02			14
15	·02	·26	·17	·20				·06		·01			15
16	·33	·11		·10				·25		·06	·01	·04	16
17	·14	·11	·01						·05	·60	1·85		17
18	·02	·10	·23						·09	·04	·19	·10	18
19	·09	·13	·03	·04					·03		·23	·11	19
20	·06	·44	·10	·10							·03	1·08	20
21	·02		·10	·14	·03						·09	·20	21
22						·27				·25	·02	·47	22
23	·06	·01		·07		·21		·86		·24	·13	·04	23
24		·01	·04	·21	·04	·01		·17		·29	·03	·39	24
25		·14	·12		·01	·01		·53		·05	·06	·03	25
26	·09	·10	·08			·29		·38	·20	·70	·03	·10	26
27	·01		1·17			·04		·33	·59	·30			27
28		·05						·07	·30	·45	·03	·46	28
29		·10	·04			·50		1·24	·16	·23		·49	29
30		X				·02				·54		·01	30
31		X		X		X		·07	X	·27	X	·01	31
Totals	1·63	5·19	2·70	1·14	1·65	2·10	1·10	4·59	1·75	6·27	6·12	4·32	Years Total 3·8·56
Rain from Days	19	25	19	12	16	15	6	13	12	26	24	21	208

1661

FORM A.
BRITISH RAINFALL

19 JAN 18

REGISTER OF RAINFALL IN 1917

Kept at Rowden's Reservoir

in the County of Devon

by Frank Howarth

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·01	·16		·42		·03			·08		1
2	·01		·08	·03		·03				·01	·01		2
3	·04			·03						·20	·50		3
4		·10	·62	·09					·07	·33			4
5	·14		·35			·07				·06	·05		5
6	·01		·22	·08		·32		·75		·07	·04	·05	6
7	·48			·09			·18	·07		·09	·02	·06	7
8	·05		·14			·02	·19	·50	·03	·30	·16	·44	8
9			·22	·03	·06		·03	·01		·11	·11		9
10	·55		·42	·19				·40		·06			10
11	·03		·31	·12				·02	·08	·51	·38		11
12	·15		·03	·01	·38					·41			12
13	·11		·25	·01		·03		·15	·08	·37		·04	13
14				·09			·10	·32	·04	·06	·01		14
15	·09			·02			·22		·03	·32		·35	15
16		·16		·03		·05		·02	·01	·38		·16	16
17		·02		·08	·02		·40	·06	·86	·16			17
18		·02		·01	·36	·03	·23	·07	·50	01			18
19		·69	·06			·43	·01		·03				19
20		·23	·03		·68	·06	·02					·02	20
21			·05							·08		·11	21
22					·01	·09		·54		·07			22
23		·22			·21	·01		·43		·09	·01		23
24		·06				·05	·40	·07		·14	·06	·02	24
25		·01	·01				·01	·12	·11	·08	·05		25
26					·74	·19		·20	·17	·02	·02		26
27						·72		1·00					27
28			·10			·14		·31			·02		28
29		X	·09			·05		·02		·38	·02	·03	29
30		X	·16				·09	·20			·01		30
31		X	·10	X	·17	X		01	X	·18	X		31
Total	1·68	1·51	3·25	1·07	2·63	2·71	1·88	5·30	2·01	4·49	1·55	1·28	YEAR'S TOTAL 29·36
Rain Days.	12	9	19	16	9	17	12	22	12	25	17	10	1·80

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

14 2·19

7

REGISTER OF RAINFALL IN 1918

Kept at Bowden's Reservoir
in the County of S Devon
by Mr F Howarth

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·39		·08	·03			46			·71	·01	1
2		·32		·02				·03	·03			·36	2
3		·16		·25	·05			·01	·05	·02	·10	·11	3
4		·04						·25	·83		·62	·45	4
5			·13	·02	·11			·18	·54	·19	·01	·07	5
6	·38	·24	·26	·16				·13		·05		·20	6
7	·01	·18		·02				·07	·44	·03	·30	·35	7
8	·01	·09							·09	·45		·01	8
9	·06			·01		·14	·18		·42	·07	·01	·40	9
10	·06	·01		·20			·20		·06	·08		·23	10
11	·03	·08	·33		·01		·10		·11		·05	·09	11
12	01				·25		·07		·06	·02		·03	12
13					·07		·13		·52	·48		·18	13
14	·23		·02		·06	·09	·04		·55	·06		·13	14
15	·60				·01	·10	·45		·05	·20		·25	15
16	·77		·03	·10		·17	·15		·30			·05	16
17	·20			·02	·03		·11	·03	·05			·36	17
18	·83		·23			·65	·14		·64	·36		·33	18
19	·11	·06	·29	·07			·04	·01	·07			·09	19
20	·03	·22		·16			·03		·18				20
21	·13	·01		·01		·07	·02		·50	·20		·46	21
22	·02				·06		·71		·08	·11	·08	·17	22
23	·16	·02			·05		·32		·10		·05	·18	23
24	·02	·17					·12	·18	·10		·33	·25	24
25	·04			·10	·03	·01	06	·60		·07	·25	·02	25
26	·01	·02		·05			·22		·05	·03	·09	·22	26
27		·09	·03					·06	·18	·02	·08		27
28		·20	·16						·01	·09	·04	·08	28
29			·31						1·25		·03	·03	29
30			·24	·08					·06	·03	·15	·09	30
31			·10							·03			31
Total	3·71	2·30	2·13	1·35	·46	1·23	3·09	2·01	7·32	2·59	2·90	5·20	YEAR'S TOTAL 34·59
Rain Days.	20 ✓	17 ✓	12 ✓	16 ✓	12 ✓	7 ✓	18 ✓	12 ✓	27 ✓	20 ✓	16 ✓	28 ✓	205

W. 8,000, VIII. 16

1567

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Rowden's Reservoir
in the County of Devon
by Frank Howarth

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	72		·25	·26	·06		·19		·10	·26		·76	1
2	·21		·01		·01		·04		·02	·03		·09	2
3	·25		·31		·09				·09		·02	·07	3
4	·14	·63	·30			·01	·01	·30	·68		·01	·01	4
5	·02	·32	·85		·01				·16			·05	5
6	·37	1·02	·12									·23	6
7	·36		·19	·08			·01					·24	7
8	·21		·27	·21	·02	·02					·65		8
9	·06		·04	·16	·10						·06	01	9
10	·13		·36	·02	·08							·52	10
11	·09		·23	·18	·33	·03	·06		·01	·07	·02	·70	11
12	·26		·05	·06		·01				·06	·05		12
13	·10	·09	·28	·37			·02			·06		·25	13
14	·48	·16		·53	·67		·02		04	·08		·26	14
15	·09	·06		·20						·11		·78	15
16	·07	1·20			·04						·25	·01	16
17		·13				·03					·29	·09	17
18	·15	·34	·56				·31	·11	·04		·35	·02	18
19	·65	·36	·27			·16	·49	·15	·12		·15	·01	19
20	·23	·03	·19		·02	·23		·22	·22		·20	·05	20
21	·37	·95			·20		·05		·04	01	·02	·10	21
22		02			·04	·01	01		22		·01	·03	22
23										·61	·08	·07	23
24				·03		·23		·07	·01	·24	·09	·27	24
25	·14	·01				·04		·70			·05	·06	25
26	·06		·04	·05				·09	·05		·08	·57	26
27	·15	·03	·03	·20				1·20		·01		·05	27
28		·01	31	·10				·07		·03	·50	·75	28
29		X		·05				·13		·04		·06	29
30		X	·01	·03		·08		·11	04		·45	·72	30
31		X		X		X	·01		X		X	·25	31
Total	5·31	5·36	4·67	2·53	1·64	·85	1·22	3·15	1·84	1·61	3·33	7·08	YEAR'S TOTAL 38·62
Rain Days.	23	16	20	16	13	11	12	11	15	13	19	29	198

W. 6,500, VII. 18. w w c

Ex Jh

1481

26 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Rowden's Reservoir

in the County of Devon

by Frank Howarth

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" " " " Sea Level 201 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·03	01	·44		·46		·04	·02	·02	·64	1
2	·43			18			·17	06	·05	·02		·15	2
3	·57	08		08			·01		·01	·46		·25	3
4		·01						85		·34			4
5			·25		·07		·36	07		·22			5
6			·02	·02	·32		·21			·19			6
7	·03		·09	·32	·02		·30					·60	7
8	·04	·01		50	·04		·10					·26	8
9	·92	·04	·01	02		·02	·31		·01				9
10	·91	·17	·21	·01		24	·40						10
11	·25	·02	·19	·52	31		·30						11
12	39	·10	·09	·11	·01	02	·05			·02	·05	·01	12
13	18	·04	·48	·04						·22		·11	13
14	·29	·03	·40	61			·03		·15	·32	·16	·04	14
15	·12	·09	·04	07	·03				·05	·95	·11		15
16	·01	·03	·05	03		·04	·11		·11	·08	·03		16
17	·06			·01	·35				·35	·02			17
18	·15			·05		·19	·14	18	·11				18
19	·05			·32		·66			·07				19
20	·02	·04		25		·20	·01			·40		·37	20
21				12			·01		·01	·06		11	21
22	·05			·26			·01					·43	22
23	·01		·03				·07	·04				·65	23
24		01	·21				·01				·14	·13	24
25	·01	·05	·04	01			·77				·01	·03	25
26	·27		24				·03				·30		26
27	52	·04	·08	·05		·21	·11				·42	·27	27
28	·63	01	·45			·02	·20				·01	·09	28
29	·29		·71	·02	·03						·30	·23	29
30	·23					·38	·19		·83	·04	·26	·56	30
31	·13		·41							·40		·21	31
TOTAL	6·57	·77	4·03	3·61	1·62	1·98	4·30	1·20	1·79	3·77	1·81	5·14	YEAR'S TOTAL 36·59
Days with ·01 in. or more	26	16	20	23	10	10	24	5	12	16	12	19	193

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

20 9 16 15 6 7 17 5 9 12 8 17 141

CHALLACOMBE

DEVON

1911 - 1920.

R

11 1961

FORM A2. BRITISH RAINFALL.

Kept at Chal ... Snowden

... 5 in.

... above Ground 1 ft. 0 in. 349

in the County of ... „ Sea Level 815 ft. O.D.

... 9. a.m.

by Ilfracombe ... Name Blackmoor Gate

Distance 4 Direction N.W.

IMPORTANT N ... and the result entered to the previous day. If an ... universal rule, he is earnestly requested to add the ... year in the space provided for it at the end of ... rement of rain, the selection and pl ... British Rainfall Organization are given ... on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date. 11	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28	—	.02	.12	.04	—	—	.14	—	—	.16	.01	1
2	.05	—	.04	.08	.38	—	—	.36	—	.66	.44	.26	2
3	—	—	.16	—	.80	—	—	.04	.02	—	.26	.15	3
4	—	—	.30	—	.01	—	—	.31	—	.04	.44	.85	4
5	.30	—	.19	—	—	—	—	.14	—	.10	.55	.13	5
6	.40	—	.44	—	—	—	—	—	—	—	.32	1.00	6
7	.22	—	—	—	—	—	—	—	—	—	.64	.06	7
8	.41	—	.40	—	—	—	—	—	—	—	.33	1.18	8
9	.32	—	.03	—	—	—	—	—	—	—	.44	.33	9
10	.10	.11	.86	—	.80	—	—	—	—	—	—	.65	10
11	.66	—	.05	—	.02	—	—	—	.04	—	.40	.54	11
12	—	—	.48	—	—	—	—	—	.10	—	.34	.45	12
13	—	—	—	—	.93	—	—	.18	.55	—	.14	.14	13
14	—	.32	.02	—	.03	—	—	—	—	.02	.02	.32	14
15	.05	.12	—	—	—	.04	—	—	—	—	.40	.10	15
16	.02	.04	—	—	—	.24	—	—	—	—	.22	.44	16
17	—	.16	.09	—	—	.30	.02	—	—	—	.34	.80	17
18	—	.42	—	.28	—	.50	—	—	—	.05	.36	.45	18
19	—	.10	—	.31	—	.80	—	—	.52	—	.66	1.01	19
20	.03	.08	—	.66	—	.04	—	—	.60	.14	—	.23	20
21	.01	1.06	—	.02	—	.02	—	.22	.32	.64	—	.21	21
22	.03	.04	—	.42	—	.20	—	—	.33	.66	—	.81	22
23	.06	.29	—	.01	—	.21	—	—	.60	.14	—	.22	23
24	.06	.65	—	—	.02	1.01	—	.25	—	.45	—	.46	24
25	.24	.16	—	.49	—	.14	—	.04	.12	.43	—	.10	25
26	.03	—	—	.81	—	—	.09	.63	—	.60	.05	.40	26
27	—	1.83	.09	.02	—	—	—	.40	.22	.20	—	.52	27
28	—	.46	—	.62	—	.04	—	.12	—	—	.48	.08	28
29	—		—	.31	—	1.26	.26	.14	.62	1.20	—	.04	29
30	—		—	—	—	.19	.08	—	.03	.43	.04	.15	30
31	—		—		—		.04	—		.30		.06	31
99 Total	3.30	6.14	3.44	4.15	3.06	5.11	.52	3.33	4.10	6.09	8.44	12.48	TOTAL for year 60.22
No. of Rain Days	18	15	14	13	9	14	5	13	13	16	22 21	31	183 182

9,000, IX. '10.

REGISTER OF RAINFALL IN 19 11

1911

FORM A2. BRITISH RAINFALL.

Kept at Challacombe

in the County of Devon N. 2

by Ilfracombe Urban District Council

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in. 1349
" " " Sea Level 815 ft. O.D.

Time of Observation 9. am.

Nearest Railway Station
Name Blackmoor Gate
Distance 4 Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date. 11	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28	—	.02	.12	.07	—	—	.17	—	—	.16	.01	1
2	.05	—	.04	.08	.38	—	—	.36	—	.66	.44	.26	2
3	—	—	.16	—	.80	—	—	.07	.02	—	.26	.15	3
4	—	—	.30	—	.01	—	—	.31	—	.04	.77	.85	4
5	.30	—	.19	—	—	—	—	.14	—	.10	.55	.13	5
6	.40	—	.44	—	—	—	—	—	—	—	.32	1.00	6
7	.22	—	—	—	—	—	—	—	—	—	.67	.06	7
8	.41	—	.40	—	—	—	—	—	—	—	.33	1.18	8
9	.32	—	.03	—	—	—	—	—	—	—	.77	.33	9
10	.10	.11	.86	—	.80	—	—	—	—	—	—	.65	10
11	.66	—	.05	—	.02	—	—	—	.07	—	.70	.54	11
12	—	—	.78	—	—	—	—	—	.10	—	.37	.45	12
13	—	—	—	—	.93	—	—	.18	.55	—	.17	.17	13
14	[illegible]	.32	.02	—	.03	—	—	—	—	.02	.02	.32	14
15	.05	.12	—	—	—	.07	—	—	—	—	.70	.10	15
16	.02	.07	—	—	—	.27	—	—	—	—	.22	.41	16
17	—	.16	.09	—	—	.30	.02	—	—	—	.37	.80	17
18	—	.72	—	.28	—	.50	—	—	—	.05	.36	.45	18
19	—	.10	—	.31	—	.80	—	—	.52	—	.66	1.01	19
20	.03	.08	—	.66	—	.04	—	—	.60	.17	—	.23	20
21	.01	1.06	—	.02	—	.02	—	.22	.32	.64	—	.21	21
22	.03	.04	—	.42	—	.20	—	—	.33	.66	—	.81	22
23	.06	.29	—	.01	—	.21	—	—	.60	.14	—	.22	23
24	.06	.65	—	—	.02	1.01	—	.25	—	.45	—	.46	24
25	.27	.16	—	.49	—	.17	—	.04	.12	.43	—	.10	25
26	.03	—	—	.81	—	—	.09	.63	—	.60	.05	.70	26
27	—	1.83	.09	.02	—	—	—	.70	.22	.20	—	.52	27
28	—	.46	—	.62	—	.07	—	.12	—	—	.48	.08	28
29	—		—	.31	—	1.26	.26	.14	.62	1.20	—	.04	29
30	—		—	—	—	.19	.08	—	.03	.43	.07	.15	30
31	—		—		—		.07	—		.30		.06	31
99 Total	3.30	6.17	3.47	4.15	3.06	5.11	.52	3.33	4.10	6.09	8.44	12.48	TOTAL for year 60.22
No. of Rain Days	18	15	14	13	9	14	5	13	13	16	22 21	31	183 182

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

1.961

FORM A. BRITISH RAINFALL JAN 19

1849

Kept at Challacombe

in the County of Devon N2

by Ilfracombe Urban District Council

Lat. 51° 9′ Long. 3° 53

Time of Observation 9 a.m.

Nearest Railway Station Blackmoor Gate

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 815 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.35	—	.10	.70	.07	.20	.11	1.65	—	.55	1
2	—	—	.63	.10	—	1.10	.21	—	—	.02	.04	—	2
3	.22	.04	.21	.04	—	.10	.33	1.62	.66	—	—	.17	3
4	1.25	.01	1.40	—	—	.07	—	4		—	.65	—	4
5	.85	.02	.40	.09	.07	.02	—	.37	—	—	.04	.07	5
6	1.15	.17	.05	—	.28	—	—	.57	—	—	.04	.08	6
7	.09	.43	.16	.03	.73	.43	.06	.88	.02	—	.08	—	7
8	.67	.22	.32	.08		.45	.10	.23	—	—	—	—	8
9	—	.57	.07	.09	—	.63	.15	.97	.03	—	—	1.25	9
10	.43	.04	—	.02	—	.07	.07	.02	—	—	.78	.02	10
11	.03	.08	.	—	—	—	.14	—	—	—	.25	.95	11
12	.17	.64	.63	—	.05	—	.22	.06	—	—	—	.32	12
13	.36	—	.14	—	—	.01	.02	.59	—	.13	—	1.07	13
14	.25	.03	1.04	—	.30	.01	—	.48	.02	.03	—	.46	14
15	.21	—	.13	—	.25	1.60	—	.08	—	.06	—	1.47	15
16	.32	—	.75	—	.08	.08	—	.67	—	.47	.01	.17	16
17	.19	—	.28	—	—	.52	—	.96	—	—	.02	.95	17
18	.04	.08	.60	—	—	[illegible]	—	.54	—	.66	.27	.17	18
19	—	.45	.16	—	—	.11	.14	1.22	—	.23	.02	.07	19
20	.08	.10	.93	—	—	.02	—	.43	—	.95	.21	—	20
21	—	.23	.65	—	.46	—	—	.67	—	.37	.04	—	21
22	.47	.50	.27	—	.05	—	.16	1.74	—	.10	.14	.14	22
23	.10	.38	.60	—	—	1.25	.03	1.57	—	.86	.46	.22	23
24	—	.12	.25	—	—	.45	.02	.03	—	.17	—	.25	24
25	.04	.01	.05	—	—	.47	.02	.44	—	.31	1.28	.82	25
26	—	.23	—	—	—	—	—	.20	—	.84	.90	.38	26
27	—	.06	—	—	—	1.28	.65	—	—	1.47	—	1.01	27
28	—	.16	.06	—	—	.45	.68	1.13	.17	.64	.75	.94	28
29	—	.45	—	—	—	.18	1.08	.73	.55	.33	—	.28	29
30	—		.07	—	.19	.03	.35	—	.01	.43	—	.08	30
31	—		.70		—		.33	.29		.03		.30	31
99 Total	6.92	5.02	10.90	.45	2.56	10.03	4.83	16.50	1.57	9.75	5.98	12.19	YEAR'S TOTAL 86.70
Rain Days.	19	23	26	7	11	~~24~~ 23	20	27	8	20	18	25	227

227

W. 7,500, XI. ·12

W DL

REGISTER OF RAINFALL IN 1913

1961

FORM A. BRITISH RAINFALL. 6 - JAN 1914

1849

Kept at Challacombe

in the County of N Devon

by The Ilfracombe Urban District Council

Lat. 51° 9' Long. 3 53

Time of Observation 9. am

Nearest Railway Station Blackmoor Gate

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 815 OD. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	.32	.36	.14	.03	—	—	—	.04	.02	.25	.93	1
2	.04	.44	.09	.10	.29	—	—	—	—	—	.24	.26	2
3	.24	—	.14	.19	.90	—	—	—	—	—	.03	.40	3
4	1.25	—	.09	.12	.18	.08	.02	—	.04	.04	.10	.55	4
5	.16	.08	.09	—	.34	1.32	.16	—	.11	—	.88	.61	5
6	.16	.14	.29	.28	.05	.94	—	—	—	.38	.44	1.03	6
7	.04	.44	.03	.44	.80	.36	—	—	—	1.02	.31	.03	7
8	.03	.29	.01	—	.23	—	.03	—	—	.19	—	.15	8
9	—	.11	.46	—	.36	.44	—	.09	.10	.01	.52	—	9
10	.44	—	.28	.02	.21	.35	—	10	—	.85	.13	—	10
11	1.36	—	.10	.55	.31	.15	.02	10	.16	.14	85	.44	11
12	.13	—	—	.02	.15	.05	—	—	.14	—	.84	.04	12
13	.53	—	1.15	.04	—	—	.06	31	.44	—	.34	—	13
14	.34	—	.55	.06	—	—	.02	—	.14	.24	.35	.32	14
15	.24	—	.49	2.18	—	—	—	—	.03	—	.45	.30	15
16	.24	—	1.13	.11	—	—	.11	—	.12	—	.46	—	16
17	.21	—	.06	.23	—	—	.18	—	—	—	.88	—	17
18	.22	—	.49	.62	—	.05	.04	—	—	—	.23	—	18
19	.54	—	.04	.02	19	—	.39	—	60	.34	.04	—	19
20	.64	.14	.22	28	—	—	—	—	13	.29	.84	—	20
21	—	—	.16	.44	.28	.02	.22	.16	.13	—	.41	—	21
22	1.46	—	1.18	—	20	.29	—	.34	04	—	—	—	22
23	.04	—	—	—	.02	.04	—	.24	—	—	.24	.50	23
24	.15	.10	—	36	—	.02	—	.03	.09	—	.21	—	24
25	—	.02	—	.48	—	—	—	—	—	.02	.24	.26	25
26	—	—	—	1.08	—	.03	—	.05	—	—	.05	80	26
27	.15	—	.19	.43	—	—	—	—	—	.36	.03	.08	27
28	15	—	.10	.36	.09	—	—	—	—	.69	.04	.15	28
29	.01		.52	.25	.03	—	—	.04	—	.34	.16	.08	29
30	1.10		—	.08	—	—	—	—	—	62	.42	—	30
31	.36		.44		.24		—	.25		.05		—	31
Total	10.96	2.44	8.49	8.91	4.88	4.50	1.25	1.41	2.46	5.69	10.48	6.93	YEAR'S TOTAL 69.33
Rain Days.	24	10	25	25	19	14	11	11	15	14	28	18	220

W.7,000, XI. 13

196

BRITISH RAINFALL FORM 5 JAN 1915 1849

REGISTER OF RAINFALL IN 19~~11~~14

Kept at Challacombe

in the County of Devon N2

by The Ilfracombe Urban District Council

Lat. 51° 9′ Long. 3° 52′

Time of Observation 9 a.m.

Nearest Railway Station Blackmoor Gate

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 825 OD ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
14 1	—	.02	.11	.10	—	.22	.70	1.02	—	—	.50	.04	1
2	.04	—	—	.07	.07	—	.24	.65	—	—	.08	.60	2
3	.04	—	.80	.28	1.02	—	—	.05	—	.02	.02	.09	3
4	.60	—	.48	.55	.21	—	.60	.50	—	—	.34	.92	4
5	.19	—	.77	.71	.17	—	.01	.03	—	—	.03	.47	5
6	—	.12	.47	.35	.20	.07	.13	.27	—	—	.23	.62	6
7	.16	.49	.84	.57	.60	.02	.90	.61	.05	—	—	.13	7
8	.80	—	1.35	.07	.28	.70	.04	.05	—	—	—	.04	8
9	.93	.02	.35	.47	.14	.78	.02	.32	1.21	—	—	—	9
10	—	.69	.02	.66	.55	.05	—	—	.54	—	.13	.04	10
11	—	.33	1.52	—	.10	.20	—	—	.05	—	.21	.48	11
12	—	.60	.30	—	—	—	—	—	.73	.04	.37	.44	12
13	—	.68	.67	—	—	—	.13	—	1.11	.48	.90	.22	13
14	—	.70	.55	—	—	.07	.02	.43	.03	.36	.63	.02	14
15	.02	.03	.58	—	—	—	.05	.77	.30	.03	.67	.17	15
16	—	.04	—	—	—	—	.10	—	.45	—	—	.11	16
17	—	.83	.39	—	—	—	.18	—	.11	—	—	.72	17
18	—	.18	.57	—	—	—	.03	—	.21	—	—	.60	18
19	—	.29	.44	—	—	—	1.13	—	.09	—	.16 .16	.13	19
20	—	.60	.26	—	—	.06	—	—	—	—	—	.20	20
21	—	.35	—	—	—	—	.06	—	—	.25	—	—	21
22	—	.18	.06	.06	.03	.83	— ~~.03~~	.24	—	.47	—	—	22
23	—	.10	.09	—	.04	.08	.16 ~~.27~~	.03	—	.18	—	—	23
24	—	.03	.20	—	—	.03	.03 ~~.44~~	.18	—	—	.51	—	24
25	.40	—	.58	—	—	—	.27 ~~.27~~	1.30	—	.90	.07	.44	25
26	.09	.06	.16	—	—	—	.44 ~~.12~~	.04	—	.23	.57	—	26
27	.16	.05	—	—	—	—	.07	—	—	.38	.46	.27	27
28	.08	.15	.24	—	.09	—	.02	—	.02	.28	.75	1.02	28
29	.80		.27	—	.27	—	—	—	—	.38	.45	.40	29
30	.02		.14	—	—	—	—	—	—	.29	1.11	.46	30
31	.19		—		.32		.70	—		.45		.12	31
99 Total	4.52	6.51	12.25	3.83	4.09	3.11	6.01	5.99	4.90	4.74	8.49	8.15	YEAR'S TOTAL 72.59
Rain Days.	15	22	28	11	15	12	23	16	13	15	20	25	213

W. 8,000. X. 14.

Barnstaple

Cord for auth 17-III-16 Hy Wainwright

1961

REGISTER OF NFALL IN 1915

FORM A.
BRITISH RAINFALL.
13 JAN 1916

Kept at Challacombe

in the County of Devon N2

by Ilfracombe Urban District Council

Lat. 51° 9' Long. 3° 52'

Time of Observation 9 am

Nearest Railway Station Blackmoor Gate

Diameter of Funnel of Rain Gauge 5 in. 1849

Height of top of Gauge above Ground one ft. in.

" " " " Sea Level 815 O.D. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
15 1	·78	·65	—	—	·36	—	—	·71	·57	·36	·18	·60	1
2	·32	·23	·79	·41	—	·13	—	·41	—	·04	—	·38	2
3	—	·07	·41	·63	·09	—	·03	—	—	—	—	·62	3
4	·10	·95	·15	—	·11	—	—	—	—	—	—	1·03	4
5	·23	·50	·08	—	—	·05	—	·27	—	—	—	·30	5
6	·60	·09	—	·77	—	—	·34	·31	—	—	—	·43	6
7	·65	·95	—	·07	—	—	·51	·20	—	—	·08	·50	7
8	·49	·64	—	—	—	—	—	·11	—	—	·47	·04	8
9	·03	·51	—	·38	—	—	—	·08	—	—	·81	1·50	9
10	·96	·23	·27	·09	—	—	—	·65	—	·17	·05	·07	10
11	·03	·16	·07	·01	·02	—	·01	·07	—	·02	1·62	·08	11
12	·50	·45	—	·05	·38	—	—	·02	—	—	·65	·13	12
13	·17	·78	—	—	·37	—	·12	·07	·16	·02	·27	·23	13
14	·45	—	—	—	—	—	·12	·41	·41	—	·01	1·92	14
15	·48	—	—	—	·30	—	·33	·04	·36	·09	·20	12	15
16	—	1·46	—	·03	·27	—	1·64	—	·02	—	—	—	16
17	·02	·22	—	—	—	—	—	—	—	—	—	—	17
18	—	·62	—	—	—	—	·16	·02	—	—	—	—	18
19	·04	·10	—	—	·25	—	·97	—	—	—	—	—	19
20	1·12	—	—	·10	—	·03	—	—	—	·22	—	·16	20
21	·27	·23	—	·07	·06	·01	·18	—	—	·30	—	·90	21
22	·28	·26	·17	—	—	·10	·49	—	·02	·14	—	·48	22
23	·09	·03	·36	—	—	·04	·64	—	·11	1·04	—	1·30	23
24	—	—	·03	·02	—	—	·15	—	·06	·52	—	·65	24
25	—	—	·02	—	—	·31	·53	—	—	·08	—	·39	25
26	—	·27	—	—	—	·55	·17	—	·22	—	—	·07	26
27	—	·24	—	—	—	·35	·11	—	·14	·83	—	·62	27
28	—	·08	·10	—	—	·13	·02	·02	·46	·12	—	—	28
29	—	✕	—	—	—	·10	—	—	·04	—	·27	·10	29
30	·16	✕	—	—	—	·02	—	—	·03	55	·44	·55	30
31	—	✕	—	✕	—	✕	·14	·30	✕	49	✕	·37	31
Total	7·77	9·72	2·45	2·63	2·21	1·82	6·66	3·69	2·60	4·99	5·65 5·05	13·54	YEAR'S TOTAL 63·73 63·13
Rain Days.	21	23	11	12	10	12	19	16	13	16	12	26	191

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Challacombe
in the County of Devon
by Ilfracombe Urban District Council

Lat. 51°9' Long. 3°5'2"
Time of Observation 9 a.m.
Nearest Railway Station Blackmore Gate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 815 OD ft.

1349

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·19	✓	✓	✓	·18	·68	·03	✓	·57	·80	·07	✓	1
2	1·55	·23	·93	✓	·07	✓	·07	✓	✓	·84	·15	✓	2
3	·04	1·47	✓	·04	·27	·16	·18	✓	✓	·62	·09	·05	3
4	·71	·33	✓	·05	·06	1·32	·03	✓	✓	·22	·37	·02	4
5	·33	·20	✓	✓	·15	·26	✓	✓	✓	·45	·65	✓	5
6	·64	·12	Snow	✓	·27	·03	·86	✓	✓	·31	·83	✓	6
7	·08	·28	"	✓	·42	·03	·07	✓	✓	✓	·57	·44	7
8	·02	·26	"	·08	·35	·35	✓	✓	✓	✓	·50	·20	8
9	✓	·09	·93	✓	·04	·11	·44	✓	✓	·14	·15	·30	9
10	✓	·87	·02	·23	·04	✓	✓	✓	✓	·10	·12	·05	10
11	✓	✓	·09	·42	·09	✓	·07	✓	✓	·07	·06	✓	11
12	·20	·33	✓	·23	·58	✓	·63	·08	✓	·98	✓	✓	12
13	✓	·73	·02	·08	✓	✓	·06	·32	·16	·25	✓	✓	13
14	·23	·65	·15	✓	·30	✓	✓	·82	·41	·29	✓	✓	14
15	·07	1·18	·02	·22	·03	✓	·02	1·38	·36	✓	✓	✓	15
16	✓	·08	✓	·77	·07	✓	·17	·42	·02	·30	✓	✓	16
17	·02	·56	✓	·09	✓	✓	✓	·02	✓	·31	·48	✓	17
18	·03	[illegible]	·27	·08	✓	✓	✓	✓	✓	·25	✓	·10	18
19	·39	·19	·08	·09	✓	✓	✓	·05	✓	✓	·35	·08	19
20	·30	·40	·16	✓	✓	✓	✓	✓	✓	✓	·31	·44	20
21	·44	·11	✓	·02	·05	✓	✓	✓	✓	✓	·06	·28	21
22	✓	✓	✓	✓	✓	·14	✓	·04	·02	·32	·15	·85	22
23	·18	✓	·08	·15	✓	·10	✓	·41	·11	·10	·35	·52	23
24	✓	·08	·14	·23	·30	·11	✓	·51	·06	·45	·30	·21	24
25	·04	✓	·41	✓	✓	✓	✓	·48	✓	·13	·43	·06	25
26	·31	✓	·21	✓	✓	✓	✓	✓	·22	·52	·07	✓	26
27	·28	·10	·61	✓	✓	·17	✓	·23	·14	·92	✓	✓	27
28	✓	·90	✓	✓	✓	·02	✓	✓	·46	·57	✓	1·70	28
29	✓	·08	·20	✓	✓	·96	✓	1·43	·04	·93	✓	1·02	29
30	✓	✗	✓	✓	✓	·52	✓	·09	·03	·38	✓	·12	30
31	✓	✗	✓	✗	✓	✗	✓	·47	✗	·33	✗	·29	31
Total	99 6·05	10·20	4·32	2·78	3·27	4·96	2·63	6·75	2·60	10·58	6·06	6·73	YEAR'S TOTAL 66·93
Rain Days.	20	23	16	15	17	15	12	15	13	25	20	18	209

W. 8,000, VIII. 16

and for mth ~~W.~~ 879

FORM A. BRITISH RAINFALL.

21 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Challacombe.

in the County of Devon.

by The Ilfracombe Urban District Council

Lat. 51° 9' Long. 3° 52'

Time of Observation 9 A.M.

Nearest Railway Station Blackmoor Gate.

Diameter of Funnel of Rain Gauge 5 in. 1849

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 815. O.D. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 17	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	nil	·30	·28	nil	·45	nil	·87	·17	nil	·23	nil	1
2	·12	nil	·05	·45	nil	·31	nil	·05	nil	·14	·30	nil	2
3	nil	nil	nil	·04	nil	·23	·29	nil	nil	2·28	·84	·02	3
4	nil	·15	·30	nil	nil	·02	nil	nil	·06	·11	nil	nil	4
5	·52	·03	·78	·68	nil	nil	nil	nil	·07	·36	·32	nil	5
6	·03	nil	·21	·02	nil	·59	nil	nil	nil	·40	·25	·30	6
7	·62	nil	nil	nil	nil	·05	·07	·22	nil	·23	·38	·23	7
8	·10	nil	nil	·18	nil	nil	·47	1·34	·17	1·16	1·11	·34	8
9	nil	nil	·26	·04	·08	nil	nil	·33	nil	·83	·40	nil	9
10	·39	nil	·21	·70	·07	nil	nil	·25	nil	·30	nil	nil	10
11	·03	nil	·09	·02	nil	nil	nil	·09	nil	·78	·32	nil	11
12	·13	nil	nil	nil	·30	nil	nil	·12	nil	1·40	nil	·04	12
13	·06	nil	·45	·18	nil	·27	nil	·50	·83	·08	nil	·06	13
14	nil	nil	nil	·25	nil	nil	nil	·31	·05	·14	·10	nil	14
15	nil	nil	nil	·04	nil	nil	·50	nil	·07	·40	·05	·43	15
16	nil	·20	nil	·13	nil	·04	·12	·02	·02	·12	·02	·41	16
17	nil	nil	·09	·76	nil	nil	·62	·28	·44	·18	nil	·02	17
18	nil	·06	nil	·08	·06	·03	1·06	nil	1·46	·11	·07	nil	18
19	nil	·72	·09	nil	nil	·30	nil	·11	nil	nil	·05	nil	19
20	nil	·30	·08	nil	·43	·20	nil	nil	·04	nil	·10	nil	20
21	nil	nil	·02	nil	nil	·03	nil	·13	nil	·10	·10	nil	21
22	nil	nil	nil	nil	·14	nil	nil	·78	nil	·47	·04	nil	22
23	nil	·46	nil	nil	·10	·10	nil	1·47	nil	·27	·13	·16	23
24	nil	·02	nil	nil	nil	·16	·28	·77	nil	1·04	·33	·03	24
25	nil	·19	·40	nil	nil	·02	·06	·26	·28	·37	·08	nil	25
26	nil	nil	nil	nil	·36	·09	·02	1·42	·68	·24	·34	nil	26
27	nil	nil	nil	nil	·11	nil	·05	1·56	nil	·08	nil	nil	27
28	nil	·38	·24	nil	nil	2·44	nil	·41	nil	nil	·15	nil	28
29	nil		·19	nil	nil	·43	nil	·07	nil	·85	·14	·32	29
30	nil		·02	nil	nil	nil	·03	·62	nil	·25	·05	nil	30
31	nil		·03		nil		nil	·58		·32		nil	31
Total	99 2·01	2·51	3·81 ~~2·66~~	3·85	1·65	9 5·78	3·54	12·56	4·33	13·01 ~~[illegible]~~	5·90	2·36	YEAR'S TOTAL 61·35 ~~61·35~~
Rain Days.	10	10	18	15	9	18	12	24	13	24	24	12	192

95

W. 8,000, IX. 1/7.

Exe 976 25

REGISTER OF RAINFALL IN 1918

16 6 19

FORM A. BRITISH RAINFALL.

1849

Kept at Challacombe

in the County of N Devon

by Ilfracombe Urban District Council

Lat. 51° 9' Long. 3° 5' 3"

Time of Observation 9 am

Nearest Railway Station Blackmoor Gate

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 815 O.D. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
18													
1		.16		30	.08			1.80	07	.	68	[illegible]	1
2		.22		.05				67	02	.02	.04	.64	2
3		.30		.03	.05					13	.41	17	3
4		.16	.08					.12	25	38	.99	83	4
5		.02		13				87	.40	62	.16	07	5
6	.19	1.88		66		.12			.13	18		.18	6
7		.48			.21			.12	.85	.60	37	16	7
8		.13					.14		.30	36		.02	8
9	.30	.16		04		.47	.13	.46	.90	.51	02	.60	9
10	.17	.30					1.26	19	.30	18	15	.60	10
11	.11	.65	.28				29	.05	.63	.05	18	.50	11
12	.07	.31	08			.05	.04	.16	07			.32	12
13	.05					.36			.93	.30		1.04	13
14	93				.06		.65		1.03	24		.17	14
15	1.65					.35	.85		.02	.07		1.12	15
16	.23			1.40		.02	.04		.11	.05		.48	16
17	1.28			.10			.13		.05			.33	17
18	1.53		.16			1.04	08		.45	.25		41	18
19	.13	18	.20	.08			38		.16	02		.17	19
20	.18	.30		.15		.11	.50		.46	02			20
21	.12			.03	.31		21	.02	82	.05		41	21
22	.07	.05			24		70		.38			1.05	22
23	.15	.09			11	.12	38		.30		17	.52	23
24					.38		.02	37	.85		40	12	24
25	.03						.62	1.29		.10	23	02	25
26		.18					.57	.02	.67	08	31	1.02	26
27		.28	.04					.61	.38	04	61	.43	27
28		.12	.24						.12		50	1.15	28
29		X	.18						1.46	.08		.25	29
30		X	.80					.21	.05	.07	.12	.47	30
31		X	.67	X		X		.05	X	.03	X		31
Total	94 7.19	5.97	2.73	2.97	1.44	2.64	6.99	7.01	12.16	4.43	5.34	13.25	YEAR'S TOTAL 72.12
Rain Days.	17	19	10	11	8	9	18	16	28	24 21	16	28	204 2

W. 6,500, VII. 18. w w c

171

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Challacombe
in the County of Devon
by Ilfracombe Urban District Council

Lat. 51' 9" Long. 3' 52"
Time of Observation 9 am
Nearest Railway Station Blackmoor Gate
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0. in.
" " " " Sea Level 815 ft.

1349

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.17		.16	.08	.48		.36		.26	.78		1.12	1
2	.35				.06				.16	.14		.93	2
3	.01		.15						.02		.16.	1.17	3
4	.19	.54	.38			.05		.30	.38			.18	4
5	.10	.25	.75		.05				.08			1.12	5
6	.35	.12	.53									.40	6
7	.11		.81	.25					.06				7
8	.20		.33	.15		.06							8
9	.38		.10	.30	.05						.55		9
10	.17		1.08	.12		.04				.12		.26	10
11	.33		.55	.35		.15				.15		.05	11
12	.30		.30			.80				.09	.07		12
13	.02	.03.	.06	.36			.14		.04	.04		.09	13
14	1.06.	.04	.02	1.05	18		.15		.13	.06		.38	14
15	.55	.03		.09								1.05	15
16	.60	.81		.02		.05					.54	.04	16
17		.14			04	.12					1.36	.47	17
18	.13	.52	.76				.30	1.20	.20		.64	.27	18
19	.48	.32	.66			.40	.12	.66	.78		.60	.08	19
20	.40	.14	.46			.02		.05	.20		.34	.82	20
21	.10	1.31					.78	.15	.11		.07	.10	21
22		.15				.08	.14		.73		.12	.47	22
23										.40	.16	.35	23
24	.04					.10		.05	.13	.70	.06	.32	24
25	.36			.05				.75	.40		.05	.14	25
26	.19		.39	.44		.05		.06	.18		.02	.85	26
27	.26			.10				.49				.36	27
28				.22				.12			.16	.95	28
29			.05	.45				.14		.17	.06	.40	29
30				.39		.36		.27		.13	.37	.73	30
31			.20				.11					.47	31
99 TOTAL	7.85	4.40	7.74	4.42	.86	2.28	2.10	4.24	3.86.	2.78	5.33.	13.57	YEAR'S TOTAL 59.43
Days with ·01 in. or more	24	13	19	16.	6	13	8	12.	16.	11	17	27	182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Section **A** for the entry of Daily Observations

Station No. ....

METEOROLOGICAL OFFICE—AIR MINISTRY

Form 1090

REGISTER OF RAINFALL IN 19520

1849

Kept at Challacombe

in the County of ....

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		–	–	·26	·30	–	1·16	·26	·30	·18	·14	·79		1
2	·07	–	–	·34	·01	–	·42	·35	·55	·10	–	·23		2
3	·30	·16	–	·10	–	–	·58	·07	·25	1·02	–	·16		3
4	·10	–	·04	·28	–	–	–	·97	·06	·39	–	–		4
5	–	–	·15	·27	·56	–	·67	·47	·03	·16	–	–		5
6	–	–	·35	·02	·09	–	·12	·05	·05	·34	·03	–		6
7	·43	–	·09	–	·02	–	·13	–	·03	–	–	–		7
8	·04	·07	·02	·55	·26	–	·35	·27	–	–	–	–		8
9	1·77	1·08	·10	·36	–	·22	·65	–	·07	–	·06	–		9
10	1·98	·75	·37	·32	–	·25	·51	–	–	–	·18	–		10
11	·10	–	·21	·35	·33	·03	·08	–	–	–	–	–		11
12	·70	·23	·08	·16	·05	·08	·11	·13	–	·03	·32	–		12
13	·11	·09	·65	·27	–	–	·17	–	–	·06	·05	–		13
14	·05	·12	·64	·96	–	–	·05	–	·54	·71	·98	–		14
15	–	·28	·02	·56	·10	–	–	–	–	·45	·31	·01		15
16	·11	–	·18	·05	·02	·38	·11	·03	·84	·53	·32	–		16
17	·60	–	·04	·03	·34	·15	·10	·21	1·41	–	·02	·03		17
18	·51	–	·07	–	·10	·11	–	·30	·32	–	–	·04		18
19	·21	·18	–	·88	–	·38	·03	·19	–	–	–	–		19
20	·17	–	–	·34	–	·13	·17	–	–	·01	–	·28		20
21	–	–	–	·07	–	–	·09	–	–	·05	–	·58		21
22	·06	–	–	·16	–	·05	·18	·16	·03	–	–	·55		22
23	·05	–	·16	–	–	–	1·02	·30	–	–	·08	1·20		23
24	·04	·06	·52	·12	–	·10	·12	–	–	–	–	·86		24
25	·17	·05	·16	·03	–	·07	1·25	–	·02	–	–	–		25
26	·51	·07	·32	–	–	·34	–	–	–	–	·22	–		26
27	·57	·30	·22	·50	·08	1·23	·10	–	–	–	·86	·37		27
28	·71	·07	·44	·30	–	·33	·23	–	–	–	–	·07		28
29	·44	–	·31	·10	·16	·10	·30	–	–	–	·49	·47		29
30	1·00	X	·10	·05	–	·37	·45	–	·96	·14	·46	·64		30
31	26	X	·45	X	–	X	·06	·04	X	·57	X	·44		31
Total	11·06	3·51	5·69	7·43	2·42	4·32	9·21	3·80	5·46	474	452	6·72	Year's total 6888	✓
*Days with .01 in. or more.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

1629

FORM A.
BRITISH RAINFALL.

5 JAN 1921

1849

REGISTER OF RAINFALL IN 1920

Kept at Challacombe

in the County of Devon

by Ilfracombe Urban District Council

Lat. 51°9' Long. 3°52'

Time of Observation 9. a m

Nearest Railway Station Blackmore Gate

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 815 (O.D.) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
20				·26									
1	·04			·34	·30		1·16	·26	·30	·18	·14	·49	1
2	·30			·10	·01		·42	·35	·55	·10		·23	2
3	·10	·16		·28			·58	·09	·25	1·02		·16	3
4			·04	·24				·94	·06	·39			4
5			·15	·02	·56		·64	·47	·03	·16			5
6			·35		·09		·12	·05	·05	·34	·03		6
7	·43		·09	·55	·02		·13		·03				7
8	·04	·04	·02	·36	·26		·35	·24					8
9	1·44	1·08	·10	·32		·22	·65		·04		·06		9
10	1·98	·45	·34	·35		·25	·51				·18		10
11	·10		·21	·16	·33	·03	·08						11
12	·40	·23	·08	·24	·05	·08	·11	·13		·03	·32		12
13	·11	·09	·65	·96			·14			·06	·05		13
14	·05	·12	·64				·05		·54	·41	·98		14
15		·28	·02	·56	·10					·45	·31	·01	15
16	·11		·18	·05	·02	·38	·11	·03	·84	·53	·32		16
17	·60		·04	·03	·34	·15	·10	·21	1·41		·02	·03	17
18	·51		·07		·10	·11		·30	·32			·04	18
19	·21	·18		·88		·38	·03	·19					19
20	·14			·24		·13	·14			·01		·28	20
21				·04			·09			·05		·58	21
22	·06			·16		·05	·18	·16	·03			·55	22
23	·05		·16				1·02	·30			·08	1·20	23
24	·04	·06	·52	·12		·10	·12					·86	24
25	·14	·05	·16	·03		·04	1·25		·02				25
26	·51	·04	·32			·34					·22		26
27	·54	·30	·22	·50	·08	1·23	·10				·86	·34	27
28	·41	·04	·44	·30		·33	·23					·04	28
29	·44		·31	·10	·16	·10	·30				·49	·47	29
30	1·00	X	·10	·05		·34	·45		·96	·14	·46	·64	30
31	·26	X	·45	X		X	·06	·04	X	·54	X	·44	31
9 9 Total	11·06	3·51	5·69	7·43	2·42	4·32	3·80	9·21	5·46	4·74	4·52	6·72	YEAR'S TOTAL 68·88 ~~69·18~~
0·1 or more Rain Days.	26	14	24	26	14	17	15	27	15	15	15	16	224
0·4 or more	26	14	22	23	11	16	14	26	11	13	13	14	203

W, 6,500, VII. 18. W W C

DEVON.

CHARDSTOCK

1911—1919.

REGIST

FORM A2.
BRITISH RAINFALL
12 JAN 1912

Kept at Chardstock

in the County of Devo

by Rev. G. Lewi

in.

round ~ ft. 10 in.

a Level 317 ft.

me Chard or Chard Jn.

tance 3 Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·13	—	—	—	—	—	—	—	·01	1
2	—	—	—	·08	·33	—	—	·26	—	·17	·19	·36	2
3	—	—	·01	·01	·20	—	—	—	—	—	·08	·11	3
4	—	—	·07	—	—	—	—	—	—	·02	·12	·43	4
5	·18	—	·08	—	—	—	—	·57	—	·08	·12	—	5
6	·40	—	·22	—	—	—	—	—	—	—	·05	1·13	6
7	·02	—	—	—	—	—	—	—	—	—	·50	·62	7
8	·02	—	·23	—	—	—	—	—	—	—	·63	·94	8
9	·02	—	—	—	—	—	—	—	—	—	·26	·96	9
10	·66	·06	·69	—	·70	—	—	—	—	—	·62	·32	10
11	·40	—	—	—	·07	—	—	—	—	—	1·13	·05	11
12	—	—	·89	—	—	—	—	—	—	—	·09	·33	12
13	—	—	·02	—	—	—	—	—	·22	—	·63	·40	13
14	—	·02	—	—	—	—	—	—	—	·02	—	1·60	14
15	—	·01	·01	—	—	·01	—	—	—	—	·45	·01	15
16	—	·05	—	—	—	·46	—	—	—	—	·91	·67	16
17	—	·03	·08	—	—	·11	—	—	—	·09	·16	·73	17
18	—	·21	·05	·25	—	·26	—	—	—	·04	·10	·44	18
19	—	·03	—	·03	—	·13	—	—	·33	·15	·07	·54	19
20	—	·04	·23	·05	—	—	—	—	·21	·24	—	·64	20
21	·04	·19	—	·01	—	·01	—	—	·01	·45	—	·11	21
22	·09	·05	—	·02	—	·01	—	—	·16	·36	·03	·46	22
23	·01	·12	·03	—	—	·10	—	—	·05	·14	—	·45	23
24	—	·18	—	—	—	·32	—	·11	—	·60	—	·25	24
25	—	·11	—	·17	—	·07	—	—	·07	·18	—	·09	25
26	—	·07	—	·39	·09	—	—	·02	—	·23	·05	·28	26
27	—	·27	·15	·02	·01	—	—	·04	·05	·73	·02	·13	27
28	—	·23	—	·36	—	—	—	·06	—	—	·17	—	28
29	—	—	—	·61	—	·20	·22	—	·20	·39	—	—	29
30	—	....	—	—	—	·06	—	—	—	·17	·40	·02	30
31	—	....	—	....	—	....	·04	—	....	·02	....	—	31
Total	1·24	1·67	2·78	2·13	1·40	1·74	·26	1·06	1·30	4·08	4·98	11·47	TOTAL for year 3411
No. of Rain Days	10	16	15	13	6	12	2	6	9 ~~8~~	18	22	27	~~155~~ 156

9,000, IX. '10.

REGIST

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

Kept at Chardstock

in the County of Devon S.7

by Rev. A. Lewis

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ~ ft. 10 in.
" " " Sea Level 317 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Chard or Chard Jn.
Distance 3 Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·13	—	—	—	—	—	—	—	·01	1
2	—	—	—	·08	·33	—	—	·26	—	·17	·19	·36	2
3	—	—	·01	·01	·20	—	—	—	—	—	·08	·11	3
4	—	—	·07	—	—	—	—	—	—	·02	·12	·43	4
5	·18	—	·08	—	—	—	—	·57	—	·08	·12	—	5
6	·40	—	·22	—	—	—	—	—	—	—	·05	1·13	6
7	·62	—	—	—	—	—	—	—	—	—	·50	·62	7
8	·02	—	·23	—	—	—	—	—	—	—	·03	·94	8
9	·02	—	—	—	—	—	—	—	—	—	·26	·96	9
10	·66	·06	·69	—	·70	—	—	—	—	—	·02	·32	10
11	·40	—	—	—	·07	—	—	—	—	—	1·13	·05	11
12	—	—	·89	—	—	—	—	—	—	—	·09	·33	12
13	—	—	·02	—	—	—	—	—	·22	—	·03	·40	13
14	—	·02	—	—	—	—	—	—	—	·02	—	1·60	14
15	—	·01	·01	—	—	·01	—	—	—	—	·45	·01	15
16	—	·05	—	—	—	·46	—	—	—	—	·91	·67	16
17	—	·03	·08	—	—	·11	—	—	—	·09	·16	·73	17
18	—	·21	·05	·25	—	·26	—	—	—	·04	·10	·44	18
19	—	·03	—	·03	—	·13	—	—	·33	·15	·07	·54	19
20	—	·04	·23	·05	—	—	—	—	·21	·24	—	·64	20
21	·04	·19	—	·01	—	·01	—	—	·01	·45	—	·11	21
22	·09	·05	—	·02	—	·01	—	—	·16	·36	·03	·46	22
23	·01	·12	·03	—	—	·10	—	—	·05	·14	—	·45	23
24	—	·18	—	—	—	·32	—	·11	—	·60	—	·25	24
25	—	·11	—	·17	—	·07	—	—	·07	·18	—	·09	25
26	—	·07	—	·39	·09	—	—	·02	—	·23	·05	·28	26
27	—	·27	·15	·02	·01	—	—	·04	·05	·73	·02	·13	27
28	—	·23	—	·36	—	—	—	·06	—	—	·17	—	28
29	—	—	—	·61	—	·20	·22	—	·20	·39	—	—	29
30	—	....	—	—	—	·06	—	—	—	·17	·40	·02	30
31	—	....	—	....	—	....	·04	—	....	·02	....	—	31
Total	1·24	1·67	2·78	2·13	1·40	1·74	·26	1·06	1·30	4·08	4·98	11·47	TOTAL for year 34·11
No. of Rain Days	10	16	15	13	6	12	2	6	9 ~~8~~	18	22	27	~~155~~ 156

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
7 JAN 1913

Kept at Chardstock Vicarage

in the County of Devon 57

by Rev. A. Lewis

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 10 in.
" " " Sea Level 317 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name (1) Chard or (2) Chard Junction
Distance 3 miles Direction (1) N.N.E. (2) E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·12	—	—	[illegible]	—	·03	·07	·88	—	·29	1
2	—	—	·25	—	—	[illegible]	·03	·10	—	·03	·02	·03	2
3	—	—	·20	—	—	·39	·14	·92	·02	—	·01	·04	3
4	·14	—	1·44	—	·01	[illegible]	—	·03	[illegible]	—	·21	—	4
5	·75	·37	[illegible]	—	—	[illegible]	·48	[illegible]	—	—	·01	·96	5
6	·71	·15	·05	—	[illegible]	[illegible]	·48	·56	—	—	—	·02	6
7	·05	·78	·16	—	·16	·18	—	·15	—	—	—	·22	7
8	·5	·28	·67	[illegible]		[illegible]	·07	[illegible]	—	—	—	·01	8
9	·03	·06	·03	[illegible]	—	[illegible]	·08	·06	—	—	—	·36	9
10	·04	·17	[illegible]		—	—	·02	·01	—	—	·04	·34	10
11	·07	—	—			[illegible]	—	[illegible]		—	[illegible]	·5	11
12	·03	·50	[illegible]	[illegible]	—	—	·04	[illegible]	—	—	—	[illegible]	12
13	—	—	—	—	—	—	·01	[illegible]	—	·01	[illegible]	·14	13
14	·16	—	[illegible]	—	[illegible]	—	—	[illegible]	—	—	—	[illegible]	14
15	·64	·16	—	—	·25	·54	—	·01	—	—	—	[illegible]	15
16	·64	·03	·54	—		·02	—	·17	—	·07	·11	·02	16
17	·37	—	[illegible]	—	[illegible]	·11	—	1·23	—	—	·01	—	17
18	·26	·03	·26	—	—	—	—	·08	—	—	[illegible]	·07	18
19	·02	·03	[illegible]	—	—	·06	·11	·21	—	·02	[illegible]	·03	19
20	·06	·06	·40	—	[illegible]	—	·03	·35	—	·07	·03	—	20
21	—	·21	·43		·45	—	—	·23	—	[illegible]	—	—	21
22	·52	·31	·19	—	·31	—	·13	·06	—	·23	—	·07	22
23	·40	·48	[illegible]	[illegible]	—	—	—	·61	—	·02	·10	·26	23
24	·07	·06	·03	—	—	·08	—	·06	—	—	—	·40	24
25	·17	·01	—	—	—	·09	—	·26	—	·24	[illegible]	·67	25
26	—	·02	—	—	—	—	·02	·18	—	·53	[illegible]	·27	26
27	—	—	—	—	—	[illegible]	·75	[illegible]	—	1·49	—	·36	27
28	—	[illegible]	—	—	—	·08	[illegible]	·61	[illegible]	·83	[illegible]	[illegible]	28
29	—	·28	—	—	—	·10	·06	·22	·86	·51	—	·02	29
30	—		·02	—	—	[illegible]	[illegible]	·01	·24	·18	[illegible]	—	30
31	—		·31		—		—	—	—	[illegible]		·19	31
Total	[illegible]	4·01	6·68	·08	1·86	5·52	2·71	7·23	[illegible]	5·62	1·93	5·[illegible]	TOTAL for year [illegible]·26
No. of Rain Days	20	[illegible]	23	3	10	20	17	30	6	16	17	26	208

'11

cwd forwarded 18.III.14 ~~W~~ 88

Witten 19-2-14

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
15 JAN 1914

Kept at Chardstock Vicarage

in the County of S Devon 7

by Rev. A. Lewis

RAIN GAUGE: Pattern	
Diameter of top	in.
Height of top above Ground	ft. in.
" " " Sea Level	313 ft.
Time of Observation	9 a.m.
Nearest Railway Station: Name	Chard
Distance	3 m. Direction N. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·28	[illegible]	[illegible]	[illegible]	—	—	—	[illegible]	·15	·15	·01	1
2	·04	[illegible]	·01	[illegible]	·26		[illegible]	—	·01	[illegible]	21	[illegible]	2
3	·34	—	[illegible]	[illegible]	[illegible]	—	—	—	·01	·21	—	[illegible]	3
4	1.37	—	[illegible]	—	[illegible]	·03	—	—	·15	·24	·08	·9	4
5	[illegible]	[illegible]	[illegible]	—	·30	[illegible]	—	—	·81	—	[illegible]	·19	5
6	·12	[illegible]		—	[illegible]	·10	·08	—	—	·74	[illegible]	·42	6
7	·01	·45	[illegible]	—	[illegible]	·03	[illegible]	—	—	·64	·38	·01	7
8	[illegible]	·12	[illegible]	—	[illegible]	—	[illegible]	—	—	·02	—	—	8
9	—	[illegible]	—	—	·16	[illegible]	[illegible]	·04	·01	—	·49	·02	9
10	·67	[illegible]	—	—	·05	[illegible]	—	·02	—	·32	·11	—	10
11	·92	—	—	[illegible]	·29	·01	—	·01	—	[illegible]	[illegible]	—	11
12	—	—	—	—	·33	[illegible]	—	—	[illegible]	[illegible]	·19	[illegible]	12
13	[illegible]		[illegible]		·01	—	—	·14	·51	—	[illegible]	—	13
14	[illegible]	[illegible]	[illegible]	[illegible]	—	—	—	—	[illegible]	·01	·04	—	14
15	[illegible]	—	·20	[illegible]	—	—	—	·05	[illegible]	—	[illegible]	·01	15
16	[illegible]	—	[illegible]	—	—	·01	—	·01	[illegible]	—	·01	—	16
17	·03	—		[illegible]	—	—	—	—		—	·01	—	17
18	[illegible]		[illegible]	—	—	—	—	—	—	—	·04	—	18
19	[illegible]	—	[illegible]	—	[illegible]	[illegible]	—	—	·46	[illegible]	—	—	19
20	[illegible]	—	·10	·24	—	—	[illegible]	—	[illegible]	[illegible]	·16	—	20
21	[illegible]	—	·06	[illegible]	[illegible]	—	—	·23	—	[illegible]	[illegible]	·01	21
22	[illegible]		·53	·24	—	[illegible]	—	[illegible]	·12	·04	—	·12	22
23	[illegible]		—	—	—	[illegible]	[illegible]	—	[illegible]	—	·18	[illegible]	23
24	·01	[illegible]	—	·04	—	—	—	—	—	—	[illegible]	—	24
25	—	[illegible]	—	·21	—	—	—	—	—	·01	—	·03	25
26	—	—	—	·80	—	—	—	·14	—	—	—	[illegible]	26
27	[illegible]	—	·32	[illegible]	—	—	—	[illegible]	—	[illegible]	—	—	27
28	[illegible]		[illegible]	[illegible]	—	—	—	—	·01	[illegible]	—	[illegible]	28
29	[illegible]		[illegible]	[illegible]	[illegible]	—	—	·07	·06	[illegible]	—	[illegible]	29
30			—	·01	[illegible]	—	—	[illegible]	—	[illegible]	—	—	30
31	[illegible]		·07				·16	[illegible]		·11		—	31
Total	7·38	1·17	3·59	4·04	3·86	·65	·44	2·04 2·04	2·74	4·82	4·23	~~2·27~~ 2·27	TOTAL for year 37·33
No. of Rain Days	26	10	22	18	17	12	7	13	16	21	20	11	199
	7·38	8·45	12·04	16·08	19·94	20·59	21·03	23·27	26·01	30·83	35·06	~~[illegible]~~	

W. 8,000, X. '11.

CHARDSTOCK VICARAGE,
CHARD.

March 20. 1914.

Dear Sir

I much regret the inaccuracy of my return for the rainfall of 1913. I have left too much to others.

If you have received the copy I sent to Mr. Henshaw. You may take that as correct, for he returned it to me for correction.

I think however, that you will find the fall for Dec. 4 to be .90 and not .09.

Greater care shall be exercised in future.

Yours faithfully
Arthur Lewis

Carle Salter Esq

FORM A.
BRITISH RAINFALL.
11 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Chardstock Vicarage
in the County of Devon
by Rev. A. Lewis

S7

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chard Junction
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 313 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01	·03	·02	—	·01	[illegible]	·88	—	—	·09	·03	1
2	—	—	[illegible]	·03	·11	·01	·15	·02	—	—	1·00	·46	2
3	—	—	·12	·14	·61	—	—	·39	—	—	·02	·12	3
4	·08	—	—	·24	[illegible]	—	·35	·28	—	—	·50	·49	4
5	·05	—	·18	·17	·13	—	·13	—	—	—	·05	·05	5
6	·15	·17	·01	·11	·15	—	·15	—	—	—	·01	·52	6
7	·01	·95	·09	·02	·11	·07	·20	·13	·04	—	—	·31	7
8	·03	—	·12	·62	·15	·24	—	·08	·01	—	—	·05	8
9	·01	·02	·32	·38	·02	·60	—	·26	1·29	—	—	—	9
10	·04	[illegible]	—	·10	·02	·14	—	—	·53	—	—	·04	10
11	—	·12	·54	—	·15	·17	·25	—	—	—	·01	·76	11
12	—	·17	·13	—	—	—	—	—	·25	·12	—	·47	12
13	—	·39	·37	—	—	—	·04	—	·11	·33	·29	·47	13
14		—	·30	—	—	·20	·01	·61	·01	·31	·59	·22	14
15		—	·11	—	—	—	·05	·60	—	·03	·09	—	15
16	·07	—	[illegible]	—	—	—	—	—	·42	—	—	—	16
17	—	—	—	—	—	—	—	—	—	—	—	·77	17
18	—	·05	[illegible]	—	—	—	·33	—	·10	—	—	·37	18
19	—	·05	·31	—	—	—	·35	—	·05	—	·05	·04	19
20	—	·64	·62	—	—	·02	—	—	—	—	—	·33	20
21	—	·89	—	—	—	·03	—	—	—	·45	—	·02	21
22	—	·23	·10	—	·23	·04	·01	·01	—	·25	—	—	22
23	—	·06	·45	—	·02	·01	·02	—	—	·76	—	·01	23
24	—	·02	[illegible]	—	·10	—	—	—	—	·29	·09	—	24
25	·15	—	·34	—	—	—	·25	·60	—	·70	·03	·35	25
26	·11	—	·18	—	—	—	·20	·07	—	·25	·37	—	26
27	·13	·31	—	—	—	—	—	—	—	·21	·12	·85	27
28	·21	[illegible]	·52	—	·67	—	·01	—	—	·08	·22	1·12	28
29	·14	—	·10	—	·13	—	·12	—	—	·29	·74	·35	29
30	·01	—	·16	—	—	·01		—	—	·29	·45	·07	30
31	·18	—	—		·02		·58	—		·86		·35	31
Total	·85	4·94	6·26	1·33	2·07	1·99	5·59 19	3·90 12	2·81 10	4·22 15	4·89 18	5·89 ~~25~~ 26	YEAR'S TOTAL 48·34
Rain Days.	15	19 34	~~26~~ 17 60	10 70	16 86	13 99	118	130	140	155	173	[illegible]	200

W.7,000, XI. 13 5·79 12·05 13·38 15·45 17·44 23·03 26·93 29·74 [illegible] 39·45 48·34

REGISTER OF RAINFALL IN 19~~14~~15

1930

FORM A. BRITISH RAINFALL.

7 JAN 1916

Kept at Chardstock Vicarage

in the County of Devon S7

by Rev. A. Lewis

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·41	·21	—	—	—	—	—	·42	·13	·41	·15	·16	1
2	·30	·51	·14	·03	—	·05	—	·38	·01	·09	·01	·43	2
3	·05	·21	·12	·03	·28	—	·03	—	—	·01	—	·45	3
4	·03	·12	—	—	·06	—	—	—	—	—	—	·27	4
5	·05	·88	—	·04	—	—	—	·26	—	—	—	·59	5
6	·88	·19	—	·56	—	—	·63	·05	—	—	—	[illegible]	6
7	·30	·58	—	·06	—	—	[illegible]	·01	—	—	·01	·22	7
8	·19	·08	—	—	—	—	·01	·13	—	—	·03	·06	8
9	·03	·03	—	·06	—	—	—	—	—	—	·41	·73	9
10	[illegible]	·11	·04	·03	—	—	—	—	—	·09	·01	1·03	10
11	[illegible]	·34	·22	·05	—	—	·03	·32	—	·04	1·01	[illegible]	11
12	·10	·88	—	·11	·58	—	—	·65	—	·12	·27	·05	12
13	·01	·45	—	—	·10	—	—	—	·09	·01	·14	—	13
14	·03	·02	—	—	—	—	·27	·06	[illegible]	·03	·01	1·32	14
15	·13	—	—	—	·13	—	·13	—	·01	·11	·08	·12	15
16	[illegible]	1·74	—	—	·05	—	1.04	—	·02	—	—	·28	16
17	—	·72	—	—	·05	—	·04	·02	—	—	—	·06	17
18	—	·12	—	—	—	—	·01	—	—	·01	—	—	18
19	·09	·01	—	—	·28	—	·14	—	—	—	—	—	19
20	·22	—	—	·07	—	·05	—	—	—	·11	·01	·06	20
21	·20	·11	—	—	—	—	·04	—	·02	·37	—	·05	21
22	·13	·08	·25	·04	—	·07	·77	—	·01	·03	—	·25	22
23	·21	·22	·09	—	—	—	·18	—	·25	2.96	—	·47	23
24	—	—	·01	·03	—	—	·78	—	·19	·28	—	·54	24
25	—	—	·05	·09	—	·55	1·05	—	·08	·11	—	·30	25
26	·07	·15	—	—	—	—	·28	—	·04	·02	—	·93	26
27	—	·06	—	—	—	·13	·23	—	·02	·84	—	·02	27
28	—	·05	—	—	—	·15	·01	—	·55	·08	·02	·03	28
29	—	—	—	—	—	·15	·48	—	·01	—	·26	·03	29
30	·15		—	—	—	·08	·02	—	—	·77	·56	·34	30
31	·01		—		—	—	·10	—		1·48		·36	31
Total	4·00	8·20	·72 8	1·18 13	2·15 8	1·25 8	6·48 22	2·30 10	1·47 15	7·87 21	3·00 15	8·20 28	YEAR'S TOTAL 46·74
Rain Days.	24	34 12·20	12·92	14·10	16·25 77	17·50 85	23·90 107	26·20 117	27·67 132	35·54 153	38·54 168	46·74 196	196

48 56 69

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Exd P S E

1887

FORM A.
BRITISH RAINFALL.

8 JAN 191

REGISTER OF RAINFALL IN 1916

Kept at Chardstock Vicarage

in the County of Devon

by Rev. A. Lewis

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station As Before

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	—	·29	—	·41	·01	·03	—	·23	·34	·40	—	1
2	·16	·08	—	—	·01	—	—	—	·01	·23	·40.	—	2
3	—	1.36	—	—	·30	—	—	—	·11	·69	·24	—	3
4	·08	·16	—	—	·11	·35	·06	—	·17	·21	1.08	—	4
5	·02	·01	·03	—	·10	·08	—	—	—	·03	·33	—	5
6	·03	·13	—	—	·13	·06	·98	—	—	·13	1.16	—	6
7	·02	·09	·26	—	·03	·06	·07	—	—	·09	·60	·22	7
8	—	·15	·29	—	·33	·21	—	—	—	·01	·23	·15	8
9	—	·10	·07	—	·08	·22	—	—	—	·12	·09	·33	9
10	·02	·53	—	—	·05	—	·02	—	—	·07	·03	·17	10
11	·01	—	·05	·07	—	·02	—	—	—	—	—	—	11
12	·07	·06	·03	·08	·23	—	·06	·07	—	·02	·01	—	12
13	·01	·34	·20	·02	·01	—	—	·76	—	—	—	—	13
14	·02	·39	·03	—	·04	—	—	·20	—	·08	—	—	14
15	·01	·08	·14	·04	—	—	—	·09	—	·03	—	—	15
16	·26	·09	—	·24	—	—	—	·76	—	·13	—	—	16
17	·23	·17	—	·09	—	—	—	·04	·26	·67	·57	—	17
18	·03	·06	·25	·01	—	—	—	—	·17	·08	·04	·09	18
19	·07	·01	·75	·03	—	—	—	—	—	—	·11	·04	19
20	·16	·62	·20	—	—	—	—	—	—	—	·13	1.25	20
21	·01	·24	·34	·01	·07	—	—	—	—	—	—	·64	21
22	—	—	·02	—	—	·06	—	—	—	·50	·03	·66	22
23	—	Snow	—	·06	—	·04	—	·32	—	·08	·25	·03	23
24	—	·27	—	·07	·77	·05	—	·08	—	·90	·02	·33	24
25	—	·03	·10	—	·01	—	—	·82	·02	—	·25	·02	25
26	·01	·70	·08	—	—	·58	—	·27	1.07	1.10	·02	·01	26
27	—	·24	1.42	—	—	·20	—	·12	·39	·15	—	·01	27
28	—	·29	—	—	—	—	—	·08	·19	·71	—	·34	28
29	—	·13	·05	—	—	·48	—	2.37	·23	·45	—	·25	29
30	—	✕	·01	—	—	·04	—	·01	·01	·46	—	—	30
31	—	✕	—	✕	—	✕	—	·06	✕	·23	✕	·01	31
Total	1.50	6.33	4.61	·72	2.68	2.46	1.22	6.05	2.86	7.51	5.99	4.55	YEAR'S TOTAL 46.48
Rain Days.	19	26	20	11	16	15	6	15	12	25	20	17	202

W. 8,000, VIII. 16

1805

FORM A. BRITISH RAINFALL.

18. JAN 19

REGISTER OF RAINFALL IN 1917

Kept at Chardstock Vicarage

in the County of Devon

by Rev. A. Lewis

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Chard Junction

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ...... ft. ...... in.

" " " " Sea Level ...... ft.

no change

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·12	·36	—	·25	—	·45	·04	—	·02	—	1
2	—	—	·06	·09	—	·10	—	—	—	—	—	—	2
3	·03	—	—	·04	—	—	·52	·01	—	·15	·40	—	3
4	—	5	·45	—	—	—	·01	—	—	·28	—	·08	4
5	·09	5 ·08	·35	·41	—	·07	—	·13	·13	·16	·02		5
6	—	—	·08	—	—	—	—	—	—	·05	·15	—	6
7	·42	—	—	—	—	—	·22	·42	—	·25	·07	·01	7
8	·10	—	[illegible]	·09	—	—	·75	·46	·03	·43	·17	·19	8
9	—	—		·03	·02	—	·78	·10	·03	·16	·06	·01	9
10	·28	—	·62	·23	—	—	—	·28	·01	·30	—	—	10
11	·09	—	·78	·14	—	·04	—	·50	—	·18	·09	—	11
12	·09	—	—	—	·66	—	—	—	—	·39	·01	—	12
13	·02	—	·19	—	—	—	—	·31	·03	·03	—	·01	13
14	—	—	—	·09	—	—	·17	·11	·01	·02	—	—	14
15	—	—	—	·01	—	—	·35	·12	—	·21	—	·37	15
16	—	·15	—	·09	—	—	—	·01	·07	·33	—	·26	16
17	—	·02	—	·06	—	—	·32	·21	·67	·15	—	·02	17
18	—	·09	—	—	·01	·01	·15	—	·52	·01	—	—	18
19	—	·58	·06	—	—	·07	—	—	·13	—	—	·01	19
20	—	·11	·05	—	·44	·06	·01	·24	·13	—	—	·01	20
21	—	—	·19	—	·01	·10	—	·02	·02	·03	—	—	21
22	—	—	·31	—	—	·02	—	·78	—	·05	—	—	22
23	—	·15	—	—	·04	—	—	·31	—	·03	—	·01	23
24	—	—	—	—	—	·01	[illegible]	·17	—	·09	·02	·09	24
25	—	·04	—	—	—	—	[illegible]	·10	·09	·05	·09	—	25
26	—	—	·05	—	·56	·03	—	·69	·5	·05	·02	—	26
27	—	—	—	—	·30	·33	—	1·30	—	·21	·01	—	27
28	—	—	·13	—	·26	1·14	—	·30	—	—	—	·02	28
29	—		·08	—	—	·83	[illegible]	—	—	·77	·03	·21	29
30	—		·22	—	—	—	·42	·13	—	·08	—	—	30
31	—		·18		·01		—	—		·23		—	31
Total	1·13	1·22	3·63	1·64	2·31	2·92	3·39	6·48	1·90	4·16	1·09	1·23	YEAR'S TOTAL 31·10
Rain Days.	9	8	17	12	10	14	3·39 14	23	15	21	14	14	176

1,000. XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

·91

Price 2d.

142

FORM A.
BRITISH RAINFALL.

8 . 1 . 18

REGISTER OF RAINFALL IN 1918

Kept at Chardstock Vicarage
in the County of Devon
by Rev. A. Lewis

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·15	—	·10	·08	—	—	·60	—	·01	1·13	·01	1
2	·01	·31	—	·12	·01	—	—	·15	—	·01	·01	·26	2
3	—	·16	·02	·13	·10	—	—	·02	·01	·03	·12	·02	3
4	—	·03	·05	—	—	—	—	·11	·41	—	1·22	·30	4
5	—	—	·15	·03	·03	—	—	·50	·40	·15	·08	·05	5
6	·21	·16	—	·20	—	—	—	—	·14	·11	—	·22	6
7	—	·16	·01	—	·17	·01	—	—	·31	·04	·42	·14	7
8	S ·22	·26	—	—	—	—	—	—	·12	·33	—	·07	8
9	·05	·02	—	·10	—	·08	·65	—	·69	·07	—	·40	9
10	·08	—	—	·35	—	—	·26	—	·14	·16	—	·52	10
11	—	·02	·13	·02	—	—	·57	—	·19	·23	·05	·07	11
12	—	·13	·04	—	·32	—	·05	—	·14	—	—	·02	12
13	S ·25	·01	—	—	·05	—	·21	—	·85	·09	—	—	13
14	·18	—	—	—	·07	·11	·07	—	·18	·36	—	·09	14
15	1·47	—	—	·47	·03	—	·48	—	·03	·02	—	·42	15
16	S ·49	—	·01	·46	·01	—	·07	—	·42	—	—	·06	16
17	·25	—	—	·22	—	—	·34	—	·01	—	—	·23	17
18	1·09	—	·01	—	—	·95	·23	—	·48	—	—	·20	18
19	·20	·01	·06	·02	—	—	·21	·02	·02	·04	·01	·10	19
20	·08	·12	—	·17	—	·03	·02	—	·11	·12	—	—	20
21	·04	·07	—	·02	—	·02	·15	absent	·39	·07	—	·31	21
22	·04	·01	—	—	·09	—	·80	—	·16	·14	—	·19	22
23	·15	—	—	—	·05	—	·52	·02	·20	—	·06	·08	23
24	—	·13	—	—	—	—	·10	·02	·05	—	·13	·06	24
25	·01	—	—	·12	·08	—	·11	·72	—	·01	·12	·02	25
26	—	·01	—	·03	—	—	·23	·01	·02	·05	·07	·17	26
27	·03	·10	·03	—	—	—	·35	·11	·27	·02	·19	·01	27
28	—	·10	·22	—	—	—	—	·01	—	·01	·01	·04	28
29	—		·17	—	—	—	—	—	1·07	·04	—	·03	29
30	—	✕	·42	·11	—	—	—	·01	·03	·05	·16	·03	30
31	—	✕	·06	✕	—	✕	—	·02	✕	·08	✕	—	31
Total	4·86	1·96	1·38	2.67	1·09	1·20	5·42	2.32	6.84	2.24	3.78	4.12	YEAR'S TOTAL 37·88
Rain Days.	19	19	14	17	13	6	19	14	26	24	15	28	214

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

W. 500, IX. 17.

Price 2d.

1693

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at Chardstock Vicarage

in the County of Devon

by Rev. A. Lewis

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	[illegible]	—	·49	·09	·15	—							1
2	[illegible]	—	[illegible]	—	·02	—							2
3	·79	—	·15	—	·05	—							3
4	·29	·30	1·47	—	—	·32							4
5	[illegible]	[illegible]		—	—	—							5
6	·22	·19	·06	—	—	—							6
7	·38	—	·31	·16	—	—							7
8	[illegible]	—	·26	—	—	—							8
9	[illegible]	—	·03	·19	·07	—							9
10	[illegible]	—	·20	—	·04	—							10
11	·21	—	·36	·15	·40	·11							11
12	[illegible]	—	·05	·04	—	·02							12
13	·13	·09	·06	·56	—	—							13
14	·21	·08	—	·75	·45	—							14
15	[illegible]	·04	—	·03	—	—							15
16	[illegible]	·30	—	—	·01	—							16
17	—	·28	—	—	—	—							17
18	·03	[illegible]	·72	—	—	—							18
19	[illegible]	·47	·53	—	—	—							19
20	·14	·1	·03	—	—	·33							20
21	—	·39	—	—	—	—							21
22	—	·24	—	—	—	—							22
23	—	—	·01	—	—	—							23
24	—	—	—	·04	—	·04							24
25	·16	·01	—	·09	—	·08							25
26	·15	—	·06	·02	—	—							26
27	[illegible]	—	·01	·26	—	—							27
28	·01	—	·40	—	—	—							28
29	·11		—	·10	—	—							29
30	—	X	—	·05	—	·03							30
31	—	X	—	X	—	X			X		X		31
Total	6.83	3.83	5.16	2.52	1.19	.63							YEAR'S TOTAL
Rain Days.	[illegible]	15	20	14	8	7							

W. 8,000, IX. 17.

S. made

321

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGIS

DEVON.

CHERITON BISHOP

1911- 1913

Kept at Cheriton B

in the County of S. Devo

by Lt-Col. E.C. Th

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08												1
2			·02		·15			·48		·29	·18	·10	2
3				·28	·14			·10			·21	·12	3
4	·08							·69	·02		·07	·47	4
5	·02		·24		·14				·05	·18	·41		5
6	·17		·08							·10	·17	·79	6
7											·32		7
8											·04	·87	8
9	·02		·08									·74	9
10	·05		·11		·06							·36	10
11	·18				·08						·44	·19	11
12			·38									·58	12
13									·20		·15	·30	13
14		·03							·25		·10	·70	14
15		·05	·02			·03				·10	·17	·39	15
16			·06			·21					·26		16
17			·69			·28					·12	·82	17
18		·29		·48		·32				·10	·35	·39	18
19				·08		·70			·10	·30	·33	·82	19
20		·09				·21			·25	·18		·85	20
21		·20	·17			·03			·15	·65		·49	21
22	·05	·02	·12					·18	·29	·38		·35	22
23		·13	·08			·21				·18		·67	23
24		·10				·48				·48	·10	·24	24
25				·08		·06		·19	·29	·22		·25	25
26				·18	·85			·05		·47	·03	·10	26
27		·19	·02		1·11				·15	·51		·52	27
28								·25			·29		28
29			·02	·48		·27			·14	·18			29
30						·02	·27	·04		·18	·07		30
31							·06			·09			31
Total	·65	1·10	2·09	1·58	2·53	2·82	·33	1·98 ~~2·79~~	1·89	4·59	3·81	11·11	TOTAL for year 34·48
No. of Rain Days	8	9	14	7	7	12	3	8	11	17	19	24	139

9,000, IX. '10.

81
S. made ✓

321

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGIS

Kept at Cheriton Bishop

in the County of S. Devon 6

by Lt. Col. E. C. Thwaites

RAIN GAUGE
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station
Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08												1
2			·02		·15			·48		·29	·18	·10	2
3				·28	·14			·10			·21	·12	3
4	·08							·69	·02		·07	·47	4
5	·02		·24		·14				·05	·18	·41		5
6	·17		·08							·10	·17	·79	6
7											·32		7
8											·04	·87	8
9	·02		·08									·74	9
10	·05		·11		·06							·36	10
11	·18				·08						·44	·19	11
12			·38									·58	12
13									·20		·15	·30	13
14		·03							·25		·10	·70	14
15		·05	·02			·03				·10	·17	·39	15
16			·06			·21					·26		16
17			·69			·28					·12	·82	17
18		·29		·48		·32				·10	·35	·39	18
19				·08		·70			·10	·30	·33	·82	19
20		·09				·21			·25	·18		·85	20
21		·20	·17			·03			·15	·65		·49	21
22	·05	·02	·12					·18	·29	·38		·35	22
23		·13	·08			·21				·18		·67	23
24		·10				·48				·48	·10	·24	24
25				·08		·06		·19	·29	·22		·25	25
26				·18	·85			·05		·47	·03	·10	26
27		·19	·02		1·11				·15	·51		·52	27
28								·25			·29		28
29			·02	·48		·27			·14	·18			29
30						·02	·27	·04		·18	·07		30
31							·06			·09			31
Total	·65	1·10	2·09	1·58	2·53	2·82	·33	1·98 ~~2·79~~	1·89	4·59	3·81	11·11	TOTAL for year 34·48
No. of Rain Days	8	9	14	7	7	12	3	8	11	17	19	24	139

9,000, IX. '10.

81 5.6 314

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Cheriton Bishop

in the County of S. Devonshire

by Lt. Col. E. C. Thwaites

RAIN GAUGE: Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station: Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·13	·20		·38	·25	·14					1
2			·10			1·06	·23	·10					2
3			·20	·04		·09	·15	1·26					3
4	·25		·90					·14					4
5	·39		·25			·18	·39	·60					5
6	·70	·38			·23		·16	·24					6
7	·12	·88	·30			·55		·15					7
8	·20	·08	·45	·02		·23	·16	·10					8
9	·13	·08	·23	·02			·08						9
10			·06	·11		·16		·14					10
11		·11						·15					11
12	·25	·24				·09		·26					12
13	·23					·04		·04					13
14	·07		·37		·15			·09					14
15	·82	·03	·05		·18								15
16	·18				·14	·60							16
17			·20		·02	·05		·40					17
18			·24					·36					18
19		·25	·46		·06		·04	·25					19
20		·05	·40		·16		·04	·20					20
21	·22		·38		·35	·04	·03	·24					21
22	·23	·10	·20		·03			·11					22
23	·30	·25	(·25)			·07		·44					23
24	·09					·11							24
25	·24					·22	·06	·19					25
26		·12				·11		·18					26
27						·21	·39	·08					27
28		·17					·05	·31					28
29		~~·13~~				·05	·02	·17					29
30						·15	·30						30
31			·20				·14	·02					31
Total	4·42	2·74	(5·37) ~~4·77~~	·19	1·32	4·39	2·49	6·36 #					TOTAL for year
No. of Rain Days.	16	13 ~~11~~	20	4	9	21	17	26					

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

4 JUN 1914

REGISTER OF RAINFALL IN 1913

Kept at Cheriton Bishop Rec Exeter

in the County of S Devonshire 6

by Rev W.E.C. Phelps

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.01	.02		.15								1
2	.26		.03		.19								2
3	.09	.02	.08		.34								3
4	.95		.05		.32								4
5	.01		.09		.36	.34							5
6	.07		.15		.41	.02							6
7	.09	.47	.11		1.25								7
8	.05	.08			.29	.03							8
9	.14		.03		.09								9
10	.60				.06								10
11	.62				.46	.01							11
12	.12				.02	.02							12
13	.65		.04		01								13
14	.50		.07										14
15	.15		.45										15
16	.40		.41										16
17	.22		.39		.01	—							17
18	.20		.20										18
19	.59		.09										19
20	.19		.25		.03	.04							20
21			.41		.06								21
22	30		.91		.08	.08							22
23	.01	.02	.02										23
24	.03	.24											24
25	.01	.01											25
26	.24		.06										26
27	.01		.39		.02								27
28	.13		.12		.01								28
29	.32		.81		—								29
30	.15		.07										30
31	.12		.21										31
Total	7.23	.85	5.40		4.16	.54							YEAR'S TOTAL
Rain Days.	30	7	25		19	7							

W.7,000, XI. 13

✓

RE ... 13.

FORM A.
BRITISH RAINFALL.

7 FEB 1914

CHRISTOW

SMITHACOTT

DEVON

1913 - 1920

Kept at Smith...
...g.

in the County of ... 9 a.m

...n Lustleigh

...e 5 in.

by Samuel C. Chapman ... above Ground 1 ft. 6 in.

" Sea Level 861 ft.

IMPORTANT N... and the result entered to the previous day. If an... universal rule, he is earnestly requested to add the ... year in the space provided for it at the end of ... surement of rain, the selection and pla... British Rainfall Organization are give... on application to Dr. H. R. Mill, 62,

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·18	·19	·07	·03	-	-	-	·04	·21	·22	·02	1
2	·33	·20	·05	·17	·24	-	-	-	·02	·16	·28	·02	2
3	·53	-	·12	-	·28	-	-	-	·03	·05	-	·34	3
4	1·20	·03	·15	·01	·10	·05	-	-	·26	·10	·30	·23	4
5	·05	·06	-	-	·15	·18	·05	-	·91	·05	·22	·57	5
6	·13	·14	·19	-	·07	·05	-	-	·01	·86	·12	·14	6
7	·11	·85	·08	-	1·30	·06	·25	-	-	·42	·22	-	7
8	·11	·27	-	-	·35	-	-	·03	-	·05	·03	-	8
9	·18	-	-	-	·16	·03	·22	·06	·01	-	·84	·02	9
10	1·05	-	-	·04	·17	-	-	·05	-	·18	·38	-	10
11	·85	-	-	·10	1·00	·05	-	-	-	·05	·84	·01	11
12	·17	·01	-	·01	·06	·16	-	-	·05	-	·31	·03	12
13	·10	-	·07	-	·20	-	-	·04	·28	-	·05	-	13
14	·62	-	·18	·02	·12	-	-	-	·02	·01	·20	-	14
15	·18	-	·44	·88	-	-	-	-	·34	-	·04	-	15
16	·41	-	·57	·03	-	-	·02	-	·26	-	-	-	16
17	·06	-	·05	·12	-	-	-	-	-	-	·05	-	17
18	·09	-	·48	·10	·02	-	-	-	-	-	·10	-	18
19	·95	-	·08	-	-	·15	·03	-	·26	·10	-	-	19
20	·14	-	·12	·37	-	-	-	-	·02	·03	·31	-	20
21	-	-	·50	·15	·05	-	·01	-	-	·02	·36	-	21
22	·24	-	·90	·05	-	·05	·02	·05	·05	·86	-	·23	22
23	-	-	·01	-	-	-	-	·02	·02	-	·19	·93	23
24	-	·26	-	·03	-	-	-	·01	·01	·01	·04	-	24
25	·01	·02	-	·75	-	-	-	·01	·06	·07	-	·02	25
26	-	-	-	2·06	-	-	-	·05	-	·01	-	·42	26
27	·40	-	·40	·26	-	-	-	·02	-	·60	-	·05	27
28	·17	-	·12	·44	·04	-	-	-	·01	·40	-	·03	28
29	·16		·85	·44	-	-	-	-	-	·43	-	-	29
30	·64		-	·03	·04	-	-	-	·05	·94	·01	-	30
31	·18		·20		·03		-	·42		·03		-	31
Total	9·06	2·02	5·75	6·13	4·41	·78	·60	·76	2·71	4·84	5·11	3·06	YEAR'S TOTAL 45·23
Rain Days.	26	10	21	21	19	9	7	11	20	23	21	15	203

W.7,000, XI. 13

RE 13.

FORM A.
BRITISH RAINFALL.

7 FEB 1914

Vir 313

Kept at Smithacott

in the County of Devon 5

by Samuel C. Chapman Esq. Water Engineer, Torquay.

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Lustleigh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 861 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·18	·19	·07	·03	-	-	-	·04	·21	·22	·02	1
2	·33	·20	·05	·17	·24	-	-	-	·02	·16	·28	·02	2
3	·53	-	·12	-	·28	-	-	-	·03	·05	-	·34	3
4	1·20	·03	·15	·01	·10	·05	-	-	·26	·10	·30	·23	4
5	·05	·06	-	-	·15	·18	·05	-	·91	·05	·22	·57	5
6	·13	·14	·19	-	·07	·05	-	-	·01	·86	·12	·14	6
7	·11	·85	·08	-	1·30	·06	·25	-	-	·42	·22	-	7
8	·11	·27	-	-	·35	-	-	·03	-	·05	·03	-	8
9	·18	-	-	-	·16	·03	·22	·06	·01	-	·84	·02	9
10	1·05	-	-	·04	·17	-	-	·05	-	·18	·38	-	10
11	·85	-	-	·10	1·00	·05	-	-	-	·05	·84	·01	11
12	·17	·01	-	·01	·06	·16	-	-	·05	-	·31	·03	12
13	·10	-	·07	-	·20	-	-	·04	·28	-	·05	-	13
14	·62	-	·18	·02	·12	-	-	-	·02	·01	·20	-	14
15	·18	-	·44	·88	-	-	-	-	·34	-	·04	-	15
16	·41	-	·57	·03	-	-	·02	-	·26	-	-	-	16
17	·06	-	·05	·12	-	-	-	-	-	-	·05	-	17
18	·09	-	·48	·10	·02	-	-	-	-	-	·10	-	18
19	·95	-	·08	-	-	·15	·03	-	·26	·10	-	-	19
20	·14	-	·12	·37	-	-	-	-	·02	·03	·31	-	20
21	-	-	·50	·15	·05	-	·01	-	-	·02	·36	-	21
22	·24	-	·90	·05	-	·05	·02	·05	·05	·06	-	·23	22
23	-	-	·01	-	-	-	-	·02	·02	-	·19	·93	23
24	-	·26	-	·03	-	-	-	·01	·01	·01	·04	-	24
25	·01	·02	-	·75	-	-	-	·01	·06	·07	-	·02	25
26	-	-	-	2·06	-	-	-	·05	-	·01	-	·42	26
27	·40	-	·40	·26	-	-	-	·02	-	·60	-	·05	27
28	·17	-	·12	·44	·04	-	-	-	·01	·40	-	·03	28
29	·16		·85	·44	-	-	-	-	-	·43	-	-	29
30	·64		-	·03	·04	-	-	-	·05	·94	·01	-	30
31	·18		·20		·03		-	·42		·03		-	31
Total	9·06	2·02	5·75	6·13	4·41	·78	·60	·76	2·71	4·84	5·11	3·06	YEAR'S TOTAL 45·23
Rain Days.	26	10	21	21	19	9	7	11	20	23	21	15	203

W.7,000, XI. 13

Exe DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 FEB 1915

Kept at Smithcott
in the County of Devons S5
by S. C. Chapman Esq. M. Inst. C. E. Water Engineer Torquay.

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Lustleigh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 861 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·02	·12	·	·08	·30	·18	-	·	·70	·07	1
2	·	-	·04	·10	·09	-	·15	·01	-	·	·36	·78	2
3	·02	-	·15	·17	·60	-	·	·18	·	·	·03	·35	3
4	·14	·	·03	·30	·19	-	·75	·17	·	·	·47	·78	4
5	·13	·	·08	·19	·06	-	·	·	·04	·	·09	·07	5
6	·02	·10	·10	·16	·07	·02	·14	·03	·	·	·25	·84	6
7	-	1·55	·25	·08	·20	·08	·31	·13	·16	·	-	·28	7
8	·02	·	·56	·11	·04	·64	-	·08	·28	·	·	·06	8
9	·01	·05	·28	·27	·05	·42	-	·12	·68	-	·01	·01	9
10	·04	·82	·11	·38	-	·08	-	-	·40	·	-	·20	10
11	-	·22	·48	-	-	·15	·	-	·04	·	·10	·93	11
12	-	·56	·05	-	-	·	·	-	·20	·09	·03	·74	12
13	-	·42	·70	-	-	-	·07	-	·07	·27	·37	·19	13
14	-	·62	·63	-	-	·10	·	·39	·	·03	·50	·05	14
15	·01	·01	·15	·	·	·	·26	·41	·	·13	·15	·16	15
16	-	-	·04	-	-	-	-	·	·23	·	-	·02	16
17	-	·47	·37	·	-	·	·	·	·	·	-	1·05	17
18	-	·03	·11	·	-	·03	·06	·	·16	·	·01	·25	18
19	-	·03	·45	·	-	·	2·28	·	·14	·	·08	·06	19
20	-	·72	·23	·	-	·21	-	·	·01	·	·02	·21	20
21	·	·70	-	·	-	·	-	·	-	·52	-	·05	21
22	-	·03	·02	·	·16	·	-	·01	-	·26	-	·01	22
23	·	·07	20	·	·03	·	·06	·	-	·26	-	·02	23
24	·02	·25	·01	·	·17	·	·01	·12	-	·03	·04	·01	24
25	·17	·01	·38	·	·12	·	·07	·40	·	·36	·03	·46	25
26	·08	·04	·10	·	-	·	·10	·02	-	·04	·21	·95	26
27	·05	·04	·03	·	-	·	·03	·	-	·09	·23	·38	27
28	-	·03	·37	·	·10	·	·	·	-	·16	·15	·85	28
29	·16		·26	·	·13	·	·02	·	-	·07	1·10	·08	29
30	·02	X	·20	-	-	·	-	·	-	·37	·67	1·85	30
31	·25	X	-	X	·03	X	·45	-	X	1·28	X	·77	31
Total	1·14	6·77	6·40	1·88	2·04	1·81	5·06	2·25	2·41	3·96	5·60	12·53	YEAR'S TOTAL 51·85
Rain Days.	15	21	29	10	15	10	16	14	12	15	22	31	210

W. 8,000. X. 14.

1871

FORM A.
BRITISH RAINFALL.

21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Smithacott Torquay Corporation Water Works
in the County of Devon
by Samuel C. Chapman

55

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·23

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·36	·15	-	-	-	-	-	1·32	·41	·35	·01	·10	1
2	·21	·27	·04	·01	-	·06	-	·24	·05	·05	-	·68	2
3	·07	·50	·05	·01	·25	-	-	-	-	-	-	·43	3
4	·05	·27	-	-	·04	-	·62	-	-	-	-	·54	4
5	·03	1·41	-	·12	-	-	-	·18	-	-	-	1·05	5
6	·68	·15	-	·15	-	-	·62	·02	-	-	-	·25	6
7	·36	·39	-	·08	-	-	·28	-	-	·20	·03	·23	7
8	·15	·47	-	-	-	-	·02	·11	-	·12	·08	·15	8
9	·02	·37	-	·17	-	-	-	-	-	-	·42	·90	9
10	·26	·17	·02	·05	-	-	-	·02	-	·18	·08	·10	10
11	·20	·06	·04	-	·09	-	·09	·19	-	·25	·85	·07	11
12	·04	·85	-	·07	·60	-	-	·04	·01	·18	·40	-	12
13	-	·90	-	-	·57	-	-	·04	·05	·01	·24	·03	13
14	·04	·01	-	-	-	-	·22	·16	·01	·15	-	1·12	14
15	·19	·01	-	-	·30	-	·11	·02	-	·10	·10	·26	15
16	·04	1·89	-	-	·22	-	·67	-	-	-	-	·23	16
17	-	·23	·03	-	·09	-	·02	-	-	-	-	·04	17
18	-	·24	-	-	-	-	-	-	-	-	-	-	18
19	·01	·02	-	-	·48	-	·10	-	-	-	-	-	19
20	·24	-	-	·11	·08	·12	·02	-	-	·20	-	·05	20
21	·15	·16	·01	-	·07	·02	·16	-	-	·13	-	·21	21
22	·13	·03	·23	·09	-	·04	·27	-	·02	·06	-	·58	22
23	·02	-	·13	-	-	-	·10	-	·05	1·00	-	·54	23
24	·01	-	-	·01	-	·03	·20	-	·12	·22	-	·66	24
25	·04	-	·03	·04	-	·53	·10	-	-	-	·04	·23	25
26	·02	·18	-	-	-	·08	·02	-	·07	-	-	1·30	26
27	·01	·05	-	-	-	·12	·06	-	·04	·40	-	·06	27
28	-	·07	-	03	-	·13	-	-	·35	·15	·03	·09	28
29	-	-	-	-	-	·40	·05	-	·12	-	·29	·43	29
30	·20	X	-	-	-	·06	·02	-	·02	1·40	·45	·73	30
31	·02	X	-	X	-	X	·22	·03	X	·95	X	·62	31
Total	3·55	8·85	·58	·94	2·79	1·59	3·97	2·37	1·32	6·10	3·02	11·68	YEAR'S TOTAL 46·76
Rain Days.	26	24	9	13	11	11	21	12	13	19	13	28	200

W. 8,000. X. 15.

1830

FORM A.
BRITISH RAINFALL.

13 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Smithacott, Christow
in the County of Devon
by S. C. Chapman, M. Inst. C.E.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lustleigh. ?.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 861 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.23	-	.09	-	.25	-	.06	-	.05	.38	.12	-	1
2	.23	.15	.08	-	.04	-	-	-	.05	.23	.56	-	2
3	-	2.22	-	-	.35	-	.01	-	.02	.55	.45	.01	3
4	.23	.20	-	.01	.17	.20	.28	-	.08	.09	1.45	[illegible]	4
5	-	.11	× .05	-	.06	.19	.01	-	-	.26	.29	-	5
6	.05	.13	× -	-	.08	.04	.62	-	-	.18	1.35	-	6
7	.10	.18	× .04	-	.12	.03	.02	-	-	.01	.85	.10	7
8	.01	.27	× .20	-	.23	.08	-	-	-	-	.07	.23	8
9	-	× .18	-	-	.02	.07	.09	-	-	.07	.11	.35	9
10	-	.47	-	.07	.05	-	-	-	.01	.02	.02	.17	10
11	-	.02	.03	.02	.05	-	-	-	-	-	.01	[illegible]	11
12	.08	.05	.35	.07	.05	-	.05	.02	.05	.02	-	-	12
13	-	.28	.15	.05	-	-	-	.20	-	-	-	.01	13
14	-	.60	.25	-	.03	-	-	.16	-	.15	.02	[illegible]	14
15	-	.38	.28	.25	-	-	-	.05	-	.10	-	.09	15
16	.19	.16	-	.12	-	-	.03	.88	.23	.20	-	[illegible]	16
17	.15	.10	-	.05	-	-	-	-	.23	.17	1.20	-	17
18	.06	.18	.43	.09	-	-	-	-	-	.05	.05	.09	18
19	.21	.29	.28	.17	-	-	-	-	-	-	.23	.15	19
20	.13	1.15	.27	-	-	-	-	-	-	-	.07	.92	20
21	.04	.11	.10	-	.10	-	-	-	-	-	-	.10	21
22	-	-	.02	-	-	.20	-	.10	-	.45	.02	.85	22
23	.08	× .07	-	.04	-	.11	-	.20	-	.23	.22	.13	23
24	-	× .12	.08	.02	.18	-	-	.17	-	.75	.03	.36	24
25	-	× .15	.28	-	[illegible]	.05	-	.55	-	-	.40	.01	25
26	.04	× .10	.09	-	.20	.10	-	.40	1.65	1.20	.06	.02	26
27	-	× -	1.05	-	-	.06	-	.18	.23	.58	-	-	27
28	-	× .10	.01	-	-	-	-	.12	.25	.64	.01	.34	28
29	-	× .18	.08	-	-	.38	-	2.28	.13	.21	-	.34	29
30	-	╳	-	.13	-	.04	-	.01	-	.38	-	-	30
31	-	╳	-	╳	-	╳	-	.04	╳	.51	╳	.02	31
Total	1.83	7.95	4.21	1.09	1.98	1.55	1.17	5.36	2.98	7.43	7.59	4.39	YEAR'S TOTAL 47.53
Rain Days.	15	26	21	13	16	13	9	15	12	24	22	19	205

W. 8,000, VIII. 16 × Melted Snow.

Exd C.F.R. 1753

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL
10 JAN

Kept at Smithacott
in the County of Devon
by S. C. Chapman. M. Inst. C.E. Water Engineer. Torquay.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lustleigh. G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 861 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	-	.01	.28	-	.45	-	.62	-	.04	.01	.01	1
2	-	-	.11	.13	-	.07	-	-	-	-	-	-	2
3	.07	-	-	.04	-	-	.48	-	-	.55	1.35	-	3
4	.09	.01	.86	-	-	-	.03	-	.07	.43	-	-	4
5	.07	-	.39	.27	-	.65	-	-	.03	.12	.06	-	5
6	-	-	.36	-	-	.09	-	.02	.02	.11	.08	.04	6
7	.40	-	-	-	-	-	.13	.13	-	.31	.05	.03	7
8	.10	-	.18	.18	-	-	.60	.36	-	.47	.06	.39	8
9	-	-	.09	.04	.04	-	.06	-	.04	.38	.31	.01	9
10	.26	-	.57	.20	-	-	-	.32	.13	.03	.06	-	10
11	.08	-	1.25	.14	-	-	-	.13	.13	.27	.18	-	11
12	.27	-	-	.03	.30	-	-	.07	-	.46	-	.01	12
13	.03	-	.28	.01	-	.02	-	1.10	.07	.27	-	.01	13
14	-	-	-	.13	-	-	.03	.28	.04	.05	.02	.03	14
15	.06	-	-	.01	-	-	.32	.05	-	.23	-	.39	15
16	-	.08	-	.05	-	-	-	.06	.01	.15	.03	.19	16
17	.01	.03	.03	.16	.07	-	.22	.16	.39	.04	-	-	17
18	-	.15	-	.06	.90	.14	.18	.01	.71	.05	-	-	18
19	-	.32	.10	-	-	.53	-	-	.08	-	-	-	19
20	-	.09	.07	-	56	.06	-	.04	.05	-	.01	.09	20
21	-	-	.01	-	-	.03	-	.01	-	.01	.04	-	21
22	.01	-	.01	-	.02	-	-	1.02	-	.09	.02	-	22
23	-	.12	-	-	.16	.04	.01	.26	-	.15	-	.01	23
24	-	-	-	-	-	.05	.24	.11	-	.24	.06	.01	24
25	-	.03	.10	-	-	-	-	.38	.04	.12	.08	-	25
26	-	-	-	-	.18	.06	-	.17	.06	.04	.03	-	26
27	-	-	-	-	-	1.06	.03	1.09	-	.05	.03	-	27
28	-	.06	.15	-	.01	.77	-	.38	-	-	-	Snow .04	28
29	-		.04	-	-	.25	-	.11	-	.70	-	Snow .15	29
30	-	X	.10	-	-	-	.34	.34	-	.06	.02	.02	30
31	-	X	.04	X	.34	X	-	.04	X	.32	X	-	31
Total	1.47	.89	4.75	1.73	2.58	4.27	2.67	7.26	1.87	5.74	2.50	1.43	YEAR'S TOTAL 37.16
Rain Days.	13	9	20	15	10	15	13	25	15	27	19	16	197

W. 8,000, IX. 17.

Ex M.81

89

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Smithacott

in the County of S Devon

by Torquay Corporation Waterworks

Lat. Long.

Time of Observation 9.00 am

Nearest Railway Station Lustleigh G. W. R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 861 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·13	–	·16	·02	–	–	·63	–	·04	2.15	–	1
2	–	·34	–	·08	–	–	–	·02	–	·03	·01	·26	2
3	–	·34	–	·94	·10	–	–	·16	·01	·05	·17	–	3
4	–	·04	–	·05	–	–	–	·25	·54	–	1.10	·39	4
5	·01	·02	·33	·06	·56	–	–	·44	·25	·29	·03	·24	5
6	·13	·20	·05	·18	–	–	–	·01	–	·22	–	·19	6
7	–	·16	–	·04	·06	–	–	·03	·39	·12	·53	·44	7
8	–	·45	–	–	–	–	–	–	·12	·25	–	–	8
9	·06	·09	–	·04	–	·18	·20	–	·49	·04	–	·46	9
10	·12	–	–	·28	–	–	·09	–	·16	·11	–	·50	10
11	–	·02	·14	·07	·03	–	·24	–	·17	·09	·08	·06	11
12	–	·09	·05	–	·15	–	·09	–	·03	–	·02	·02	12
13	·06	·04	–	–	·21	–	·32	–	·30	·09	–	·08	13
14	·29	–	·01	–	·07	·10	·05	–	·04	·01	–	·18	14
15	1.35	–	·01	·05	·03	·05	·60	–	·08	·06	–	·34	15
16	·68	–	·01	·39	–	·05	·04	–	·32	·08	–	·05	16
17	·19	–	·01	·21	–	–	·29	–	·10	–	–	·24	17
18	1.30	–	·06	–	–	·80	·12	–	·64	·23	–	·47	18
19	·42	–	·09	·02	–	–	·18	–	·07	·03	–	·25	19
20	·50	·07	–	·15	–	·03	·02	–	·20	·05	–	·02	20
21	·22	·04	–	–	–	·04	·03	–	·56	·10	–	·49	21
22	·02	–	–	–	·05	–	·63	·03	·27	·02	·07	·22	22
23	·07	·01	–	–	·03	–	·06	–	·16	–	·07	·17	23
24	–	·09	–	–	–	–	·02	·11	·05	–	·18	·44	24
25	–	–	–	–	·03	–	·10	·40	–	·04	·28	·03	25
26	·03	·11	–	–	–	–	·10	·04	·04	·05	·06	·06	26
27	·02	·09	–	–	–	–	–	·16	·19	·01	·10	·01	27
28	–	·15	·20	–	–	–	–	–	·07	·03	·08	·07	28
29	–	X	·15	–	–	–	–	–	·70	–	–	·03	29
30	–	X	·36	·24	–	–	–	–	·04	·13	·17	·09	30
31	·01	X	·14	X	–	X	–	–	X	·04	X	·05	31
Total	5.48	2.48	1.61	2.96	1.34	1.25	3.18	2.28	5.99	2.21	5.10	5.85	YEAR'S TOTAL 39.73
Rain Days.	18	19	14	16	12	7	18	12	26	25	16	28	211

W, 6,500, VII. 18. w w c

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

10 JAN 20

Kept at Smithacott
in the County of Devon
by Samuel C. Chapman Esq. M. Inst. C. E. Water Engineer Torquay

Lat. Long.
Time of Observation 9 a. m
Nearest Railway Station Eastleigh
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ „ „ „ Sea Level 861 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39	-	·33	·02	·12	-	·26	-	-	·21	-	·86	1
2	·11	-	·03	-	·02	-	·10	-	·08	·05	-	·02	2
3	·25	-	·38	-	-	-	-	-	·01	-	·07	·08	3
4	m. Snow ·36	·98	·50	-	-	-	·26	·02	·23	-	·02	·08	4
5	·08	·22	1·22	-	-	-	-	-	·88	-	·05	·13	5
6	·90	·79	·13	·02	-	-	-	-	·23	-	-	·43	6
7	·47	-	·25	·07	-	-	·01	-	-	-	-	·07	7
8	·68	-	·25	·04	-	-	-	-	-	-	·10	-	8
9	·30	-	-	·31	·16	-	-	-	-	-	·40	·11	9
10	·13	-	·65	-	·03	-	-	-	-	·02	·02	1·35	10
11	·04	-	·70	·07	·28	-	·06	-	-	·02	·02	·23	11
12	·26	-	·11	·05	-	·04	-	-	·01	·17	·10	·01	12
13	·13	·17	·16	·45	-	-	·03	-	·02	·06	-	·16	13
14	·53	·31	-	·78	·41	-	·05	-	-	·10	-	·56	14
15	·23	·19	-	·06	-	-	-	-	·05	·08	-	·36	15
16	·09	1·30	-	-	·03	-	-	·03	-	-	·17	·01	16
17	·02	·20	-	-	-	-	-	·01	-	-	·30	-	17
18	·06	·50	·61	-	-	-	·13	·04	·01	-	·23	-	18
19	·33	·74	·18	-	-	-	·45	·38	·33	·01	·13	·04	19
20	1·10	·03	·06	-	-	·27	-	·07	·10	-	·19	·09	20
21	·09	·98	-	-	-	-	·04	·01	·09	·01	-	·05	21
22	-	·06	·03	-	-	·01	·04	-	·12	-	·04	·08	22
23	-	-	-	-	-	-	-	·29	-	·47	·09	·06	23
24	-	-	-	·01	-	·17	-	·08	-	·24	·14	·31	24
25	·10	-	-	·07	-	·06	-	·52	-	-	·12	·06	25
26	·24	·01	·10	·14	-	-	-	·06	·03	·05	·14	·45	26
27	·36	·01	·04	·08	-	-	-	1·65	-	-	-	·02	27
28	-	-	·22	·08	-	-	-	·04	-	-	·50	·40	28
29	-		·02	·08	-	-	-	·08	-	·13	-	·09	29
30	·01		·02	·07	-	·08	-	·23	·05	-	·73	·80	30
31	·01		·08		-		-	-		-		·53	31
TOTAL	7·27	6·48	6·07	2·40	1·05	·63	1·43	3·51	2·24	1·62	3·56	7·44	YEAR'S TOTAL 43·70
Days with ·01 in. or more	26	15	22	17	7	6	11	15	15	14	20	28	196

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1556

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Smithacott

in the County of Devon

by Samuel C. Chapman Esq. M. Inst. C.E. Water Engineer Torquay

Lat. Long.
Time of Observation 9.00 A.M.
Nearest Railway Station Lustleigh
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 861 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	-	·02	·11	·71	-	·49	·01	·07	·01	·02	·85	1
2	·52	-	-	·17	·01	-	·10	·13	·02	·04	-	·24	2
3	·46	·05	-	·11	-	-	·07	-	-	1·63	-	·39	3
4	-	-	·02	-	-	-	·01	·49	-	·46	-	-	4
5	-	·06	·26	·02	·04	-	·34	·06	-	·28	-	-	5
6	-	-	·44	·03	·09	-	·15	-	-	·15	-	-	6
7	·02	-	·02	·11	·08	-	·69	-	·01	·02	-	-	7
8	·03	·03	-	·19	·04	-	·15	-	-	·03	-	·03	8
9	1·18	·11	-	·02	-	·14	·27	-	·02	-	-	-	9
10	1·73	·14	-	·03	-	·39	·12	-	-	-	·02	-	10
11	·36	·01	·12	1·36	·20	·04	·16	-	-	-	-	·01	11
12	·16	·13	·23	·40	·02	·08	·01	-	-	·06	·14	·31	12
13	·25	·03	·57	·02	-	·01	-	-	-	·06	-	·06	13
14	·01	·11	·74	1·20	-	-	·02	-	·10	·26	·60	·02	14
15	-	·17	·09	·98	·05	-	-	-	·02	·59	·02	-	15
16	-	·02	·01	·09	-	·01	·33	-	·25	·07	·13	-	16
17	-	·01	-	·05	·34	·15	-	-	·52	-	-	-	17
18	·14	·05	-	·13	·13	·22	-	·16	·02	-	·01	-	18
19	·04	·04	-	·61	·14	·26	-	-	-	·01	-	-	19
20	·03	-	-	·18	·14	·04	·03	-	-	·27	-	·52	20
21	-	-	-	·07	-	-	·01	-	·16	·10	-	·26	21
22	·02	-	-	·07	-	-	·1·0	-	-	·01	-	·32	22
23	·03	-	·01	-	-	-	·33	·15	-	-	-	·50	23
24	·03	·02	·28	-	-	-	·04	-	-	-	·40	·25	24
25	·21	·04	·26	·02	-	-	·93	-	-	-	-	·12	25
26	·36	-	·39	-	-	-	·18	-	-	-	·28	·17	26
27	1·24	·06	·39	·13	-	·14	·18	-	-	-	·90	·77	27
28	·85	-	·12	·06	-	·07	·01	-	-	-	·02	·22	28
29	·75	-	·73	·03	·05	·12	-	-	-	-	·28	·52	29
30	·16	╳	-	-	·01	·14	·01	-	1·00	·06	·46	·71	30
31	·12	╳	·34	╳	-	╳	·01	-	╳	·60	╳	·15	31
Total	8·79	1·08	5·04	6·19	2·05	1·81	4·74	1·00	2·19	4·71	3·28	6·42	Year's Total 47·30 ✓
Days with ·01 in. or more	24	17	19	25	15	14	25	6	11	19	13	20	208 ✓
Days with ·04 in. or more	17	11	14	18	12	12	17	5	6	14	8	17	151 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CHRISTOW

LAPLOYD

DEVON

1911 - 1920

F ... 11

FORM A2.
BRITISH RAINFALL.

17 FEB 1912

Kept at L...

in the County of

by Samuel C Chap...

5 in.

...ove Ground 1 ft. 6 in.

..., Sea Level 1,041 ft.

9 a.m.

Name

Distance Direction

IMPORTANT N... ...d the result entered to the previous day. If an ... ...niversal rule, he is earnestly requested to add the r... ... year in the space provided for it at the end of t... ...rement of rain, the selection and pla... ... British Rainfall Organization are given ... ...n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	-	·02	·17	·13	-		·01	-	·01	·02	·06	1
2	-	-	·01	·01	·41	-		·45	-	·14	·19	·48	2
3	-	·01	·01	-	·30	-		·04	·02	-	·26	·15	3
4	-	-	·25	-	·02	-		·14	-	·04	·29	1·00	4
5	·21	-	·15	-	-	-		·84	-	·09	·20	·05	5
6	·34	-	·20	-	-	-		-	-	·01	·10	1·48	6
7	·02	-	-	·03	-	-		-	-	-	·63	·02	7
8	·01	-	·10	-	-	-		-	-	-	·10	1·20	8
9	·03	-	-	-	-	·78		-	-	-	·75	1·55	9
10	·03	·01	·27	-	·17	-		-	·02	-	·01	·37	10
11	·21	-	-	-	·05	-		-	·01	-	·90	·07	11
12	-	-	·58	-	-	-		-	·17	·02	·16	·35	12
13	-	-	·03	-	-	-		-	·16	-	·05	·60	13
14	-	·04	·01	-	-	-		-	-	·14	·02	1·10	14
15	-	-	-	-	-	·03		-	-	-	·57	·08	15
16	·01	·03	·05	-	-	·92		-	-	·01	·41	·95	16
17	-	-	·85	·07	-	·45		-	-	·01	·10	1·74	17
18	-	·42	·36	·52	-	·48		-	-	·36	·50	1·25	18
19	·01	·15	·02	·06	-	·56		-	·53	·20	·34	·83	19
20	·04	·03	·17	·05	-	·01		-	·07	·68	·02	1·15	20
21	·02	·21	·01	·01	-	·02		·59	·17	·65	-	·15	21
22	·14	·06	·01	·05	-	·02		-	·51	·30	-	·83	22
23	·01	·43	·04	-	-	·05		-	·03	·33	·25	·29	23
24	-	·13	-	-	-	·57		·23	-	·37	-	·30	24
25	-	·10	-	·04	-	·06		-	·15	·21	-	·23	25
26	-	·06	-	·27	·10	-		·05	-	·47	·04	·19	26
27	-	·29	·04	·03	·53	·01		·38	·14	·65	-	·19	27
28	-	·13	·01	·54	-	-		·04	-	-	·20	-	28
29	-		-	·22	·17	·23	·74	-	·21	·39	-	-	29
30	-		·01	-	-	·07	·04		·01	·33	·31	·05	30
31	-		-		-		·14			·05		-	31
Total	1·15	2·10	3·20	2·07	1·88	4·26	·92	2·77	2·20	5·46	6·42	16·71	TOTAL for year
No. of Rain Days.	14	15	22	14	9	15	3	10	14	22	24	28	49·14

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

17 FEB 1912

REGISTER OF RAINFALL IN 19 11

Kept at Laployd No 2

in the County of Devon S5

by Samuel C Chapman Esq. M.I.C.E.
Water Engineer

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 1,041 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	-	·02	·17	·13	-		·01	-	·01	·02	·06	1
2	-	-	·01	·01	·41	-		·45	-	·14	·19	·48	2
3	-	·01	·01	-	·30	-		·04	·02	-	·26	·15	3
4	-	-	·25	-	·02	-		·14	-	·04	·29	1·00	4
5	·21	-	·15	-	-	-		·84	-	·09	·20	·05	5
6	·34	-	·20	-	-	-		-	-	·01	·10	1·48	6
7	·02	-	-	·03	-	-		-	-	-	·63	·02	7
8	·01	-	·10	-	-	-		-	-	-	·10	1·20	8
9	·03	-	-	-	-	·78		-	-	-	·75	1·55	9
10	·03	·01	·27	-	·17	-		-	·02	-	·01	·37	10
11	·21	-	-	-	·05	-		-	·01	-	·90	·07	11
12	-	-	·58	-	-	-		-	·17	·02	·16	·35	12
13	-	-	·03	-	-	-		-	·16	-	·05	·60	13
14	-	·04	·01	-	-	-		-	-	·14	·02	1·10	14
15	-	-	-	-	-	·03		-	-	-	·57	·08	15
16	·01	·03	·05	-	-	·92		-	-	·01	·41	·95	16
17	-	-	·85	·07	-	·45		-	-	·01	·10	1·74	17
18	-	·42	·36	·52	-	·48		-	-	·36	·50	1·25	18
19	·01	·15	·02	·06	-	·56		-	·53	·20	·34	·83	19
20	·04	·03	·17	·05	-	·01		-	·07	·68	·02	1·15	20
21	·02	·21	·01	·01	-	·02		·59	·17	·65	-	·15	21
22	·14	·06	·01	·05	-	·02		-	·51	·30	-	·83	22
23	·01	·43	·04	-	-	·05		-	·03	·33	·25	·29	23
24	-	·13	-	-	-	·57		·23	-	·37	-	·30	24
25	-	·10	-	·04	-	·06		-	·15	·21	-	·23	25
26	-	·06	-	·27	·10	-		·05	-	·47	·04	·19	26
27	-	·29	·04	·03	·53	·01		·38	·14	·65	-	·19	27
28	-	·13	·01	·54	-	-		·04	-	-	·20	-	28
29	-		-	·22	·17	·23	·74	-	·21	·39	-	-	29
30	-		·01	-	-	·07	·04		·01	·33	·31	·05	30
31	-		-		-		·14			·05		-	31
Total	1·15	2·10	3·20	2·07	1·88	4·26	·92	2·77	2·20	5·46	6·42	16·71	TOTAL for year
No. of Rain Days.	14	15	22	14	9	15	3	10	14	22	24	28	49·14

W. 8,000, X. '11.

190

Esc 842

REGISTER OF RAINFALL IN 19 11

FORM A2.
BRITISH RAINFALL.
17 FEB 1912

Kept at Laployd (No 1).
in the County of Devon. S 5
by Samuel C Chapman Esq. M. I. C. E. Water Engineer

RAIN GAUGE
Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.
Time of Observation 9 a m
Nearest Railway Station
Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	–	·01	·14	·09			·01		·02	·02	·04	1
2	–	–	·01	·01	·29			·38		·13	·16	·31	2
3	–	·01	·01		·17			·03	·01	–	·16	·11	3
4	–		·19		·01			·11		·03	·19	·70	4
5	·18		·12					·75		·08	·14	·05	5
6	·27		·16							·01	·06	1·00	6
7	·02		–	·02						–	·45	·02	7
8	·01		·07							–	·06	·91	8
9	·02		–			·76				–	·57	·90	9
10	·03	·01	·15		·15				·01	–	·01	·21	10
11	·17		–		·04				·01	–	·75	·06	11
12	–		·43						·14	·01	·09	·25	12
13	–		·02						·13	–	·04	·50	13
14	–	·03	·01							·13	·02	·80	14
15	–	–				·03				–	·37	·06	15
16	·01	·01	·04			·78				·01	·33	·50	16
17	–	–	·71	·05		·32				·02	·05	1·00	17
18	–	·21	·29	·37		·39				·31	·45	·75	18
19	·01	·10	·01	·04		·49			·45	·20	·25	·55	19
20	·03	·02	·14	·03		–			·06	·54	·02	·92	20
21	·01	·15	·01	·01		·04		·52	·15	·45	–	·11	21
22	·11	·02	·01	·04		·02		–	·45	·21	–	·65	22
23	·01	·29	·04			·05		–	·03	·24	·17	·22	23
24		·10				·52		·18	–	·32	–	·22	24
25		·07		·03		·05		–	·14	·13	–	·14	25
26		·04		·20	·08	–		·04	–	·41	·02	·16	26
27		·22	·04	·02	·47	·01		·31	·09	·65	–	·16	27
28		·10	·01	·38		–		·03	–	–	·18	–	28
29			–	·16	·16	·17	·59		·13	·29	–	–	29
30			·01	–		·05	·02		·01	·20	·26	·04	30
31			–				·12			·04		–	31
Total	·92	1·38	2·49	1·50	1·46	3·68	·73	2·36	1·81	4·43	4·82	11·34	TOTAL for year
No. of Rain Days.	14	15	22	14	9	14	3	10	14	22	24	28	36·92

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
22 JAN 1913

REGISTER OF RAINFALL IN 19 12.

Kept at Laployd
in the County of Devon S 5
by Samuel C. Chapman Esq M. Inst. C.E.

Lat. .... Long. ....
Time of Observation 9. a.m.
Nearest Railway Station Lustleigh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 1,041 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·38	-	·01	·55	·10	·01	·13	·80	-	·31	1
2	-	-	·41	·03	-	·50	·04	·03	-	·02	-	·01	2
3	-	-	·31	-	·06	·40	·15	1·90	·01	-	-	·04	3
4	·19	·10	1·20	-	·02	·22	-	·20	-	-	·20	·01	4
5	·58	·27	·22	-	·05	·10	-	·71	·01	-	·01	·30	5
6	·62	·17	-	-	·23	·23	-	·10	-	-	-	·05	6
7	·15	1·22	·50	-	·05	·70	-	·07	-	-	-	·35	7
8	·72	·30	·50	·04	-	·17	-	·05	·02	-	-	·01	8
9	·01	·14	·35	·07	-	·13	·01	·11	-	·02	·02	·22	9
10	·24	·15	·17	·03	-	·10	·01	·14	·02	-	·17	·30	10
11	·05	·12	-	-	-	-	-	·03	-	-	·18	·42	11
12	·02	·39	·06	-	-	-	·10	·40	-	-	·01	·03	12
13	·48	·03	-	-	-	·02	·38	·03	-	·06	-	·25	13
14	·20	·07	·45	-	·10	-	-	·10	-	·01	-	·08	14
15	1·35	·14	·03	-	·21	·50	-	-	-	-	-	·12	15
16	·60	·02	·37	-	·07	·01	-	·05	-	·08	·05	·04	16
17	·03	-	·25	-	·04	·04	-	·98	-	-	·03	·03	17
18	-	·03	·22	-	-	-	-	·40	-	·03	·01	·05	18
19	·07	·22	·45	-	-	-	·07	·28	-	·02	·04	·12	19
20	·20	·11	·50	-	·17	·01	·04	·36	-	·18	·14	-	20
21	-	·28	·48	-	·70	-	·02	·10	-	·20	·03	-	21
22	·30	·44	·20	-	·01	-	·03	·08	-	·14	-	·12	22
23	·35	·37	·16	-	-	·03	·01	·34	-	-	·06	·25	23
24	·07	·06	·02	-	-	·45	·01	·03	-	-	-	·36	24
25	·19	·01	-	-	-	·09	·12	·29	-	·34	·35	·60	25
26	-	·05	-	-	-	-	·02	·07	-	·85	·95	·60	26
27	-	-	-	-	-	·41	·36	·20	-	1·78	-	·60	27
28	-	·19	-	-	-	·12	·15	·80	·54	·43	·65	·47	28
29	-	·76	-	-	-	·03	·10	·40	·48	·60	·04	·12	29
30	-		·03	-	-	·05	·25	·01	·20	·31	-	-	30
31	-		·18		-		·42	-		·11		-	31
Total	6·42	5·64	7·44	·17	1·72	4·86	2·39	8·27	1·41	5·98	2·94	5·86	YEAR'S TOTAL 53·10
Rain Days.	20	24	23	4	13	22	20	29	8	18	17	27	225

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
-7 FEB 1914

Kept at Laployd Exe Dn
in the County of 5 Devon 5
by Samuel C. Chapman Esq, Water Engineer, Torquay.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lustleigh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 1,041 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·19	·20	·10	·03	-	-	-	·04	·18	·20	·01	1
2	·30	·18	·05	·25	·28	-	-	-	·02	·19	·24	·01	2
3	·63	-	·11	-	·30	-	-	-	·03	·01	-	·33	3
4	1·30	·05	·16	·01	·12	·06	-	-	·32	·15	·30	·20	4
5	·06	·06	-	-	·22	·20	·06	-	1·02	-	·20	·56	5
6	·20	·19	·22	-	·13	·08	-	-	·01	·99	·12	·17	6
7	15 ·15	·96	·09	-	1·30	·06	·28	-	-	·46	·29	-	7
8	·10	·33	-	-	·46	-	-	·05	-	·05	·02	-	8
9	·10	-	-	-	·15	·02	·20	·08	·01	-	·92	·02	9
10	1·10	-	-	·03	·11	-	-	·05	-	·20	·60	-	10
11	·58	-	-	·14	·96	·06	-	-	-	·05	·89	·01	11
12	Melted Snow ·18	·01	-	·01	·08	·16	-	-	·05	-	·32	·04	12
13	·06	-	·11	-	·18	-	-	·04	·26	-	·05	-	13
14	·58	-	·22	·02	·13	-	-	-	·02	·02	·22	-	14
15	·20	-	·52	·98	-	-	-	-	·40	-	·04	-	15
16	·41	-	·52	·04	-	-	·02	-	·33	-	-	-	16
17	·06	-	·04	·11	-	-	-	-	-	-	·08	-	17
18	·07	-	·50	·11	·02	-	-	-	-	-	·12	-	18
19	·98	-	·09	-	-	·15	·05	-	·35	·11	-	-	19
20	·10	-	·12	·54	-	-	-	-	·02	·04	·42	-	20
21	-	-	·42	·21	·05	-	·01	-	-	·02	·40	-	21
22	·08	-	1·02	·06	-	·06	·03	·06	·05	·06	-	·32	22
23	-	-	·01	-	-	-	-	·01	·02	-	·20	·88	23
24	-	·31	-	·03	-	-	-	·01	·01	·01	·04	-	24
25	·01	·02	-	·78	-	-	-	·01	·06	·07	-	·03	25
26	-	-	-	2·60	-	-	-	·06	-	·02	-	·35	26
27	averaged ·49	-	·45	·35	-	-	-	·02	-	·70	-	·05	27
28	·10	-	·12	·43	·03	-	-	-	·01	·40	-	·08	28
29	·20		1·04	·47	-	-	-	-	-	·50	-	-	29
30	·59		-	·04	·09	-	-	-	·07	·95	·02	-	30
31	·19		·22		·04		-	·48		·03		-	31
Total	8·82	2·30	6·23	7·31	4·68	·84	·65	·87	3·10	5·21	5·59	3·06	YEAR'S TOTAL 48·66
Rain Days.	26	10	21	21	19	9	7	11	20	22	21	15	202

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 19 14

FORM A.
BRITISH RAINFALL.
19 FEB 1915

Kept at Laployd

in the County of Devon S5

by S. C. Chapman Esq. M. Inst. C.E. Water Engineer Torquay

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Lustleigh
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 6041 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·04	·15	-	·08	·21	·21	-	-	·90	·07	1
2	-	-	·05	·07	·10	-	·19	·02	-	-	·34	·82	2
3	·05	-	·16	·25	·67	-	-	·19	-	-	·05	·42	3
4	·21	-	·02	·35	·20	-	·81	·22	-	-	·50	·94	4
5	·10	-	·07	·20	·05	-	-	-	·06	-	·10	·10	5
6	·01	·12	·15	·17	·12	·03	·16	·04	-	-	·15	·87	6
7	-	1·85	·28	·08	·19	·09	·33	·22	·19	-	-	·33	7
8	·04	-	·58	·24	·05	·75	-	·15	·40	-	-	·10	8
9	·02	·06	·37	·32	·05	·46	-	·17	·65	-	·03	·02	9
10	·04	1·00	·15	·42	-	·08	-	-	·52	-	-	·26	10
11	-	·25	·50	-	-	·16	-	-	·04	-	·10	1·02	11
12	-	·66	·07	-	-	-	-	-	·24	·22	·06	·74	12
13	-	·49	·85	-	-	-	·08	-	·17	·29	·38	·21	13
14	-	·65	·65	-	-	·10	-	·40	-	·05	·56	·06	14
15	·01	·01	·15	-	-	-	·25	·45	- -	·13	·12	·20	15
16	-	-	·04	-	-	-	-	-	·32	-	-	·03	16
17	-	·46	·35	-	-	-	-	-	-	-	-	1·00	17
18	-	·03	·11	-	-	·19	·15	-	·17	-	·01	·28	18
19	-	·06	·55	-	-	-	2·52	-	·14	-	·09	·05	19
20	-	·84	·21	-	-	·25	-	-	·01	-	·01	·19	20
21	-	·78	-	-	-	-	-	-	-	·55	-	·06	21
22	-	·02	·01	-	·16	-	-	·02	-	·34	-	·01	22
23	-	·08	·26	-	·04	-	·10	-	-	·30	-	·03	23
24	·02	·28	·01	-	·20	-	·01	·13	-	·03	·03	·01	24
25	·18	·01	·41	-	·15	-	·08	·43	-	·38	·05	·50	25
26	·12	·05	·10	-	-	-	·15	·04	-	·05	·28	1·10	26
27	·06	·07	·03	-	-	-	·03	-	-	·10	·30	·40	27
28	-	·03	·48	-	·10	-	-	-	-	·18	·18	·80	28
29	·17		·32	-	·14	-	·01	-	-	·09	1·25	·08	29
30	·02	X	·25	-	-	-	-	-	-	·41	·82	1·85	30
31	·26	X	-	X	·03	X	·48	-	X	1·33	X	·85	31
Total	1·31	7·80	7·22	2·25	2·25	2·19	5·56	2·69	2·91	4·45	6·31	13·40	YEAR'S TOTAL 58·34 ✓
Rain Days.	15	21	29	10	15	10	16	14	12	15	22	31	210 ✓

W. 8,000. X. 14.

end 15.III.16

1873

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

21 JAN 1916

Kept at Laployd Torquay Corporation Water Works

in the County of Devon

55

by Samuel C. Chapman

Lat. ...... Long. ......
Time of Observation 9 A.M.
Nearest Railway Station Lustleigh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 1,041 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·23

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	·19	-	-	-	-	-	1·25	·39	·39	·01	·10	1
2	21	·30	·05	·01	-	·07	-	·32	·08	·06	-	·75	2
3	·06	·65	·06	·03	·36	-	-	-	-	-	-	·45	3
4	·06	·30	-	-	·07	-	·32	-	-	-	-	·60	4
5	·03	1·33	-	·13	-	-	-	·21	-	-	-	1·12	5
6	·78	·19	-	·16	-	-	·65	·03	-	-	-	·25	6
7	·42	·47	-	·11	-	-	·35	-	-	·23	·05	·23	7
8	·16	·50	-	-	-	-	·03	·12	-	·14	·09	·30	8
9	·03	·06	-	·22	-	-	-	-	-	-	·47	·90	9
10	·32	·46	·02	·07	-	-	-	·05	-	·20	·09	·10	10
11	·16	·17	·05	-	·07	-	·08	·22	-	·20	·75	·10	11
12	·07	·86	-	·08	·68	-	-	·14	·01	·19	·45	-	12
13	-	·98	-	-	·60	-	-	·03	·11	·01	·25	·05	13
14	·09	·02	-	-	-	-	·24	·19	·01	·21	-	1·26	14
15	·20	·01	-	-	·35	-	·13	·02	-	·11	·08	·28	15
16	·05	2·16	-	-	·32	-	·75	-	-	-	-	·21	16
17	-	·27	·05	-	·08	-	·02	-	-	-	-	·02	17
18	·01	·30	·01	-	-	-	-	-	-	-	-	-	18
19	·02	·01	-	-	·62	-	·12	-	-	-	-	-	19
20	·28	-	-	·15	·08	·15	·02	-	-	·27	-	·07	20
21	·22	·17	·01	-	·08	·02	·23	-	-	·14	-	·30	21
22	·16	·04	·30	·09	-	·04	·30	-	·05	·07	-	·58	22
23	·01	·02	·15	-	-	-	·10	-	·08	1·00	-	·56	23
24	·01	-	-	·03	-	·03	·24	-	·11	·21	-	·72	24
25	·06	-	·03	·05	-	·55	·09	-	-	-	·06	·26	25
26	·03	·28	-	-	-	·09	·02	-	·09	-	-	1·31	26
27	·01	·06	-	-	-	·13	·06	-	·03	·50	-	·08	27
28	-	·07	-	·03	-	·14	-	·07	·38	·15	·04	·12	28
29	-	-	-	-	-	·45	·04	-	·10	-	·33	(·50)	29
30	·18	X	-	-	-	·06	·01	-	·01	·75	·41	·76	30
31	·03	X	-	X	-	X	·26	·03	X	·75	X	·70	31
Total	4·03	10.07	·73	1·16	3·31	1·73	4·06	2·68	1·45	5·58	3·08	12·68	YEAR'S TOTAL 50·56
Rain Days.	27	25	10	13	11	11	21	13	13	19	13	28	204

W. 8,000. X.-15.

1832

FORM A. BRITISH RAINFALL.

13 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Laployd Christow

in the County of Devon

by S. C. Chapman M. Inst. C. E.

Lat. ……… Long. ………

Time of Observation 9 a. m

Nearest Railway Station ………

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 1,041 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·23	-	·08	-	·28	·03	·06	-	·05	·40	·16	-	1
2	·27	·16	·06	-	·07	-	-	-	·05	·23 ~~·05~~	·70 ~~·23~~	-	2
3	·01	2·40	-	-	·35	-	·06	-	·02	·62 ~~·02~~	·52	·02	3
4	·28	·20	-	·01	·21	·23	·27	-	·07	·09	1·58	-	4
5	-	·12	·06	-	·08	·20	·01	-	-	·30	·35	-	5
6	·06	·17	-	-	·08	·03	·70	-	-	·27	1·51	-	6
7	·10	*·20	·08	-	·15	·04	·01		-	·02	1·00	·11	7
8	·01	·23	·26	-	·26	·12	-	-	-	-	·10	·30	8
9	-	·20	-	-	·01	·07	·09	-	-	·03	·13	·30	9
10	-	·51	-	·07	·05	-	-	-	-	·02	·01	·13	10
11	-	·03	·02	·02	·05	-	-	-	·02	-	·01	-	11
12	·07	·05	·28	·08	·07	-	·05	·05	-	·02	-	-	12
13	-	·30	·20	·08	-	-	-	·23	·06	-		·01	13
14	-	·52	·28	-	·05	-	-	·15	-	·18	·03	-	14
15	-	·43	·28	·25	-	-	-	·05	-	·10	-	·10	15
16	·20	·15	-	·10	-	-	·03	·90	-	·23	-	-	16
17	·22	·12	-	·07	-	-	-	-	·27	·20	1·20	-	17
18	·06	·20	·40	·10	-	-	-	-	·23	·05	·06	·12	18
19	·26	·36	·26	·17	-	-	-	-	-	-	·25	·17	19
20	·18	1·10	·30	-	-	-	-	-	-	-	·10	·86	20
21	·05	·12	·18	-	·10	-	-	-	-	-		·25	21
22	-	-	·02	-	-	·27	-	·12	-	·50	·05	·88	22
23	·12	*·10	-	·06	-	·12	-	·23	-	·27	·30	·17	23
24	-	*·15	·10	·05	·18	-	-	·18	-	·68	·04	·32	24
25	-	*·20	·30	-	-	·05	-	·52	-	-	·43	·01	25
26	·04	*·12	·10	-	·10	·10	-	·30	1·85	1·17	·08	·03	26
27	-	* -	1·10	-	-	·06	-	·15	·22	·65	-	-	27
28	-	*·18	·01	-	-	-	-	·12	·25	·70	·01	·40	28
29	-	*·22	·10	-	-	·45	-	2·35	·14	·21	-	·35	29
30	-	X		·15	-	·05	-	·01	-	·35	-	-	30
31	-	X	-	X	-	X	-	·06	X	·50	X	·03	31
Total	2·16	8·54	4·47	1·21	2·09	1·82	1·28	5·42	3·23	7·79	8·62	4·56	YEAR'S TOTAL 51·19
Rain Days.	16	26	21	13	16	14	9	15	12	24	22	19	207

W. 8,000, VIII. 16 * melted Snow.

Exd C 7 E.

1755

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Laployd.

in the County of Devon

by S. C. Chapman. M. Inst. C.E.
Water Engineer Torquay.

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station Christow G. W. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 1041 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	-	.01	.32	-	.46	-	.68	-	.06	.02	.01	1
2	-	-	.15	.16	-	.08	-	-	-	-	-	-	2
3	.10		-	.06	-	-	.52	-	-	.60	1.60	-	3
4	.07	Snow .02	.97	-	-	-	.03	-	.06	.40	-	-	4
5	.07	.	.35	.33	-	.62	-	-	.02	.15	.08	-	5
6	-	.	.40	-	-	.09	-	.02	.02	.14	.10	.07	6
7	.40	.	-	-	-	-	.12	.20	-	.30	.03	.03	7
8	.09	.	Snow .32	.19	-	-	.86	.33	-	.48	.06	.38	8
9	.	.	.12	.07	.04	-	.06	-	.04	.35	.31	.02	9
10	.22	.	.60	.21	-	-	-	.36	.36	.06	.05	-	10
11	.04	.	1.28	.15	-	-	-	.16	.07	.26	.19	-	11
12	.26	.	-	.03	.28	-	-	.05	-	.48	-	.01	12
13	Snow .03	.	.34	.01	-	.04	-	1.18	.07	.30	-	.01	13
14	-	.	-	.15	-	-	.05	.34	.04	.03	.03	.03	14
15	.09	.	-	.01	-	-	.30	.10	-	.25	-	.35	15
16	-	.09	-	.06	-	-	-	.08	.01	.16	.03	.20	16
17	.01	.05	.03	.18	.04	-	.26	.17	.43	.05	-	-	17
18	-	.21	-	.08	.80	.09	.19	.01	.70	.05	-	-	18
19	-	.35	.10	-	-	.50	-	-	.10	-	-	-	19
20	-	.10	.07	-	.54	.06	-	.04	.05	-	.02	.14	20
21	-	-	Snow .01	-	-	.03	-	.02	-	.01	.05	-	21
22	-	-	Snow .02	-	.04	-	-	1.10	-	.14	.04	-	22
23	-	.15	-	-	.18	.07	-	.23	.01	.15	-	.03	23
24	-	-	-	-	-	.07	.30	.12	-	.28	.08	.03	24
25	-	.03	.09	-	-	-	-	.40	.05	.14	.10	-	25
26	-	-	-	-	.17	.06	-	.18	.07	.05	.04	-	26
27	-	-	-	-	-	1.02	.04	1.10	-	.07	.04	-	27
28	-	.06	.16	-	.01	.90	-	.42	-	-	-	Snow .05	28
29	-	-	.06	-	-	.28	-	.07	-	.90	-	Snow .18	29
30	-	X	.11	-	-	-	.25	.25	-	.07	.02	.04	30
31	-	X	.04	X	.37	X	-	.05	X	.31	X	-	31
Total	1.40	1.06	5.23	2.01	2.47	4.37	2.98	7.66	2.10	6.24	2.89	1.58	YEAR'S TOTAL 39.99
Rain Days.	12	9	20	15	10	15	12	25	16	27	19	16	196

W. 8,000, IX. 17.

Ex'd M.T. 91

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
3. 1.

Kept at Laployd
in the County of S Devon
by Torquay Corporation Waterworks

Lat. Long.
Time of Observation 9.00 am
Nearest Railway Station Lustleigh G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 1041 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·17	–	·20	·03	–	–	·42	–	·04	2.20	–	1
2	–	·40	–	·08	–	–	–	·05	·01	·02	·01	·24	2
3	–	·40	–	·91	·10	–	–	·06	·01	·05	·21	–	3
4	–	·08	–	·05	–	–	–	·30	·52	–	1.30	·47	4
5	·01	·03	·33	·08	·60	–	–	·38	·42	·24	·03	·25	5
6	·15	·26	·05	·19	–	–	–	–	–	·22	–	·21	6
7	–	·18	–	·05	·06	–	–	·01	·45	·10	·50	·45	7
8	–	·35	–	–	–	–	–	–	·09	·30	–	–	8
9	·06	·09	–	·04	–	·20	·18	–	·53	·02	–	·52	9
10	·14	–	–	·30	–	–	·08	–	·17	·10	–	·52	10
11	–	·01	·13	·07	·01	–	·24	–	·15	·09	·10	·07	11
12	–	·11	·08	–	·13	–	·10	–	·02	–	·02	·04	12
13	·08	·07	–	–	·22	–	·32	–	·30	·12	–	·09	13
14	·34	–	·01	–	·08	·10	·04	–	·08	–	–	·19	14
15	1.32	–	·01	·07	·04	·05	·85	–	·08	·09	–	·43	15
16	·65	–	·01	·31	–	·04	·05	–	·32	·08	–	·05	16
17	·26	–	·02	·30	–	–	·42	–	·10	–	–	·19	17
18	1.20	–	·04	–	–	·77	·13	–	1.02	·24	–	·42	18
19	·35	–	·12	·02	–	–	·25	–	·06	·02	–	·20	19
20	·52	·10	–	·15	–	·04	·03	–	·24	·06	–	·02	20
21	·25	·05	–	–	–	·02	·03	–	·53	·11	–	·55	21
22	·02	·02	–	–	·03	–	·77	·01	·24	·03	·07	·26	22
23	·09	·01	–	–	·02	–	·10	–	·10	–	·07	·12	23
24	·03	·08	–	–	–	–	–	·12	·07	–	·08	·31	24
25	·01	–	–	–	·03	–	·10	·47	–	·04	·18	·03	25
26	·04	·12	–	–	–	–	·11	·03	·04	·05	·25	·07	26
27	·02	·13	–	–	–	–	–	·18	·18	·01	·06	–	27
28	–	·18	·16	–	–	–	–	–	·06	·03	·11	·05	28
29	–		·19	–	–	–	–	–	1.55	–	·07	·03	29
30	–		·35	·22	–	–	–	–	·03	·14	·18	·09	30
31	·01		·12		–		–	–		·01		·05	31
Total	5.55	2.84	1.62	3.04	1.35	1.22	3.80	2.53	7.37	2.21	5.44	5.92	YEAR'S TOTAL 42.89
Rain Days	20	20	14	16	12	7	17	11	27	24	17	27	212

W. 6,500, VII. 18. w w c

16405

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

10 JAN 20

Kept at Laployd
in the County of Devon
by Samuel C. Chapman Esq. M. Inst. C.E. Water Engineer Torquay

Lat. ...... Long. ......
Time of Observation 9. a.m
Nearest Railway Station Lustleigh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 6 in.
„ „ „ „ Sea Level 1.041 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40	-	·38	·04	·13	-	·25	-	-	·20	-	·96	1
2	·11	-	·02	-	·05	-	·15	-	·10	·05	-	·02	2
3	·20	-	·38	-	-	-	-	-	·02	-	·07	·09	3
4	m. snow ·55	1·15	·56	-	-	-	·39	·01	·25	-	·02	·09	4
5	·09	·25	1·34	-	-	-	-	-	1·14	-	·07	·13	5
6	·96	·89	·11	·02	-	-	-	-	·25	-	-	·51	6
7	·50	-	·30	·09	-	-	·01	-	-	-	-	·07	7
8	·68	-	·26	·04	-	-	-	-	-	-	·08	-	8
9	·31	-	-	·36	·19	-	-	-	-	-	·23	·12	9
10	·07	-	·70	·01	·03	-	-	-	-	·02	·03	1·72	10
11	·04	-	·88	·08	·30	-	·07	-	-	·02	·01	·24	11
12	·20	-	·16	·01	-	·04	-	-	-	·14	·06	·01	12
13	·15	·18	·18	·47	-	-	·03	-	·02	·06	-	·18	13
14	·65	·42	-	·75	·39	-	·06	-	-	·13	-	·70	14
15	·24	·19	-	·08	-	-	-	-	·04	·06	-	·42	15
16	·07	1·38	-	-	·02	-	-	·03	-	-	·22	·01	16
17	-	·27	-	-	-	-	-	·02	-	-	·30	-	17
18	·05	·48	·60	-	-	-	·13	·05	·01	-	·20	-	18
19	·42	·88	·20	-	-	-	·46	·42	·28	·01	·15	·07	19
20	1·15	·03	·05	-	-	·32	-	·07	·09	-	·19	·10	20
21	·08	1·06	-	-	-	-	·05	-	·12	·01	-	·09	21
22	-	·05	·03	-	-	·01	·05	-	·10	-	·06	·10	22
23	-	-	-	-	-	-	-	·32	-	·50	·09	·13	23
24	-	-	-	·01	-	·17	-	·08	-	·28	·15	·31	24
25	·11	-	-	·07	-	·10	-	·55	-	-	·10	·08	25
26	·17	·01	·12	·14	-	-	-	·05	·04	·04	·12	·60	26
27	·23	·01	·02	·11	-	-	-	1·92	-	-	-	·01	27
28	-	-	·23	·09	-	-	-	·02	-	-	·47	·41	28
29	-		·01	·08	-	-	-	·09	-	·14	-	·12	29
30	·01	X	·01	·08	-	·09	-	·25	·06	-	·73	·92	30
31	·01	X	·05	X	-	X	-	-	X	-	X	·47	31
TOTAL	7·45	7·25	6·59	2·53	1·11	·73	1·65	3·88	2·52	1·66	3·35	8·58	YEAR'S TOTAL 47·30
Days with ·01 in. or more	25	15	22	18	7	6	11	14	14	14	20	28	194

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1560

6 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Laployd

in the County of Devon

by Samuel C. Chapman Esq. M. Inst. C.E. Water Engineer Torquay.

Lat. Long.

Time of Observation 9-00

Nearest Railway Station Lustleigh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 1041 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	-	·03	·07	·83	-	·55	-	·06	·01	·02	·98	1
2	·55	-	-	·17	·01	-	·12	·11	·02	·04	-	·28	2
3	·42	·06	-	·10	-	-	·08	-	-	1·88	-	·39	3
4	-	-	·02	-	-	-	·01	·53	-	·47	-	-	4
5	-	·06	·30	·01	·04	-	·35	·11	-	·26	-	-	5
6	-	-	·67	·03	·09	-	·15	-	-	·21	-	-	6
7	·02	-	·01	·12	·09	-	·81	-	·02	·03	-	-	7
8	·03	·04	-	·20	·05	-	·16	-	-	·03	-	·03	8
9	1·21	·09	-	·02	-	·16	·26	-	·01	-	-	-	9
10	2·15	·14	-	·03	-	·42	·13	-	-	-	·01	-	10
11	·35	·01	·15	1·56	·24	·06	·19	-	-	-	-	·01	11
12	·23	·11	·16	·41	·02	·09	·02	-	-	·07	·14	·26	12
13	·30	·04	·72	·01	-	-	-	-	-	·05	-	·04	13
14	·01	·14	·47	1·32	-	-	·02	-	·09	·32	·65	·01	14
15	-	·23	·08	1·14	·05	-	-	-	·02	·73	·02	-	15
16	-	·04	·01	·10	-	·02	·37	-	·28	·04	·12	-	16
17	-	·01	-	·05	·35	·11	-	-	·50	-	-	-	17
18	·13	·06	-	·18	·10	·29	-	·15	·03	-	·01	-	18
19	·04	·04	-	·48	·10	·31	-	-	-	·01	-	-	19
20	·06	-	-	·22	·10	·04	·03	-	-	·30	-	·56	20
21	-	-	-	·08	-	-	·01	-	·08	·14	-	·26	21
22	·03	-	-	·12	-	-	·09	-	-	·01	-	·35	22
23	·03	-	·01	-	-	-	·34	·12	-	-	-	·50	23
24	·04	·02	·38	-	-	-	·05	-	-	-	·48	·28	24
25	·21	·05	·26	·02	-	-	·96	-	-	-	-	·12	25
26	·46	-	·46	-	-	-	·16	-	-	-	·36	·27	26
27	1·70	·08	·38	·14	-	·14	·23	-	-	-	·82	·81	27
28	·92	-	·11	·06	-	·07	·01	-	-	-	·02	·19	28
29	·97	-	·72	·03	·04	·12	-	-	-	-	·34	·57	29
30	·19		-	-	-	·14	·01	-	1·14	·08	·59	·76	30
31	·14		·35		-		·01	-		·53		·17	31
Total	10·29	1·22	5·29	6·67	2·11	1·97	5·12	1·02	2·25	5·23	3·58	6·84	YEAR'S TOTAL 51·59 ✓
Days with ·01 in. or more	24	17	19	25	14	13	25	5	11	19	13	20	205 ✓
Days with ·04 in. or more	19	14	14	18	12	12	17	5	6	14	8	17	156 ✓

CHRISTOW

KENNICK.

DEVON

1911 - 1920.

FORM A2.
BRITISH RAINFALL.
17 FEB 1912

9 11

Kept at K

in the County of

by Samuel C. Cha

op 8 in.
above Ground 1 ft. 0 in.
" Sea Level 836 ft.
9 a.m.
ion { Name Lustleigh
Distance Direction

IMPORTANT … and the result entered to the previous day. If a… universal rule, he is earnestly requested to add the… g year in the space provided for it at the end o… surement of rain, the selection and p… British Rainfall Organization are give… on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	-	·02	·13	·15	-		·01	-	·03	·02	·02	1
2	-	-	·01	·01	·33	-		·41	-	·12	·15	·39	2
3	-	·03	·01	-	·20	-		·03	·03	-	·29	·11	3
4	-	-	·18	-	·01	-		·11	·01	·03	·20	·85	4
5	·23	-	·11	-	-	-		·82	-	·09	·15	·03	5
6	·24	-	·18	-	-	-		-	-	-	·09	1·15	6
7	·02	-	·01	·05	-	-		-	-	-	·58	·02	7
8	-	-	·09	-	-	-		-	-	-	·05	1·11	8
9	·02	-	-	-	-	·91		-	-	-	·67	1·13	9
10	·03	·02	·27	-	·21	·01		-	·01	-	·01	·23	10
11	·23	-	-	-	·07	-		-	·02	-	·63	·06	11
12	-	·01	·51	-	-	-		-	·14	·02	·11	·29	12
13	-	-	·02	-	-	-		-	·13	-	·05	·44	13
14	-	·02	·01	-	-	-		-	-	·13	·14	·80	14
15	-	-	·01	-	-	·03		-	-	-	·39	·07	15
16	·02	·01	·06	-	-	·89		-	-	·02	·36	·84	16
17	·01	-	·87	·06	-	·37		-	-	·01	·08	1·37	17
18	-	·28	·31	·40	-	·63		-	-	·31	·50	·74	18
19	-	·10	·02	·06	-	·39		-	·65	·19	·26	·74	19
20	·04	·03	·16	·04	-	·01		-	·04	·94	·02	·88	20
21	·02	·19	·02	·01	-	·04		1·15	·12	·25	-	·11	21
22	·16	·02	·01	·06	-	·01		·01	·58	·29	-	·68	22
23	·02	·26	·04	-	-	·03		-	·02	·34	·16	·27	23
24	-	·14	-	-	-	·34		·22	-	·25	-	·24	24
25	-	·09	-	·03	-	·04		·01	·18	·17	-	·19	25
26	-	·06	-	·24	·07	-		·04	-	·51	·04	·15	26
27	-	·27	·05	·03	·29	-		·29	·12	·54	-	·17	27
28	-	·12	·02	·42	-	-		·01	-	·01	·18	-	28
29	-		-	·23	·30	·19	·76	-	·15	·39	-	-	29
30	-		·01	-	-	·03	·03	-	·01	·26	·34	·04	30
31	-		-		-		·11	-		·04		-	31
Total	1·09	1·65	3·00	1·77	1·63	3·92	·90	3·11	2·21	4·94	5·67	13·12	TOTAL for year
No. of Rain Days.	13	16	24	14	9	15	3	12	15	22	24	28	43·01

W. 8,000, X. '11.

195

FORM A2.
BRITISH RAINFALL.
17 FEB 1912

REGISTER OF RAINFALL IN 1911

Kept at Kennick

in the County of Devon S5

by Samuel C. Chapman Esq. M. I. C. E. Water Engineer

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 836 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Lustleigh
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	-	·02	·13	·15	-		·01	-	·03	·02	·02	1
2	-	-	·01	·01	·33	-		·41	-	·12	·15	·39	2
3	-	·03	·01	-	·20	-		·03	·03	-	·29	·11	3
4	-	-	·18	-	·01	-		·11	·01	·03	·20	·85	4
5	·23	-	·11	-	-	-		·82	-	·09	·15	·03	5
6	·24	-	·18	-	-	-		-	-	-	·09	1·15	6
7	·02	-	·01	·05	-	-		-	-	-	·58	·02	7
8	-	-	·09	-	-	-		-	-	-	·05	1·11	8
9	·02	-	-	-	-	·91		-	-	-	·67	1·13	9
10	·03	·02	·27	-	·21	·01		-	·01	-	·01	·23	10
11	·23	-	-	-	·07	-		-	·02	-	·63	·06	11
12	-	·01	·51	-	-	-		-	·14	·02	·11	·29	12
13	-	-	·02	-	-	-		-	·13	-	·05	·44	13
14	-	·02	·01	-	-	-		-	-	·13	·14	·80	14
15	-	-	·01	-	-	·03		-	-	-	·39	·07	15
16	·02	·01	·06	-	-	·89		-	-	·02	·36	·84	16
17	·01	-	·87	·06	-	·37		-	-	·01	·08	1·37	17
18	-	·28	·31	·40	-	·63		-	-	·31	·50	·74	18
19	-	·10	·02	·06	-	·39		-	·65	·19	·26	·74	19
20	·04	·03	·16	·04	-	·01		-	·04	·94	·02	·88	20
21	·02	·19	·02	·01	-	·04		1·15	·12	·25	-	·11	21
22	·16	·02	·01	·06	-	·01		·01	·58	·29	-	·68	22
23	·02	·26	·04	-	-	·03		-	·02	·34	·16	·27	23
24	-	·14	-	-	-	·34		·22	-	·25	-	·24	24
25	-	·09	-	·03	-	·04		·01	·18	·17	-	·19	25
26	-	·06	-	·24	·07	-		·04	-	·51	·04	·15	26
27	-	·27	·05	·03	·29	-		·29	·12	·54	-	·17	27
28	-	·12	·02	·42	-	-		·01	-	·01	·18	-	28
29	-		-	·23	·30	·19	·76	-	·15	·39	-	-	29
30	-		·01	-	-	·03	·03	-	·01	·26	·34	·04	30
31	-		-		-		·11	-		·04		-	31
Total	1·09	1·65	3·00	1·77	1·63	3·92	·90	3·11	2·21	4·94	5·67	13·12	TOTAL for year
No. of Rain Days.	13	16	24	14	9	15	3	12	15	22	24	28	43·01

W. 8,000, X. '11.

195

✓

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
22 JAN 1913

Kept at Kennick Exd D

in the County of Devon S.5

by Samuel C Chapman, M. Inst C.E.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lustleigh
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 836 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·22	-	·01	·53	·06	·02	·13	·77	·01	·37	1
2	-	-	·35	·02	-	·43	·04	·05	-	·01	-	·01	2
3	-	-	·56	-	·03	·35	·24	1·90	-	-	-	·04	3
4	·17	·18	·80	-	·03	·27	-	·12	-	·01	·14	-	4
5	·51	·35	·18	-	·04	·04	·02	·67	·02	-	·01	·25	5
6	·54	·08	·01	-	·21	·15	·01	·10	-	·01	-	·06	6
7	·27	·95	·45	-	·04	·63	-	·11	-	·01	·01	·39	7
8	·45	·17	·26	·05	-	·13	"	·03	-	·01	-	·01	8
9	·01	·12	·28	·04	-	·19	·01	·14	-	-	·01	·25	9
10	·21	·11	·16	·03	-	·31	·02	·12	·03	-	·20	·28	10
11	·02	·13	·01	-	-	·01	-	·03	-	-	·12	·33	11
12	·02	·34	·04	-	·01	-	·10	·38	-	·01	·02	·03	12
13	·44	·02	-	-	-	·02	·67	·03	-	·03	-	·13	13
14	·15	·10	·36	-	·11	-	-	·06	-	·01	-	·03	14
15	1·11	·11	·05	-	·23	·38	-	-	-	-	-	·12	15
16	·34	·01	·34	-	·10	·01	-	·05	-	·07	·07	·07	16
17	·04	·01	·20	-	·02	·04	-	·75	-	-	·01	·04	17
18	-	·02	·16	-	-	-	-	·37	-	·02	·02	·05	18
19	·08	·12	·51	-	-	-	·07	·14	-	·01	·04	·14	19
20	·16	·11	·48	-	·18	·02	·03	·31	-	·17	·10	-	20
21	-	·27	·34	-	·63	-	·03	·08	-	·15	·01	-	21
22	·36	·21	·22	-	·02	-	·04	·06	-	·12	-	·14	22
23	·43	·31	·09	-	-	·08	·02	·33	-	-	·04	·34	23
24	·11	·06	·01	-	-	·45	·01	·01	-	·01	-	·26	24
25	·18	·02	-	-	-	·08	·08	·31	-	·33	·30	·56	25
26	-	·04	-	-	-	-	·03	·07	-	·55	·65	·53	26
27	-	·01	-	-	-	·55	·39	·17	-	1·55	-	·41	27
28	-	·13	-	-	-	·11	·22	·69	·54	·35	·43	·41	28
29	-	·64	-	-	-	·03	·08	·28	·38	·66	·05	·09	29
30	-		·04	-	-	·09	·23	·01	·19	·30	-	-	30
31	-		·08		-		·42	-		·09		-	31
Total	5·60	4·62	6·20.	·14	1·66	4·90	2·82	7·39.	1·29	5·25	2·24	5·34	YEAR'S TOTAL 47·45
Rain Days.	20	26	25	4	14	23	22.	29.	6.	23	19.	26.	237.

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 19 13

FORM A.
BRITISH RAINFALL.
-7 FEB 1914

Kept at Kennick Est D.S.S.
in the County of 5 Devon 5
by Samuel C. Chapman Esq, Water Engineer, Torquay.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Lustleigh Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ „ „ „ Sea Level 836 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·16	·22	·10	·03	-	-	-	·04	·26	·16	-	1
2	·38	·16	·03	·17	·25	-	-	-	·03	·05	·21	·01	2
3	·61	-	·08	-	·25	-	-	-	·02	·05	-	·26	3
4	1·12	·04	·06	·01	·10	·05	-	-	·31	·16	·33	·18	4
5	·05	·06	-	-	·17	·15	·04	-	1·00	·15	·19	·59	5
6	·16	·17	·18	-	·11	·04	-	-	·02	1·03	·12	·13	6
7	·09	·56	·10	-	1·18	·05	·25	-	-	·32	·26	·01	7
8	·11	·21	-	-	·33	-	-	·03	-	·03	·03	-	8
9	·16	-	-	-	·14	·03	·21	·05	·01	-	·78	·01	9
10	1·17	-	-	·02	·12	-	-	·05	-	·16	·46	-	10
11	·71	-	-	·10	1·03	·05	-	-	-	·07	·73	·01	11
12	melted Snow ·10	·01	-	·01	·06	·18	-	-	·03	-	·24	·02	12
13	·13	-	·05	·01	·14	-	-	·04	·22	-	·05	-	13
14	·49	-	·14	·02	·12	-	-	-	·01	·01	·15	-	14
15	·17	-	·44	·71	-	-	-	-	·44	-	·03	-	15
16	·41	-	·42	·04	-	-	·01	-	·14	-	-	-	16
17	·03	-	·04	·08	-	-	-	-	-	-	·05	-	17
18	·06	-	·48	·07	·02	-	-	-	-	-	·05	-	18
19	·83	-	·07	-	-	·14	·02	-	·30	·12	-	-	19
20	·11	-	·08	·39	-	-	-	-	·01	·08	·29	-	20
21	-	-	·49	·15	·07	-	·02	-	-	·02	·22	·01	21
22	·22	-	·63	·06	-	·06	·01	·06	·05	·10	-	·33	22
23	-	-	·01	-	-	-	-	·01	·01	-	·18	·97	23
24	-	·24	·01	·03	-	-	-	-	·01	-	·03	·01	24
25	·01	·02	-	·59	-	-	—	·01	·05	·08	-	·01	25
26	-	-	-	1·71	-	-	-	·08	-	·02	-	·26	26
27	·50	-	·39	·28	-	-	-	·01	-	·70	-	·04	27
28	·18	-	·12	·35	·01	-	-	-	-	·37	-	·07	28
29	·18		·91	·40	·01	-	·02	·01	-	·47	-	-	29
30	·52		·01	·04	·05	-	-	-	·11	·87	·01	-	30
31	·14		·18		·06		-	·41		·02		-	31
Total	8·64	1·63	5·14	5·34	4·25	·75	·58	·76	2·81	5·14	4·56	2·92	YEAR'S TOTAL 42·52
Rain Days.	26	10	23	22	20	9	8	11	19	22	21	17	208

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 FEB 1915

Kept at Kennick

in the County of Devon 55

by S. C. Chapman Esq. M. Inst. C. E. Water Engineer, Torquay.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Lustleigh

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 836 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·03	·19	-	·06	·24	·21	-	-	·81	·09	1
2	-	-	·04	·06	·10	-	·20	·06	-	-	·34	·65	2
3	·02	-	·13	·26	·66	-	-	·08	-	-	·05	·33	3
4	·14	-	-	·31	·18	-	·82	·22	-	-	·45	·75	4
5	·07	-	·06	·16	·05	-	-	-	·02	-	·09	·11	5
6	·01	·15	·10	·20	·10	·01	·14	·02	-	-	·12	·73	6
7	-	1·56	·23	·03	·18	·06	·33	·19	·17	-	-	·27	7
8	·02	-	·48	·20	·03	·71	-	·05	·30	-	·01	·07	8
9	·01	·05	·61	·23	·05	·39	-	·12	·80	-	·01	·01	9
10	·03	·80	·16	·35	-	·10	-	-	·33	-	-	·37	10
11	-	·21	·40	-	-	·17	-	-	·04	-	·06	·87	11
12	-	·46	·05	-	-	-	-	-	·18	·09	·07	·69	12
13	-	·38	·68	-	-	-	·07	-	·11	·28	·31	·20	13
14	-	·38	·39	-	-	·10	-	·46	-	·04	·50	·05	14
15	·03	·01	·14	-	-	-	·25	·43	-	·14	·18	·15	15
16	-	·01	·03	-	-	-	-	-	·30	-	·01	·01	16
17	-	·44	·33	-	-	-	-	-	-	-	·01	·93	17
18	-	·02	·13	-	-	·16	·09	-	·15	-	·01	·26	18
19	-	·03	melted Snow ·81	-	-	-	2·39	-	·12	-	·12	·07	19
20	-	·73	·21	-	-	·19	-	-	·01	-	·01	·23	20
21	-	·64	·01	-	-	-	-	-	-	·48	-	·02	21
22	-	·02	·03	-	·19	-	-	·02	-	·27	-	·01	22
23	-	·09	·24	-	-	-	·03	-	·01	·28	-	·02	23
24	·02	·36	·03	-	·19	-	·01	·15	·01	·03	·03	·01	24
25	·13	·01	·37	-	·19	-	·04	·36	-	·37	·02	·42	25
26	·08	·04	·09	-	-	-	·10	·01	-	·06	·18	·90	26
27	·05	·08	·03	-	-	-	·01	-	-	·07	·26	·43	27
28	-	·02	·44	-	·11	-	-	-	-	·15	·11	·71	28
29	·15		·25	-	·12	-	-	-	-	·09	·87	·07	29
30	·01	X	·18	-	-	-	-	-	-	·40	·53	1·52	30
31	·17	X	-	X	·02	X	·49	-	X	1·25	X	·67	31
Total	·94	6·49	6·68	1·99	2·17	1·95	5·21	2·38	2·55	4·00	5·16	11·52	YEAR'S TOTAL 51·04
Rain Days.	15	22	29	10	14	10	15	14	14	15	25	31	214

W. 8,000. X. 14.

6×4M2

1870

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
21 JAN 1916

Kept at Kennick, Torquay Corporation Water Works

in the County of Devon

S5

by Samuel C. Chapman

Lat. Long. ——

Time of Observation 9 A.M.

Nearest Railway Station Lustleigh

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 856 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·19

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38	·26	-	-	-	-	-	1·29	·23	·35	·01	·07	1
2	·20	·21	·05	·01	-	·05	-	·15	·03	·06	-	·84	2
3	·06	·49	·06	·02	35	-	-	-	-	-	-	·56	3
4	·07	·22	-	-	·05	-	·09	·01	-	-	-	·34	4
5	·02	1·26	-	·13	·01	-	-	·18	-	-	-	·99	5
6	·68	·13	-	·18	-	-	·60	·01	-	-	·01	·24	6
7	·37	·42	-	·06	-	-	·25	-	-	·22	-	·23	7
8	·12	·35	-	-	-	-	·02	·10	-	·12	·11	·41	8
9	·01	·05	-	·17	-	-	-	-	-	-	·41	·72	9
10	·24	·38	·02	·05	-	-	-	·08	-	·19	·06	·11	10
11	·14	·13	·05	-	·07	-	·07	·13	-	·30	·90	·07	11
12	·04	·77	-	·06	·75	-	-	·02	·01	·08	·40	-	12
13	-	·68	-	-	·62	-	-	·04	·04	·01	·22	·04	13
14	·05	·01	-	-	-	-	·23	·11	·01	·18	-	1·04	14
15	·15	·01	·01	-	·31	-	·13	·01	-	·06	·08	·52	15
16	·04	1·80	-	-	·35	-	·63	-	-	·01	-	·07	16
17	-	·21	·02	-	·02	-	·01	-	-	-	-	·02	17
18	·01	·22	-	-	·	-	-	-	-	-	-	-	18
19	·01	·03	-	-	·58	-	·09	-	-	-	-	-	19
20	·22	-	-	·10	·05	·11	·01	-	-	·22	-	·05	20
21	·22	·10	·01	-	·06	·01	·17	-	-	·10	-	·17	21
22	·10	·03	·30	·08	-	·04	·30	-	·01	·06	-	·50	22
23	·10	·01	·10	-	-	-	·04	-	·08	1·07	-	·58	23
24	·01	-	-	·02	-	·03	·44	-	·08	·25	-	·61	24
25	·05	-	·04	·05	-	·57	·05	-	-	-	·02	·22	25
26	·03	·19	-	-	-	·06	·03	-	·05	-	-	1·12	26
27	·01	·05	-	-	-	·14	·03	-	·05	·47	-	·05	27
28	-	·09	-	·03	-	·21	-	-	·33	·13	·07	·15	28
29	-		-	-	-	·44	·01	-	·10	·01	·39	·32	29
30	·21	✕	-	-	-	·06	·02	-	·01	1·33	·36	·58	30
31	·01	✕	-	✕	-	✕	·24	·04	✕	1·00	✕	·47	31
Total	3·55	8·10	·66	·96	3·22	1·72	3·46	2·17	1·03	6·22	3·04	11·09	YEAR'S TOTAL 45·22 ✓
Rain Days.	27	25	10	13	12	11	21	13	13	21	13	28	207 ✓

W. 8,000. X. 15.

1829

FORM A. BRITISH RAINFALL

13 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Kennick – Christow

in the County of Devon

by S. C. Chapman M. Inst. C. E.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Lustleigh G.W.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 7 in.

" " " " Sea Level 836 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19	–	.10	–	.42	.02	.04	–	.05	.41	.10	–	1
2	.18	.13	.07	–	.04	–	–	–	.05	.22	.76	–	2
3	.01	1.65	–	–	.51	–	.18	–	.01	.56	.22	.01	3
4	.17	.17	–	.01	.05	.19	.28	–	.05	.09	1.34	–	4
5	.01	.06	*.04	–	.06	.18	.01	–	–	.18	.20	–	5
6	.04	.12	*.03	–	.07	.02	.67	–	–	.10	1.28	.01	6
7	.08	.17	*.17	–	.11	.05	–	–	–	.02	.84	.09	7
8	.01	.37	*.26	–	.25	.11	–	–	–	–	.05	.24	8
9	–	*.20	–	–	–	.06	.04	–	–	.04	.10	.35	9
10	–	.43	–	.05	.04	–	–	–	–	.02	.02	.12	10
11	–	.02	.04	.03	.06	–	–	–	–	–	.01	–	11
12	.05	.04	.36	.06	.06	–	.03	.02	–	.01	–	–	12
13	–	.28	.19	.09	–	–	–	.17	.04	–	.01	.01	13
14	–	.46	.24	–	.02	–	–	.16	–	.10	.01	–	14
15	–	.28	.29	.25	–	–	–	.05	–	.08	–	.10	15
16	.20	.15	–	.07	–	–	.03	.68	–	.14	–	–	16
17	.15	.07	–	.06	–	–	–	.01	.17	.17	1.31	–	17
18	.05	.12	.44	.11	–	–	–	–	.20	.04	.02	.10	18
19	.18	.29	.27	.12	–	–	–	–	–	–	.21	.14	19
20	.08	1.16	.25	–	–	–	–	–	–	–	.04	1.18	20
21	.02	.19	.17	–	.10	–	–	–	–	–	–	.13	21
22	.01	–	.02	–	–	.24	–	.12	–	.46	.02	.77	22
23	.04	*.12	–	.04	–	.10	–	.19	–	.14	.28	.13	23
24	–	*.30	.06	.03	.17	–	–	.76	–	.65	.02	.39	24
25	–	*.55	.24	–	–	.05	–	.41	–	–	.34	.01	25
26	.05	*.53	.08	–	.23	.07	–	.21	1.82	1.12	.04	–	26
27	–	–	1.48	–	–	.08	–	.39	.19	.48	–	.02	27
28	–	*.15	.01	–	–	–	–	.11	.16	.61	.01	.27	28
29	–	*.25	.06	–	–	.35	–	2.45	.15	.22	–	.28	29
30	–	X	–	.06	–	.03	–	.01	–	.35	01	–	30
31	–	X	–	X	–	X	–	.05	X	.46	X	01	31
Total	1.52	8.26	4.87	.98	2.19	1.55	1.28	5.19	2.89	6.67	7.24	4.36	YEAR'S TOTAL 47.00
Rain Days.	18	26	22	13	15	14	8	16	11	24	24	20	211

W. 8,000, VIII. 16 * Melted Snow.

1752

End C

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Kennick
in the County of Devon
by S. C. Chapman M. Inst. C.E.

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Lustleigh G.W.R
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 836 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	–	.01	.24	–	.33	–	.48	–	.01	.01	.01	1
2	–	–	.13	.12	–	.03	–	–	–	–	–	–	2
3	.05	Snow .03	–	.04	–	–	.45	–	–	.40	1.49	–	3
4	.07	–	1.06	–	–	–	.02	–	.04	.39	.01	–	4
5	.06	–	.31	.24	–	.57	–	–	.02	.11	.08	–	5
6	–	–	.31	–	–	.08	–	–	.01	.09	.08	.04	6
7	.34	–	–	–	–	–	.11	.16	–	.22	.03	.04	7
8	.05	–	Snow .38	.15	–	–	.47	.29	–	.34	.08	.33	8
9	–	–	.15	.03	.03	–	.06	–	.05	.35	.23	.02	9
10	.19	–	.50	.16	–	–	–	.40	.19	.02	.05	–	10
11	.11	–	1.27	.13	–	–	–	.22	.15	.23	.16	–	11
12	.21	–	–	.03	.28	–	–	.06	–	.43	–	.01	12
13	Snow .06	–	.30	.01	–	.01	–	.77	.05	.15	–	–	13
14	–	–	–	.11	–	–	.02	.29	.03	.06	.01	.01	14
15	.06	–	.01	.01	–	–	.20	.04	–	.19	.01	.34	15
16	–	.10	–	.03	–	–	–	.02	.01	.12	.01	.21	16
17	.01	.05	.01	.14	.05	–	.21	.14	.40	.03	–	–	17
18	–	.19	–	.05	.92	.16	.12	.01	.54	.05	–	–	18
19	–	.34	.10	–	–	.35	–	–	.08	–	–	–	19
20	–	.15	.02	–	.43	.05	–	.07	.03	–	–	.12	20
21	–	–	Snow .01	–	–	.02	–	.01	–	.01	.03	–	21
22	Snow .02	–	Snow .02	–	.01	–	–	.86	–	.07	.02	–	22
23	–	.15	–	–	.16	.03	.01	.16	–	.16	–	.01	23
24	–	–	–	–	–	.05	.24	.09	–	.16	.03	.01	24
25	–	.02	.09	–	–	–	–	.31	.04	.10	.07	–	25
26	–	–	–	–	.25	.09	–	.18	.04	.02	.02	–	26
27	–	–	–	–	–	1.00	.02	1.07	–	.03	.01	–	27
28	–	.03	.14	–	.01	.87	–	.37	–	–	–	.06	28
29	–		.06	–	–	.20	–	.05	–	.68	–	Snow .25	29
30	–	X	.12	–	–	–	.23	.17	–	.04	.01	Snow .01	30
31	–	X	.03	X	.34	X	–	.02	X	.30	X	–	31
Total	1.24	1.06	5.03	1.49	2.48	3.84	2.16	6.24	1.68	4.74	2.44	1.47	YEAR'S TOTAL 33.87
Rain Days.	13	9	21	15	10	15	13	24	15	27	20	15	197

W. 8,000, IX. 17.

Exd MBS

88

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.
3 1. 19

Kept at Kennick

in the County of Devon.

by Torquay Corporation Waterworks

Lat. Long. –

Time of Observation 9.00 am

Nearest Railway Station Lustleigh G.W.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 836 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·14	—	·12	·01	—	—	·89	—	·04	1.82	—	1
2	—	·34	—	·07	—	—	—	·01	—	·02	·01	·21	2
3	—	·35	—	1.05	·09	—	—	·09	·01	·03	·30	—	3
4	—	·05	—	·04	—	—	—	·31	·50	—	·70	·38	4
5	·01	·04	·38	·05	·49	—	—	·47	·41	·20	·03	·26	5
6	·14	·16	·05	·14	—	—	—	—	—	·21	·01	·16	6
7	·01	·12	—	·04	·05	—	—	·03	·39	·10	·44	·41	7
8	Melted Snow ·01	·29	—	—	—	—	—	—	·06	·24	—	—	8
9	·05	·05	—	·07	—	·16	·15	—	·48	·03	·01	·44	9
10	·09	—	—	·28	—	—	·08	—	·09	·10	—	·50	10
11	—	·01	·10	·06	·03	—	·16	—	·13	·10	·10	·08	11
12	—	·08	·06	—	·13	—	·12	—	·03	—	·02	·01	12
13	·07	·03	—	—	·48	—	·31	—	·28	·11	—	·08	13
14	·30	—	·01	—	·08	·08	·03	—	·06	·01	—	·16	14
15	1.15	—	·01	·04	·02	·06	·80	—	·09	·06	—	·31	15
16	·43	—	·01	·50	—	·01	·03	—	·33	·08	—	·05	16
17	·15	—	·01	·27	—	—	·39	—	·09	—	—	·16	17
18	1.05	·01	·07	—	—	·75	·10	—	·79	·22	—	·39	18
19	·34	—	·06	·02	—	—	·24	—	·05	·02	—	·16	19
20	·33	·07	—	·15	—	·02	·09	·01	·17	·08	—	·02	20
21	·20	·03	—	—	—	·02	·03	—	·47	·14	—	·50	21
22	·02	—	—	—	·02	—	·95	·01	·21	·03	·09	·17	22
23	·06	·01	—	—	·05	—	·06	—	·14	—	·06	·15	23
24	·01	·08	—	—	—	—	—	·15	·05	—	·18	·37	24
25	—	—	—	—	·02	—	·11	·42	—	·04	·27	·03	25
26	·03	·10	—	—	—	—	·10	·04	·04	·05	·05	·06	26
27	—	·04	—	—	—	—	—	·15	·14	·01	·08	—	27
28	—	·18	·08	—	—	—	—	—	·15	·03	·07	·05	28
29	—	X	·14	—	—	—	—	—	1.24	—	·01	·01	29
30	—	X	·30	·18	—	—	—	—	·04	·13	·12	·08	30
31	·01	X	·09	X	—	X	—	—	X	·03	X	·06	31
Total	4.76	2.18	1.37	3.08	1.47	1.10	3.75	2.58	6.47	2.11	4.37	5.26	YEAR'S TOTAL 38.50
Rain Days.	20	20	14	16	12	7	17	12	26	25	19	27	215

W, 6,500, VII. 18. W W C

1642

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

JAN 20

Kept at Kennick
in the County of Devon
by Samuel C. Chapman Esq. M. Inst. C.E. Water Engineer Torquay.

Lat. Long.
Time of Observation 9-0 a.m
Nearest Railway Station Lustleigh
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ „ „ „ Sea Level 836 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	-	·33	·01	·07	-	·20	-	-	·25	-	·77	1
2	·13	-	·02	-	·02	-	·16	-	·10	·03	-	·01	2
3	·30	-	·47	-	-	-	-	-	-	-	·08	·07	3
4	melted snow ·98	·96	·56	-	-	·01	·40	·02	·28	-	·03	·05	4
5	·08	·20	1·19	-	-	-	-	-	·81	-	·09	·08	5
6	·68	·83	·10	·02	-	-	-	-	·22	-	-	·48	6
7	·48	-	·24	·06	-	-	·01	-	-	-	-	·08	7
8	·51	-	·23	·03	-	-	-	-	-	-	·10	-	8
9	·20	-	-	·29	·15	-	-	-	-	-	·53	·08	9
10	·11	-	·41	·01	·02	-	-	-	-	·02	·02	1·06	10
11	·03	-	·60	·06	·31	-	·05	-	-	·01	·04	·22	11
12	·27	-	·07	·02	-	·04	-	-	·01	·15	M. Snow ·08	·01	12
13	·12	·21	·18	·43	-	-	·04	-	·02	·05	-	·16	13
14	·38	·35	-	·62	·43	-	·03	-	-	·10	-	·73	14
15	·21	·27	-	·05	-	-	-	-	·04	·08	-	·29	15
16	·08	1·35	-	-	·01	-	-	-	-	-	·17	·01	16
17	·02	m.s. ·70	-	-	-	-	-	-	-	-	·22	-	17
18	·06	·52	·62	-	-	-	·13	·03	·02	-	·19	-	18
19	·37	·75	·15	-	-	-	·42	·36	·29	·02	·07	·05	19
20	·95	·06	·04	-	-	·33	-	·06	·11	-	·18	·06	20
21	·07	·96	-	-	-	-	·01	·01	·11	·01	-	·12	21
22	·01	·03	·04	-	-	·01	·04	-	·11	·01	·03	·02	22
23	-	-	-	-	-	-	-	·31	-	·43	·07	·07	23
24	-	-	-	·01	-	·22	-	·06	-	·32	·15	·24	24
25	·08	-	-	·05	-	·06	-	·52	-	-	·09	·10	25
26	·22	·01	·08	·11	-	-	-	·61	·02	·05	·15	·37	26
27	·28	·01	·05	·11	-	-	-	1·84	-	-	-	·02	27
28	·03	-	·20	·11	-	-	-	·04	-	-	·58	·42	28
29	-		·01	·07	-	-	-	·07	-	·15	-	·12	29
30	·01		·01	·05	-	·06	-	·22	·06	-	·65	·74	30
31	·01		·10		-		-	-		-		·70	31
Total	7·00	7·21	5·70	2·11	1·01	·73	1·49	3·57	2·20	1·68	3·52	7·13	YEAR'S TOTAL 43·35
Days with ·01 in. or more	28	15	22	18	7	7	11	13	14	15	20	28	198

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1557

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Kennick

in the County of Devon

by Samuel C. Chapman Esq. M. Inst. C.E. Water Engineer Torquay

Lat. Long.

Time of Observation 9.00 A.M

Nearest Railway Station Lustleigh

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 836 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	·03	·09	·69	–	·52	·02	·07	·02	·02	·76	1
2	·44	–	–	·17	·01	–	·10	·07	·02	·05	–	·16	2
3	·39	·05	–	·12	–	–	·04	–	–	1·53	–	·33	3
4	–	·01	·03	–	–	–	·02	·45	–	·46	–	–	4
5	–	·07	·33	·02	·04	–	·29	·04	–	·34	–	–	5
6	–	–	·46	·03	·09	–	·22	–	–	·07	–	–	6
7	·02	–	·01	·11	·07	–	·67	–	–	·03	–	–	7
8	·03	·03	–	·19	·03	–	·11	–	–	·04	–	·04	8
9	·98	·07	–	·02	–	·16	·30	–	·01	–	–	–	9
10	1·29	·09	–	·05	–	·37	·11	–	–	–	·01	–	10
11	·33	·01	·15	1·21	·22	·05	·19	–	–	–	–	·02	11
12	·12	·10	·24	·36	·02	·10	·02	–	–	·05	·14	·67	12
13	·17	·03	·47	·01	–	–	–	–	–	·04	–	·10	13
14	·01	·09	·80	1·05	–	–	·02	–	·09	·36	·38	·02	14
15	·01	·16	·07	·57	·05	–	–	–	·02	·66	·01	–	15
16	–	·04	–	·07	–	·02	·35	–	·25	·05	·10	–	16
17	–	·01	–	·10	·27	·33	–	–	·42	–	–	–	17
18	·13	·06	·01	·09	·12	·31	–	·14	·01	·01	·01	–	18
19	·03	·04	–	·50	·02	·27	–	–	–	·01	–	–	19
20	·03	–	–	·12	·05	·05	·01	–	–	·31	–	·46	20
21	–	–	·01	·08	–	–	·03	–	·13	·12	–	·27	21
22	·03	–	–	·04	–	–	·06	–	–	·01	–	·34	22
23	·02	–	·01	–	–	–	·34		–	–	·01	·47	23
24	·02	·02	·25	–	–	–	·05	·12	–	·01	·44	·17	24
25	·24	·03	·18	·02	–	–	·79	–	–	–	·01	·10	25
26	·26	–	·38	–	–	–	·13	–	–	·01	·28	·25	26
27	·94	·08	·28	·12	–	·12	·18	–	–	–	·76	·67	27
28	·84	–	·12	·04	–	·05	·01	–	–	–	·04	·20	28
29	·56	–	·79	·03	·01	·07	–	–	–	–	·26	·35	29
30	·15		–	–	–	·13	·01	–	1·03	·05	·49	·60	30
31	·08		·31		–		·02	–		·48		·10	31
Total	7·16	·99	4·93	5·21	1·69	2·02	4·59	·84	2·05	4·71	2·96	6·08	Year's Total 43·23
Days with ·01 in. or more	25	18	20	25	14	13	25	6	10	22	15	20	213
Days with ·04 in. or more	16	11	14	19	9	12	17	5	6	15	9	18	151

27
40

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DEVON
CHRISTON
"BARNE HOUSE"
1911 – 1913

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

REGIS

Kept at Barne Hou
in the County of D
by Harford J

easella
5 in.
Ground 1 ft. in.
ea Level 410 ft.
a.m
ame Christow
istance 1¼ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·01	·07	·14					·02	·01	·02	1
2			·01		·30			·36		·08	·15	·35	2
3					·21			·02	·01		·17	·13	3
4		·01	·18					·06		·04	·17	·71	4
5	·24		·21					·85		·07	·22	·03	5
6	·24		·20								·10	1·23	6
7	·03			·03							·58	·01	7
8			·08								·04	1·24	8
9	·01					·15					·74	·97	9
10	·02		·33		·08				·02			·36	10
11	·17				·05						·73	·06	11
12			·54						·15	·01	·13	·25	12
13			·02						·13	·01	·04	·47	13
14		·07	·02							·08	·04	·81	14
15		·02				·01					·39	·07	15
16			·02			·88					·35	·94	16
17		·01	1·06	·02		·36	·01				·06	1·18	17
18		·28	·24	·38		·53				·31	·52	·86	18
19		·10	·04	·03		·50			·68	·13	·34	·70	19
20	·03	·02	·17	·01		·01			·06	·75	·04	·79	20
21	·01	·17	·02			·03		1·12	·15	·40		·18	21
22	·15	·02		·05					·51	·34		·66	22
23		·35	·02			·02			·02	·32	·16	·24	23
24		·12				·50		·22		·29		·32	24
25		·08		·02		·05			·16	·14		·24	25
26		·04		·24	·09			·06		·49	·03	·15	26
27		·26	·02	·03	·28			·38	·09	·59	·01	·15	27
28		·04		·49				·02			·18		28
29				·25	·35	·20	·64		·16	·27			29
30						·04	·14		·01	·25	·25	·02	30
31			·14				·12			·04			31
Total	·92	1·59	3·33	1·62	1·50	3·28	·91	3·09	2·15	4·63	5·45	13·14	TOTAL for year 41·61
No. of Rain Days	10	15	19	12	8	13	4	9	13	20	24	28	175

9,000, IX. '10.

REGIS

FORM A2.
BRITISH RAINFALL.

16 JAN 1912

Kept at Barne House, Christow

in the County of Devon

by Harford J Lowe

RAIN GAUGE
Pattern Casella
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 410 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Christow
Distance 1¼ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·01	·07	·14					·02	·01	·02	1
2			·01		·30			·36		·08	·15	·35	2
3					·21			·02	·01		·17	·13	3
4		·01	·18					·06		·04	·17	·71	4
5	·24		·21					·85		·07	·22	·03	5
6	·24		·20								·10	1·23	6
7	·03			·03							·58	·61	7
8			·08								·04	1·24	8
9	·01					·15					·74	·97	9
10	·02		·33		·08				·02			·36	10
11	·17				·05						·73	·06	11
12			·54						·15	·01	·13	·25	12
13			·02						·13	·01	·04	·47	13
14		·07	·02							·08	·04	·81	14
15		·02				·01					·39	·07	15
16			·02			·88					·35	·94	16
17		·01	1·06	·02		·36	·01				·06	1·18	17
18		·28	·24	·38		·53				·31	·52	·86	18
19		·10	·04	·03		·50			·68	·13	·34	·70	19
20	·03	·02	·17	·01		·01			·06	·75	·04	·79	20
21	·01	·17	·02			·03		1·12	·15	·40		·18	21
22	·15	·02		·05					·51	·34		·66	22
23		·35	·02			·02			·02	·32	·16	·24	23
24		·12				·50		·22		·29		·32	24
25		·08		·02		·05			·16	·14		·24	25
26		·04		·24	·09			·06		·49	·03	·15	26
27		·26	·02	·03	·28			·38	·09	·59	·01	·15	27
28		·04		·49				·02			·18		28
29				·25	·35	·20	·64		·16	·27			29
30						·04	·14		·01	·25	·25	·02	30
31			·14				·12			·04			31
Total	·92	1·59	3·33	1·62	1·50	3·28	·91	3·09	2·15	4·63	5·45	13·14	TOTAL for year 41·61
No. of Rain Days	10	15	19	12	8	13	4	9	13	20	24	28	175

82

Ex. H8

REGISTER OF RAINFALL IN 1912

313

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

Kept at Barns House, Christow

in the County of Devonshire S.5

by H. J. Lowe

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.26			.50	.10	.01	.10	.71		.46	1
2			.31	.01		.58	04	.01					2
3			.28		.04	.28	.17	1.14					3
4	17		1.11		.02	.18		.16			.35		4
5	.44	.41	26		.03	.15	.02	.60	.01		.01	.21	5
6	.54	.10	.01		.15	.32	.01	.10				.06	6
7	.15	.91	.33		.03	66		.08				.35	7
8	.48	.22	.50	.01		.16		.02				.01	8
9		.08	.43	.08		.60	.01	.09			.01	.20	9
10	.22	.11	.10	.02		.30	.01	.14	.01		.20	.26	10
11	.01	.06						.02			.11	.40	11
12	.01	.37	.03		.01		.14	.34				.02	12
13	.41	.01				.01	.23	.02		.02		.06	13
14	.12	.05	.45		11			.10				.01	14
15	.97	.07	.06		.22	.35		.01				.09	15
16	.36	.01	.33		.08	.01		.02		.04	.02	.04	16
17	.02		.18		.02	.03		.73			.01	.02	17
18	.01	.02	.29					.32		.02	.01	.03	18
19	.04	.15	.57				.05	.28		.01	.01	.09	19
20	.06	.08	.45		.16		.02	.33		.18	.10		20
21		.17	.40		.68		.02	.13		.20			21
22	.23	.36	.21		.01		.04	.06		.13		.11	22
23	.43	.32	.12			.02	.05	.25		.01	.03	.21	23
24	.06	.04	.01			.55		.02				.21	24
25	.18	.01				.07	.05	.40		.31	.26	.58	25
26		.02					.02	.04		.46	.74	.55	26
27						.49	.38	.12		1.73		.35	27
28		.14				.11	.22	.68	.42	.33	.52	.45	28
29		.48				.01	.08	26	.42	.58	.03	.11	29
30			.02			.05	.22		.18	.40			30
31			.19				.41			.07			31
Total	4.91	4.19	6.90	12	1.56	5.43	2.29	6.48	1.14	5.20	2.41	4.91	TOTAL for year 4554
No. of Rain Days.	20	23	24	4	13	21	21	29	6	16	15	24	216

W. 8,000, X. '11.

8L

324

BRITISH RAINFALL. FORM A.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Christow, Barne House [illegible]

in the County of S. Devonshire 5

by H. J. Lowe

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.01	.16	.17	.05	.03								1
2	.24	.16	.02	.21	.24		.02						2
3	.70		.05		.31								3
4	1.07	.02	.05		.10	.08							4
5	.03	.04			.14	.16	.11						5
6	.16	.17	.14		.11	.03							6
7	.05	.71	.11		.96	.03	.21						7
8	.11	.19		.01	.25			.04					8
9	.07				.11	.01	.12	.11					9
10	1.50			.02	.08			.02					10
11	.35			.09	.83	.03							11
12	.20				.05	.11							12
13	.10		.02		.11			.03					13
14	.40		.14	.01	.16								14
15	.23		.46	.80									15
16	.50		.50	.02			.01						16
17	.06		.06	.08									17
18	.10		.41	.06	.01								18
19	.82		.09			.06	.01						19
20	.15		.16	.35									20
21			.52	.08	.06								21
22	.26		.45	.05		.03	.01	.02					22
23						.01		.01					23
24				.02				.02					24
25		.01		.54				.01					25
26				1.63				.03					26
27	.51		.27	.16				.01					27
28	.18		.15	.30	.01								28
29	.16		.79	.35				.04					29
30	.54			.04	.04								30
31	.24		.17		.10			.39					31
Total	8.74	1.46	4.73	4.87	3.70	.55	.49	.73					YEAR'S TOTAL
Rain Days.	26	8	20	20 ~~21~~	19	10	7	12					

W. 7,500, XI. '12

DEVON

CHUDLEIGH KNIGHTON
VICARAGE

1918-1920

8

FORM A.
BRITISH RAINFALL

REGIST

Kept at Chudleigh Knight
in the County of S Devon
by Rev. A. H. Skipp

35
9 a.m
Chudleigh 1 mile E Heathfield 1 mile W
in Gauge 5 in.
ove Ground ~~2~~ 1 ft. in.
Sea Level 110 ft.

IMPORTANT NOTE.— d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	·25	0	0	0	·05	0	·84	0	·01	·96	·03	1
2	0	·20	0	·06	0	·05	0	·01	0	0	0	·23	2
3	0	·27	0	·86	·13	0	0	·30	·56	1·01	·24	0	3
4	0	·03	0	0	0	0	0	·25	·28	0	·97	·29	4
5	·19	0	·18	·13	·30	0	0	·52	0	·20	·02	·15	5
6	0	·17	·02	·13	·03	0	0	0	0	·25	·43	·10	6
7	·05	·12	0	·04	0	0	0	0	·38	·09	0	·23	7
8	·05	·05	0	0	0	0	0	0	·09	0	0	·02	8
9	·05	0	0	·02	0	0	·26	0	·47	0	·03	·32	9
10	0	0	·02	·29	0	0	·22	0	·09	0	·02	·42	10
11	0	0	·15	·15	0	0	·24	0	·15	·20	·05	0	11
12	·0[illegible]	·15 ·05	·03	0	0	0	·12	0	0	0	0	·03	12
13	[illegible]·40	0	·05	0	·21	0	·18	0	·20	0	0	·05	13
14	1·01	0	0	0	·32	·04	·14	0	·20	0	0	·20	14
15	·80	0	0	·05	·06	·06	·16	0	·10	·21	0	·21	15
16	·05	0	0	·29	·03	0	·03	0	·15	·03	0	·03	16
17	·16	0	0	·22	0	0	·46	0	·15	0	0	·21	17
18	·21	0	·08	0	0	0	·12	0	·55	·12	0	·43	18
19	·20	0	·08	0	0	0	·21	0	·09	0	0	·21	19
20	·10	·03	0	·33	0	0	·0	0	·30	·21	0	0	20
21	·05	0	0	0	0	0	·02	0	·39	0	0	·33	21
22	·03	·03	0	0	·10	·01	·67 ·67	0	·20	0	·16	·32	22
23	0	0	0	0	·05	0	0	0	·05	0	·01	·11	23
24	0	0	0	0	0	0	·04	·10	·0	·13	·19	0	24
25	0	·12	0	0	0	0	·12	·54	·01	0	0	·35	25
26	0	0	0	0	0	0	·14	·03	·03	·05	·26	·10	26
27	0	·12	0	0	0	0	0	·09	·09	0	·10	·07	27
28	0	0	·36	0	0	0	0	0	·01	0	·13	·02	28
29	0	0	·01	0	0	0	0	0	1·42	·05	0	·03	29
30	0		·30	0	0	0	0	0	·01	0	·9	·04	30
31	0		·10		0		0	·01		0		·05	31
Total	3·95	1·54	1·38	2·47	1·23	·21	3·13	2·69	6·37	2·56	3·60	4·52	YEAR'S TOTAL 33·05
Rain Days	14	12	12	12	9	5	16	10	24	13	15	27	~~170~~ 169

W, 6,500, VII. 18.   w w c

REGIST

35

FORM A.
BRITISH RAINFALL

8

Kept at Chudleigh Knighton Vicarage

in the County of S Devon

by Rev. A. H. Stripper

Time of Observation 9 a.m

Nearest Railway Station Chudleigh 1 mile Heathfield 1 mile W

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~2~~ 1 ft. in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0	·25	0	0	0	·05	0	·84	0	·01	·96	·03	1
2	0	·20	0	·06	0	·05	0	·01	0	0	0	·23	2
3	0	·27	0	·86	·13	0	0	·30	·56	1·01	·24	0	3
4	0	·03	0	0	0	0	0	·25	·28	0	·97	·29	4
5	·19	0	·18	·13	·30	0	0	·52	0	·20	·02	·15	5
6	0	·17	·02	·13	·03	0	0	0	0	·25	·43	·10	6
7	·05	·12	0	·04	0	0	0	0	·38	·09	0	·23	7
8	·05	·05	0	0	0	0	0	0	·09	0	0	·02	8
9	·05	0	0	·02	0	0	·26	0	·47	0	·03	·32	9
10	0	0	·02	·29	0	0	·22	0	·09	0	·02	·42	10
11	0	0	·15	·15	0	0	·24	0	·15	·20	·05	0	11
12	·00	·15 ·05	·03	0	0	0	·12	0	0	0	0	·03	12
13	1·40	0	·05	0	·21	0	·18	0	·20	0	0	·05	13
14	1·01	0	0	0	·32	·04	·14	0	·20	0	0	·20	14
15	·80	0	0	·05	·06	·06	·16	0	·10	·21	0	·21	15
16	·05	0	0	·29	·03	0	·03	0	·15	·03	0	·03	16
17	·16	0	0	·22	0	0	·46	0	·15	0	0	·21	17
18	·21	0	·08	0	0	0	·12	0	·55	·12	0	·43	18
19	·20	0	·08	0	0	0	·21	0	·09	0	0	·21	19
20	·10	·03	0	·33	0	0	·0	0	·30	·21	0	0	20
21	·05	0	0	0	0	0	·02	0	·39	0	0	·33	21
22	·03	·03	0	0	·10	·01	·64 ·67	0	·20	0	·16	·32	22
23	0	0	0	0	·05	0	0	0	·05	0	·07	·11	23
24	0	0	0	0	0	0	·07	·10	·0	·13	·19	0	24
25	0	·12	0	0	0	0	·12	·54	·01	0	0	·35	25
26	0	0	0	0	0	0	·14	·03	·03	·05	·26	·10	26
27	0	·12	0	0	0	0	0	·09	·09	0	·10	·07	27
28	0	0	·36	0	0	0	0	0	·01	0	·13	·02	28
29	0	0	·01	0	0	0	0	0	1·42	·05	0	·03	29
30	0		·30	0	0	0	0	0	·01	0	·9	·04	30
31	0		·10		0		0	·01		0		·05	31
Total	3·95	1·54	1·38	2·47	1·23	·21	3·13	2·69	6·37	2·56	3·60	4·52	YEAR'S TOTAL 33·05
Rain Days	14	12	12	12	9	5	16	10	24	13	15	27	~~170~~ 169

W. 6,500, VII. 15. W W C

confi. results W. K. 635

30 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Chudleigh Knighton Vicarage
in the County of Devon
by Rev. A. H. Skipper

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chudleigh - Heathfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 12 in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.58	0	0	0	.04	0	.20	0	0	.36	0	.90	1
2	.18	0	.01	0	.07	0	.65	0	.07	0	.01	.01	2
3	.39	0	.40	0	0	0	.09	0	.20	0	.04	.03	3
4	.68	.84	1.02	.03	0	0	0	.04	.63	0	.06	.07	4
5	.08	.11	.85	0	0	0	0	0	.28	0	.04	.05	5
6	.63	1.17	.39	.05	0	0	0	0	0	0	0	.85	6
7	.41	0	.03	0	0	0	0	0	0	0	0	.05	7
8	.34	0	.20	0	0	0	0	0	0	0	.39	0	8
9	.16	0	.03	.34	.11	0	0	0	0	0	.41	.01	9
10	.11	0	.53	.01	.10	0	0	0	0	0	0	.26	10
11	.06	0	.48	.07	.33	0	0	0	0	.01	0	.27	11
12	.35	0	0	.05	.01	0	0	0	0	10	.05	.07	12
13	.25	.14	.27	.54	0	0	0	0	0	.05	0	.06	13
14	.37	.25	0	.86	.39	0	0	0	.09	.08	0	.31	14
15	.30	.16	0	.08	0	0	0	0	0	.09	0	.30	15
16	.06	1.09	0	0	0	0	0	0	0	0	.13	.01	16
17	.01	.83	.61	0	0	0	0	0	0	0	.22	.06	17
18	.02	.29	0	0	0	0	.29	0	0	0	.20	.01	18
19	.54	.44	.20	0	0	.19	.33	.35	.17	0	.25	.01	19
20	.47	.74	.01	0	0	.35	.01	0	.15	0	.07	.02	20
21	.06	0	.04	0	0	0	.01	0	.05	.01	0	.14	21
22	0	0	0	0	0	0	0	0	.15	0	.02	.04	22
23	0	0	0	0	0	0	0	.25	.01	.48	0	.05	23
24	0	0	0	0	0	.19	0	.10	0	.30	.14	.37	24
25	.06	.3	0	0	0	.7	0	.44	0	0	.14	.35	25
26	.30	0	.10	.14	0	0	0	.50	0	0	0	.01	26
27	.12	0	.12	.16	0	0	0	.92	0	.01	0	0	27
28	0	.03	.15	.06	0	0	0	.08	0	0	.59	.40	28
29	0	×	0	.06	0	0	0	.10	0	.11	0	.14	29
30	0		0	.06	0	.02	0	.06	.62	0	.72	.65	30
31	0		.05		0		0	.06		0		.71	31
TOTAL	6.53	~~6.02~~ 6.12	5.49	2.50	1.05	.82	.98	2.90	2.42	1.60	3.53	6.21	YEAR'S TOTAL 40.16 ~~40.06~~
Days with ·01 in. or more	24	13	19	14	7	5	7	11	11	11	17	29	168

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1530

7 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Chudleigh Knighton

in the County of Devon

by Rev. A. H. Skipper

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Chudleigh 1 mile & Heathfield West

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 12 in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·01	·01	·04	·51	–	·48	·02	·06	·01	·02	·15	1
2	·06	–	–	·08	–	–	·02	·48	·02	·09	–	·20	2
3	·26	·04	–	·04	–	–	·02	–	–	·47	–	–	3
4	–	·02	·01	·01	–	–	·01	·49	–	·41	–	·40	4
5	–	·03	·30	–	·05	–	·24	·08	–	·09	–	·01	5
6	–	·03	·38	·06	·11	–	·19	–	–	·08	–	–	6
7	–	·01	Snow ·01	·05	–	–	·64	·01	–	–	–	·05	7
8	·04	·01	–	·21	–	–	·09	–	–	·01	–	·45	8
9	1·04	·03	–	·01	·02	·13	·15	–	–	–	–	–	9
10	1·01	·09	–	–	–	·25	·03	–	–	–	–	–	10
11	·73	–	·19	·41	·28	·07	–	–	–	–	–	–	11
12	·15	–	·20	·44	–	·14	·02	–	–	–	·14	Snow ·38	12
13	·10	·05	·36	·07	–	–	–	–	·01	–	–	·10	13
14	·63	–	·61	·72	–	–	–	–	·08	·51	·44	·01	14
15	–	·02	·07	·47	–	–	–	–	·01	·57	·03	–	15
16	–	·03	–	·02	·05	–	·31	–	·24	·02	–	–	16
17	–	·10	–	·04	·74	·49	·02	–	·44	–	–	–	17
18	·04	·03	–	·15	·06	·23	–	·18	·03	·12	–	–	18
19	·06	·04	–	·19	·05	·25	–	–	–	–	–	–	19
20	·01	–	–	·49	·05	·04	·01	–	–	·02	–	·36	20
21	–	–	–	·04	–	–	–	–	–	·14	–	·14	21
22	·01	–	–	·03	–	–	·02	–	–	·02	–	·40	22
23	·03	–	–	–	–	–	·08	–	–	–	·19	·44	23
24	·07	–	·23	–	–	–	·03	·06	–	–	·02	·44	24
25	·25	–	·17	–	–	–	·74	–	–	–	·01	·08	25
26	·34	–	·29	–	–	–	·09	–	–	–	·14	·26	26
27	·57	·05	·13	·05	–	·09	·13	–	–	–	·31	·07	27
28	·71	–	·14	·04	–	–	·05	–	–	–	·04	·26	28
29	·65	·01	·66	·02	·02	·01	–	–	–	–	–	·52	29
30	·20		–	–	·01	·10	·02	–	·75	–	1·11	·52	30
31	·09		·33		–		–	–		43		·27	31
TOTAL	6·69	·60	4·09	3·68	1·45	1·80	3·39	1·32	1·64	2·99	2·45	5·51	YEAR'S TOTAL 35·61
Days with ·01 in. or more	23	17	17	23	12	11	22	7	9	15	~~11~~ 12	21	~~188~~ 189
Days with ·04 in. or more	19	6	14	18	9	10	12	5	5	10	~~6~~ 8	19	~~133~~ 135

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Kept by - Capta ,R.N.

Rainfall at " , S. Devon.

From - 12 September 1919 v. 1150 yds

DEVON

CHUDLEIGH

"HEATHFIELD"

1919 - 1920

10 JAN 20

Day of month	September	Oc				February	March
1	—	[illegible]	—				
2	—	.03	—				
3	—	—	.07	Nov 27 to Dec 8th			
4	—	—	.06	2.75			
5	—	—	.07				
6	—	—	—				
7	—	—	—				
8	—	—	.16				
9	—	—	.43	—			
10	—	.06	.07	.24			
11	—	.01	—	.24			
12	.01	.06	.10	.03			
13	—	.08	.02	.15			
14	.05	.04	—	.28			
15	.01	.04	—	.36			
16	—	—	.18	.01			
17	—	—	.15	—			
18	—	—	.14	—			
19	.21	—	.06	.03			
20	.09	—	.08	.03			
21	.10	—	.01	.08			
22	.10	—	=	.01			
23	.01	.56	.05	.11			
24	—	.36	.18	.21			
25	—	—	.04	.08			
26	—	—	.13	.35			
27	—	—	Included in Dec. 4/8	.02			
28	—	—		.37			
29	—	.15		.07			
30	—	—		.64			
31	▨	—	▨	.84		▨	
Total	~~.58~~	1.68	8.90				

Kept by - Capt[illegible] R.N.

Rainfall at "Heathfield", Chudleigh, S. Devon.

From - 12 September 1919 to 31 Dec 1919.
Height - approx 275'
Church bears approx: S.W. 1150 yds

Day of month	September	October	November	December	January	February	March.
1	—	.29	—	Nov 27 to Dec 8th 2.75			
2	—	.03	—				
3	—	—	.07				
4	—	—	.06				
5	—	—	.07				
6	—	—	—				
7	—	—	—				
8	—	—	.14				
9	—	—	.43	—			
10	—	.06	.07	.24			
11	—	.01	—	.24			
12	.01	.06	.10	.03			
13	—	.08	.02	.15			
14	.05	.04	—	.28			
15	.01	.04	—	.36			
16	—	—	.18	.01			
17	—	—	.15	—			
18	—	—	.14	—			
19	.21	—	.06	.03			
20	.09	—	.08	.03			
21	.10	—	.01	.08			
22	.10	—	=	.01			
23	.01	.56	.05	.11			
24	—	.36	.18	.21			
25	—	—	.04	.08			
26	—	—	.13	.35			
27	—	—	Included in Dec 1/8	.02			
28	—	—		.37			
29	—	.15		.07			
30	—	—		.64		▨	
31	▨	—	▨	.84		▨	
Total	~~.58~~	1.68	8.00				

REGISTER OF RAINFALL IN 1920

4 FEB 1921 BRITISH RAINFALL

Kept at "Heathfield", Chudleigh
in the County of Devon.
by Captain C. W. M. Plenderleath, C.B.E., R.N.

Lat. .... Long. ....
Time of Observation 9. 0 A.M.
Nearest Railway Station Chudleigh W.S.W. 1½ miles approx
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	—	.02	.08	.48	—							1
2	.21	—	.02	.08	.01	—							2
3	.09	.06	—	.08	.01	—							3
4	—	—	.02	.03	—	—							4
5	—	.03	.20	.01	.03	—							5
6	—	—	.38	.03	.70	—							6
7	—	—	.02	.12	.10	—							7
8	.05	.03	—	.22	.07	—							8
9	.80	.02	—	.01	.01	.15							9
10	1.16	.08	.02	.04	—	.39							10
11	.45	.01	.15	.40	.25	.05							11
12	.12	.03	.05	.35	.01	.14							12
13	.12	.01	.50	.03	—	—							13
14	.01	.04	.54	.83	tr	—							14
15	—	.10	.07	.36	.05	—							15
16	—	.03	.01	.02	.01	.01							16
17	—	—	—	.05	.25	.12							17
18	.06	.02	—	.07	.06	.16							18
19	.03	—	→	} .43	.02	.31							19
20	.01	.04	—		.05	.11							20
21	—	—	—	.04	—	—							21
22	.03	—	—	.05	—	—							22
23	.03	—	—	—	—	—							23
24	.02	—	.27	—	—	—							24
25	.06	.02	.12	.01	—	—							25
26	.20	—	.21	.01	—	—							26
27	.86	.02	.26	.06	.01	.10							27
28	.61	.01	.97	.03	—	.03							28
29	.58	.01	.83	.03	.02	—							29
30	.13	X	—	—	.02	.12							30
31	.08	X	.31	X	—	X			X		X		31
Total	5.85	0.56	4.07	3.47	1.56	1.69							YEAR'S TOTAL
Rain Days.	23	17	20	27	19	12							

Observer left Chudleigh
New address for journals
Culm Leigh
Stoke Cannon
near Exeter

ROLOGICAL OFFICE
BRITISH RAINFALL ORGANIZATION.
Recd .... Ansd ....
A. C. S. M.
....
File .... Perm. File ....

N.B. Rainfall not taken on Ap: 20th both 19th & 20th were Rain days.

17 5 14 17 9 10

W. 6,500. VII. 18. W W C

DEVON.

CHULMLEIGH

"LEIGH HOUSE"

1912 - 1920

FORM A2.

BRITISH RAINFALL.
9 - JAN 1912

REGIS

Kept at Leigh Hous

in the County of Devon

by Wm Gillies

5 in.

Ground 1 ft. in.

Sea Level 400 ft.

a m

Name Eggesford

Distance 2 mils Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13			·40				·31			·02		1
2	·01				·17			·16		·40	·45	·05	2
3					·28			·03			·15	·05	3
4			·02	·01				·12			·34	·32	4
5	·12		·05	·02				·60		·02	·13	·13	5
6	·23		·02					·01			·28	·36	6
7	·08		·11	·01							·60	·03	7
8	·12		·13								·10	·76	8
9	·15		·21								1·07	·22	9
10	·05	·09	·32		·21						·05	·33	10
11	·35				·01						·48	·21	11
12			·62						·28		·19	·28	12
13			·03		·01				·40		·02	·15	13
14		·04	·01							·02	·02	·34	14
15		·01	·01			·09					·32	·07	15
16		·02	·04			·14					·14	·09	16
17	·03	·04	·11	·02		·16	·01				·15	·19	17
18		·33	·03	·16		·48				·08	·28	·16	18
19		·03	·03	·21		·47			·28	·22	·34	·72	19
20	·01	·04	·05	·02		·01		·02	·28	·29		·28	20
21	·02	·14				·03		·01	·17	·14		·18	21
22	·05	·05		·08		·42			·24	·36		·61	22
23		·31	·07	·03		·04			·15	·27	·02	·18	23
24	·04	·20				·36		·25		·22		·21	24
25	·02	·05		·13		·04			·02	·15		·15	25
26		·11		·38				·04		·42		·26	26
27		·40	·01	·02		·02		·29	·15	·56		·33	27
28		·24		·48				·05			·25	·02	28
29			·01	·45		·56	·24	·05	·21	·27			29
30						·04			·02	·23	·03	·04	30
31							·02			·22		·01	31
Total	1·41	2·10	1·88	2·42	·68	2·86	·27	1·94	2·20	3·87	5·43	6·73	TOTALS for year 31·79
No. of Rain Days.	15	16	19	15	5	14	3	13	11	16	22	29	178

W. 8,000, X. '11.

REGIS

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Leigh House, Chulmleigh

in the County of Devon N. 2

by Wm Gillies

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 400 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Eggesford
Distance 2 mile Direction S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13			·40				·31			·02		1
2	·01				·17			·16		·40	·45	·05	2
3					·28			·03			·15	·05	3
4			·02	·01				·12			·34	·32	4
5	·12		·05	·02				·60		·02	·13	·13	5
6	·23		·02					·01			·28	·36	6
7	·08		·11	·01							·60	·03	7
8	·12		·13								·10	·76	8
9	·15		·21								1·07	·22	9
10	·05	·09	·32		·21						·05	·33	10
11	·35				·01						·48	·21	11
12			·62						·28		·19	·28	12
13			·03		·01				·40		·02	·15	13
14		·04	·01							·02	·02	·34	14
15		·01	·01			·09					·32	·07	15
16		·02	·04			·14					·14	·09	16
17	·03	·04	·11	·02		·16	·01				·15	·19	17
18		·33	·03	·16		·48				·08	·28	·16	18
19		·03	·03	·21		·47			·28	·22	·34	·72	19
20	·01	·04	·05	·02		·01		·02	·28	·29		·28	20
21	·02	·14				·03		·01	·17	·14		·18	21
22	·05	·05		·08		·42			·24	·36		·61	22
23		·31	·07	·03		·04			·15	·27	·02	·18	23
24	·04	·20				·36		·25		·22		·21	24
25	·02	·05		·13		·04			·02	·15		·15	25
26		·11		·38				·04		·42		·26	26
27		·40	·01	·02		·02		·29	·15	·56		·33	27
28		·24		·48				·05			·25	·02	28
29			·01	·45		·56	·24	·05	·21	·27			29
30						·04			·02	·23	·03	·04	30
31							·02			·22		·01	31
Total	1·41	2·10	1·88	2·42	·68	2·86	·27	1·94	2·20	3·87	5·43	6·73	TOTAL for year 31·79
No. of Rain Days.	15	16	19	15	5	14	3	13	11	16	22	29	178

W. 8,000, X. '11.

Form A2.
British Rainfall.
3 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Leigh House, Chulmleigh

in the County of Devon N. 2

by Wm Gillies

Rain Gauge { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 350 ft.

Time of Observation 9. a. m.

Nearest Railway Station { Name Eggesford
Distance 2¼ Mi Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·11		·03	·40	·04	·13	·09	1·13		·35	1
2			·13	·04		1·14	·03			·07		·01	2
3		·02	·26		·03	·12	·04	1·02	·05		·22		3
4	·08		·58	·01		·38		·15					4
5	·43	·02	·28		·03			·56			·03	·05	5
6	·64	·10	·05		·24	·60	·01	·94			·01	·09	6
7	·95	·23	·05	·04	·15			·19			·02	·04	7
8	·04	·04	·15	·05		·13	·03						8
9	·32	·10	·17	·10		·02	·10					·25	9
10	·03	·02	·04			·36	·02	·18	·03		·25	·14	10
11	·30	·06	·01				·03	·01			·31	·45	11
12	·01	·33	·11		·03	·01	·17	·03			·02	·12	12
13			·02			·01	·08	·10		·03		·21	13
14	·22	·03	·45		·16	·02		·21		·04		·08	14
15	·05	·04	·09		·08	1·08		·02				·61	15
16	·09		·17		·06	·04		·13		·07	·12	·18	16
17	·11		·21		·06	·23		·69				·24	17
18	·02	·02	·28					·51		·10	·06	·09	18
19	·03	·22	·07			·02	·02	·88		·09	·04	·02	19
20	·02	·05	·42		·14	·01		·31		·71	·07		20
21	·03	·05	·57		·62			·18		·24			21
22	·04	·06	·38		·20		·02	·25		·15		·06	22
23	·22	·58	·29			·06	·02	·85		·13	·14	·20	23
24	·25	·03	·04			·15				·11		·08	24
25	·13					·84		·42		·18	·48	·46	25
26		·03					·03	·16		·35	·63	·31	26
27			·02			·40	·46	·04		·87	·09	·60	27
28		·05	·01			·09	·40	·35		·18	·44	·52	28
29		·03				·11	·31	·04	·47	·45		·09	29
30			·01			·12	·36	·02	·09	·29		·01	30
31			·38				·28	·03		·04		·12	31
Total	4·01	2·11	5·35	·24	1·83	6·34	2·45	8·40	·73	5·23	2·93	5·38	TOTAL for year 45·00
No. of Rain Days.	21	21	28	5	13	23	19	27	5	19	16	26	223

W. 8,000, X. '11.

✓ Em DS

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

Kept at Leigh House, Chulmleigh,
in the County of N Devon 2
by Wm Gillies

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Eggesford 2½ miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·27	·11	·12	·10				·02		·13	·17	1
2	·07	·20	·02	·15	·18				·01	·31	·15	·02	2
3	·05		·08		·57				·02	·08		·23	3
4	1·08		·08		·08	·12			·19	·12	·02	·46	4
5	·03	·05			·23	·45	·07		·13	·02	·21	·76	5
6	·02	·13	·24		·02	·16				·37	·15	·49	6
7		·24	·05		·47	·12	·02			·57	·22	·01	7
8	·01	·05	·01		·22	·02	·07	·05		·02		·02	8
9		·04	·01	·02	·12	·20	·06	·26			·31	·04	9
10	·45		·01	·01	·04	·04				·23	·26		10
11	·50		·01	·20	·24	·17		·02	·03	·12	·50	·08	11
12	·04			·04	·02	·03			·01		·72	·03	12
13	·08		·10					·10	·30		·15		13
14	·14	·03	·20	·02			·02		·10	·10	·19		14
15	·10		·47	·86					·03		·16	·05	15
16	·14		·53	·07			·02	·85	·13		·03		16
17	·27		·11	·11			·04				·12		17
18	·23		·08	·21	·12	·01					·09		18
19	·47		·22		·09	·02	·11		·31	·08	·02		19
20	·55		·24	·13	·01				·05	·07	·40		20
21			·06	·33	·19	·05	·02	·09			·23		21
22	·58		·94		·04	·22	·04	·09	·11			·23	22
23	·02							·29	·03		·08	·68	23
24	·02	·05		·10		·01		·03			·05	·04	24
25		·03		·38	·02				·15	·02	·08	·10	25
26				·24				·02	·02	·01		·43	26
27	·23		·21	·13						·38	·01	·08	27
28	·12		·03	·12	·03					·28	·02	·19	28
29	·06		·39	·44						·12	·03		29
30	·35			·35	·05					·62	·04		30
31	·39		·44		·05		·03	·50					31
Total	6·02	1·09	4·64	4·03	2·89	1·62	·50	2·30	1·64	3·52	4·37	4·11	YEAR'S TOTAL 36·73
Rain Days.	26	10	24	20	21	14	11	11	17	18	26	19	217

W.7,000, XI. 13

Erd D 21

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 JAN 1915

Kept at Leigh House, Chulmleigh
in the County of Devon N 2
by Wm Gillies

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Eggesford 2½ miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·31

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·13	·15		·19	·68	·38			·28	·14	1
2	·02		·03	·09	·02		·20				·03	·25	2
3	·06		·42	·15	·29			·06			·02	·07	3
4	·25		·19	·25	·07		·35	·21			·44	·66	4
5	·15		·34	·36	·05		·04	·01				·02	5
6		·05	·20	·20	·11	·01	·54	·04				·33	6
7	·03	·18	·32	·31	·26	·08	·25	·09	·23			·12	7
8	·15		1·16	·02	·10	·40		·11				·01	8
9	·15	·01	·41	·03	·07	·56		·05	·82			·05	9
10	·04	·18	·12	·32	·22	·06			·72		·02	·04	10
11		·11	·40		·02	·17					·12	·28	11
12		·32	·10						·36	·20	·17	·25	12
13		·25	·31	·01			·10		·37	·15	·35	·14	13
14		·16	·46			·07		·32	·15	·01	·32	·05	14
15			·22				·10	·36	·12		·31	·18	15
16			·05				·04					·01	16
17		·40	·41				·03					·51	17
18		·20	·24						·22			·35	18
19		·12	·40				1·78		·07		·13	·23	19
20		·22	·31			·65				·06		·18	20
21		·25	·01							·93		·06	21
22		·11	·07	·01	·08	·20		·03		·19			22
23		·08	·08		·01	·02	·12						23
24			·09		·03	·01	·15	·12			·16		24
25	·30		·35		·13		·25	·57		·38	·02	·28	25
26	·12		·05				·19			·05		·27	26
27	·16	·02					·03	·08		·38	·14	·16	27
28	·05	·14	·10		·11		·09			·20	·12	1·23	28
29	·26		·06		·11					·13	·19	·05	29
30	·02	✕	·04							·15	·38	·28	30
31	·09	✕		✕	·09	✕	·50		✕	·84	✕	·24	31
Total	1·85	2·80	7·07	1·90	1·77	2·42	4·84	2·43	3·06	3·67	3·20	6·44	YEAR'S TOTAL 41·45
Rain Days.	15	17	29	12	17	12	18	14	9	13	17	28	201

W. 8,000. X. 14.

Exd Ld W

1945

FORM A. BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Leigh House, Chulmleigh
in the County of N Devon N2
by Wm Gillies

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Eggesford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31	·22	·02		·08			·75	·30	·34		·46	1
2	·25	·21	·12	·07				·22	·03	·04		·60	2
3	·02	·05	·08	·12	·07			·03				·55	3
4	·05	·72	·02	·04	·06		·05					·36	4
5	·04	·29		·09			·02	·71				·38	5
6	·77	·06		·24			·29	·03				·36	6
7	·31	·43		·05	·14		·29	·01		·38		·35	7
8	·28	·27						·13			·13	·15	8
9	·05	·11		·28							·51	·90	9
10	·34	·42	·10	·06				·38		·13	·15	·03	10
11	·14	·05	·03				·05			·06	·70	·17	11
12	·25	·33		·05	·50		·03	·89	·02	·07	·36	·11	12
13	·06	·70			·52		·03	·02	·12	·04	·21	·07	13
14	·12	·03					·23	·49	·07	·05	·02	·50	14
15	·23	·01			·32		·21	·03	·12	·03	·15	·10	15
16	·02	·23		·01	·25		1·08		·01			·04	16
17	·01	·11			·03		·01					·02	17
18		·27											18
19	·04	·02			·17		·16						19
20	·64	·03		·23		·08				·10		·05	20
21	·31	·22	·05		·09	·01	·06			·24		·39	21
22	·13	·09	·30	·04		·16	·24			·20		·28	22
23	·02	·05	·02				·23		·03	·86		·78	23
24			·01	·01		·01	·15			·16	·10	·61	24
25	·01		·02			·26	·22					·28	25
26		·07				·20	·11		·10			·41	26
27		·04				·30	·25			·46		·01	27
28		·10				·11			·43	·25	·13	·02	28
29						·25		·02	·12			·06	29
30	·27	X				·06			·13	·40	·27	·20	30
31	·02	X		X		X	·09	·06	X	·39	X	·15	31
Total	4·69	5·13	·77	1·29	2·23	1·44	3·80	3·77	1·48	4·20	2·73	8·39	YEAR'S TOTAL 39·92
Rain Days.	25	26	11	13	11	10	20	14	12	18	11	29	200

W. 8,000. X. 15.

WCJE

1799

FORM A. BRITISH RAINFALL.

9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Leigh House, Chulmleigh

in the County of Devon

by Wm Gillies

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Eggesford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12		·12		·32	·14	·28		·04	·33	·01		1
2	·55		·22		·04				·20	·35	·15		2
3	·01	·58		·03	·29	·04	·28		·04	·40	·04	·07	3
4	·42	·13		·05	·26	·58	·03		·22	·12	·32	·01	4
5	·03	·03	·04		·08	·40	·02			·07	·48		5
6	·10	·33	·12		·33	·03	·58			·06	·45		6
7	·10	·22	·13		·15	·16				·05	·65	·20	7
8		·19	·07		·05	·04					·38	·22	8
9		·25					·08			·04	·08	·16	9
10		·85		·15	·03		·15		·12	·02	·03	·10	10
11	·02			·16					·03		·02		11
12	·09	·11	·48	·08	·14		·08	·01		·16	·02		12
13		·44	·04	·04	·01			·32	·04	·02			13
14	·05	·38	·18		·10			·04		·10			14
15	·06	·27	·04	·17				·54		·05			15
16	·03	·05		·20			·12	·45		·23			16
17	·07	·30		·03					·75	·49	·67		17
18	·04	·68	·23	·25					·23	·05		·09	18
19	·21	·18	·05	·15							·29	·05	19
20	·12	·62	·28								·20	·55	20
21	·22	·05	·23		·07						·05	·06	21
22	·02					·18				·28	·02	·54	22
23	·07		·08	·01		·24		·39		·16	·05	·24	23
24		·46	·28	·02	·25	·05		·03		·40	·02	·22	24
25		·36	·23		·03	·05		·43	·61	·05	·48	·05	25
26	~~·05~~	·25	·14		·08	·26		·02	·60	·57	·05		26
27	·02		1·04		·05	·01				·77			27
28		·30	·03					·07	·12	·32		·67	28
29		·41	·02			·34		1·92	·06	·28		·48	29
30		X				·04		·01		·34		·07	30
31		X		X		X		·10	X	·12	X	·08	31
Total	2·40	7·44	4·05	1·33	2·28	2·56	1·62	4·33	3·06	5·83	4·46	3·86	YEAR'S TOTAL 43·22
Rain Days.	21	23	21	13	17	15	9	13	13	26	21	18	210

W. 8,000, VIII. 16

1815

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
4 JAN 1918

Kept ~~at~~ "Leigh House" Chulmleigh
in the County of Devon
by Wm Gillies

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Eggesford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·05	·13		·11		·42	·05		·09		1
2	·05		·02	·12		·10					·04		2
3	·09			·15			·80			·64	·57		3
4		·12	·28						·03	·40			4
5	·28		·33	·17		·76				·43	·23		5
6	·02		·33	·02		·07				·05	·34	·02	6
7	·48						·12	·17		·60	·12	·09	7
8			·07	·14	·12		·50	·53	·04	·73	·36	·31	8
9			·11	·14	·01		·03	·16	·01	·72	·42		9
10	·24		·33	·37				·14		·05	·05		10
11	·02		·52	·42				·26		·36	·24		11
12	·18		·02	·10	·28			·12	·40	·67		·02	12
13	·06		·26	·11		·04		·48	·07	·21		·02	13
14				·09				·20		·03		·05	14
15				·04			·02	·04		·18		·20	15
16		·05		·04			·06			·22	·05	·37	16
17		·03		·41			·56	·02	·23	·25			17
18		·03		·02	·13	·07	·28	·05	·59	·03			18
19		·48	·22			·21					·10		19
20		·09	·02		·42	·16		·02	·02		·13	·02	20
21		·02	·11		·02	·10		·05		·03	·12		21
22			·02		·01	·10		·30		·18	·01		22
23		·18			·08			·96		·21	·06	·02	23
24						·10	·20	·10		·33	·16	·02	24
25		·12	·05			·06	·02	·12	·03	·16	·05		25
26		·02			·34	·17		·35	·17	·16	·15		26
27						·28		1·10		·25	·02		27
28		·20	·14		·09	2·42		·55		·02	·03		28
29			·22			·28	·03	·06		·24	·08	0·8	29
30		✕	·13					·11		·11	·02		30
31		✕	·07	✕	·17	✕		·10	✕	·38	✕	·02	31
Total	1·50	1·34	3·30	2·47	167	5·03	262	641	164	764	3·44	124	YEAR'S TOTAL 38·30
Rain Days.	10	11	20	16	11	16	11	24	11	27	23	13	193

W. 8,000, IX. 17.

.45

Escd 920

11

8

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Leigh House,

in the County of N Devon,

by Wm Gillies

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Eggesford,

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·12		·29				1·07	·03	·03	·42	·02	1
2		·13		·05				1·57	·01		·04	·15	2
3		·08		·10					·07		·06		3
4		·04						·10	·33		·44	·26	4
5		·03	·10	·07	·05			·50	·70	·19	·05		5
6	·15	·38		·40	·04	·03		·02		·16		·07	6
7	·03	·20		·05				·02	·44	·19	·26	·05	7
8	·03	·08				·26	·09		·20	·30	·02	·02	8
9	·20	·07		·09			·12	·02	·48	·07	·02	·33	9
10	·22			·42			·57		·47	·08	·03	·50	10
11	·05	·02	·11	·01			·30		·45	·01	·10	·20	11
12	·03	·07			·25		·08		·09			·02	12
13	·40				·07		·02		·45	·11		·62	13
14	·24				·07	·07	·19	·02	·31	·13		·17	14
15	1·78						·35		·07	·05		·34	15
16	·40			·45		·03	·18	·05	·26	·25		·50	16
17	·78						·18	·05	·05			·23	17
18	·76	·05	·14			·63	·29	·03	·29	·24		·40	18
19	·09		·16	·05			·13	·04	·13	·02		·57	19
20	·05	·14		·33			·21		·22				20
21	·07	·05				·11	·02		·75	·04		·32	21
22	·02	·02			·11		·04		·20	·05		·22	22
23	·03						·58		21		·10	·32	23
24		·20				·01	·40	·23	·33		·29	·16	24
25					·24		·47	·42		·07	·16	·17	25
26		·15		·08			·28	·04	·16	·01	·09	·22	26
27	·02	·23	·08					·10	52		·48	·05	27
28		·17	·12			·03			·03		·23	·13	28
29			·11						1·36			·07	29
30		X	·30					·08	·02	·03	·16	·28	30
31		X	·28	X		X		·03	X		X	·05	31
Total	5·35	2·23	1·40	2·39	·88	1·17	4·55	4·39	8·63	2·03	2·95	6·44	YEAR'S TOTAL 42·41
Rain Days.	19	19	9	13	7	8	19	18	28	19	17	28	204

W. 8,000, IX. 17.

1704

9 JAN

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Leigh House, Chulmleigh

in the County of Devon

by Wm Gillies

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Eggesford 2½ miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·02

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·56		·05	·15	·06		·43		·10	·50		·98	1
2	·23		·05		·05					·05		·07	2
3			·22		·05						·05	·38	3
4	·15	·30	·48		·02	·03	·05	·03				·04	4
5	·25	·50	·59		·03				·18			·28	5
6	·29	·20	·23									·85	6
7	·25		·18	·12	·05							·68	7
8	·15		·22		·02	·06							8
9	·33		·04	·23	·01						·76		9
10	·06		·44	·03	·03					·11		·05	10
11	·13	·04	·30	·22	·08	·02	·14					·20	11
12	·29	·04	·20	·02		·37				·06	·17	·02	12
13	·05	·10	·10	·26	·54		·09		·04	·06		·09	13
14	·22			·63			·03			·06		·15	14
15	·36	·02		·06	·02					·08		·47	15
16	·18	·85									·49		16
17	·04	·12	·01			·04		·43			·65		17
18	·03	·13	·80				·06	·46	·05		·28	·03	18
19	·30	·14	·20			·15	·36	·44	·50		·35	·15	19
20	·14	·12	·15			·35		·10	·21		·25	·08	20
21	·05	·68			·02		·14		·03			·15	21
22		·05				·03	·16		·17		·05	·10	22
23				·01				·02		·40	·10	·04	23
24				·01		·20		·05	·02	·74	·12	·67	24
25	·20					·04		·34	·02		·25	·14	25
26	·30		·15	·18		·02		·10	·20	·09	·20	·40	26
27	·29			·38				·58				·19	27
28			·37	·08				·02		·01	·17	·67	28
29				·16				·08		·08		·12	29
30		×	·03	·20		·12	·08	·30	·03		·24	·50	30
31	·05	×	·14	×		×			×		×	·30	31
TOTAL	4·90	3·29	4·95	2·74	·98	1·43	1·54	2·95	1·55	2·24	4·13	7·20	YEAR'S TOTAL 37·90
Days with ·01 in. or more	24	14	21	16	13	12	10	13	12	12	15	27	189

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1616

31 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Leigh House, Chulmleigh,
in the County of Devon
by Wm Gillies,

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Eggesford 2 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·02	·05	·14		·46	·35	·13	·21		·30	1
2	·08			·32	·16		·20	·23	·20	·10		·05	2
3	·20	·09		·05	·05		·25	·01	·04	·80		·35	3
4			·05				·03	·30	·02	·36			4
5		·01	·13	·05	·12		·22	·06		·18			5
6			·13	·02	·22		·05		·02	·27	·05		6
7	·05			·26	·02		·22				·03		7
8	·08	·04		·25	·12		·80	·05		·02		·21	8
9	·64	·16		·21		·23	·27	·01					9
10	1·03	·30	·02	·03		·14	·12				·03		10
11	·19		·17	·24	·24		·12			·03			11
12	·33	·03	·04	·03	·04	·12	·05	·01			·14		12
13	·23	·07	·29	·08			·02		·02	·15			13
14	·02	·02	·46	·34			·03		·10	·36	·47		14
15	·02	·13		·29	·05	·41			·11	·40	·66		15
16			·03	·03		·03	·05		·12	·32	·14		16
17	·06		·04		·14	·05		·04	·24	·22			17
18	·20		·03		·10	·14	·03	·22	·20				18
19	·12	·12		·30		·30	·01		·45				19
20	·09			·49		·10	·05					·09	20
21				·08			·07			·09		·25	21
22	·03			·04		·01	·02	·02				·60	22
23		·06	·03				·40	·11				·46	23
24	·04	·04	·12	·03				·02			·15	·18	24
25	·06		·10			·03	1·03						25
26	·22		·31			·05	·10				·15	·07	26
27	·20	·15	·08	·24	·10	·45	·09				·54	·25	27
28	·53		·41	·29		·08	·03				·04	·05	28
29	·14		·60	·11	·06	·09	·03				·15	·25	29
30	·31	×		·14	·02	·14	·02		·61	·12	·25	·18	30
31	·21	×	·33	×		×	·01		×	·53	×	·09	31
TOTAL	5·10	1·22	3·39	3·97	1·58	2·37	4·78	1·43	2·26	4·16	2·20	3·38	YEAR'S TOTAL 35·84
Days with ·01 in. or more	25 ~~4~~	13	20 ~~5~~	24 ~~5~~	15 ~~2~~	16 ~~3~~	28 ~~10~~	13 ~~5~~	13	16 ~~2~~	13 ~~2~~	15	~~[illegible]~~ } 211
Days with ·04 in. or more	21	10	15	19	1~~4~~3	13	18	8	10	14	11	15	167

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DEVON.
CHAGFORD.
"MILLHOLME"
1914 - 1915

FORM A.
BRITISH RAINFALL
5 - MAR 19

W. D.

REGIST

Kept at Millholme - Ch

in the County of Devon

by A. S. Fleming

3·50½ W.

am,

Moreton Hampstead

8 in. square

ove Ground 3 ft. 6 in.

Sea Level 600 ft.

IMPORTANT NOTE.— the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
1·30

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	(–)	·14	·08	–	(–)	·03	·42	·47	·	–	1·35	·55	1
2			–	·27		·09	·05	·12	·	–	·47	·27	2
3			·06	–		–	·12	·21	·	–	·12	1·06	3
4			·38	·15			·01	·18	·	–	·07	·98	4
5			·11	·38			·38	·16	·	–	·43	·60	5
6		·15	·21	·44			·18	·03	·	–		·24	6
7		·58	·12	·34			·04	·01	·	–		·66	7
8		·71	·82	·06	1·71		·20	·24	·28	–		·16	8
9		·01	1·41	·24		1·77	–	·11	·78	–		–	9
10		·04	·13	·20			–	·14	·37	·01	1·56	·04	10
11		·86 6	·16	·46			–	–	·22	·01		1·00	11
12		·71	·82	–			–	–	·25	–		·28	12
13		·40	·28	–			·	–	·18	·06		·74	13
14		·54	1·07	–			·01	–	·28	·17		·10	14
15	1·44	·70	·29	–			·06	·47	·07	·02	·13	·07	15
16		·01	·27	–	–	–	·14	·20	·01	·07	–	·14	16
17		·01	·12	–	–	–	·01	–	·26	–	–	·05	17
18		·66	·48	–	–	·19	–	–	–	–	·02	1·39	18
19		·13	·14	–	–	–	1·31	–	·17	·	–	·40	19
20		·15	1·05	–	–	·02	1·22	–	·13	·	·05	·02	20
21		·58	·24	–	–	·42	–	–	·03	–	–	·18	21
22		1·00	·02	–	–	–	–	·01	–	·79	–	·01	22
23		·09	·08	·02	·17	·01	·01	–	–	·25	–	–	23
24		·08	·15	–	–	–	·07	·05	–	·23	–	–	24
25		·01	·21	–	·02	–	·07	·01	–	·35	·03	·01	25
26		·01	·02	–	·02	–	·29	·36	–	·05	·27	·40	26
27		·01	·04	–	–	–	·11	–	–	·09	·35	1·00	27
28		·02	·02	–	–	–	·10	·04	–	·13	·65	·82	28
29		✗	·23	–	·16	–	·03	–	–	·10	·06	·53	29
30		✗	·39	–	·02	–	–	–	–	·21	1·66	·58	30
31		✗	·06	✗	–	✗	·02	·01	✗	·28	✗	1·36	31
Total	·14 ~~1·44~~	·08 ~~7·60~~	– ~~9·46~~	(–) ~~2·56~~	·03 ~~2·10~~	·42 ~~2·53~~	·47 ~~4·85~~	– ~~2·82~~	– ~~3·03~~	1·35 ~~2·82~~	·55 ~~7·22~~	1·30 ~~13·54~~	YEAR'S TOTAL ~~59·97~~
Rain Days.		24	29	10			22	19	13	17		28	...
W. 8,000. X.	1·58	7·54	9·38	2·56	2·13	2·92	4·90	2·35	3·03	4·17	6·42	14·29	61·27

REGISTER OF RAINFALL IN 1914

5 - MAR 1915

FORM A. BRITISH RAINFALL

Kept at Littleholme – Chagford

in the County of Devon

by A. S. Fleming

Lat. 50°40'30"N Long. 3·50½ W.

Time of Observation 9. a.m.

Nearest Railway Station Moreton Hampstead G.W.R.

Diameter of Rain Gauge 8 in. square

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 1·30

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	(–)	·14	·08	–	(–)	·03	·42	·47	·	–	1·35	·55	1
2			–	·27		·09	·05	·12	·	–	·47	·27	2
3			·06	–		–	·12	·21	·	–	·12	1·06	3
4			·38	·15			·01	·18	·	–	·07	·98	4
5			·11	·38			·38	·16	·	–	·43	·60	5
6		·15	·21	·44			·18	·03	·	–		·24	6
7		·58	·12	·34			·04	·01	·	–		·66	7
8		·71	·82	·06	1·71		·20	·24	·28	–		·16	8
9		·81	1·41	·24		1·77	–	·11	·78	–		–	9
10		·04	·13	·20			–	·14	·37	·01	1·56	·04	10
11		·86 ·6	·16	·46			–	–	·22	·01		1·00	11
12		·71	·82	–			–	–	·25	–		·28	12
13		·40	·28	–			·	–	·18	·06		·74	13
14		·54	1·07	–			·01	–	·28	·17		·10	14
15	1·44	·70	·29	–			·06	·47	·07	·02	·13	·07	15
16		·01	·27	–	–	–	·14	·20	·01	·07	–	·14	16
17		·01	·12	–	–	–	·01	–	·26	–	–	·05	17
18		·66	·48	–	–	·19	–	–	–	–	·02	1·39	18
19		·13	·14	–	–	–	1·31	–	·17	·	–	·40	19
20		·15	1·05	–	–	·02	1·22	–	·13	·	·05	·02	20
21		·58	·24	–	–	·42	–	–	·03	–	–	·18	21
22		1·00	·02	–	–	–	–	·01	–	·79	–	·01	22
23		·09	·08	·02	·17	·01	·01	–	–	·25	–	-	23
24		·08	·15	–	–	-	·07	·05	–	·23	–	-	24
25		·01	·21	–	·02	–	·07	·01	–	·35	·03	·01	25
26		·01	·02	-	·02	-	·29	·36	–	·05	·27	·40	26
27		·01	·04	-	–	-	·11	–	–	·09	·35	1·00	27
28		·02	·02	–	–	-	·10	·04	–	·13	·65	·82	28
29		✕	·23	–	·16	-	·03	–	–	·10	·06	·53	29
30		✕	·39	–	·02	-	–	–	–	·21	1·66	·58	30
31		✕	·06	✕	–	✕	·02	·01	✕	·28	✕	1·36	31
Total	·14 ~~1·44~~	·08 ~~7·60~~	– ~~9·46~~	(–) ~~2·56~~	·03 ~~2·10~~	·42 ~~2·83~~	·47 ~~4·85~~	~~2·82~~	– ~~3·03~~	1·35 ~~2·82~~	·55 ~~7·22~~	1·30 ~~13·54~~	YEAR'S TOTAL 59·97
Rain Days.		24	29	10			22	18	13	17		28	...
W. 8,000. X.	1·58	7·54	9·38	2·56	2·13	2·92	4·90	2·35	3·03	4·17	6·42	14·29	61·27

MORETON HAMPSTEAD G.W.R. STATION.

[illegible]ELHOLME,
CHAGFORD,
DEVON.

26.iii
15

Dear Sir

In reply to your letter C.S/9 of yesterday, the rainfall recorded on the 1st January this year wxo 1·30 .

Since receipt of your Rules, I have adopted your system.

Yrs truly

A.S. Hewitt

Dr H.R. Mill.

1876

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Millholme . Chagford

in the County of Devon 55

by A. S. Fleming

Lat. 50° 40' 30" N Long. 3° 51' W

Time of Observation 9 a.m.

Nearest Railway Station Moretonhampstead G.W.R.

~~Diameter of~~ Funnel of Rain Gauge 8 inches square

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·30	·02	·03	·		·	·	1·20	·33	·20	·	·20	1
2	·10	·45	·04	·01		·	·	·01	·	·02	·	·60	2
3	·64	·22	·03	·04		·	·02	·01	·	·	·	·68	3
4	·10	·62	·	·		·	·	·	·	·	·	·38	4
5	·06	·32	·	·09		·	·	·01	·	·	·	·96	5
6	·03	1·28	·	·15		·	·36	·01	·	·	·	·08	6
7	1·07	·25	·	·04	1·72	·	·23	·	·	·02	·02	·14	7
8	·58	·56	·	·		·	·01	·02	·	·03	·26	·70	8
9	·30	·35	·	·20		·	·	·	·	·	·08	·41	9
10	·19	·13	·	·02		·	·	·06	·	·04	·05	·05	10
11	·57	·86	·	·		·	·01	·03	·	·12	·75	·03	11
12	·02	·05	·	·03		·	·	·03	·	·02	·11	·02	12
13	·02	1·15	·	·		·	·	·02	·	·	·09	·01	13
14	·00	1·10	·	·		·	·06	·	·01	·06	·02	1·04	14
15	·10	·02	·	·		·	·06	·	·	·01	·02	·14	15
16	·39	·02	·	·	·14	·	·69	·	·	·	·	·07	16
17	·01	2·04	·	·	·02	·	·	·01	·	·	·	·	17
18	·	·22	·	·	·	·	·	·	·	·	·	·	18
19	·02	·03	·	·03	·13	·	·03	·	·	·	·	·01	19
20	·07	·01	·	·	·02	·01	·	·01	·	·04	·	·03	20
21	·56	·01	·	·	·07	·	·14	·	·	·07	·	·30	21
22	·05	·02	·04	·01	·	·02	·01	·	·	·01	·	·54	22
23	·05	·	·06	·	·	·01	·01	·	·	·59	·	·67	23
24	·05	·	·	·01	·	·13	·	·	·04	·27	·	·37	24
25	·	·	·	·	·	·02	·	·	·	·	·02	·25	25
26	·	·	·	·	·	·01	·	·	·01	·	·	1·07	26
27	·	·09	·	·	·	·	·	·	·05	·40	·	·02	27
28	·	·05	·	·	·	·08	·	·01	·06	·08	·01	·06	28
29	·	~~(–)~~	·	·	·	·20	·	·	·01	·	·05	·06	29
30	·		·	·	·	·01	·	·	·02	1·19	·27	·44	30
31	·09		·		·		·02	·01		·71		·63	31
Total	·02 ~~6·37~~ 5·09	~~9·87~~ 9·85	·20?	·63?	2·10?	·49?	1·64?	1·44?	·53	3·88	1·75	9·95	YEAR'S TOTAL ~~38·95~~ 37·55
Rain Days.	24	2~~4~~3	5	11	?	9	13	14	8	18	13	29	

W. 8,000. X. 15.

? mull

S. made

1869 — 387253

CLOVELLY COURT.
DEVON.
1912 - ~~19~~ 1920.

REG

FORM A.
BRITISH RAINFALL.
JAN 191

Kept at Clovelly ... a.m.

in the County of D ... ideford

by H. Tuke ... 5 in.

Ground ... ft. 11 in.

Sea Level — ft.

IMPORTANT NOT ... he result entered to the previous day. If an Ob ... rsal rule, he is earnestly requested to add the rea ... in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.06		.48	.05	.45	.03	.03		.42		.42	1
2	.02	.08		.11		1.62		.02	.08	.05		[illegible]	2
3	.17		.12	.02	.04	.15	.08	.89				.13	3
4	.72	.11	.86	.05	.07	.14		.17			.34		4
5	.82			.04	.06		[illegible]	.65	.28		.02	.20	5
6	.29		.04	.03	.24		.06	.22				.13	6
7	.06		.29		.36	.52	.18	.59	.03		.04	.18	7
8	.42	.09	.21	.06		.04	.03	.05	.04			.03	8
9	.09	.38	.31	.03			.10	.53			.03	.89	9
10	.48	.11	.29			.22	.13	.06	.03		.09	.03	10
11	.02	.06	.13		.02		.03				.13	1.16	11
12	.12		.38		.16	.02	.21	.15		.03	22	.06	12
13	.28	.02	.09			.06	.11	.04		.10		.62	13
14	.07	.03	.71		.04			.41		.07	.02	21	14
15	.21	.08	.06			1.59		.06			.05	1.13	15
16	.19		.49		.09	.12		.51		.11	.10	.21	16
17			.23		.04	.33		.71		.04	.17	.32	17
18		.05	.37					.29		.07	.02	.28	18
19		.07	.09		.08	.07	.06	1.12		.19	.08	.09	19
20	.10	.04	.31		.03			.35		.52	.03		20
21		.23	.57		.26	.03		.38		.03	.02		21
22	.36	.48	.37		.04	.05	.03	.43		.06	.06	.18	22
23	.08	.52	36			.08	.02	1.55		.11	.32	.12	23
24	.02	.03	.12			.66		.15		15		.52	24
25	.05	.09				.49		.09		.42	.82	.49	25
26		.18						.18		.22	.63	.54	26
27	.09	.10	.17			.61	.52	.04		.96	.08	.44	27
28		.14	.03			.28	.42	.89	.31	.22	.51	.54	28
29		.28				.16	.63	.08	.30	.45		.12	29
30						.68	.25	.04	1.03	.03		.04	30
31			.26		.05		.19					.32	31
Total	4.66	3.23	6.86	.82	1.63	8.37	3.08	10.68	2.10	4.25	3.78	9.33	YEAR'S TOTAL 58.79
Rain Days.	21	22	24	8	16	22	18	29	8	20	21	27	236

W. 7,500, XI. 12

S. made

REG

FORM A.
BRITISH RAINFALL.
JAN 1913

Kept at Clovelly Court
in the County of Devonshire N4
by H. Tuke

Time of Observation 9 a.m.
Nearest Railway Station Bideford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.06		.48	.05	.45	.03	.03		.42		.42	1
2	.02	.08		.11		1.62		.02	.08	.05		[illegible]	2
3	.17		.12	.02	.04	.15	.08	.89	.			.13	3
4	.72	.11	.86	.05	.07	.14		.17			.34		4
5	.82			.04	.06		[illegible]	.65	.28		.02	.20	5
6	.29		.04	.03	.24		.06	.22				.13	6
7	.06		.29	.	.36	.52	.18	.59	.03		.04	.18	7
8	.42	.09	.21	.06		.04	.03	.05	.04			.03	8
9	.09	.38	.31	.03			.10	.53			.03	.89	9
10	.48	.11	.29			.22	.13	.06	.03		.09	.03	10
11	.02	.06	.13		.02		.03				.13	1.16	11
12	.12		.38		.16	.02	.21	.15		.03	22	.06	12
13	.28	.02	.09			.06	.11	.04		.10		.62	13
14	.07	.03	.71		.04			.41		.07	.02	21	14
15	.21	.08	.06			1.59		.06			.05	1.13	15
16	.19		.49		.09	.12		.51		.11	.10	.21	16
17	.		.23		.04	.33		.71		.04	.17	.32	17
18		.05	.37					.29		.07	.02	.28	18
19		.07	.09		.08	.07	.06	1.12		.19	.08	.09	19
20	.10	.04	.31		.03			.35		.52	.03		20
21		.23	.57		.26	.03		.38		.03	.02		21
22	.36	.48	.37		.04	.05	.03	.43		.06	.06	.18	22
23	.08	.52	36			.08	.02	1.55		.11	.32	.12	23
24	.02	.03	.12			.66		.15		15		.52	24
25	.05	.09				.49		.09		.42	.82	.49	25
26		.18						.18		.22	.63	54	26
27	.09	.10	.17			.61	.52	.04		.96	.08	.44	27
28		.14	.03			.28	.42	89	.31	.22	.51	.54	28
29		.28				.16	.63	.08	.30	.45		.12	29
30						.68	.25	.04	1.03	.03		.04	30
31			.26		.05		.19					.32	31
Total	4.66	3.23	6.86	.82	1.63	8.37	3.08	10.68	2.10	4.25	3.78	9.33	YEAR'S TOTAL 58.79
Rain Days.	21	22	24	8	16	22	18	29	8	20	21	27	236

W. 7,500, XI. 12

S. made ✓ W 9/13 Cor. for auth. 1.V.14.

REGISTER OF RAINFALL IN 1913

27 APR 1914

FORM A. BRITISH RAINFALL

Kept at Clovelly Court

in the County of Devon N.4

by H. Tuke

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bideford 11 miles

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		22	.42	.22	.07						.34	.44	1
2	.19	.22	.03	.11	.20	.04	.04			.10	.32	.31	2
3	.18		.12		23					.09		.34	3
4	.82	.01	.08			.11			.14		.14	.18	4
5	.27	.02	.10		.34	.41			.62	.40	.72	.54	5
6	.17	.56	.17		.13	.21			.02	.12	.77	.28	6
7	.05	.23	.07		.82		.02			.98	.15	.05	7
8	.08	.34			.21	.04		.02		.03	.42	.11	8
9	.02	.09	.18		.11	.28	.05	.20	.07		.11	.18	9
10	.62		.16		.13	.38	.03	.05	.03	.69	.14	.17	10
11	.32		.06	.02	.09	.27	.24	.07	.06	.03	.68	.04	11
12	.18		.08	.20	.14	.19		.18	.04		.58		12
13	.08		.48	.04	.02				.68		.28		13
14	.07		.39	.05			.14		.28	.32	.23	.18	14
15	.31		.52	1.52			.02		.02		.49	.14	15
16	.49		.82	.22			.04		.06		.11		16
17	.28		.08	.12			.12				.48		17
18	.38		.16	.23			.03				.18		18
19	.52		.19		.18					.42	.03		19
20	.32		.23	.18					.12	.16	.98		20
21	.02		.21	.33		.29	.23	.04	.09	.09	.51		21
22	.68		.92	.07	.17							.15	22
23	.08			.03				.51	.02	.03	.12	.52	23
24	.06	.08	.08	.19				.03	.19		.23	.12	24
25				.53							.21	.28	25
26				1.52				.06	.11	.03	.11	.52	26
27	.48		.14	.22					.02	.19	.04	.14	27
28	.17		.18	.33	.21					.69	.03	.13	28
29	.02		.28	.40	.07				.05	.34	.12	.10	29
30	.68		.02		.24					.32	.12	.36	30
31	.44		.74		.19			.13		.81			31
Total	7.93	1.67	6.91	6.53	3.55	2.22	.96	1.29	2.62	5.84	~~8.54~~ 8.64	5.28	YEAR'S TOTAL ~~53.34~~ 53.44
Rain Days.	27	9	27	20	18	10	11	10	18	19	28	22	219

13

W.7,000, XI. 13

Made

Ent DJS

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Clovelly Court (Gardens)
in the County of Devonshire N4
by H. Tuke

Lat. .... Long. ....
Time of Observation 9. a.m
Nearest Railway Station Bideford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 11 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.11					.51				.13	1
2					.06			.06			.03	.68	2
3	.07		.28	.42	.65			.31			.11	.96	3
4	.39		.24	.38			.02	.16			.38	.51	4
5	.14	.06	.48	.36	.02		.37	.84			.12	.13	5
6	.07	.18	.17	.43	.12		.10	.04			.21	.36	6
7	.10	.50	.52	.07	.41	.02	.62	.17	.10		.03	.39	7
8	.73	.03	1.05	.04	.11	.28	.68	.22				.51	8
9	.31	.09	.32	.13	.38	1.03		.54	.31			.09	9
10	.13	.53	.22	.41	.25	.06			.54		.02	.07	10
11	.11	.31	.82			.21			.49		.14	.52	11
12		.82	.19								.21	.04	12
13		.92	.44				.14		.38		.33	.08	13
14		.54	.51				.18	1.31	.14		.14	.13	14
15		.03	.31				.02	.43	.13	.03	.67		15
16		.57	.29				.12		.11			.09	16
17		.13	.28						.07			1.02	17
18		.05	.36				.39		.39			.32	18
19			.22				1.10		.09			.08	19
20			.12			.11						.23	20
21		1.20				.04	.16			.31		.03	21
22		.12	.08	.10		.10		.06		.22			22
23		.16	.32			.11	.14	.02		.23			23
24		.02	.12			.02	.04	.67		.09	.38	.42	24
25	.32		.19				.08	.10		.19	.11	.29	25
26	.18						.12			.18	.38	.41	26
27	.06	.08	.03							.28	.57	.44	27
28	.03	.09	.23				.04			.31	.38	.82	28
29	.48		.38							.19	.61	.36	29
30		✕	.28							.13	1.05	.22	30
31		✕		✕		✕			✕	.32	✕	.13	31
Total	3.12	6.43	8.56	2.34	2.00	1.98	4.32	5.44	2.75	2.48	6.07	9.66	YEAR'S TOTAL 55-15
Rain Days.	14	20	27	9	8	10	17	15	11	12	19	28	190

W. 8,000. X. 14.

B made

1915

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.

5 JAN 1916

Kept at The Gardens, Clovelly Court
in the County of Devon
by H. Tuke

N4

Lat. ______ Long. ______
Time of Observation 9 A.m.
Nearest Railway Station Bideford 19½ miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ___ ft. 11 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.45	.37						.33	.39	.18	.32	.57	1
2		.33	.31			.13		.31	.09		.62	.67	2
3	.03	.13	.38	.28	.18		.08	.03			.08	.47	3
4	.04		.11	.43	.03						1.10	.57	4
5	53	.98	.03	.18				.36			.65	.92	5
6	.48	.41		.47			.26	.18			.18	.27	6
7	.06	1.07		.07			.32	.13		.44	.03	.72	7
8	.23	.53			.17		.03	.18		.11	.04	.03	8
9	.11	.57		.15				.14				1.32	9
10	.21	.38		.13		.06				.09		.05	10
11	.02	.35	.33				.04	.03		.02		.04	11
12	.08							.02		.10		.06	12
13	.18	.72		.11	.50	.09	.23		.09	.03		.08	13
14	.16				.90	.11	.21	.04	.13			1.38	14
15	.23	.23					.13		.18			.32	15
16		1.53			.40		1.45						16
17					.20								17
18	.02	.45			.25		.11						18
19	.11			.23			.41						19
20	.74				.19		.02			.31		.06	20
21		.42					.38			.48		.28	21
22	.11	.08	.28		.17	.03	.41			.17		.48	22
23		.04	.03				.38		.04	.75		.86	23
24						.02	.45		.30	.32		.22	24
25						.26	.25		.09	.03		.11	25
26		.28			.33	.18	.46		.03	.63		.53	26
27		.06				.53	.14		.05	.52		.12	27
28		.03		.03		.04		.03	.45	.41	.04	.06	28
29						.52		.04	.11	.51	.42		29
30	.25	X		.29		.09			.12	.42	.38	.41	30
31		X		X		X	.13	.11	X	.48	X	.36	31
Total	4.04	8.90	1.47	2.37	3.32	2.06	5.89	1.93	2.07	6.00	3.86	10.96	YEAR'S TOTAL 52.87
Rain Days.	19	20	7	11	11	12	20	14	13	19	11	26	183

W. 8,000. X. 15.

Smade Exd RJS 1934

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

3 JAN 191

Kept at Clovelly Court Gardens

in the County of Devon

by H. Yuke

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Bideford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			02		11		14		09	23	17		1
2	70	13	21		09		17		19	75			2
3	~~42~~	1.45	09		05	21	32		02	61	51	2	3
4	42	38	02	11	31	79			17	48	29		4
5		48			05	11				43	42		5
6	16	22	02		15		12			13	52	2	6
7	09	12	03		17		03				69	42	7
8		36	02		13	14						21	8
9		06			11		23			13	10	1.27	9
10		1.10		21	04		03						10
11		02		24	07		06		11	11			11
12		11	13	10	32		11	13					12
13		53	03		06			18		13		9	13
14	11	57			13			12		11			14
15		42	06		07			82		07			15
16		11	05	13			08	28		14			16
17	29	17		31				08	1.17	35	52		17
18	19	34	22	06					37		02		18
19	22	14	08	21				03			61	30	19
20	16	42									33	48	20
21	06	08	23		04						61	42	21
22						08		09		29	16	52	22
23	04	03	02	11		32		24		32	04	41	23
24		04	21		12	05		05	02	49	28	38	24
25		12	41		15	06		57	04	34	41	03	25
26	07		11		11	15			82	54			26
27	09	03	1.55		38	08		19	39	84	07	2	27
28		19	06					07	11	73	04	96	28
29		49				68		83	15	39		49	29
30		×				09		02		51		4	30
31		×		×	41	×		19	×	31	×	9	31
Total	2.60	8.21	3.57	1.48	3.07	2.76	1.29	3.89	3.65	8.43	5.79	6.17	YEAR'S TOTAL 50.91
Rain Days.	13	26	20	9	21	12	10	16	13	23	18	18	50.91

199

W. 8,000, VIII. 16

1847

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
5 JAN

Kept at Clovelly Court Gardens
in the County of Devon
by H. Tuke

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05			.08		.41					22		1
2				.45		.18				.21	31		2
3				.14			.42			1.04	37		3
4	.02		.41	.72			.41		.02	59	.03		4
5	.49		.45			.17				.17			5
6			.48			.24				30	.53	.15	6
7	.51		.38				.13	.20		20	.11	.17	7
8			.23			.06	.23	.66	.13	95	.71	.34	8
9			.39		(01)		.02	.37		72	.22		9
10	.31	.03	.27	.51				.19		07	.03		10
11	.09	.11	.32	.32						67	.37		11
12	.49	.03	.31	.03	.18	.21		.16		78	22	.02	12
13	.22	.04		.28		.06		.06	.78	48			13
14		.07		.03				.19	11	23	.07		14
15				.02					02	48		.52	15
16									04	18	.11	.20	16
17				.42	.09		.65	.22	.31	14	.07		17
18			.08	.02		.02	.82		1.72				18
19					.19	.38			.07		.04		19
20					.41	.93					.03		20
21		.06						23		14		08	21
22		.47			.02			.62		40	.02		22
23		.52			.09	.09		.52		22	.16		23
24					.03	.11	.48	.15		64		09	24
25		.12				.10	.03	.68	10	14			25
26						.42		.07	51	13	.10		26
27			.83		.50	.23	.11	1.28		18	.06		27
28		.14	.08		.05	1.90	.08	12		15	.08		28
29			.13			.11		.03			.12		29
30		X						50		1.19	07		30
31		X	.04	X	.31	X		37	X	28	X		31
Total	2.18	1.59	3.60	3.02	1.88	5.62	3.38	6.59	3.81	10.68	4.19	1.57	YEAR'S TOTAL 48.11
Rain Days.	8	10	14	12	11	17	11	15	11	26	23	8	170

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

31 1. 19

43

and by own stats

REGISTER OF RAINFALL IN 1918

Kept at The Gardens, Clovelly Court

in the County of N Devon

by H. Luke

Lat. .... Long. ....

Time of Observation 9 A.M

Nearest Railway Station Bideford

Diameter of Funnel of Rain Gauge 5 in. in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.10		.20	.09			80			.06	12	1
2		.29		.07				40			.80	72	2
3		.17		.11	.14				.07	.17	.15	11	3
4		.09						07	.25	.14	.05	72	4
5	.09		.06					62	.63	.44	1.02	03	5
6		.48		.38		.04		04	.07	.24	22	11	6
7		.27				.12		11	.59	.25		20	7
8	.16					.06	.25		.35	.34	45	02	8
9	18	.08				.12	.07		.83	.14	04	67	9
10	.10	.04		.21		.09	1.68		.35			.69	10
11	16	.12					.32		.26	.10	10	37	11
12		.14	.36		.28		.11		.05	.10	30	14	12
13	.09	.02			.05		.02		.52			71	13
14	76				.04	.32	.05	03	.36	.23		33	14
15	1.32					.03	.78		.09	.14		71	15
16	.49			.31			.05	.07	.06			68	16
17	.87			.12			.44	.12	.03	10		38	17
18	1.66	.02	.29			.66	.02	.11	.82	.43		39	18
19	07	.16	.11	.12			.32	.16	05	.02		13	19
20	.39	.31		.16		.03	.05	.02	.50	.04			20
21	18			.02		.30	.02		.68	.17		33	21
22	.04	.03			.37		.56		.38	.41	02	03	22
23	(32)	.05				.13	.43		.08		15	49	23
24		.38		.03	.35	7	.25	.16	.57		18	08	24
25	.04						.68	.30			22	03	25
26	.03	.28					.44	.10	22	.09	08	67	26
27		.38	.07		.05			.25	.33		.63	25	27
28			.32						.04	.05	.37	19	28
29			.38					.03	1.53	03			29
30		✕	.46	.04				.05	.05	.10	12	.07	30
31		✕	.53	✕		✕	.26		✕	(.03)	✕	.11	31
Total	6.75	3.41	2.58	1.77	1.37	1.97	6.80	3.44	9.76	3.76	4.96	9.48	YEAR'S TOTAL 56-05
Rain Days.	21 18	19	9	12	8	12	20	18	27	22	18	29	212

W. 8,000, IX. 17.

Sex. HSd 1735

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Clovelly Court
in the County of Devon
by Harry Tuke

Lat. Long.
Time of Observation 9 - AM
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	71		9	11	11		6		17	49		1.08	1
2	18		8	22	9		4		2	5		40	2
3	13		12						5			92	3
4	9	41	22		31			11	23			5	4
5	21	42			9	12			3			37	5
6	52	21	47						2			41	6
7	31		22	7		2						4	7
8	9		25			15					11	2	8
9	13		7	22	3						1.04	44	9
10	36		1.10	6	11					18	12	15	10
11	37		72	15	18	15	35			4		4	11
12	16		15	4		45	4			22	34		12
13	44	2	19	52					16	6		29	13
14	1.02	7		67	29				5	4		11	14
15	29	16		2						22		62	15
16	11	1.30				2	5	5			38	15	16
17	5	39	4			4	4	5			44	6	17
18	5	9	86			7	28	49	10		46	9	18
19	41	21	26			19		53	49		25	6	19
20	31	11	13		13			5			12	41	20
21	16	1.02			22		38	7	31		3		21
22		11				4	10		25		5	36	22
23								5		28	9	18	23
24						48		3	8	71	8	69	24
25	37					6		81			51	6	25
26	27		18	30		4		7	4	19	9	40	26
27	11			13				47		5	6	3	27
28		10	42					2		3	12	76	28
29				30							8	25	29
30		X	3.	20		28		33			48		30
31		X	21	X		X	17		X		X	81	31
TOTAL	6.80	4.62	5,81	3.01	1.56	2.11	1.51	3.08	2. . .	2.56	4.85	9.25	YEAR'S TOTAL
Days with ·01 in. or more	23	14	26	14	10	14	10	13	14	13	19	28	47.16

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

192

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Gardens, Clovelly Court
in the County of Devonshire
by H. Take

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bideford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·81	·05		·05			·92	·16	·12	·31	·04	50	1
2	·29	·08	·05	·29			·19	·23	·38	·06		·21	2
3		11		·32			·08	·03	·06	·41		16	3
4			·06					·39	·05	·35			4
5			·15	·02	·39		·39			15			5
6	·02			·03	·41		·33			·49	·06		6
7	·26	·14	·65	·22	·05		·15			·02	·07		7
8	·03		·09	·62	·20		43						8
9	·93	·58	·16	·33		·11	·33	·29			·04		9
10	1.25	·53	·21	·31		·03	·13			·03	·15		10
11	·21	·03	·16	·28	·15	2.04	·05	·27		·47	·01		11
12	·61	·23	·30	·48	·03	·12				·05	·16		12
13	·23	·02	·61			·11	03		·21		·02		13
14	·28	·07	·58	1.05		·09					·61		14
15		·22	·04	·72	·11				·40	·31	·18		15
16	·03		·11		·07	·03	·09	·02	1.31	·92	·19		16
17	·27		·03	·22	·31	·37	·03	·11		·11			17
18	·06			·61	·03				·21				18
19	·10	·11		·15		·06							19
20	·16			·04		·11	·04		·01			·46	20
21				·05		·02			·02	·06		·26	21
22	·05			·03			·05						22
23			·06				·74	·09				·69	23
24	·07		·65			·03	·03	·10			·08		24
25	·32	·17	·16			·02	·54				·02	25	25
26	·25		42	·09		·16	·22				07		26
27		·16	27		·03	·57	·05				·98	·41	27
28	·92		·38	·12		·12	·04				·10	·09	28
29	·43	·05	·75	·09	·35	·14	·05		1.02		·24	·23	29
30	·44	✕	·48	·08		·19	·15		·08	21	·31	85	30
31	·14	✕		✕		✕	·31		✕	97	✕	·28	31
Total	8.16	2.55	6.37	6.20	2.13	4.32	5.37	1.69	3.87	4.92	3.33	4.39	YEAR'S TOTAL 53.30 ✓
Days with ·01 in. or more	24	15	22	23	12	18	24	10	12	16	18	12	206
Days with ·04 in. or more	21	13	21	20	9	13	21	8	10	14	15	12	177

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

COPPLESTONE

COPLESTONE HOUSE

DEVON.

1911 - 1920

FORM A2. BRITISH RAINFALL.

3 JAN 1912

F ... 11

Kept at Coplestone Ho ... ...don ho 3155

... 5 in.

...ove Ground — ft. 11 in.

in the County of De... ..., Sea Level 315 ft. approx.

... a.m.

by Mary Po... ... Name Copplestone L.S.W.R.

Distance 3/4 m. Direction north.

IMPORTANT N... ...nd the result entered to the previous day. If an ... ...niversal rule, he is earnestly requested to add the r... ... year in the space provided for it at the end of ... ...rement of rain, the selection and pla... ... British Rainfall Organization are given ... ...n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	·09	—	·01	·25	·01	—	—	—	—	—	·01	—	1
2	—	—	·02	—	·15	—	—	·07	—	·21	·24	·09	2
X 3	—	—	·06	—	·16	—	—	—	·05	—	·06	·11	3
4	—	—	·07	·03	—	—	—	·10	—	—	·24	·44	4
5	·07	—	·17	—	—	—	—	·67	—	·02	·33	·03	5
6	·18	—	·18	—	—	—	—	·03	—	—	·15	·75	6
7	·04	—	—	·02	—	—	—	—	—	—	·39	·01	7
8	·04	—	·22	—	—	—	—	—	—	—	·11	·83	8
9	·10	—	—	—	—	—	—	—	—	—	·75	·45	9
10	·02	—	·10	—	·27	—	—	—	—	—	·01	·22	10
11	·37	—	—	—	·02	—	—	—	—	—	·41	·19	11
12	—	—	·50	—	—	—	—	—	·16	·01	·19	·48	12
13	—	—	—	—	—	—	—	—	·36	—	·05	·47	13
14	—	·02	·01	—	—	—	—	—	—	·04	·03	·63	14
15	—	·01	—	—	—	·04	—	—	—	—	·35	·09	15
16	·01	·02	·04	—	—	·12	—	—	—	—	·17	·15	16
17	—	·04	·20	·04	—	·08	·04	—	—	—	·10	·50	17
18	—	·38	·14	·37	—	·18	—	—	—	·20	·35	·38	18
19	—	·05	·04	·14	—	·85	—	—	·69	·12	·37	·77	19
20	·03	·02	·20	—	—	·09	—	—	·12	·45	—	·64	20
21	·01	·12	·02	—	—	·02	—	·05	·13	·27	—	·13	21
22	—	·11	·02	·08	—	·01	—	—	·32	·24	—	·36	22
23	·01	·18	·05	—	—	·09	—	—	·09	·27	·05	·07	23
24	·02	·12	—	—	—	·39	—	·11	—	·39	—	·19	24
25	·02	·09	—	·06	—	·06	—	·01	·02	·19	—	·31	25
26	—	·10	—	·24	·41	—	—	—	—	·35	·02	·20	26
27	—	·17	—	—	—	—	—	·18	·16	·72	—	·30	27
28	—	·20	·03	·44	—	—	—	·02	—	—	·14	·01	28
29	—		—	24	·04	·38	·29	—	·17	·23	—	—	29
30	—		—	—	—	·03	—	—	·02	·16	·02.	·07	30
31	—		—		—		·06	—		·12		·01	31
Total	1·01	~~1·83~~ 1·63	2·08	1·91	1·06	2·34	·39	1·24	2·29	3·99	4·54	8·88	TOTAL for year 31·36 ~~31·06~~
No. of Rain Days.	14.	13.	19.	11.	7.	13.	3.	9.	12	17.	23.	29.	172.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
3 JAN 1912

Kept at Coplestone House, Copplestone
in the County of Devon. S.6
by Mary Pope (miss)

RAIN GAUGE
Pattern Snowdon No 3155
Diameter of top 5 in.
Height of top above Ground — ft. 11 in.
" " " Sea Level 315 ft. approx.

Time of Observation 9 a.m.

Nearest Railway Station
Name Copplestone L.S.W.R.
Distance 3/4 m. Direction North.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	—	·01	·25	·01	—	—	—	—	—	·01	—	1
2	—	—	·02	—	·15	—	—	·07	—	·21	·24	·09	2
3	—	—	·06	—	·16	—	—	—	·05	—	·06	·11	3
4	—	—	·07	·03	—	—	—	·10	—	—	·24	·44	4
5	·07	—	·17	—	—	—	—	·67	—	·02	·33	·03	5
6	·18	—	·18	—	—	—	—	·03	—	—	·15	·75	6
7	·04	—	—	·02	—	—	—	—	—	—	·39	·01	7
8	·04	—	·22	—	—	—	—	—	—	—	·11	·83	8
9	·10	—	—	—	—	—	—	—	—	—	·75	·45	9
10	·02	—	·10	—	·27	—	—	—	—	—	·01	·22	10
11	·37	—	—	—	·02	—	—	—	—	—	·41	·19	11
12	—	—	·50	—	—	—	—	—	·16	·01	·19	·48	12
13	—	—	—	—	—	—	—	—	·36	—	·05	·47	13
14	—	·02	·01	—	—	—	—	—	—	·04	·03	·63	14
15	—	·01	—	—	—	·04	—	—	—	—	·35	·09	15
16	·01	·02	·04	—	—	·12	—	—	—	—	·17	·15	16
17	—	·04	·20	·04	—	·08	·04	—	—	—	·10	·50	17
18	—	·38	·14	·37	—	·18	—	—	—	·20	·35	·38	18
19	—	·05	·04	·14	—	·85	—	—	·69	·12	·37	·77	19
20	·03	·02	·20	—	—	·09	—	—	·12	·45	—	·64	20
21	·01	·12	·02	—	—	·02	—	·05	·13	·27	—	·13	21
22	—	·11	·02	·08	—	·01	—	—	·32	·24	—	·36	22
23	·01	·18	·05	—	—	·09	—	—	·09	·27	·05	·07	23
24	·02	·12	—	—	—	·39	—	·11	—	·39	—	·19	24
25	·02	·09	—	·06	—	·06	—	·01	·02	·19	—	·31	25
26	—	·10	—	·24	·41	—	—	—	—	·35	·02	·20	26
27	—	·17	—	—	—	—	—	·18	·16	·72	—	·30	27
28	—	·20	·03	·44	—	—	—	·02	—	—	·14	·01	28
29	—		—	24	·04	·38	·29	—	·17	·23	—	—	29
30	—		—	—	—	·03	—	—	·02	·16	·02.	·07	30
31	—		—		—		·06	—		·12		·01	31
Total	1·01	1·63 1·63	2·08	1·91	1·06	2·34	0·39	1·24	2·29	3·99	4·54	8·88	Total for year 31·36 ~~31·06~~
No. of Rain Days.	14.	13.	19.	11.	7.	13.	3.	9.	12	17.	23.	29.	172.

Corr for arith 21·11·13

REGISTER OF RAINFALL IN 1912.

FORM A. BRITISH RAINFALL. 9 - JAN 1913

Kept at Copplestone. (Copplestone House)

in the County of Devon. 56

by M. Pope.

Lat. 50° 48′ Long. 3° 45′

Time of Observation 9 A.M.

Nearest Railway Station Copplestone.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 315 approx.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
12 1	—	—	·15	—	·02	·42	·13	·03	·07	·67	—	·47	1
2	—	—	·13	·04	—	·80	·01	—	—	·01	—	·07	2
3	·03	—	·17	·01	—	·10	·04	·93	·07	—	—	—	3
4	·30	·01	1·03	—	—	·15	—	·04	—	—	·22	—	4
5	·34	·08	·29	—	·04	·02	—	·48	—	—	·01	·07	5
6	·66	·17	·02	·03	·26	·01	·16	·32	—	—	·01	·06	6
7	·05	·62	·16	·04	·25	·52	—	·30	—	—	—	·09	7
8	·31	·08	·36	—	—	·23	·08	·07	·02	—	—	—	8
9	·05	·08	·15	·09	—	·11	·09	·03	—	—	—	·11	9
10	·24	·06	·09	—	—	·32	—	·08	·01	—	·25	·19	10
11	·02	·06	—	—	—	—	—	·01	—	·01	·23	·31	11
12	—	·31	·03	·01	·02	—	·03	·17	—	—	·01	·09	12
13	·23	—	—	—	—	·02	·03	·07	—	—	—	·12	13
14	·06	·02	·43	—	·11	—	—	·27	—	·01	—	·03	14
15	·30	·01	·03	—	·09	·73	—	·03	—	—	—	·35	15
16	·15	—	·07	—	·08	·03	—	·08	—	·14	·05	·18	16
17	·05	—	·16	—	·02	·21	—	·51	—	—	—	·12	17
18	—	—	·30	—	—	—	—	·23	—	·07	·02	·06	18
19	·05	·32	·26	—	—	·05	·05	·46	—	·07	·02	·02	19
20	·10	·07	·25	—	·15	—	·02	·25	—	·50	·09	—	20
21	—	·05	·36	—	·35	—	·02	·22	—	·17	·01	—	21
22	·18	·05	·19	—	·15	—	·01	·20	—	·19	—	·08	22
23	·35	·37	·19	—	—	·02	·02	·82	—	·03	·06	·24	23
24	·03	·02	·06	—	—	·13	—	·02	—	·02	—	·14	24
25	·16	—	—	—	—	·09	·04	·19	—	·26	·34	·54	25
26	—	—	—	—	—	·01	·03	·16	—	·21	·54	·36	26
27	—	—	—	—	—	·22	·47	·21	—	·78	·06	·22	27
28	—	·07	—	—	—	·05	·10	·21	·22	·13	·32	·40	28
29	—	·15	—	—	—	·07	·09	·25	·63	·19	·01	·09	29
30	—		·03	—	—	·11	·30	·03	·14	·52	—	—	30
31	—		·23		·01		·13	·01		·04		·04	31
99 Total	3·66	2·60	5·14	·22	1·55 ~~1·54~~	4·42	1·85	6·68	1·16	4·02	2·25	4·45 ~~3·45~~	YEAR'S TOTAL 38·00 ~~36·99~~
Rain Days.	20	19	24	6	13	23	20	30	7	19	17	25	223.

W. 7,500, XI. ·12

co'ly am. stats 20.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
9 - JAN 1914

Kept at Copplestone
in the County of 5 Devon 6
by Miss M. Pope

Lat. 50° 48′ 10″ Long. 3° 45′ 20″
Time of Observation 9 a.m.
Nearest Railway Station Copplestone
Diameter of Rain Gauge 5 ins
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 315 ft. appro

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	·02	·21	·09	·09	·02	—	—	—	·04	·01	·05	·12	1
2	·09	·12	—	·17	·15	—	·02	—	·02	·62	·08	—	2
3	·11	·02	·08	—	·54	—	—	—	·02	·41	—	·24	3
4	1·33	—	·05	—	·15	·02	·02	—	·47	·10	107	·44	4
5	·67	·06	—	—	·20	·49	·07	—	·35	—	·22	·59	5
6	·02	·05	·22	—	·02	·05	·02	—	—	·59	·15	·33	6
7	—	·30	·17	—	·77	·09	·06	—	—	·61	·13	·02	7
8	·02	·04	·01	—	·30	·02	·05	·05	—	·02	—	—	8
9	·03	·02	·01	·01	·17	·09	·21	·12	·01	—	1·50	·03	9
X 10	·47	·01	·04	—	·07	·03	—	—	—	·19	·16	—	10
11	·63	·01	—	·13	·27	·13	—	·01	·01	·10 ~~·10~~	·78 ~~·78~~	·03	11
12	·04	—	—	·01	·02	·02	—	—	—	—	·67	·06	12
13	·10	—	·01	—	—	—	·01	·06	·38	—	·08	—	13
14	·39	—	·13	·03	·08	—	—	—	·01	·06	123	—	14
15	·06	—	·47	·36	—	—	—	—	·16	—	1·19	·02	15
16	·19	—	·54	·05	—	—	·02	—	·16	—	1·01	—	16
17	·02	—	·09	·05	—	—	·02	—	—	—	·01	—	17
18	·20	—	·17	·11	·05	—	—	—	—	—	·04	—	18
19	·59	—	·29	—	·03	·04	·09	—	·29	·07	—	—	19
20	·29	—	·21	·11	—	—	—	—	·04	·24	·08	—	20
21	—	—	·17	·26	·03	—	·01	—	—	—	·37	—	21
22	·48	—	·87	·04	—	·15	—	·01	·10	—	—	·18	22
23	·01	—	·01	—	—	·02	—	·05	—	—	·11	·65	23
24	·04	·08	—	·01	—	·04	—	·08	—	—	·01	—	24
25	·01	—	—	·26	—	—	—	—	·16	·04	·05	·11	25
26	—	—	—	·66	—	—	—	—	—	—	—	·34	26
27	·15	—	·31	·77	—	—	—	—	—	·22	—	·05	27
28	·11	—	·05	·22	·09	—	—	—	—	·38	—	·12	28
29	·10		·50	·36	·02	—	—	—	—	·19	—	—	29
30	·30		·01	·07	—	—	—	—	·01	·79	·11	—	30
31	·32		·26		·03		·17	1·01		·02		—	31
99 Total	6·19	·92	4·76	3·17	3·01	1·19	·77	1·39	2·23	4·66 ✓	4·10 ✓	3·33	YEAR'S TOTAL 36·72 ✓
Rain Days.	28	11.	24.	20	19	13	13	8	16	18	22	16	208

W.7,000, XI. 13

Exc 8L

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

- JAN 1915

Kept at Coplestone House Copplestone.
in the County of Devon. S 6
by Mary Pope.

Lat. 50°48'10" Long. 3°45'20"
Time of Observation 9 . a.m.
Nearest Railway Station Copplestone.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 315 approx

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
14 1	—	—	·13	·13	—	·14	·28	·26	—	—	·64	·11	1
2	·07	—	·05	·09	·01	—	·25	·02	—	—	·11	·59	2
3	·04	—	·32	·12	·15	—	—	·30	—	—	·01	·05	3
4	·31	—	·11	·20	·20	—	·21	·15	—	—	·64	·69	4
5	·10 ~~·13~~	—	·22	·40	·12	—	·02	—	·01	—	—	·03	5
6	·03	·12	·15	·20	·10	—	·30	·06	—	—	·03	·22	6
7	—	·39	·22	·14	·05	·06	·26	·04	·11	—	—	·16	7
8	—	—	1·06	·02	·13	·49	—	—	·03	—	—	—	8
9	·06	·01	·42	·02	·04	·44	—	·14	·95	—	—	·04	9
10	·06	·27	·12	·28	·10	·09	—	—	·12	—	·01	·13	10
11	·07	·10	·20	—	·03	·25	—	—	·01	—	·10	·64	11
12	—	·65	·15	—	—	—	—	—	·23	·04	·08	·47	12
13	—	·16	·40	—	—	—	—	—	·32	·20	·28	·19	13
14	—	·15	·36	—	—	·06	—	·30	—	·01	·19	·02	14
15	—	—	·19	—	—	—	·09	·40	·06	·12	·20	·37	15
16	—	—	·02	—	—	—	·02	—	·04	—	—	·02	16
17	—	·20	·37	—	—	—	—	—	—	—	—	·35	17
18	—	·16	·03	—	—	—	—	—	·15	—	—	·32	18
19	—	·15	·64	—	—	—	1·65	—	·10	—	·12	·40	19
20	—	·26	·39	—	—	·31	·01	·03	·01	—	—	·18	20
21	—	·52	—	—	—	·27	—	—	—	·33	—	·12	21
22	—	·08	·01	·02	·15	·08	—	·01	—	·25	—	—	22
23	—	·05	·12	—	—	·01	·16	—	—	·17	—	—	23
24	—	·02	·09	—	·04	—	·07	·06	—	·06	·12	—	24
25	·16	—	·23	—	—	—	·16	·18	—	·34	·01	·10	25
26	·18	·01	·10	—	—	—	·26	·05	—	·03	·09	·60	26
27	·12	—	—	—	—	—	·04	—	—	·12	·14	·08	27
ME 28	—	·03	·09	—	·13	—	—	—	—	·30	·08	·80	28
29	·07	╳	·05	—	·14	—	—	—	—	·09	·26	·07	29
30	—	╳	·07	—	—	·01	—	—	—	·21	·24	·88	30
31	·02	╳	—	╳	·06	╳	·29	—	╳	·17	╳	·44	31
99 Total	1·29	3·33	6·31	1·62	1·35	2·21	4·07	2·00	2·14	3·44	3·35	8·07	YEAR'S TOTAL 39·18
Rain Days.	12	18	28	11	15	12	16	14	13	15	19	27	200

W. 8,000. X. 14.

and pr auth 15.111.16 ~~F.7~~ L.N.

1900

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.

4 - JAN 1916

Kept at Coplestone House.

in the County of Devon.

S6

by M. Pope (Miss)

Lat. 50° 48' 10" Long. 3° 45' 20"

Time of Observation 9 am.

Nearest Railway Station Copplestone

Diameter of Funnel of Rain Gauge ~~#~~ 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 315 approx. ~~ft.~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
15 1	·34	·14	·01	—	·01	—	—	1·02	·20	·35	·01	·50	1
2	·24	·34	·09	·01	—	·17	—	·39	·09	·07	—	·69	2
3	·02	·15	·03	·15	·15	—	·05	·01	—	—	—	·57	3
4	·05	·15	·01	—	·02	—	·01	—	—	—	—	·20	4
5	·01	·68	—	·05	—	—	—	·12	—	—	—	·48	5
6	·89	·13	—	·13	—	—	·32	·03	—	—	—	·17	6
7	·51	·29	—	·14	—	—	·25	—	—	·07	·01	·25	7
8	·21	·29	—	—	—	—	·02	·13	—	·01	·02	·09	8
9	·02	·10	—	·22	—	—	—	·02	—	—	·58	·79	9
10	·32	·41	·04	·04	—	—	—	·08	—	·23	·16	·08	10
11	·24	·13	—	—	·46	—	·07	·50	—	·06	·56	·13	11
12	·20	·67	—	·04	·36	—	—	·41	—	·10	·22	·02	12
13	·01	·69	—	—	—	—	—	·10	·05	·01	·25	·02	13
14	·04	·01	—	—	·32	—	·27	·13	·06	·15	—	·22	14
15	·28	—	—	—	·17	—	·40	·01	·04	·01	·10	·06	15
16	·04	·40	—	—	·05	—	·81	—	·01	—	—	·17	16
17	·01	·14	·01	—	—	—	·02	—	·01	—	—	·02	17
18	—	·14	·01	—	·14	—	—	—	—	—	—	—	18
19	·02	·06	—	—	—	—	·17	—	—	—	—	—	19
20	·52	—	—	·12	·07	·11	—	—	—	·13	—	·05	20
21	·32	·15	—	—	—	·01	—	—	·01	·16	—	·37	21
22	·12	·06	·21	·04	—	·04	·22	—	·01	·10	—	·19	22
23	·01	·04	·04	—	—	—	·33	—	·01	·89	—	·66	23
24	—	—	·01	—	—	—	·14	—	·05	·15	—	·46	24
25	·01	—	·01	·02	—	·28	·14	—	—	—	·03	·29	25
26	—	·02	—	—	—	·07	—	—	·08	—	—	·60	26
27	—	·02	—	—	—	·37	·23	—	·02	·21	—	—	27
28	—	·09	—	—	—	·10	—	—	·47	·27	—	·02	28
29	—		—	—	—	·34	—	—	·08	—	·07	·30	29
30	·15		—	·01	—	·05	—	—	·08	·93	·36	36	30
31	·03		—		—		·09	·03		·64		·16	31
99 Total	4·61	5·30 5·30	·47	·97	1·75	1·54	3·54	2·98	1·22	4·54	2·37	7·89	YEAR'S TOTAL ~~37·08~~ 37·18
Rain Days.	25	24	11	12	10	10	17	14	16	19	12	28	198

W. 8,000. X. 15.

1785

41

(Coplestone

Copplestone House)

Devon

1916-50

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.

Kept at Copplestone House.

in the County of Devon.

by M. Pope. (Miss)

Lat. 50° 48′ 10″ Long 3° 45′ 20″
Time of Observation 9 a.m.
Nearest Railway Station Copplestone. 317
Diameter of Funnel of Rain Gauge 5 in Snowdon in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 315 approx ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
16 1	·16	—	·03	—	·32	·04	·10	—	·06	·41	·12	—	1
2	·28	·03	·14	—	·02	—	·02	—	·02	·21	·35	—	2
3	·01	·90	—	—	·30	·02	·58	—	·02	·34	·19	·02	3
4	·19	·12	—	—	·19	·28	·03	—	·07	·14	·86	—	4
5	·02	·01	·06	—	·22	·12	·01	—	—	·02	·51	—	5
6	·03	·19	·03	—	·02	·28	·47	—	—	·08	·35	—	6
7	·25	·36	·16	—	·22	·12	·14	—	—	·10	·94	·15	7
8	—	·38	·12	—	·04	·16	—	—	—	—	·30	·11	8
9	—	·17	·02	—	·09	·04	·05	—	—	·11	·08	·24	9
10	—	·71	—	·18	·06	—	—	—	·02	·05	·02	·10	10
11	—	·01	—	·06	·01	—	—	—	·01	—	·01	—	11
12	·11	·09	·24	·10	·08	—	·07	·06	—	·06	·01	—	12
13	—	·36	·08	·03	—	—	·01	·51	·03	·04	—	—	13
14	·07	·39	·42	·01	·06	—	—	·08	—	·04	—	—	14
15	·02	·27	·10	·14	—	—	—	·03	—	·12	—	—	15
16	·01	·06	—	·20	·02	—	·09	·70	—	·14	—	—	16
17	·03	·22	—	·02	—	—	—	·08	·51	·47	1·15	—	17
18	—	·40	·29	·11	—	—	—	—	·24	·08	·01	·03	18
19	·14	·23	·12	·13	—	—	—	—	—	—	·24	—	19
20	·13	·83	·38	—	—	—	—	—	—	—	·05	·87	20
21	·03	·16	·24	·16	·06	·03	—	—	—	—	·01	·13	21
22	—	—	—	—	—	·09	—	·10	—	·24	—	·59	22
23	·02	·11	·01	·04	—	·19	—	·24	—	·10	·05	·18	23
24	—	·15	·12	—	·15	—	—	·08	—	·70	·01	·22	24
25	—	·35	·24	—	—	·04	—	·22	·01	·05	·42	·02	25
26	—	·09	·09	—	·28	·17	—	·25	1·03	1·09	·07	·01	26
27	·02	—	1·27	—	—	·02	—	·01	·77	·76	·01	—	27
28	—	·13	·05	—	·07	—	—	·13	·49	·32	—	·34	28
29	—	·44	·05	—	—	·29	—	1·78	·23	·20	—	·42	29
30	—	X	—	—	—	·01	—	—	—	·41	—	·03	30
31	—	X	—	X	—	X	—	·03	X	·16	X	·08	31
99 Total	1·52	7·16	4·26	1·18	2·21	1·90	1·57	4·30	3·51	6·44	5·76	3·54	YEAR'S TOTAL 43·35.
Rain Days.	17	26	22	12	18	16	11	15	14	26	22.	17	216.

W. 8,000, VIII. 16

177

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

Kept at Coplestone House Copplestone.
in the County of N. Devon.
by M. Pope.

Lat. 50°48′10″ Long. 3°45′20″
Time of Observation 9 a. m.
Nearest Railway Station Copplestone L.S.W.R.
Diameter of Funnel of Rain Gauge 5″ Snowdon
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 315 approx.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
17 1	·03	—	·03	·28	—	·14	—	·34	·02	—	·05	—	1
2	·03	—	·07	·16	—	·04	—	—	—	·01	·01	—	2
3	·09	—	—	·14	—	—	·67	—	—	·26	·66	-	3
4	—	·06	·65	—	—	—	—	—	·02	·40	—	·02	4
5	·27	—	·43	·29	—	·88	—	—	—	·35	·09	—	5
6	—	—	·44	—	—	·11	—	1·01	—	·04	·22	—	6
7	·59	—	—	—	—	—	·08	·18	—	·27	·05	·03	7
8	·09	—	·23	·16	—	—	·51	·65	—	·47	·19	·25	8
9	—	—	·11	·14	·04	—	·03	·06	·01	·69	·50	·01	9
10	·17	—	·18	·20	—	—	—	·16	·06	·10	·11	—	10
11	·02	—	·72	·30	—	—	—	·51	·08	·35	·19	—	11
12	·19	—	·02	·03	·37	—	—	·01	—	·49	·01	—	12
13	·01	—	·18	·01	—	·01	—	·29	·22	·16	—	·01	13
14	—	—	—	·11	—	—	·05	·31	·08	·02	—	·03	14
15	—	—	—	·01	—	—	·01	·04	—	·05	—	·32	15
16	—	·04	—	—	—	—	·01	·02	—	·18	·03	·41	16
17	—	·01	·03	·22	—	·01	·42	·02	·37	·07	—	·01	17
18	—	·06	—	·01	·35	·04	·16	·01	·53	·07	—	—	18
19	—	·40	·13	—	—	·44	—	—	·04	—	·05	—	19
20	—	·22	·02	—	·54	·02	·06	·18	·06	—	·09	·05	20
21	·01	—	·06	—	—	·13	—	·02	—	·01	·07	—	21
22	—	—	—	—	—	·03	—	·28	—	·11	·01	—	22
23	—	·07	—	—	·14	—	·02	·52	—	·16	·03	·01	23
24	—	—	—	—	—	·06	·13	·15	—	·34	·11	·02	24
25	—	·05	·07	—	—	—	·01	·08	—	·12	·08	—	25
26	—	—	—	—	·20	·10	—	~~·04~~	·07	·21	·07	—	26
27	—	—	—	—	·01	·26	—	1·00	—	·25	·03	—	27
28	—	·20	·15	—	·26	2·38	—	·45	—	·02	—	·02	28
29	—		·12	—	—	·15	·02	·11	—	·29	·02	·12	29
30	—		·09		—	—	·23	·09	—	·09	—	—	30
31	—		·01		·12		—	·05		·40		·01	31
99 Total	1·50	1·11	3·74	2·06	2·03	4·80	2·41	6·58	1·56	5·98	2·67	1·32	YEAR'S TOTAL 35·76
Rain Days.	11	9	20	14	9	16	16	24	12	28	22	15	193

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

59

Price 2d.

REGISTER OF RAINFALL IN 19 18

FORM A.
BRITISH RAINFALL.

Kept at Copplestone House
in the County of Devon.
by M. Pope.

Lat. 50° 48'. 10" Long. 3° 45' 20"
Time of Observation 9 a. m.
Nearest Railway Station Copplestone. L S W R.
Diameter of Funnel of Rain Gauge 5 Snowdon in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 315 approx ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·02	—	·15	·03	—	—	1·01	·01	·02	1·06	—	1
2	—	·08	—	·05	—	—	—	·06	—	·02	·04	·01	2
3	—	·23	—	·22	·05	—	—	—	·03	·06	·05	·01	3
4	—	·01	—	—	—	—	—	·14	·39	—	·34	·16	4
5	—	—	·27	·07	·11	—	—	1·04	·22	·10	·01	·03	5
6	·25	·08	·02	·23	—	—	—	·01	—	·11	—	·07	6
7	—	·18	—	·05	·12	·01	—	—	·28	·20	·34	·06	7
8	·10	·05	—	—	—	·01	—	—	·20	·38	—	·03	8
9	·16	·14	—	·07	—	·21	·21	·01	·29	·04	·01	·19	9
10	·11	—	—	·35	—	—	·45	—	·36	·03	·01	·42	10
11	·08	—	·09	·01	—	—	·28	—	·32	·03	·67	·20	11
12	·01	·05	·04	—	·21	·02	·08	—	·10	—	—	·06	12
13	·36	·02	—	—	·48	—	·16	—	·24	·14	—	·31	13
14	·15	—	—	—	·02	·15	·19	—	·15	·03	—	·15	14
15	1·74	—	—	—	—	·05	·34	—	·02	·10	—	·22	15
16	·72	—	—	·51	—	·01	·01	·01	·26	·10	—	·32	16
17	·40	—	—	·04	—	—	·30	·02	·14	—	—	·25	17
18	·49	—	·07	·01	—	·32	·17	·01	·50	·17	—	·16	18
19	·19	·02	·08	·02	—	—	·08	·01	·20	—	—	·51	19
20	·19	·11	—	·23	—	·04	·07	—	·20	—	—	·01	20
21	·15	·04	·01	—	—	·08	·07	—	·45	·05	—	·38	21
22	·01	—	—	—	·05	—	·66	—	·21	·04	·04	·40	22
23	·01	—	—	—	·18	—	·10	—	·12	—	·01	·45	23
24	—	·15	—	—	·01	—	·02	·02	·20	—	·29	·18	24
25	—	—	—	—	·15	—	·15	·59	—	·07	·19	·02	25
26	—	·22	—	—	—	—	(·38)	·03	·07	·02	·07	·14	26
27	—	·25	·05	—	—	—	—	·07	·56	—	·25	·02	27
28	—	·19	·06	—	—	—	—	—	·06	—	·17	·09	28
29	—	✕	·08	—	—	—	—	—	1·29	—	·01	·10	29
30	—	✕	·33	(·06)	—	—	—	·05	·02	—	·17	·14	30
31	—	✕	·30	✕	—	✕	—	·08	✕	·01	✕	·03	31
99 Total	5·12	1·84	1·40	2·07	1·38	·90	3·72	3·16	6·89	1·72	3·73	5·12 ~~5·11~~	YEAR'S TOTAL 37·05
Rain Days.	17	17	12	15	11	10	18	16	27	20	18	29	210

W. 8,000, IX. 17.

1658

FORM A.
6 JAN 20
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1919.

Kept at Coplestone House

in the County of Devon.

by M. Pope.

Lat. 50° 48′ 10″ Long. 3° 45′ 20″

Time of Observation 9 a.m.

Nearest Railway Station Copplestone. L.S.W.R.

Diameter of Funnel of Rain Gauge 5 Snowdon in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 315 approx ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 19	Jan	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·40	—	·03	·03	·12	—	·71	—	·01	·43	—	·85	1
2	·15	—	·01	—	·02	—	·07	—	·01	·08	—	·03	2
3	·20	—	·42	—	·01	—	—	—	·07	—	·05	·38	3
4	·35	·40	·43	—	—	·01	·05	·05	·21	—	—	·06	4
5	·10	·38	·87	—	·02	—	·01	—	·03	—	·04	·22	5
6	·72	·50	·09	—	—	—	—	—	—	—	—	·50	6
7	·40	—	·16	·09	·08	—	—	—	·01	—	—	·15	7
8	·18	—	·26	·06	·02	·01	—	—	—	—	·03	—	8
9	·20	—	·01	·24	·04	—	—	—	—	—	·70	·01	9
10	·06	—	·10	·01	·01	—	—	—	—	·12	—	·14	10
11	·04	—	·27	·13	·08	—	·05	—	—	·02	—	·30	11
12	·21	—	·28	·05	—	·07	—	—	—	·12	·19	—	12
13	·02	·09	·13	·19	—	—	·03	—	·01	·14	—	·06	13
14	·12	·14	—	·58	·57	—	·04	—	·10	·16	—	·27	14
15	·09	·08	—	·08	—	—	—	—	—	·07	—	·27	15
16	·10	·80	—	—	—	—	—	·12	—	—	·47	·01	16
17	·03	·39	—	—	—	·01	—	—	—	—	·46	—	17
18	·03	·13	·75	—	·02	—	·10	·08	·03	—	·27	·01	18
19	·28	·20	·25	—	—	·08	·53	·59	·47	—	·29	·15	19
20	·24	·04	·20	—	—	·10	—	·07	·19	—	·20	·12	20
21	·04	·47	—	—	—	—	·28	·02	·07	—	·02	·14	21
22	—	·04	—	—	—	—	·04	—	·16	—	·07	·05	22
23	—	—	·01	—	—	—	—	·06	—	·45	·07	·12	23
24	—	—	—	·02	—	·18	—	·11	·01	·45	·06	·62	24
25	·15	·01	—	—	—	·02	—	·58	—	—	·16	·12	25
26	·27	·01	·16	·16	—	—	·08	·03	·17	·05	·08	·16	26
27	·33	·04	·01	·21	—	·01	—	1·00	—	—	—	·06	27
28	—	—	·29	·15	—	—	—	·01	—	—	·40	·56	28
29	·01		·01	·08	—	—	—	·23	—	·16	—	·06	29
30	—		·08	·13	—	·07	—	·50	·01	—	·27	·32	30
31	·02		·10		—		·01	·01		—		·62	31
99 Total	4·74	3·72	4·92	2·21	·99	·56	2·00	3·46	1·56	2·25	3·78	6·36	YEAR'S TOTAL 36·55
Rain Days.	26	16	23	16	11	10	13	15	16	12	18	28	204

W. 6,500. VIII. 18. W W C

W and per auth 1582

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Copplestone House

in the County of Devon

by Mary Pope

Lat. 50° 48′ 10″ Long. 3° 45′ 20″

Time of Observation 9 a.m.

Nearest Railway Station Copplestone L S W R

Diameter of Funnel of Rain Gauge 5 in. Snowdon

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 315 approx ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	·02	·14	·17	—	·17	·13	·09	·01	·04	·52	1
2	·25	—	—	·18	·01	—	·18	·20	·11	·11	·01	·03	2
3	·30	·05	—	·27	·01	—	·15	—	·02	1·22	—	·35	3
4	—	—	·02	—	·01	—	·06	·21	·01	·34	—	—	4
5	—	·01	·14	·10	·08	—	·35	·03	—	·22	—	—	5
6	—	—	·11	·05	·17	—	·06	—	—	·14	—	—	6
7	·02	—	·02	·44	·04	—	·53	—	·01	·01	·02	—	7
8	·15	·07	—	·14	·06	—	·46	·01	—	·01	—	·22	8
9	·95	·11	·01	·02	—	·30	·40	·01	·02	—	—	—	9
10	1·00	·15	·02	—	—	·23	·13	—	—	—	·01	·01	10
11	·31	·01	·03	·55	·16	·06	·12	—	—	·01	—	—	11
12	·18	·04	·07	·19	·01	·13	·03	—	—	·04	·08	·06	12
13	·30	·06	·51	·06	—	—	·01	—	—	·16	—	·04	13
14	·04	·04	·49	·49	—	—	·04	—	·03	·35	·34	·01	14
15	—	·10	·02	·23	·04	·22	—	—	·05	·58	·05	—	15
16	—	—	·02	·01	·01	·03	·10	·01	·29	·07	·13	—	16
17	·02	—	·03	—	·15	·12	—	—	·73	·07	—	—	17
18	·08	·01	·01	·04	·10	·15	·01	·11	·03	·01	—	·01	18
19	·13	·06	—	·40	·03	·41	—	—	·04	—	—	—	19
20	·06	·03	—	·52	·07	·11	—	—	—	·07	—	·08	20
21	—	—	—	·06	—	—	·07	·01	·01	·03	—	·18	21
22	·01	—	—	·04	—	·02	·01	·01	—	·01	—	·52	22
23	—	—	·01	—	—	—	·52	·15	—	—	—	·24	23
24	·01	·02	·06	·02	—	—	·04	·01	—	—	·17	·09	24
25	·04	·10	·14	—	·01	—	·59	—	—	—	—	·02	25
26	·18	·02	·16	·01	—	·05	·07	—	—	—	·28	·10	26
27	·47	·07	·16	·18	·06	·23	·12	—	—	—	·49	·29	27
28	·72	·01	·26	·20	·03	·02	·01	—	—	—	·01	·02	28
29	·32	·01	·65	·12	·05	·05	·03	—	—	—	·05	·17	29
30	·12		—	·02	·17	·07	·08	—	·46	·01	·42	·10	30
31	·15		·25		—		·08	—		·64		·06	31
99 TOTAL	5·86	·97	3·21	4·48	1·44	2·20	4·42	·89	1·90	4·11	2·10	3·12	YEAR'S TOTAL 34·70
Days with ·01 in. or more	24	19	23	25	21	16	27	12	14	21	14	21	237 ✓
	20	11	12	20	13	13	21	5	7	13	10	15	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Jan est. 28

CORYTON MANOR

DEVON

1913 – 1919

FORM A. BRITISH RAINFALL.
6- JAN 1914

Kept at Cor

in the County of S

by W. Black

dn

Coryton

Five ins

ve Ground 1 ft. 2 in.

Sea Level ft.

IMPORTAN the result entered to the previous day. I versal rule, he is earnestly requested to add ar in the space provided for it at the end ment of rain, the selection and itish Rainfall Organization are application to Dr. H. R. Mill,

Jan. 1, following.

Date	Jan.	Feb.							t.	Nov.	Dec.	Date
1		'22	'33	'18	'23	—	—	—	'06	'03	'41	'05	1
2		'23	'04	'38	'26	—	—	—	—	'06	'18	'06	2
3		—	'14	'02	'31	—	—	—	'31	'11	—	'45	3
4		—	'14	'02	—	'04	—	—	'45	'12	'06	'44	4
5		'08	—	—	'21	'76	'05	—	'58	'01	'44	'64	5
6		'11	'16	—	'03	'17	—	—	—	'17	'31	'26	6
7		'67	'65	—	1'07	'27	—	—	—	'87	'33	'01	7
8		'16	'02	—	'27	'01	'08	'25	—	'16	—	'02	8
9		'06	—	—	'34	'05	'01	'27	'01	—	'65	'05	9
10		—	—	'03	'06	'10	—	'02	—	'21	1'27	—	10
11		—	—	'06	'42	'09	—	—	'01	'30	'28	'02	11
12		—	—	—	'05	'03	—	—	'08	—	'13	'07	12
13		—	'07	—	'20	—	'02	'11	'25	—	'08	—	13
14		—	'22	'65	—	—	'05	—	'16	'02	'19	—	14
15		—	'52	'81	—	—	—	—	—	—	'15	'06	15
16		—	'73	'17	—	—	'01	1'08	'50	—	'01	—	16
17		—	'13	'28	—	—	'03	—	—	—	'01	—	17
18		—	'36	'24	'04	—	—	—	—	—	'16	—	18
19		—	'02	—	'07	'05	'10	—	'36	'17	'02	—	19
20		—	'25	'38	—	—	—	—	'02	'08	'41	—	20
21		—	'02	'24	'10	—	'03	'01	—	—	'36	—	21
22		—	'65	'09	'06	'16	—	'13	'04	—	'27	'23	22
23		—	—	—	—	'02	—	'65	—	—	—	'88	23
24		'30	—	'10	—	'06	—	'06	—	—	'05	—	24
25		'02	—	'34	—	—	—	'02	'08	'04	—	'04	25
26		—	—	1'87	—	'02	—	'05	—	'02	'02	'33	26
27		—	'20	'46	—	—	—	'03	—	'60	'03	'09	27
28		—	'08	'47	'06	—	—	—	'07	'23	'01	'22	28
29			'56	'47	'05	—	—	—	—	'28	'04	—	29
30			—	'09	'02	—	—	—	'42	'69	'03	—	30
31			'30		—		—	'47		'20		—	31
Total	(9·50)	1'85	4'99	6'75	3'85	1'83	'38	2'55	3'40	4'37	5'90	3'92	YEAR'S TOTAL (49·29)
Rain Days.	(29)	9	21	21	19	14	9	13	16	20	26	18	(215)

W. 7,500, XI. '12

Jan est. 28

FORM A.
BRITISH RAINFALL.
6- JAN 1914

Kept at Coryton,

in the County of S Devon.

by W. Blackford

Lat.
Long.
Time of Observation 8 am
Nearest Railway Station Coryton
Diameter of Rain Gauge Five ins
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		'22	'33	'18	'23	—	—	—	'06	'03	'41	'05	1
2		'23	'04	'38	'26	—	—	—	—	'06	'18	'06	2
3		—	'14	'02	'31	—	—	—	'31	'11	—	'45	3
4		—	'14	'02	—	'04	—	—	'45	'12	'06	'44	4
5		'08	—	—	'21	'76	'05	—	'58	'01	'44	'64	5
6		'11	'16	—	'03	'17	—	—	—	'17	'31	'26	6
7		'67	'65	—	1'07	'27	—	—	—	'87	'33	'01	7
8		'16	'02	—	'27	'01	'08	'25	—	'16	—	'02	8
9		'06	—	—	'34	'05	'01	'27	'01	—	'65	'05	9
10		—	—	'03	'06	'10	—	'02	—	'21	1'27	—	10
11		—	—	'06	'42	'09	—	—	'01	'30	'28	'02	11
12		—	—	—	'05	'03	—	—	'08	—	'13	'07	12
13		—	'07	—	'20	—	'02	'11	'25	—	'08	—	13
14		—	'22	'05	—	—	'05	—	'16	'02	'19	—	14
15		—	'52	'81	—	—	—	—	—	—	'15	'06	15
16		—	'73	'17	—	—	'01	1'08	'50	—	'01	—	16
17		—	'13	'28	—	—	'03	—	—	—	'01	—	17
18		—	'36	'24	'04	—	—	—	—	—	'16	—	18
19		—	'02	—	'07	'05	'10	—	'36	'17	'02	—	19
20		—	'25	'38	—	—	—	—	'02	'08	'41	—	20
21		—	'02	'24	'10	—	'03	'01	—	—	'36	—	21
22		—	'65	'09	'06	'16	—	'13	'04	—	'27	'23	22
23		—	—	—	—	'02	—	'65	—	—	—	'88	23
24		'30	—	'10	—	'06	—	'06	—	—	'05	—	24
25		'02	—	'34	—	—	—	'02	'08	'04	—	'04	25
26		—	—	1'87	—	'02	—	'05	—	'02	'02	'33	26
27		—	'20	'46	—	—	—	'03	—	'60	'03	'09	27
28		—	'08	'47	'06	—	—	—	'07	'23	'01	'22	28
29			'56	'47	'05	—	—	—	—	'28	'04	—	29
30			—	'09	'02	—	—	—	'42	'69	'03	—	30
31			'30		—		—	'47		'20		—	31
Total	(9·50)	1'85	4'99	6'75	3'85	1'83	'38	2'55	3'40	4'37	5'90	3'92	YEAR'S TOTAL (49·29)
Rain Days.	(29)	9	21	21	19	14	9	13	16	20	26	18	(215)

W. 7,500, XI. ·12

Exc MG.

1661

FORM A.
BRITISH RAINFALL.

11 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Coryton

in the County of Devon S 2

by W. H. Blackford for R. L. Newman Esq.

Lat. Long.

Time of Observation 8. 30 a.m.

Nearest Railway Station Coryton G.W.R.

Diameter of Rain Gauge 5 · 0 ins

Height of top of Gauge above Ground 1 ft. 2 ins

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·59 ins

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·10	·15	—	·18	·12	·58	—	—	·51	—	1
2	·09	—	·12	·15	·12	—	·15	·04	—	—	—	·66	2
3	·05	—	·26	·23	·56	—	—	·30	—	·01	—	·15	3
4	·27	—	·08	·33	·22	—	·70	·14	·22	—	·37	·87	4
5	·18	—	·33	·30	·10	—	—	—	—	—	—	·20	5
6	—	·19	·29	·12	·07	·01	·51	·13	—	—	·10	·47	6
7	·04	1·25	·47	·14	·25	·03	·32	·28	·29	—	—	·27	7
8	·06	—	1·28	·14	·03	·25	—	·16	—	—	—	—	8
9	·07	·06	·42	·19	·08	·67	—	·10	·46	—	—	—	9
10	·07	1·00	·10	·58	·21	·02	—	—	·30	—	—	—	10
11	—	·20	·72	·02	—	·20	—	—	·04	—	·08	·47	11
12	—	·59	·20	—	—	—	—	—	·26	—	·13	·09	12
13	—	·66	·53	—	—	—	·20	—	·45	·23	·45	·17	13
14	—	·64	·43	—	—	·02	—	·95	·04	·05	·52	·18	14
15	—	—	·32	—	—	—	·09	·17	·14	·03	·31	·72	15
16	—	—	·03	—	—	—	·05	—	·26	—	—	—	16
17	—	·46	·50	—	—	—	·02	—	·05	—	—	1·25	17
18	—	·09	·01	—	—	—	·61	—	·30	—	—	·32	18
19	—	·08	·62	—	—	—	1·10	—	·07	—	·18	·06	19
20	—	·43	·23	—	—	—	—	·16	—	—	—	·23	20
21	—	·32	·09	—	—	·61	—	—	—	·32	—	·12	21
22	—	·09	·07	·03	—	·05	—	·02	—	·59	—	—	22
23	—	·06	·23	—	·05	—	·18	—	—	·08	—	—	23
24	—	—	·08	—	—	—	·08	·14	—	·01	·10	—	24
25	·13	—	·28	—	—	—	·12	·69	—	·47	·12	·45	25
26	·11	—	·09	—	—	—	·31	·04	—	·05	·35	·84	26
27	·12	·12	—	—	—	—	·04	—	—	·20	·25	·46	27
28	—	·07	·42	—	·09	—	—	—	—	·40	·25	·80	28
29	·32		·27	—	·20	—	·18	—	—	·07	·90	·05	29
30	·06	X	·19	—	—	—	—	—	—	·13	·62	1·75	30
31	16.	X	—	X	·05	X	·80	—	X	·58	X	·55	31
Total	1·73	6·31	9·26	2·38	2·03	2·04	4·98	3·90	2·88	3·22	5·24	11·13	YEAR'S TOTAL 55·10
Rain Days.	14	17	29	12	13	10	18	15	13	15	16	23	195

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

1804

FORM A.
BRITISH RAINFALL.
3 - FEB 1916

Exd. G.B.

Kept at Coryton, Lewdown.

in the County of Devon

by W. H. Blackford

Lat. Long.

Time of Observation 8.30 a.m.

Nearest Railway Station Coryton G.W.R

Diameter of Rain Gauge five ins.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 445 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 40

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·59	·30	—	—	·10	—	—	·78	·85	·23	·06	·31	1
2	·27	·54	·10	·03	—	·07	—	·56	·08	—	—	·40	2
3	·05	·46	·15	·09	·22	—	·11	·01	—	—	—	·53	3
4	·04	·81	—	—	·03	—	—	—	—	—	—	·30	4
5	·07	1·13	·01	·20	—	—	—	·20	—	—	—	1·03	5
6	·90	·25	—	·44	—	—	·60	·05	—	—	—	·13	6
7	·32	·80	·02	·09	—	—	·61	—	—	·15	·03	·30	7
8	·20	·53	—	—	—	—	·05	·07	—	—	·05	·08	8
9	·04	·20	—	·20	—	—	—	—	—	—	·74	·80	9
10	·33	·66	·08	·08	—	—	·01	·27	—	·11	·16	·12	10
11	·15	—	·18	·05	—	—	·04	·28	—	—	·86	·16	11
12	·17	·40	—	—	·60	—	—	·86	—	·19	·37	·05	12
13	·03	1·20	—	—	·83	—	—	·40	·65	—	·25	·16	13
14	·19	—	—	—	—	—	·20	·10	·08	·06		1·40	14
15	·11	—	—	—	·29	—	·22	—	·07	—	·14	·14	15
16	·06	1·70	—	—	·30	—	1·02	—	—	·02	—	·10	16
17	·03	·77	—	—	—	—	—	—	—	—	—	—	17
18	·02	·26	—	—	—	—	—	—	—	—	—	—	18
19	·04	·04	—	·02	·44	—	·16	—	—	—	—	—	19
20	·62	—	—	·24	—	·16	—	—	—	·17	—	—	20
21	·34	·12	—	—	·25	·21	·10	—	—	·05	—	·25	21
22	·10	·14	·15	·18	—	·16	·30	—	—	·03	—	·45	22
23	·23	·05	—	—	—	—	·48	—	·10	·76	—	·90	23
24	—	—	—	—	—	·14	·11	—	·12	·33	—	·66	24
25	—	—	—	—	—	·17	·28	—	—	—	—	·56	25
26	—	·36	—	—	·03	·50	·20	—	·07	—	—	·73	26
27	—	·08	—	—	—	·30	·14	—	—	·65	—	—	27
28	—	·07	—	—	—	·26	—	·05	·27	·33	—	—	28
29	—		—	—	—	·90	—	·01	·13	—	·19	·17	29
30	·26		—	—	—	·14	·02	—	·11	·50	·57	·75	30
31	·07		—		—		·19	·03		·30		·40	31
Total	5·23	10·27	·69	1·62	3·09	3·01	4·84	3·59	1·93	3·88	3·42	10·88	YEAR'S TOTAL 52·45
Rain Days.	25	12	7	11	10	11	19	14	11	15	11	25	181

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

1762

~~W.~~ CJE

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3. FEB 1917

Copy

Kept at Coryton

in the County of Devon

by Mrs Blatchford during the absence of her son at the war

pr R L Newman

Lat. Long.

Time of Observation

Nearest Railway Station Coryton

Diameter of Funnel of Rain Gauge five in. 5

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	28	–	20	–	·3	–	25	–	–	16	15	–	1
2	35	10	08	–	6	–	–	–	25	20	30	–	2
3	02	1·50	12	–	23	10	20	–	2	70	50	–	3
4	29	21	09	–	11	41	17	–	12	8	1·25	–	4
5	02	05	21	–	·1	15	–	–	–	10	51	–	5
6	05	22	06	–	17	18	62	–	–	30	90	–	6
7	16	30	14	–	20	10	9	–	–	3	108	20	7
8	–	25	03	–	18	–	–	–	–	–	17	20	8
9	–	27	07	–	3	25	1	–	–	30	16	65	9
10	–	79	–	10	·1	–	–	–	–	–	2	27	10
11	–	–	–	11	·1	10	–	–	·1	–	–	–	11
12	10	04	–	09	15	–	16	·1	–	20	–	–	12
13	–	37	–	–	–	–	1	45	–	7	–	0·3	13
14	07	51	–	–	11	–	–	17	–	10	–	–	14
15	02	36	–	16	–	–	–	20	–	1	–	–	15
16	20	15	–	15	–	–	4	60	–	10	–	–	16
17	–	20	–	10	–	–	–	1	40	26	75	–	17
18	03	34	12	25	–	–	–	–	27	9	2	–	18
19	25	10	–	·3	–	–	–	–	·2	–	50	–	19
20	14	30	26	–	–	–	–	–	–	–	16	58	20
21	10	–	11	–	–	–	–	–	–	–	22	22	21
22	–	–	2	–	·1	15	–	–	–	90	1	40	22
23	07	02	–	02	·1	15	17	35	–	22	30	20	23
24	–	30	5	26	–	–	–	15	–	50	2	25	24
25	–	10	27	–	–	–	–	84	–	15	34	–	25
26	–	07	14	–	–	24	–	26	17	75	12	–	26
27	–	03	1·09	–	–	–	–	–	36	18	–	–	27
28	–	06	–	–	–	–	–	1	(24)	50	–	65	28
29	–	·14	02	–	–	50	–	1·26	33	28	–	50	29
30	–	X	1	–	–	02	–	–	–	38	–	–	30
31	–	X	–	X	–	X	–	9	X	15	X	9	31
Total	2·15 √	6·98 √	3·18 √	1·27 √	1·32	2·35 √	1·72 √	4·40 √	2·19 √	7·19 √	7·48 √	4·24 √	YEAR'S TOTAL 44·47 √
Rain Days.	16 √	25 √	18 √	10	15 √	12 √	10 √	13 √	11 √	25 √	20 √	13	188

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
JAN 191

1585

Kept at Coryton
in the County of Devon
by Mrs Blatchford in the absence of her son at the War

Lat.
Long.
Time of Observation 8·30 a m
Nearest Railway Station
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	02	.	.	26	.	21	.	17	10	.	1	.	1
2	02	.	.	20	.	10	.	.	.	.	1	.	2
3	10	.	.	26	.	.	.	.	.	35	64	.	3
4	[illegible]	.	45	.	.	.	.	.	.	45	.	.	4
5	25	.	42	51	.	27	.	·2	.	19	17	.	5
6	—	.	30	.	.	30	·1	36	36	2	26	2	6
7	61	.	.	.	.	.	.	·1	.	30	15	10	7
8	0·2	.	9	16	.	16	20	43	10	54	29	37	8
9	.	.	·2	10	.	.	·3	.	.	50	36	.	9
10	25	.	44	35	.	.	.	30	.	4	6	.	10
11	—	.	25	25	.	.	.	61	.	40	30	.	11
12	46	.	.	·1	.	.	.	17	.	53	.	.	12
13	23	.	24	·2	50	·1	.	65	37	40	.	9	13
14	9	.	.	12	.	.	.	50	11	30	1	1	14
15	.	.	.	.	.	.	.	·4	.	45	.	26	15
16	.	11	.	.	.	10	20	·1	.	26	.	60	16
17	.	.	.	27	.	.	29	19	45	25	.	.	17
18	.	.	.	.	.	·1	30	.	65	1	.	.	18
19	.	51	.	.	.	15	.	.	2	.	.	.	19
20	.	26	.	.	.	14	.	·3	10	.	15	.	20
21	.	.	.	.	30	.	.	.	.	1	27	20	21
22	.	.	.	.	.	.	.	65	.	20	.	.	22
23	.	10	.	.	.	.	.	1·04	.	25	9	.	23
24	.	·1	.	.	50	15	·3	3	.	48	10	.	24
25	.	05	.	.	.	.	·1	38	2	25	1	.	25
26	.	.	.	.	72	10	.	42	12	3	9	.	26
27	.	.	.	.	.	25	.	1·54	.	11	2	.	27
28	.	09	.	.	15	1·30	.	68	.	1	.	.	28
29	.	.	.	.	.	25	.	.	.	88	.	10	29
30	.	✕	.	.	.	.	·3	25	.	2	.	.	30
31	.	✕	.	✕	40	✕	.	.	✕	20	✕	.	31
Total	2·05	1·13	2·21	2·51	2·57	3·50	1·10	8·48	2·40	7·38	2·99	1·75	YEAR'S TOTAL 38·07
Rain Days.	10	7	8	12	6	15	9	22	11	27	18	9	154

W. 8,000, IX. 17.

Exd. Cfs.

30

FORM A.
BRITISH RAINFALL.
21. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Coryton

in the County of S Devon

by Mr Blatchford in the absence of her son at the War

Lat. Long.

Time of Observation

Nearest Railway Station Coryton

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 80

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	25	.	16	.	.	.	46	.	.	1.27	.	1
2	.	60	.	·1	.	.		.	.	.	9	28	2
3	.	35	.	10	1	.	.	.	.	17	29	02	3
4	.	·1	.	.	.	.	.	20	17	.	90	80	4
5	.	.	20	10	19	.	.	24	86	26	1	20	5
6	.	28	20	35		.		16	.	21	.	30	6
7	27	27	.	2		15		.	40	25	61	62	7
8	.	·3	.	.		.		.	22	50	.	50	8
9	.	.	.	.		35	35	.	46	·4	.	40	9
10	15	.	.	15		.	30	.	.	17	.	20	10
11	25	10	25	7	.	.	15	.	57	·3	.	20	11
12	.	10	.	.	22	.	20	.	15	.	.	25	12
13	·3	·1	.	.	26	.	10	.	34	10	.	50	13
14	35	.	.	.	.	10	·2	.	30	11	.	13	14
15	1.20	.	.	.	.	11	50	.	16	50	.	29	15
16	57	.	.	65	.	.	17	.	45	.	.	36	16
17	40	.	.	10	1	.	10	.	14	.	.	35	17
18	1.25	.	19	.	.	79	15	.	29	25	.	.	18
19	26	·6	10	2	.	.	29	10	20	.	.	35	19
20	28	15	.	19	.	.	15	.	30	.	.	33	20
21	32	.	.	.	.	45	14	.	54	·02	.	.	21
22	.	.	.	.	30	.	1.00	.	35	19	.	21	22
23	15	.	.	.	.	.	15	.	13	.	20	29	23
24	·4	19	.	.	.	.	.	39	20	.	35	02	24
25	.	.	.	.	30	.	20	52	.	9	20	10	25
26	·2	26	.	30	.	.	37	.	·8	.	.	15	26
27	.	32	12	.	.	.	.	19	30	.	33	.	27
28	.	25	30	.	.	.	.	.	.	4	30	.	28
29	.	.	15	.	.	.	.	.	80	.	12	.	29
30	.	X	50	25	.	.	.	15	·3	10	.	10	30
31	.	X	49	X	.	X	.	·7	X	9	X	.	31
Total	5.48 ✓	3.23 ✓	2.50 ✓	2.47 ✓	1.29 ✓	1.95 ✓	4.34 ✓	2.41 ✓	7.38 ✓	3.12 ✓	4.67 ✓	6.95 ✓	YEAR'S TOTAL 45.79 ✓
Rain Days.	15 ✓	16 ✓	10 ✓	14 ✓	7 ✓	6 ✓	17 ✓	9 ✓	23 ✓	18 ✓	12 ✓	24 ✓	171 ✓

W. 8,000, IX. 17.

15-90

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Coryton

in the County of Devon

by W H Blatchford

Lat. Long.

Time of Observation 8 30 am

Nearest Railway Station Coryton

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 2 in.

„ „ „ „ Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·10

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·80		·24	·20	·13		·09		·17	·32		1·00	1
2	·31		·01		·06				·05			·10	2
3	·10		·30		·07	·06			·16		·02	·14	3
4	·40	·27	·52		·02		·27	·21	·67			·15	4
5	·19	·28	·65									·10	5
6	·80	·33	·25									·30	6
7	·40		·29	·17		·02						·16	7
8	·10		·21	·09							·48		8
9	·23		·04	·45	·05						·58	·10	9
10	·09		·51	·10	·11							·84	10
11	·01		·75	·20	·34	·02	·14				·40	·55	11
12	·30		·08	·09		·10				·18			12
13	·27		·11	·44			·08			·20		·31	13
14	·47	·15		·60	·56		·08			·13		·33	14
15	·19			·06						·13		·78	15
16	·15	·78			·03	·05		·07			·52		16
17		·47						·05			·47	·03	17
18	·15	·15	·65				·18	·12	·02		·39		18
19	·47	·31	·26			·11	·43	·61	·38		·14	·18	19
20	·70		·01		·05	·17		·14	·18			·07	20
21	·26	·90			·10	·01	·20	·01	10		·35	·10	21
22							·19		·32			·15	22
23								·25		·45	·07	·64	23
24						·27			·05	·25	·20	·41	24
25	25	·03				·03		·78		·05	·38	·14	25
26	·17		·10	·35		·01		·14	·16		·09	·64	26
27	·25		·38	·15				·80				·12	27
28			·05	·18						·07	·30	·51	28
29			·10	·10				·27		·10		·12	29
30			·38	·16		·12		·41			·65	·84	30
31			·11				·13					17	31
TOTAL	7·06	3·67	6·00	3·34	1·52	·97	1·79	3.86 ~~3·38~~	2·26	1·88	5·04	8·98	YEAR'S TOTAL 46.37 ~~45·91~~
Days with ·01 in. or more	23	10	22	15	11	12	10	13	11	10	15	27	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2·00 in add in

DEVON.

CORYTON RECTORY

1911–1912

REGI ... 11

FORM 42.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Coryton R ... 5 in.

in the County of Dev ... ove Ground 1 ft. 6 in.

, Sea Level 400 ft.

9 a.m.

by Rev. H. N ...

Name Coryton
Distance 3/4 m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	–	·02	·02	·12	·02	–	·03	–	s ·01	·02	·02	1
2	–	–	·05	·16	·24	–	–	·28	–	·11	·26	·19	2
3	–	–	·06	–	·21	–	–	–	·03	–	·15	s ·21	3
4	–	–	·09	–	·01	–	–	·40	–	–	·22	·49	4
5	·43	–	·19	–	–	–	–	·41	–	–	s ·15	·11	5
6	·25	–	·08	–	–	–	–	·01	–	·04	·10	(1·60)	6
7	·07	–	–	–	–	–	–	–	–	–	·46	·03	7
8	·01	–	·23	–	–	–	–	–	–	s –	·07	·74	8
9	·03	–	–	–	–	–	–	–	–	–	·52	·74	9
10	·05	–	·64	–	·03	–	–	–	–	–	·03	s ·26	10
11	·91	–		–	–	–	–	–	–	–	·52	·08	11
12	–	–	·42	–	–	–	–	–	·39	–	s ·22	·33	12
13	–	–	·15	–	–	–	–	–	·18	·02	·11	·22	13
14	–	·17	·06	–	–	–	–	–	–	·01	·20	·38	14
15	–	·07	·12	–	–	·03	–	–	–	s	·36	·07	15
16	·02	·02	·03	–	–	·33	–	–	–		·23	·36	16
17	–	·06	·04	·06	–	·17	–	–	–		·40	(1·73)	17
18	–	·22	–	·24	–	·31	–	–	–	·02	·32	·44	18
19	–	·05	·01	·04	–	·56	–	–	·82	·06	s ·24	(1·63)	19
20	·02	·05	–	·10	–	·01	–	–	·38	·20	–	·36	20
21	·02	·19	–	·03	–	·08	–	·12	·36	·25	–	·11	21
22	·03	·66	–	·07	–	·06	–	–	·22	s ·27	–	·40	22
23	·03	·21	–	·08	–	·37	–	·06	·15	·42	–	·18	23
24	–	·17	–	·02	–	·49	–	·21	s –	·48	–	s ·22	24
25	·02	·06	–	·13	–	·14	–	·08	·12	·18	–	·09	25
26	–	·04	–	·38	·06	–	–	·09	–	·56	s ·02	·14	26
27	–	·41	–		–	·04	–	·34	·16	·16	–	·37	27
28	–	·18	–	·63	–	–	–	·06		–	·36	·01	28
29	–		–	·18	·12	·46	·34	·01	·13	s ·31	–	–	29
30	–		–	–	–	·07	·13	–	·06	·30	·26	·08	30
31	–		20		–		·08	–		·05		s –	31
Total	1·34	1·96	2·39	2.12	·79	3·14	·55	2.05	3.00	4·15	5.22	(18.59)	TOTAL for year (37.30)
No. of Rain Days	14	15	16	19	7	15	3	13	12	18	22	29	177

9,000, IX. '10.

2·00 in ab

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Coryton Rectory

in the County of Devon S. 2

by Rev. H. N. Fowler

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 400 ft.

Time of Observation 9 a. m.

Nearest Railway Station
Name Coryton
Distance 3/4 m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	·02	·02	·12	·02	—	·03	—	s ·01	·02	·02	1
2	—	—	·05	·16	·24	—	—	·28	—	·11	·26	·19	2
3	—	—	·06	—	·21	—	—	—	·03	—	·15	s ·21	3
4	—	—	·09	—	·01	—	—	·40	—	—	·22	·49	4
5	·43	—	·19	—	—	—	—	·41	—	—	s ·15	·11	5
6	·25	—	·08	—	—	—	—	·01	—	·04	·10	(1·60)	6
7	·07	—	—	—	—	—	—	—	—	—	·46	·03	7
8	·01	—	·23	—	—	—	—	—	—	s —	·07	·74	8
9	·03	—	—	—	—	—	—	—	—	—	·52	·74	9
10	·05	—	·64	—	·03	—	—	—	—	—	·03	s ·26	10
11	·31	—		—	—	—	—	—	—	—	·52	·08	11
12	—	—	·42	—	—	—	—	—	·39	—	s ·22	·33	12
13	—	—	·15	—	—	—	—	—	·18	·02	·11	·22	13
14	—	·17	·06	—	—	—	—	—	—	·01	·20	·38	14
15	—	·07	·12	—	—	·03	—	—	—	s	·36	·07	15
16	·02	·02	·03	—	—	·33	—	—	—		·23	·36	16
17	—	·06	·04	·06	—	·17	—	—	—		·40	(1·73)	17
18	—	·22	—	·24	—	·31	—	—	—	·02	·32	·44	18
19	—	·05	·01	·04	—	·56	—	—	·82	·06	s ·24	(1·63)	19
20	·02	·05	—	·10	—	·01	—	—	·38	·90	—	·36	20
21	·02	·19	—	·03	—	·08	—	·12	·36	·25	—	·11	21
22	·03	·06	—	·07	—	·06	—	—	·22	s ·27	—	·40	22
23	·03	·21	—	·08	—	·37	—	·06	·15	·42	—	·18	23
24	—	·17	—	~~·13~~	—	·49	—	·21	s —	·48	—	·22	24
25	·02	·06	—	·13	—	·14	—	·08	·12	·18	—	·09	25
26	—	·04	—	·38	·06	—	—	·09	—	·56	s ·02	·14	26
27	—	·41	—		—	·04	—	·34	·16	·16	—	·37	27
28	—	·18	—	·63	—	—	—	·06		—	·36	·01	28
29	—		—	·18	·12	·46	·34	·01	·13	s ·31	—	—	29
30	—		—	—	—	·07	·13	—	·06	·30	·26	·08	30
31	—		20		—		·08	—		·05		—	31
Total	1·34	1·96	2·39	2·12	·79	3·14	·55	2·05	3·00	4·15	5·22	(18·59)	TOTAL for Year (37·30)
No. of Rain Days	14	15	16	19	7	15	3	13	12	18	22	29	177

9,000, IX. '10.

Estimate

2 MAY 1912

CORYTON RECTORY.
LEW DOWN
DEVON.

May 1st 1912

Dear Sir

I meant to have written to you long ago with regard to my rainfall for last December. I have to apologize to you for not having done so & giving you the trouble of writing now. In the beginning of Jan. just after I had sent you my return for last year: I carefully examined my rain

examined the upper part where the leak was. I expect you will think it best to omit Coryton from your list for last year: but I think you may depend upon me for this year: so far for the first months we have had 4.50. 4.77. 7.52 & .45.

Apl

Again expressing my regret for last year's error

Yours faithfully
H. N. Fowler

gauge (one that the late Mr Symonds of Coryton had used for many years, & bequeathed to me) & found a leak just above where the funnel part of the gauge begins: this c^{d} not have been there long: & I think only affected the amount of rain recorded in stormy & windy weather such as we had so much of in December. When I compared notes with some of my neighbours I felt there must have been something wrong with my low return for December, more than could be accounted for by local variation: ·60 for the 6th was the chief discrepancy. Probably my rain for December sh^{d} have been about 2 inches more than it really was: I am sorry the error sh^{d} have occurred: & hope you will not regard me as unreliable in the future: the rain gauge is of course all right now: & I always take the rain myself every morning at 9 a.m. I had several times tested the bottoms of the inner vessel: & the one it runs into: but had not

Ex D.S

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Coryton Rectory

in the County of Devon S.2

by Rev. H. N. Fowler

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 400 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Coryton
Distance 3/4 m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·15	–	·07	·92	·04	·27	·15	·45	–	s·37	1
2	–	–	·27	·16	–	s·74	·04	–	–	–	–	·04	2
3	·05	–	s·37	·02	·03	·34	·01	·72	·08	–	s –	·10	3
4	·31	·01	·84	–	–	·32	–	s40	–	–	·55	–	4
5	·72	·20	·17	·02	s·04	·01	·05	·92	–	–	·03	·18	5
6	·52	·21	·13	·02	·28	–	–	·53	–	s –	·02	·10	6
7	·16	1·00	·42	s·10	·12	·37	s·03	·34	·02	–	·01	·18	7
8	·39	·21	·46	–	–	1·01	·22		·01	–	–	s –	8
9	·05	·28	·19	·07	–	–	·04	·03	–	–	–	·62	9
10	·35	·05	s·15	·02	–	–	·14	·07	–	–	s·26	·15	10
11	·01	·06	–	–	–	–	·05	s·03	–	–	·34	·71	11
12	·04	·04	·25	–	s·02	·01	·25	·27	–	–	·21	·02	12
13	·20	·04	·04	·04	–	·04	·20	·02	–	s·07	–	·21	13
14	·23	·07	·68	s –	·21	–	s –	·26	–	·01	–	·06	14
15	·90	·11	·10	–	·24	·85	–	·01	s –		·02	s·49	15
16	·23	–	·65	–	·16	·08	–	·34	–	·12	·03	·18	16
17	–	–	s·15	–	·05	·29	–	·90	–	–	s·05	·15	17
18	–	·08	·24	–	–	–	–	s·92	–	·12	·08	·06	18
19	·01	·26	·30	–	s·07	·02	·06	·49	–	·11	s·08	·12	19
20	·04	·05	·57	–	·08	·01	–	·29	–	s·33	·15	–	20
21	–	·36	·32	s –	·50	–	s –	·07	–	·47	·01	–	21
22	·06	·43	·34	–	·02	–	–	·25	s –	·03	·01	s·13	22
23	·04	·57	·23	–	–	·06	·01	·88	–	·05	·09	·44	23
24	·06	·07	s·08	–	–	·41	·02	·01	–	·03	s –	·26	24
25	·13	·02	–	–	–	·35	·19	s·15	–	·27	·28	·60	25
26	–	·05	–	–	s –	–	·13	·33	–	·46	s·80	·53	26
27	–	·03	·02	–	–	·85	·45	·15	–	s1·63	·01	·46	27
28	–	·22	–	s –	–	·23	s·12	·97	·59	·33	·74	·60	28
29	–	·35	–	–	–	·10	·19	·25	s·61	·58	–	s·16	29
30	–		–	–	–	s23	·59	–	·15	·43	–	·01	30
31	–		s·46		–		·30	·03		·03		s·24	31
Total	4.50	4.77	7.52	·45	1.89	7.44	2.93	9.90	1.61	5.51	3.77	7.17	TOTAL for year 57.46
No. of Rain Days.	20	24	25	8	14	21	3.93. 21	28	7	18	20	27	233

W. ,000, X. '11.

DEVON.

CREDITON

"TROBRIDGE HOUSE"

1911 – 1916

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGI

Kept at Trobridge Ho
8 in.
ve Ground 1 ft. 2 in.
in the County of Devon
Sea Level 250 ft. circa
30 a.m.
by R. Stanley Cl
Name Crediton
Distance 1¼ mile Direction N by E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	07#	01 d	01	17	08			01	01 d	02		02	1
2	01		01		19			55	d		24	09	2
3		01	02					02	03		06	10	3
4			08					02		02	14	44	4
5	08		17					80	01	04	52	08	5
6	19		22					01		04	10	80	6
7	03		01					01		01	34	02	7
8			21								06	88	8
9	09		01 d			10					60	66	9
10	01	01	15		10						01 d	21	10
11	20	01	01	01 d	04 d				01		41	15	11
12			49	d					13		19	31	12
13	01 d			d					28		03	54	13
14	01 d		03	d		d					08	66	14
15	01	06	01		01 d	02		d			13	01	15
16	01		02	d		35	d	01 m	d		26	20	16
17	01	02	20	04			02	01 m	d		12	66	17
18		29	12	42	d	16		01 m	d	21	22	40	18
19		02	05	05		97		01 m	27	18	33	65	19
20	03	03	23	01		07		01 m	09	50	01	80	20
21	01	10	04			01		23	08	36	01	07	21
22	09	09		07				01 d	23	14		33	22
23	02	14	03			04			05	21	06	05	23
24	01	10				30		17	d	50		33	24
25	01	05		04		05		01	05	11	01 d	26	25
26		09		15	09			01		42	02	16	26
27		20	06	04	01			20	10	63	02	23	27
28		09	01					11		01 d	26	01	28
29				45		28	36		15	23	01		29
30	01 d					02	01	01	01	14	04		30
31							08	01		08			31
Totals	·91	1·32	2·19	1·45	·52	2·37	·47	2·23	1·50	3·85	4·28	9·12	TOTAL for year
		2·23	4·42	5·87	6·39	8·76	9·23	11·46	12·96	16·81	21·09	30·21	30·21
No. of Rain Days.	20	17	23	11	7	12	4	21	15	19	27	28	204

W. 8,000, X. '11.

REGI

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Trobridge House, nr. Crediton
N. Lat. 50° 46' 5"
in the County of Devon W. Long. 3° 39' 15"
by R. Stanley Clarke

SC

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 250 ft. circa

Time of Observation 9.30 a.m.

Nearest Railway Station
Name Crediton
Distance 1¼ Mile Direction N by E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	07#	01 d	01	17	08			01	01 d	02		02	1
2	01		01		19			55	d		24	09	2
3		01	02					02	03		06	10	3
4			08					02		02	14	44	4
5	08		17					80	01	04	52	08	5
6	19		22					01		04	10	80	6
7	03		01					01		01	34	02	7
8			21								06	88	8
9	09		01 d			10					60	66	9
10	01	01	15		10						01 d	21	10
11	20	01	01	01 d	04 d				01		41	15	11
12			49	d					13		19	31	12
13	01 d			d					28		03	54	13
14	01 d		03	d		d					08	66	14
15	01	06	01		01 d	02		d			13	01	15
16	01		02	d		35	d	01 m	d		26	20	16
17	01	02	20	04			02	01 m	d		12	66	17
18		29	12	42	d	16		01 m	d	21	22	40	18
19		02	05	05		97		01 m	27	18	33	65	19
20	03	03	23	01		07		01 m	09	50	01	80	20
21	01	10	04			01		23	08	36	01	07	21
22	09	09		07				01 d	23	14		33	22
23	02	14	03			04			05	21	06	05	23
24	01	10				30		17	d	50		33	24
25	01	05		04		05		01	05	11	01 d	26	25
26		09		15	09			01		42	02	16	26
27		20	06	04	01			20	10	63	02	23	27
28		09	01					11		01 d	26	01	28
29				45		28	36		15	23	01		29
30	01 d					02	01	01	01	14	04		30
31							08	01		08			31
Totals	·91	1·32	2·19	1·45	·52	2·37	·47	2·23	1·50	3·85	4·28	9·12	TOTAL for year
		2·23	4·42	5·87	6·39	8·76	9·23	11·46	12·96	16·81	21·09	30·21	30·21
No. of Rain Days.	20	17	23	11	7	12	4	21	15	19	27	28	204

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

17 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Trobridge House, nr Crediton

in the County of Devon S. 6

by R Stanley Clarke Esq

RAIN GAUGE
Pattern Glaisher's
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 250 ft.

Time of Observation 9:30 a.m.

Nearest Railway Station
Name Crediton
Distance 1¼ Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			14		01	50	09	05	06	73		41	1
2			12	04		*98	02	01				05	2
3			13		01	13	28	*94	02			01	3
4	27		*94			10		03			33		4
5	32	16	27		03	10		49			01	06	5
6	64	08			*29	02	*38	35			01	06	6
7	14	*72	25	01	10	70		14		01		07	7
8	24	11	32	03		05	06	04				01	8
9	01	06	48	*07		30	05	02				07	9
10	25	07	05			02		24	03			16	10
11	02	10	07			13	15			01	13	23	11
12		20	04		01	02	03	25		01		05	12
13	21							05				06	13
14	05		40		10	55		16					14
15	*66	03	03		20	01						17	15
16	19		05		09	15		02		09	08	10	16
17	03		16		02			*56				07	17
18	02	02	28			03	04	20		04	02	05	18
19	03	18	47				13	30		05	01	01	19
20	12	05	32		20		03	20		34	08		20
21		06	26		27		03	19		13			21
22	22	06	18		23	07	05	13		17		03	22
23	36	34	14			19		50			03	20	23
24		01	02			11	03					13	24
25	28						14	25		25	23	*47	25
26						20	37	04		15	*36	24	26
27						02	07	20		*90	03	15	27
28		06				08	06	24	21	20	26	*47	28
29		20	08					15	*62	45		07	29
30			18		01	03	22	01	15	55			30
31							14	01		04		02	31
Total	4·06	2·51	5·38	·15	1·57	4·49	2·37	5·80	1·09	4·10	1·58	3·42	TOTAL for year 36·52
No. of Rain Days	19	18	24	4	14	23	20	28	6	17	13	26	212

9,000, IX. '10.

~~P.T.O.~~

written 9·1·14

Cor. by obsr. 13. VI. 14

FORM A. BRITISH RAINFALL. 13 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Trobridge House nr. Crediton

in the County of Devon 5 6

by R Stanley Clarke

Lat. 50° 46'. Long. W. 3° 39'. 10

Time of Observation 9·30 a.m.

Nearest Railway Station Crediton 1¼ Mile

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level about 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		18	08	10	12				09	04	06	01	1
2	15	06		10	10		02		02	22	07		2
3	16		04		48				01	56		24	3
4	87	01	01		12	05			36	10	09	35	4
5	05	06			16	24	09		35		21	45	5
6	03	11	14		01	04	04			89	06	18	6
7	03	22	09		82	05	06			49	13	02	7
8	05	02	01		32	01	08	02					8
9	06			01	13	02	30	08	01		55	01	9
10	48	01			14	02		02		34	20		10
11	51	01	01	11	42	12			01	07	61	02	11
12	06				02	02			02		57	05	12
13	10	m 01	01	01	01	01		05	17		13		13
14	45	01	13	05	05			01	01	02	16		14
15	09		45	20					25		06	01	15
16	19		34	04			01	05	15	01	01		16
17	03		04	05			01						17
18	12		17	07	04				01		05		18
19	50		14		02	01	08		25	04			19
20	20		12	11					03	02	08		20
21	02		22	10	12						19		21
22	36		70	36		11	04	01	08	03		22	22
23			01			03		04			13	57	23
24	02	10		01		04		04			02	01	24
25		01		57					11	05	01	01	25
26				65				05		01		21	26
27	15	d 01	27	17				01		59		05	27
28	10		06	27	10					34		10	28
29	12		53	39	03					36			29
30	28		01	01	01				04	58	02		30
31	25		17		06		05	1·15 ~~01~~		02			31
Total	5·43	·82	3·75	3·38	3·28	·77	·78	~~·39~~	1·97	4·78	3·41	2·51	YEAR'S TOTAL ~~31·27~~ ✓
Rain Days.	27	14	23	20	21	14	11	12	18	20	21	17	218
								1·53					32·41

W.7,000, XI. 13

C. S. /G.

Parcels,
Crediton Station,
L.& S.W. Ry.

Trobridge House,
nr Crediton, Devon.

12 June 1914.

Dear Sir

I have your letter of the 9th inst, & I am profoundly sorry that I have caused so much trouble & additional work by a mistake in the entry of rainfall for the 31st August 1913.

I have referred to all the various entries, & I see that I was away from home then; that my gardener entered the rainfall as (actually) 1.15 and that I made a miscopy throughout all my transcriptions - I don't know why.

I may say that for my own use I observe & enter the rainfall as ·05 or ·15 or ·25 if I consider that accurate but I do not make my returns in that way, & I give the lower figure ·00 ·01 or ·02 as the case may be. But I am very sorry for the error in inches.

My compliments & good wishes to Dr Mill - I am much cadly Okefield 10·11·15 ~~W~~ 8/1

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL.

13 JAN

Kept at Trobridge House nr Crediton

in the County of Devon

S 6

by R Stanley Clarke

Lat. 50° 46' N Long. 3° 39' 10" W

Time of Observation 9·30 a.m.

Nearest Railway Station Crediton L & S W Ry 1¼ m

Diameter of Rain Gauge 8 in. Glaisher type

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level about 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07	·14	·01	·10	·29	·16			·70	·05	1
2	d ·01		·03		·21		·23				·15	·55	2
3	·01		·23	·13	·11			·23			·02	·14	3
4	·18		·03	·16	·05		·34	·16			·56	·66	4
5	·19		·10	·25	·04		·01		·04		·02		5
6		·09	·15	·17	·10	·01	·16	·03			·03	·26	6
7	·01	·43	·10	·06	·09	·22	·24		·10			·12	7
8	·03		·84	·01	·02	·61		·03	·03			·01	8
9	·01	·01	·31 sh	·07	·03	·50		·15	1·30			·02	9
10	·04	·03	·13	·35	·05	·08			·65			·19	10
11		·11	·16			·19				d	·05	·63	11
12		·43	·14						·17	·03	·08	·62	12
13		·09	·26				·01		·22	·18	·23	·18	13
14		·09	·43			·15		·32	·03	·02	·17	·02	14
15			·14				·03	·76	·06	·01	·16	·30	15
16			·02						·05		d	·01	16
17		·17	·33								d	·35	17
18		·15	·09					·01	·12			·22	18
19		·10	·64				1·63	·01	·07	d	·07	·07	19
20		·33	·68			·20		·10 ·01				·18	20
21		·45	·05			·02				·32		·11	21
22		·01	·05		·21	·03		·01		·08		frost	22
23		·08	·18				·06			·17		"	23
24	·01	·03	·02		·08		·06	·10		·01	·07	"	24
25	·10	·02	·30		·08		·18	·25		·32		·12 ·42	25
26	·11	·01	·07				·14		d ·01	·10	·04	·55	26
27	·08						·03			·09	·15	·08	27
28		·04	·11		·10					·51	·13	·67	28
29	·02		·04		·17		d ·01			·06	·22	·02	29
30		×	·04			·02				·23	·23	·93	30
31	·01	×		×	·03	×	·25		×	1·16	×	·69	31
Total	·81	2·67	5·74	1·34	1·38	2·13	3·67	2·32	2·85	3·29	3·08	7·75	YEAR'S TOTAL 37·03
Rain Days.	14	19	29	9	16	12	16	14	13	15	18	27	202

W. 8,000. X. 14.

cd. 6.IV.16

1897

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
9 FEB

Kept at Trobridge House nr Crediton
in the County of Devon
by R Stanley Clarke.

Lat. 50° 46′ N Long. 3° 39′ 10″ W
Time of Observation 9.30 a.m.
Nearest Railway Station Crediton L & S W Ry
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	43	12			01			36	26	42	a 01	18	1
2	18	24	17			27		× 68	13	05		03	2
3	02	13	02	04	18		09	01				56	3
4	05	10			03		27					09	4
5	01	× 84		06				08				49	5
6	× 83	09		09			30	01			01	17	6
7	47	13		08			22			04	02	16	7
8	12	23					04	11		01	03	03	8
9	02	05	06	× 19							× 50	12	9
10	25	37	02	05				13		12	16	13	10
11	21	12	a 01		04		10	37		08	47	05	11
12	11	60	01	05	× 50			18		05	17	04	12
13	01	73			38		01	13	06		18	01	13
14	01	01					14	17	08	20	04	21	14
15	15	01	01		29		20	02		03	07 a	10	15
16	02	42			13		× 62		03		01	23	16
17	03	18			17				02	d 01		10	17
18	01	15			01					02	d 05		18
19	01	09			14		18					01	19
20	38			06	02	10				18		06	20
21	36	14			03	01	03			09		25	21
22	08	02	× 21	09		15	38		01	11		16	22
23	01	02	03				13		01	× 93		× 84	23
24			01	02			13		07	13		57	24
25			02	01		× 42	07				01	26	25
26		03				05			02			44	26
27		06				32	22		03	26		01	27
28		10				19			× 39	27	02	02	28
29						28			10		09	28	29
30	13	╳				01	01		02	× 93	34	45	30
31	02	╳		╳		╳	11	01	╳	80	╳	23	31
Total	3·92	5·01	·57	·74	1·93	1·80	3·22	2·26	1·28	4·73	2·15	6·30	YEAR'S TOTAL 33·86
Rain Days.	25	25	11	11	13	10	19	[illegible]	14	20	17	30	208.

notified 26.IV.17

1853

FORM. BRITISH RAINFALL.

JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Trobridge House nr Crediton

in the County of Devon

by R Stanley Clarke Esq

Lat. Long. as previously given

Time of Observation 9·30 a.m

Nearest Railway Station Crediton. L & S W Ry

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 200 feet or as previously given

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	100		020		× 550	045	050		070	220	110		1
2	105	020	090	005 d	030		d		020	190	450		2
3		103	d	d	440	060	130		010	340	220	030	3
4	110	180	d	d	070	130	170		050	060	880		4
5			060 sn	d	160	100				010	390		5
6	030	140	010 sn	d	030	190	× 690			060	360		6
7	× 145	270	160	d	160	090	130			070	680	130	7
8		260 sn	190 sn	d	060	× 230					230	110	8
9		160			055	070	070			150	070	230	9
10		560		080	050	010			020	020	010	200	10
11		d	280	040									11
12	110	050	080	045	080		050	120		030	010		12
13		210	250	010	005		020	400	030	010			13
14	010	510	190	d	025			120		050			14
15	050	140	d	× 150				020		060		020	15
16	040	100		130			110	540		230			16
17	020	200		020					360	270	× 1·330		17
18	040	400	440	120	d				280	060		070	18
19	120	250	140	100							190		19
20	040	× 1·090	370	d							050	× 950	20
21	050	150	140	080	090	020						180	21
22						060		100		490		650	22
23	020	020		030	030	150		150		160	040	210	23
24		170 sn	055 sn		230	005		060		520	010	240	24
25		120	190		020	020		280	020	050	300		25
26	010	010 sn	100		140	270		420	× 1·500	× 770	040		26
27	070	010	× 1·228			050		090	350	590			27
28	d	110 sn	025 sn		010	070		140	370	310	020	290	28
29	d	400 sn	040			210		× 1·520	080	120		270	29
30		×								320		010	30
31		×	d	×		×		030	×	240	×	060	31
Total	980	5·533	4·058	·810	2·235	1·660	1·420	3·990	3·160	~~4·320~~ 5·400	5·390	3·570	YEAR'S TOTAL 38·206 ~~37·126~~
Rain Days.	17	25	20	11	19	18	9	14	13	26	19	16	207.

W. 8,000, VIII. 16

DEVON.

CREDITON.

"HOOKWAY"

1915-1920

FORM A.
BRITISH RAINFALL
23. MAR 1916

REGISTE

Kept at Hookway C

37 50" W

in the County of Devon

dton

5 in.

by Arthur F. Part

Ground 1 ft. — in.

Sea Level 150 ft.

IMPORTANT NOTE.—Ra

e result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	48	14						90	20	44		29	1
2	19	20	10			24		30	10	.08		50	2
3	01	14	.03	04	.22		11					51	3
4	05	10					40					16	4
5		1.03		07				08				54	5
6	89	13		.08			33					16	6
7	44	23		07			18			04	02	16	7
8	12	29					.02	11			03	15	8
9	05	06		17				01			43	15	9
10	21	33	.02	06				10			06	60	10
11	15	18					04	39		10	58	08	11
12	15	77		02	55			12		10	17	05	12
13	01	75			37			10	07		14	01	13
14	01	01					13	14	07		01	25	14
15	14	01			32		22			19	05	11	15
16	03	46			14		64		04	04		19	16
17	01	18			16				02			03	17
18		17	.03										18
19		10			19		17						19
20	38	01		06		08						05	20
21	31	14			02		04			.05		17	21
22	08	02	23	.10		09	34			22		17	22
23		03	.05				18			34		45	23
24							11		10	72		67	24
25	03			03		65	07			10	.02	32	25
26		03				05			04			62	26
27		04				30	18					01	27
28		05				19			40	40	02	04	28
29						20	06		07	17	05	26	29
30	11	╳				05				1.13	30	46	30
31	01	╳		╳		╳	09		╳	99	╳	14	31
Total	3.86	560	.46	.70	1.97	1.85	3.31	2.25	1.11	5.11	1.88	7.30	YEAR'S TOTAL 35.40
Rain Days.	22	26	6	10	8	9	18	10	10	16	13	29	177

W. 8,000. X. 14.

✓

REGISTE

FORM A.
BRITISH RAINFALL.
23 MAR 1916

Kept at Hookway Crediton

in the County of Devon

by Arthur F. Parbury

N Lat. 50.46 Long. 3.37'50" W

Time of Observation 9am

Nearest Railway Station Crediton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	48	.14						.90	20	.44		.29	1
2	19	20	.10			.24		30	.10	.08		.50	2
3	01	.14	.03	04	.22		11					.51	3
4	05	10					.40					.16	4
5		1.03		.07				08				.54	5
6	89	.13		.08			.33					16	6
7	.44	23		.07			.18			.04	02	.16	7
8	.12	29					.02	11			.03	.15	8
9	.05	06		17				01			.43	.15	9
10	21	33	.02	.06				.10			.06	60	10
11	.15	.18					04	39		.10	.58	08	11
12	.15	77		.02	.55			12		.10	.17	05	12
13	.01	75			.37			.10	07		.14	01	13
14	.01	.01					.13	14	07		01	.25	14
15	14	01			.32		22			.19	05	.11	15
16	.03	.46			.14		64		04	.04		.19	16
17	01	.18			.16				.02			03	17
18		17	.03										18
19		.10			.19		.17						19
20	.38	01		.06		08						05	20
21	.31	.14			02		04			.05		.17	21
22	.08	02	.23	.10		.09	.34			.22		.17	22
23		.03	.05				.18			34		.45	23
24							.11		.10	.72		67	24
25	.03			.03		65	07			.10	.02	.32	25
26		.03				.05			.04			.62	26
27		.04				.30	.18					.01	27
28		.05				19			40	.40	.02	.04	28
29						.20	.06		.07	.17	.05	.26	29
30	.11	✕				.05				1.13	.30	.46	30
31	.01	✕		✕		✕	.09		✕	.99	✕	.14	31
Total	3.86	560	.46	.70	1.97	1.85	3.31	2.25	1.11	5·11	1.88	7.30	YEAR'S TOTAL 35·40
Rain Days.	22	26	6	10	8	9	18	10	10	16	13	29	177

W. 8,000. X. 14.

[illegible] ~~W.C.J.C~~ 1852

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
1. MAR 1917

Kept at Hookway Crediton

in the County of Devon

by Arthur F. Parbury

Lat. 50 46 N Long. 3.37.50 W
Time of Observation 9a
Nearest Railway Station Crediton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 151 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11				.66	.03	.05			28	.13		1
2	.10	.06	.09		.03					22	.45		2
3		.94			.46	.03	.36		.06	.38	.39	.02	3
4	09	.18			.10	.15	11		.08	.07	.98		4
5		.02	07		.13	.12					.36		5
6	02	10	.02		.05	.17	66			.06	.38		6
7	13	.27	.22		.10	.11	.18			06	.75	.13	7
8		.26	.18		.06	.24					24	.13	8
9		12			.05	.06	.05			14	.06	.11	9
10		.63		10	.05	.01			.02	.03	.01	.22	10
11				.03			~~05~~						11
12		04	.36	.07	.06		05	.12		03			12
13	09	.21	.09	.01				.43					13
14		.47	27		.02			.08		04			14
15		.15	.17	.13				04		04			15
16		.05		.12			.13	55		21			16
17		16		.02					28	.29	1.73		17
18	04	23	47	.10					24	.04	02	.15	18
19		25	.19						.02		19	.08	19
20	.02	1.19	.44	05							.04	1.12	20
21	.16	.11	.05	.08	.09	02					02	.03	21
22						07		.11		.60		.65	22
23	.02	07		06	.01	.19		.17		.16	.04	.16	23
24		28			.23			05		.60	02	26	24
25		.42	.23			.03		30	.01	.05	}(.25)	.01	25
26		03	.07		.06	.21		46	1.09	1.09			26
27			1.65			.12		.14	.76	.54			27
28		.09	.01		.02	.01		.11	.20	.35		20	28
29		.47	.04			.22		1.62	.08	.13		.26	29
30		X								31		.01	30
31		X		X		X		.02	X	.26	X	(.06)	31
Total	.78	6.80	4.62	.77	2.18	1.79	1.59	4.20	2.84	5.98	6.06	3.60	YEAR'S TOTAL 41.24
Rain Days.	10	25	18	11	17	17	8	14	11	24	19	17	191

W. 8,000. X. 15.

Encl 3/10

1775

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Hookway Crediton

in the County of Devon

by Arthur F. Parbury

Lat. 50.46 N Long. 3° 37' 50" W

Time of Observation 9 am

Nearest Railway Station Crediton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 151 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03		07	27		.20		.56	.01		04		1
2	.03			.15		04							2
3	.06			10			88	.01		.17	.74	.03	3
4		02	1.01				.01	.01	.02	.32			4
5	.18		57	.23		.43				18	.03		5
6			24			03		.49	.02	01	18	.01	6
7	.60						08	.18		.26	10	.03	7
8	.10			.17		.02	.85	.32		31	.10	27	8
9			27	.11	03			10		51	.31		9
10	21		09	.19				20	.08	.21	.03		10
11	.02		21	25				.21	25	23	.16		11
12	.12		1.21	.06	41			.06		.29			12
13			.01	.01				.45	12	.09			13
14	01		19	.09			.11	27	.06			.02	14
15								.02		.09		31	15
16				03			.04	01		13		23	16
17				17			40	.03	.30	.06			17
18		18		.02	.32	07	.08		.60	01			18
19		.42	.11			31			05		.02		19
20			.02		.57	.05		.27	.08		.02	.04	20
21		14	.07			.22		.06			.02		21
22								.34		08	01		22
23	02	.26			16			.37		.25			23
24						14	18			.22	03		24
25		.06	07				.02	.08		14	.04		25
26					.22	.05		.17	07	.09	.04		26
27						.34		.74		.12	.02		27
28			14			2.00		.30				.05	28
29			.10		.11	.11		.09		.34	0	09	29
30		✕	.11			.01	13	.08		.12			30
31		✕	.02	✕	.10	✕		.02	✕	.33	✕	02	31
Total	1.38 ✓	1.08 ✓	4.51 ✓	1.85 ✓	1.92 ✓	4.02 ✓	2.78 ✓	5.44 ✓	1.66 ✓	4.56 ✓	1.89 ✓	1.10 ✓	YEAR'S TOTAL 32.19 ✓
Rain Days.	11 ✓	6 ✓	18 ✓	14 ✓	8 ✓	15 ✓	11 ✓	26 ✓	12 ✓	24 ✓	17 ✓	11 ✓	173

W. 8,000, VIII. 16

.71

112

FORM A. BRITISH RAINFALL. 112. 18

REGISTER OF RAINFALL IN 1918

Kept at Hookway Crediton
in the County of S. Devon
by A. F. Parbury

Lat. 50°46′ N Long. 3° 37′ 50″ W.
Time of Observation 9am
Nearest Railway Station Crediton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 151 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		.05						~~1.00~~			~~1.06~~		
1		.05		.18				1.00			106		1
2		.16		.03				14		.05	.02	.02	2
3		.08		.32	.10				.02	.03	.02	.02	3
4								.30	43		.36	.15	4
5			26	.04	.21			.37	41	.07	.02	.06	5
6	.27	.05		.13	.21					.09		.12	6
7					.10				19	.11	.33	.07	7
8	.18	.15							.08	.37		.04	8
9	.04	.11		.08		.20	.08		.22	.02		.28	9
10	.08			31			.45		20	.04		.41	10
11	.02		.07	.01			.05		29	.08	09	.12	11
12		.02	.05		.15		.05		.06			.03	12
13	.25				(34)		.25		.25	.19		.13	13
14	.09				.03	.07	.05		.22	04		.09	14
15	1.30			.01	01	.07	.40		.02	.11		.19	15
16	.62		.01	.55		.04	.04		.20	.01		.35	16
17	.25			.09			.14		.15			.10	17
18	.56		.05	.01		33	.08		1.32	.19		.12	18
19	.22	.04					.07		.10	01		.45	19
20	.25	.12	.16	.27			.26		.07			.02	20
21	11	.03		.01		.05			.36	.07		.46	21
22					.15		66		.16	.02	.02	.26	22
23					.07		.07	.10	.15		.02	.39	23
24		.13						.60	19		.20	.25	24
25					.26		.07			.07	.20	.02	25
26		.22					.18		.04	.02	.05	.09	26
27	02	.20	.06					.08	39		.20	.01	27
28		.19	.07						.06	.01	.09	.02	28
29			.01						1.38	.03		.04	29
30		×	.37	.13	.13				.01	.02	.13	.06	30
31		×	.23	×		×		.07	×	.02	×	.03	31
Total	426	1.60	1.34	2.17	1.63	.76	290	266	6.97	1.67	2.81	440	YEAR'S TOTAL 33.17
Rain Days.	15	15	11	15	11	6	16	8	26	23	15	30	191

W. 6,500. VII. 18. w w c

1655

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

4 JAN 19

Kept at Hookway Crediton

in the County of Devon

by Arthur F. Parbury

Lat. 50.46 N Long. 3° 37′ 50″ W

Time of Observation 9am

Nearest Railway Station Crediton 1¼ miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 10 in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	48		.06	03	.05		48		.0.2	.39		96	1
2	.07				03		02			.21		01	2
3	25		.35		02				.08			15	3
4	37	.58	.46				(.46)	02	30		.09	04	4
5	07	.37	1.15				.09		.18		.08	.13	5
6	72	.80	.05	.01								42	6
7	43		.16	.11					.01			0.5	7
8	28		20	03	.02	02					.05	03	8
9	17		01	.23	.04						.59	35	9
10	09		.10	.01						.03			10
11	03		.27	.08	.08		.06			.02	.05	30	11
12	23		09	08		01				.08		.02	12
13	02	.12	14	26						.08		04	13
14	09	19		.44	42		.02		05	.15		27	14
15	05	.20		07						.13		35	15
16	09	99						.11			30		16
17	06	.81									.21	02	17
18	08	20	.64		.12		10						18
19	29	.34	21				51	55	45			11	19
20	47	.02	10			09		.18	.14		35	03	20
21	02	.56	01			18		.01	06			08	21
22		.02					02		14		05	02	22
23			01					09		44	03	08	23
24						22		16		26		48	24
25	10					03		96		02	.21	07	25
26	23		09	11				03	09		07	15	26
27	31	.04		22				1.16				02	27
28	.01	.01	31	11							47	51	28
29	01		01	09				07		.15	01	02	29
30			02	10		04		36	04		27	31	30
31	01		08									50	31
Total	5.03	525	4.52	1.98	.78	.59	1.75	3.70	1.56	1.96	2.83	5.52	Year's Total 35.47
Days with ·01 in. or more	27	15	22	16	8	7	9	12	12	12	15	28	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1579

1 MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hookway Crediton

in the County of Devon

by Arthur F. Parbury

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Crediton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 157 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03				19		.26	.05	.08	.04		.63	1
2	.36			.17	.01		.21	.42	.06	.12			2
3	.11			25			.10			1.18		19	3
4			0.3	01			04	.24		36		01	4
5		.05	.14	17	08		.33	.02		23			5
6			18	07	15		09			17			6
7	.02			50	.06		67						7
8	.15	.05		17	06		23			03		.10	8
9	82	.04	08	03		41	19		.02				9
10	54	05				.32	27						10
11	.19		07	.93	.15	03	09						11
12	.12	01		39		11	03			.03	09	.20	12
13	30	02	.69	05						02		.12	13
14	.02		34	57					.06	.19	.17		14
15		.11	03	21	.04				.02	.48	02		15
16		01	.01	02		05	.18		.36	.09	09		16
17			03		.13	02			.51				17
18	.03			07	.09	14	.10	.15	.03				18
19	.13	07		.40	.06	54				.03			19
20	.04			.30	.20	13				.05		.14	20
21				07			.14			.12		.16	21
22	.01			04						.03		.52	22
23			02				.33	.10				.22	23
24		03	07				02				22	.03	24
25	08	02	11				47					.03	25
26	.19		19			.05	10				.33	.14	26
27	.55	07	23	.11		.17	08				.61	.40	27
28	.25	01	08	11		01	24					02	28
29	31		67	.17	04	01					.06	.08	29
30	.05		.35	03	.12	08	03		.65	06	.38	12	30
31	08						04			.37		.02	31
TOTAL	4.38	54	3.32	4.84	1.38	2.07	4.24	.98	1.79	3.60	1.97	3.13	YEAR'S TOTAL 32.24
Days with ·01 in. or more	22	13	18	23	14	14	23	6	9	18	9	18	187
Days with ·04 in. or more	17	7	13	19	13	10	20	5	6	13	8	13	145

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CREDITON.

OKEFIELD

DEVON

1911 –1914, –17. – 1920

REC

FORM A2.
BRITISH RAINFALL.
JA 1912

Kept at OKefield

in the County of

by Seymour F

Bamboa Circular

in.

round 1 ft. in.

ea Level 325 ft.

AM

ame Crediton

istance 1 mile Direction S.E.

IMPORTANT NOTE

previous day. If an Obse

requested to add the readi

for it at the end of this

the selection and placing

Organization are given in

Dr. H. R. Mill, 62, Camden Square, London, N.W.

he result entered to the sal rule, he is earnestly r in the space provided ent of rain, ish Rainfall plication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·00	·00	·18	·00	·00	·00	·00	·00	·01	·00	·00	1
2	·00	·00	·04	·01	·16	·00	·00	·40	·00	·12	·21	·07	2
3	·00	·00	·04	·00	·10	·00	·00	·02	·02	·00	·06	·10	3
4	·00	·00	·13	·00	·00	·00	·00	·00	·00	·01	·17	·39	4
5	·05	·00	·10	·01	·01	·00	·00	·84	·00	·03	·32	·02	5
6	·20	·00	·24	·00	·00	·00	·00	·01	·00	·01	·14	·70	6
7	·03	·00	·00	·01	·00	·00	·00	·00	·00	·00	·34	·00	7
8	·02	·00	·21	·00	·00	·00	·00	·00	·00	·00	·05	·89	8
9	·07	·00	·00	·00	·00	·17	·00	·00	·00	·00	·65	·53	9
10	·01	·00	·14	·00	·45	·00	·00	·00	·00	·00	·01	·24	10
11	·25	·61	·01	·00	·10	·00	·00	·00	·00	·00	·46	·17	11
12	·00	·00	·48	·00	·00	·00	·00	·00	·05	·01	·14	·36	12
13	·00	·00	·00	·00	·00	·00	·00	·00	·42	·00	·04	·51	13
14	·00	·03	·02	·00	·00	·00	·00	·00	·00	·04	·00	·66	14
15	·01	·02	·00	·00	·00	·0$\overset{2}{8}$	·00	·00	·00	·00	·22	·06	15
16	·01	·02	·01	·00	·00	·23	·00	·00	·00	·00	·24	·15	16
17	·00	·02	·17	·03	·00	·14	·02	·00	·00	·00	·10	·48	17
18	·00	·29	·14	·39	·00	·15	·00	·00	·00	·20	·26	·38	18
19	·00	·04	·07	·08	·00	·99	·00	·00	·39	·19	·45	·64	19
20	·05	·03	·19	·02	·00	·08	·00	·01	·11	·25	·00	·80	20
21	·00	·10	·04	·00	·00	·01	·00	·47	·14	·64	·00	·13	21
22	·06	·08	·01	·10	·00	·00	·00	·00	·27	·21	·00	·32	22
23	·00	·14	·03	·01	·00	·08	·00	·00	·10	·25	·04	·04	23
24	·01	·11	·00	·00	·00	·38	·00	·10	·00	·37	·00	·19	24
25	·01	·10	·00	·05	·00	·04	·00	·01	·02	·11	·00	·35	25
26	·00	·10	·00	·18	·09	·00	·00	·00	·00	·21	·01	·17	26
27	·00	·13	·01	·02	·01	·00	·00	·18	·13	·92	·01	·30	27
28	·00	·19	·05	·43	·00	·00	·00	·13	·00	·00	·26	·00	28
29	·00		·00	·37	·00	·32	·31	·00	·15	·23	·00	·00	29
30	·00		·00	·00	·00	·05	·05	·00	·03	·13	·05	·06	30
31	·00		·00		·00		·04	·00		·14		·02	31
Total	·85	1·41	2·13	1·89	·92	2·66	·42	2·17	1·83	4·08	4·23	8·73	TOTAL for year 31·32
No. of Rain Days.	14	16	20	15	7	13	4	10	12	20	22	27	180

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 JA 1912

Kept at Okefields Crediton

in the County of Devon S. 6

by Seymour F. Pope

RAIN GAUGE
Pattern Negretti & Zambra Circular gauge
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 325 ft.

Time of Observation 8·30 AM

Nearest Railway Station
Name Crediton
Distance 1 mile Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·00	·00	·18	·00	·00	·00	·00	·00	·01	·00	·00	1
2	·00	·00	·04	·01	·16	·00	·00	·40	·00	·12	·21	·07	2
3	·00	·00	·04	·00	·10	·00	·00	·02	·02	·00	·06	·10	3
4	·00	·00	·13	·00	·00	·00	·00	·00	·00	·01	·17	·39	4
5	·05	·00	·10	·01	·01	·00	·00	·84	·00	·03	·32	·02	5
6	·20	·00	·24	·00	·00	·00	·00	·01	·00	·01	·14	·70	6
7	·03	·00	·00	·01	·00	·00	·00	·00	·00	·00	·34	·00	7
8	·02	·00	·21	·00	·00	·00	·00	·00	·00	·00	·05	·89	8
9	·07	·00	·00	·00	·00	·17	·00	·00	·00	·00	·65	·53	9
10	·01	·00	·14	·00	·45	·00	·00	·00	·00	·00	·01	·24	10
11	·25	·61	·01	·00	·10	·00	·00	·00	·00	·00	·46	·17	11
12	·00	·00	·48	·00	·00	·00	·00	·00	·05	·01	·14	·36	12
13	·00	·00	·00	·00	·00	·00	·00	·00	·42	·00	·04	·51	13
14	·00	·03	·02	·00	·00	·00	·00	·00	·00	·04	·00	·66	14
15	·01	·02	·00	·00	·00	·02	·00	·00	·00	·00	·22	·06	15
16	·01	·02	·01	·00	·00	·23	·00	·00	·00	·00	·24	·15	16
17	·00	·02	·17	·03	·00	·14	·02	·00	·00	·00	·10	·48	17
18	·00	·29	·14	·39	·00	·15	·00	·00	·00	·20	·26	·38	18
19	·00	·04	·07	·08	·00	·99	·00	·00	·39	·19	·45	·64	19
20	·05	·03	·19	·02	·00	·08	·00	·01	·11	·25	·00	·80	20
21	·00	·10	·04	·00	·00	·01	·00	·47	·14	·64	·00	·13	21
22	·06	·08	·01	·10	·00	·00	·00	·00	·27	·21	·00	·32	22
23	·00	·14	·03	·01	·00	·08	·00	·00	·10	·25	·04	·04	23
24	·01	·11	·00	·00	·00	·38	·00	·10	·00	·37	·00	·19	24
25	·01	·10	·00	·05	·00	·04	·00	·01	·02	·11	·00	·35	25
26	·00	·10	·00	·18	·09	·00	·00	·00	·00	·21	·01	·17	26
27	·00	·13	·01	·02	·01	·00	·00	·18	·13	·92	·01	·30	27
28	·00	·19	·05	·43	·00	·00	·00	·13	·00	·00	·26	·00	28
29	·00		·00	·37	·00	·32	·31	·00	·15	·23	·00	·00	29
30	·00		·00	·00	·00	·05	·05	·00	·03	·13	·05	·06	30
31	·00		·00		·00		·04	·00		·14		·02	31
Total	·85	1·41	2·13	1·89	·92	2·66	·42	2·17	1·83	4·08	4·23	8·73	TOTAL for year 31·32
No. of Rain Days.	14	16	20	15	7	13	4	10	12	20	22	27	180

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

8 JAN 1913

Kept at Okefield Crediton
in the County of Devon S.6
by Seymour ? Pope

Lat. Long.
Time of Observation 8-30 a m.
Nearest Railway Station Crediton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·19	·00	·01	·55	·12	·02	·05	·83	·00	·41	1
2	·00	·00	·10	·07	·00	·73	·01	·00	·00	·02	·00	·01	2
3	·02	·00	·15	·01	·06	·09	·26	·90	·05	·00	·00	·00	3
4	·31	·00	1·00	·00	·00	·09	·00	·08	·00	·00	·27	·00	4
5	·26	Snow ·12	·27	·00	·03	·05	·00	·47	·02	·00	·02	·04	5
6	·71	·11	·01	·00	·26	·02	·45	·37	·00	·00	·01	·03	6
7	·01	·58	·16	·02	·19	·63	·00	·19	·00	·01	·01	·04	7
8	·33	·17	·27	·07	·00	·03	·07	·01	·01	·00	·00	·01	8
9	·03	·04	·38	·12	·00	·20	·07	·03	·00	·00	·00	·08	9
10	·24	·09	·05	·01	·00	·08	·00	·49	·03	·00	·27	·26	10
11	·08	·06	·03	·00	·00	·02	·00	·01	·00	·02	·18	·23	11
12	·01	·21	·03	·00	·03	·00	·15	·21	·00	·01	·00	·09	12
13	·25	·00	·00	·00	·00	·02	·04	·03	·00	·00	·00	·06	13
14	·06	·02	·41	·00	·09	·00	·00	·23	·00	·00	·00	·02	14
15	·49	·02	·04	·00	·21	·58	·00	·01	·00	·00	·00	·27	15
16	·20	·00	·03	·00	·09	·06	·00	·05	·00	·09	·08	·13	16
17	·08	·00	·17	·00	·01	·23	·00	·52	·00	·00	·00	·12	17
18	·00	·01	·28	·00	·00	·00	·00	·20	·00	·05	·03	·04	18
19	·04	·29	·47	·00	·00	·04	·05	·46	·00	·05	·02	·01	19
20	·12	·06	·26	·00	·13	·01	·16	·23	·00	·40	·11	·00	20
21	·00	·04	·33	·00	·27	·00	·06	·28	·00	·18	·01	·00	21
22	·20	·06	·18	·00	·16	·00	·02	·16	·00	·14	·00	·04	22
23	·33	·38	·20	·00	·00	·02	·06	·63	·00	·06	·06	·30	23
24	·06	·02	·03	·00	·00	·35	·00	·03	·00	·01	·00	·09	24
25	·32	·00	·00	·00	·00	·17	·12	·26	·00	·24	·27	·48	25
26	·00	·00	·00	·00	·00	·00	·16	·12	·00	·23	·39	·30	26
27	·00	·01	·00	·00	·00	·19	·40	·15	·00	·82	·08	·20	27
28	·00	·09	·00	·00	·00	·03	·02	·25	·22	·22	·32	·45	28
29	·00	·13	·00	·00	·00	·04	·09	·21	·63	·30	·00	·08	29
30	·00		·04	·00	·14	·01	·27	·01	·13	·47	·00	·00	30
31	·00		·23		·00		·16	·01		·04		·02	31
Total	4·15	2·51	5·31	·30	1·62	4·24	2·74	6·54	1·14	4·19	2·13	3·81	YEAR'S TOTAL 38·68
Rain Days.	21	20	25	6	13	24	20	30	8	20	16	26	229

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Okefield Crediton

in the County of S Devon

by Seymour F. Pope

Lat. Long.

Time of Observation 8·30 am

Nearest Railway Station Crediton 1 mile S.E.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·19	·09	·06	·03	·00	·00	·00	·07	·01	·06	·08	1
2	·16	·07	·00	·09	·17	·00	·01	·00	·00	·92	·09	·00	2
3	·05	·00	·04	·00	·65	·00	·00	·00	·00	1·45	·00	·23	3
4	1·11	·01	·01	·00	·13	·02	·00	·00	·53	·19	·12	·40	4
5	·10	·04	·00	·00	·19	·42	·06	·00	·29	·00	·16	·59	5
6	·02	·03	3 ·14	·00	·00	·07	·03	·00	·00	·74	·08	·29	6
7	·01	·24	·10	·00	·77	·05	·02	·00	·00	·76	·10	·02	7
8	·02	·02	·00	·00	·40	·03	·07	·03	·00	·02	·01	·00	8
9	·03	·03	·00	·01	·20	·04	·14	·09	·00	·00	·49	·03	9
10	·35	·01	·01	·00	·19	·04	·00	·00	·00	·28	·14	·00	10
11	·66	·01	·00	·17	·35	·13	·00	·00	·02	·09	·74	·00	11
12	·04	·00	·00	·00	·07	·03	·00	·00	·00	·00	·58	·11	12
13	·09	·01	·01	·01	·00	·00	·00	·05	·18	·00	·07	·00	13
14	·43	·00	·11	·05	·02	·00	·00	·00	·00	·03	·18	·00	14
15	·07	·00	·46	·20	·00	·00	·00	·00	·46	·00	·08	·01	15
16	·16	·00	·43	·07	·00	·00	·01	·07	·23	·00	·00	·00	16
17	·02	·00	·07	·04	·00	·00	·00	·00	·00	·00	·00	·00	17
18	·19	·00	·14	·07	·05	·00	·00	·00	·01	·00	·04	·00	18
19	·50	·00	·26	·00	·03	·02	·11	·00	·27	·03	·00	·00	19
20	·30	·00	·12	·10	·00	·00	·00	·00	·03	·62	·05	·00	20
21	·01	·00	·11	·14	·02	·00	·00	·00	·00	·00	·29	·01	21
22	·47	·00	·81	·13	·00	·14	·04	·00	·10	·03	·00	·13	22
23	·00	·00	·01	·00	·00	·03	·00	·02	·00	·00	·13	·57	23
24	·02	·08	·00	·02	·00	·04	·00	·03	·00	·00	·00	·00	24
25	·01	·00	·00	·35	·00	·00	·00	·00	·13	·05	·03	·05	25
26	·00	·00	·00	·74	·00	·00	·00	·02	·00	·00	·00	·27	26
27	·11	·00	·32	·10	·00	·00	·00	·03	·00	·48	·00	·03	27
28	·14	·00	·07	·24	·12	·00	·00	·00	·00	·33	·00	½ snow ·20	28
29	·10		·52	·40	·03	·00	·00	·00	·00	·31	·00	·00	29
30	·23		·00	·01	·00	·00	·00	·02	·01	·64	·05	·00	30
31	·26		·17		·04		·11	1·18	[illegible]	·04		·00	31
Total	5·66	·74	3·99	3·00	3·46	1·06	·60	1·54	2·33	6·42	3·49	3·02	YEAR'S TOTAL 35·31
Rain Days.	28	12	21	20	18	13	10	10	13	19	20	16	200

W.7,000, XI. 13

Ex D13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at Okefield Crediton
in the County of Devon S6
by Seymour & Pope

Lat. Long.
Time of Observation 8-30 AM
Nearest Railway Station Crediton 1 mile S.E.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·14	·12	·00	·10	·30	·25	·00	·00	·50	·06	1
2	·00	·00	·02	·09	·01	·00	·22	·00	·00	·00	·11	·55	2
3	·03	·00	·30	·11	·20	·00	·03	·21	·00	·01	·01	·04	3
4	·16	·00	·09	·20	·14	·00	·29	·20	·00	·00	·61	·66	4
5	·32	·00	·16	·30	·06	·00	·01	·00	·03	·00	·01	·01	5
6	·00	·15	·12	·15	·05	·01	·20	·08	·00	·00	·00	·20	6
7	·00	·34	·12	·08	·08	·08	·30	·04	·16	·00	·00	·11	7
8	·07	·00	·80	·05	·22	·62	·00	·02	·02	·00	·01	·01	8
9	·02	·01	·39	·07	·03	·48	·00	·15	·86	·00	·00	·00	9
10	·05	·23	·09	·21	·07	·09	·00	·00	1·06	·00	·00	·12	10
11	·00	·11	·18	·00	·02	·21	·00	·00	·00	·00	·14	·83	11
12	·00	·51	·14	·00	·00	·00	·01	·00	·22	·04	·06	·66	12
13	·00	·08	·29	·00	·00	·00	·00	·00	·28	·18	·24	·20	13
14	·00	·09	·43	·00	·00	·09	·07	·31	·00	·01	·18	·04	14
15	·00	·00	·21	·00	·00	·00	·02	·76	·06	·07	·15	·29	15
16	·00	·00	·04	·00	·00	·00	·00	·00	·04	·00	·00	·03	16
17	·00	·21	·34	·00	·00	·00	·00	·00	·00	·00	·00	·48	17
18	·00	·10	·02	·00	·00	·00	1·65	·01	·12	·00	·00	·21	18
19	·00	·15	·63	·00	·00	·00	·00	·00	·05	·00	·08	·25	19
20	·00	·26	·29	·00	·00	·18	·00	·25	·00	·00	·00	·20	20
21	·00	·53	·00	·00	·00	·10	·00	·00	·00	·29	·00	·10	21
22	·00	·03	·03	·00	·18	·07	·00	·01	·00	·18	·00	·00	22
23	·00	·05	·16	·00	·01	·01	·11	·00	·00	·16	·00	·00	23
24	·00	·02	·07	·00	·06	·00	·10	·12	·00	·01	·08	·00	24
25	·09	·01	·31	·00	·03	·00	·05	·19	·00	·32	·01	·11	25
26	·15	·02	·06	·00	·00	·00	·22	·04	·00	·04	·03	·54	26
27	·09	·00	·00	·00	·00	·00	·00	·00	·00	·12	·07	·07	27
28	·00	·03	·10	·00	·09	·00	·00	·00	·00	·40	·12	·84	28
29	·03		·04	·00	·18	·00	·00	·00	·00	·07	·21	·05	29
30	·00	×	·03	·00	·00	·02	·00	·00	·00	·19	·20	·88	30
31	·00	×	·00	×	·02	×	·25	·00	×	1·13	×	·54	31
													YEAR'S TOTAL
Total	1·01	2·93	5·60	1·38	1·45	2·06	3·83	2·64	2·90	3·22	2·82	8·08	37·92
Rain Days.	10	19	28	10	17	13	16	15	11	16	19	27	201

W. 8,000. X. 14.

1899

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

8 JAN 1916

RAINFALL IN 1915

At Okefield Crediton
In the County of Devon 56

Rain Gauge
Diameter of Funnel 5 in.
Height of Top: *Above Ground* ft. 9 in.
Height of Top: *Above Sea Level* 325 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	4·17	·86	6th	23
FEB.	4·96	·78	13th	24
MAR.	·60	·36	22nd	8
APR.	·98	·25	9th	11
MAY	1·82	·46	12th	11
JUNE	1·75	·47	25th	9
JULY	3·12	·75	16th	19
AUG.	2·03	·56	1st	12
SEPT.	1·25	·42	28th	12
OCT.	4·71	1·00	22nd	17
NOV.	2·01	·56	11th	11
DEC.	7·36	·70	9th	26
Total	34·76	883		183

Signed Mrs W. Pope
For Captain S. J. Pope

Please fill in the other side also.

W. 16,000. X.15.

Sx 8L

1778

OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.

8. JAN 1918

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

should be measured daily at 9 a.m. and the result entered to the
efers not to conform to this almost universal rule, he is earnestly
a.m. on 1st January of the following year in the space provided
ph. Full instructions for the measurement of rain,
gauges, and particulars as to the British Rainfall
for Rainfall Observers," sent post-free on application to
are, London, N.W.

Jan. 1, following.

					May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·00	·25	·00	·47	·04	·00	·04	·00	1
2					·00	[illegible]	·00	·01	·00	·01	·00	·00	2
3					·00	·00	·81	·00	·00	·17	·66	·00	3
4					·00	[illegible]	·02	·00	·02	[illegible]	·00	·03	4
5					·00	[illegible]	·00	·00	·01	·36	·09	·00	5
6					·00	·07	·00	1·12	·00	·02	·18	·00	6
7					·00	·00	·16	·14	·00	·37	·08	·03	7
8					·00	·00	·77	·37	·00	·41	·09	·26	8
9					·05	·00	·04	·19	·01	·58	·37	·01	9
10					·00	·00	·00	·11	·05	·25	·03	·00	10
11					·00	·00	·00	·32	·09	[illegible]	·18	·00	11
12					·43	[illegible]	·00	·07	·16	·40	·00	·01	12
13					·00	·00	·00	·27	·07	·10	·00	·00	13
14					·00	·05	·10	·15	·00	·00	·00	·03	14
15					·00	·00	·03	·03	·00	·06	·00	·32	15
16					·00	[illegible]	·04	·04	·00	·15	·01	[illegible]	16
17	·00	·11	[illegible]	·22	·00	[illegible]	·43	·03	·40	·07	·00	·00	17
18	·00	·03	·00	·02	·31	·03	·12	·00	·51	·01	·00	·00	18
19	[illegible]	·41	·11	·00	·00	·38	·00	[illegible]	·07	·00	·03	·00	19
20	·00	[illegible]	·07	[illegible]	·46	[illegible]	·05	·10	·04	·00	·06	·03	20
21	·01	[illegible]	[illegible]	[illegible]	[illegible]	·19	·00	·01	·00	·00	·06	·00	21
22	·00	·00	·00	[illegible]	[illegible]	·01	·00	·32	·00	·12	·01	·00	22
23	·00	·21	·00	[illegible]	·11	·00	·00	·43	·00	·30	·02	·00	23
24	·00	·00	[illegible]	[illegible]	·00	·11	·13	·10	·00	·32	·08	·01	24
25	·00	[illegible]	·08	·00	·00	·00	·02	·06	·00	·12	·04	·00	25
26	·00	·01	[illegible]	[illegible]	·17	·15	·00	·19	·10	·14	·07	·00	26
27	·00	[illegible]	·00	[illegible]	·02	[illegible]	·00	·80	·00	·17	·04	·00	27
28	·00	·18	·16	·00	18	1·25	·00	·35	·00	·00	·00	·03	28
29	[illegible]		·08	·00	·00	·24	·00	·14	·00	·29	·00	·09	29
30	·00	X	·07	[illegible]	·00	·00	·21	·07	·00	·06	·00	[illegible]	30
31	·00	X	·01	X	[illegible]	X	·00	·00	X	·38	X	·01	31
Total	1·34	1·32	4·30	2·01	1·78	4·12	2·93	5·80	1·57	5·54	2·14	1·16	YEAR'S TOTAL 34·01
Rain Days.	10	10	20	14	9	14	14	25	13	25	~~18~~ 19	13	~~18~~ 186

W. 8,000, VIII. 16

Ex 81 1778

FORM A. BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 19

Kept at [redacted]

in the County of [redacted]

by [redacted]

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·00	·10	S·27	·00	·25	·00	·47	·04	·00	·04	·00	1
2	·04	·00	·03	S·14	·00	·02	·00	·01	·00	·01	·00	·00	2
3	·07	·00	·00	·14	·00	·00	·81	·00	·00	·17	·66	·00	3
4	·00	[illegible]	·67	·00	·00	·00	·02	·00	·02	·48	·00	·03	4
5	·20	·20	·40	·22	·00	·46	·00	·00	·01	·36	·09	·00	5
6	·00	·00	·59	·00	·00	·07	·00	1·12	·00	·02	·18	·00	6
7	·56	·00	·00	·00	·00	·00	·16	·14	·00	·37	·08	·03	7
8	·13	·00	S·22	S·17	·00	·00	·77	·37	·00	·41	·09	·26	8
9	·00	·00	·06	S·12	·02	·00	·04	·10	·01	·58	·37	·01	9
10	·14	·05	·22	S·20	·00	·00	·00	·11	·05	·25	·03	·00	10
11	·01	[illegible]	1·18	S·27	·00	·01	·00	·32	·09	·28	·18	·00	11
12	·14	[illegible]	·07	·56	·43	·06	·00	·07	·16	·40	·00	·01	12
13	·00	[illegible]	·16	·01	·00	·00	·00	·27	·07	·10	·00	·00	13
14	·00	·00	·05	·14	·00	·00	·10	·15	·00	·00	·00	·03	14
15	·00	·00	·08	·00	·02	·00	·03	·03	·00	·06	·00	·32	15
16	·00	·05	·00	·15	·00	·02	·04	·34	·00	·15	·01	·30	16
17	·00	·31	·02	·22	·00	·00	·43	·63	·40	·07	·00	·00	17
18	·00	·02	·00	·02	·31	·03	·12	·06	·51	·01	·00	·00	18
19	·00	·41	·11	·00	·00	·38	·00	·08	·04	·00	·03	·00	19
20	·00	·25	·04	·00	·46	·01	·05	·10	·04	·00	·06	·03	20
21	·01	·00	·18	·00	·06	·19	·00	·01	·00	·00	·06	·00	21
22	·00	·10	·00	·45	·00	·01	·00	·32	·00	·12	·01	·00	22
23	·00	·21	·00	·02	·11	·00	·00	·13	·00	·30	·02	·00	23
24	·00	·00	·00	·12	·00	·41	·13	·10	·00	·32	·08	·01	24
25	·00	·05	·18	·00	·00	·00	·02	·06	·00	·12	·04	·00	25
26	·00	·01	·00	·02	·17	·25	·00	·19	·10	·14	·07	·00	26
27	·00	·00	·00	·06	·02	·32	·00	·80	·00	·17	·04	·00	27
28	·00	·18	·16	·00	·18	1·25	·00	·35	·00	·00	·00	·03	28
29	·00		·08	·00	·00	·24	·00	·14	·00	·29	·00	·09	29
30	·00	✕	·09	·00	·00	·00	·21	·07	·00	·06	·00	·00	30
31	·00	✕	·01	✕	·06	✕	·00	·00	✕	·38	✕	·01	31
Total	1·34	1·32	4·30	2·01	1·78	4·12	2·93	5·80	1·57	5·54	2·14	1·16	YEAR'S TOTAL 34·01
Rain Days.	10	10	20	14	9	14	14	25	13	25	~~18~~ 19	13	~~18~~ 186

W. 8,000, VIII. 16

1899

FORM B.
BRITISH RAINFALL

8 JAN 1916

To be filled and returned
to DR. H. R. MILL, *Director,*
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1915

At Okefield Crediton

In the County of Devon

56

Rain Gauge
Diameter of Funnel 5 in.
Height of Top — *Above Ground* ft. 9 in.
Above Sea Level 325 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	4·17	·86	6th	23
FEB.	4·96	·78	13th	24
MAR.	·60	·36	22nd	8
APR.	·98	·25	9th	11
MAY	1·82	·46	12	11
JUNE	1·75	·47	25	9
JULY	3·12	·75	16th	14
AUG.	2·03	·56	1st	12
SEPT.	1·25	·42	28th	12
OCT.	4·71	1·00	22nd	17
NOV.	2·01	·56	11th	11
DEC.	7·36	·70	9th	26
Total	34.76	883		183 ✓

Signed Mrs W. Pope
For Captain S F Pope

[*Please fill in the other side also.*

W. 16,000. X.15.

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

Ordnance Map

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.

In order that the position may be accurately entered on a map please mention

Latitude .... **N.**

Longitude ....

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Crediton	1 mile	S.E.
Church	Crediton	½ mile	S.E.

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

183

34-76

1856

FORM B.
BRITISH RAINFALL

To be filled and returned
to DR. H. R. MILL, *Director*
BRITISH RAINFALL ORGANIZATION
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

6 JAN. 1917

RAINFALL IN 1916

At Okefield Crediton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top — *Above Ground* ft. 9 in.
Height of Top — *Above Sea Level* 325 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	1·12	·16	13 & 27th	13
FEB.	6.98	·87	3rd	24
MAR.	4.19	1·43	27th	19
APR.	1·25	·23	21st	12
MAY	2·00	·30	4th	15
JUNE	1.84	·30	29th	15
JULY	1·78	·88	6th	11
AUG.	4·19	1·52	29th	14
SEPT.	3·01	·90	27th	12
OCT.	5·79	1·09	26th	26
NOV.	5·53	1·34	17th	17
DEC.	3·39	·79	20th	16
Total	41·07	1043		194

Signed S. F. Pope

W. 16,000. viii.16.

[*Please fill in the other side also.*

If Gauge has been moved during year state—

Date.	Distance.	Direction.

How was height above sea level ascertained?

Ordnance Survey Maps

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.

In order that the position may be accurately entered on a map please mention

Latitude .... **N.**

Longitude ....

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Crediton	1 Mile	S. E
Church	Crediton	½ mile	S. E

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

It was snow, not rain, on
Feb [illegible] 23rd 24th 25th 26th
also on Feb 28th & 29th

194 41·07

1778

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W. 1.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL
6 JAN 1918

RAINFALL IN 1917

At Okefield Crediton

In the County of Devon

Rain Gauge
Diameter of Funnel 5 in.
Height of Top, *Above Ground* — ft. 9 in.
Height of Top, *Above Sea Level* 325 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	1·34	·56	7th	10
FEB.	1·32	·41	19th	10
MAR.	4·30	1·18	11th	20
APR.	2·01	·27	1st & 11th	14
MAY	1·78	·46	20th	9
JUNE	4·12	1·95	28th	14
JULY	2·93	·81	3rd	14
AUG.	5·80	1·12	6th	25
SEPT.	1·57	·51	18th	13
OCT.	5·54	·58	9th	25
NOV.	2·14	·66	3rd	18
DEC.	1·16	·32	15	13
Total	34·01	864		186

Signed S. T. Pope

[*Please fill in the other side also.*

W. 16,000. ix.17.

If Gauge has been moved during year state—

Date.	Distance.	Direction.
no	no	no

How was height above sea level ascertained?

Ordnance Survey

State pattern and maker of Gauge, if known.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Garden Trees	about 2 ft.	4 or 5 ft	North

In order that the position may be accurately entered on a map please mention

Latitude .... **N.**

Longitude ....

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Crediton	mile	S.E
Church	Crediton	½ mile	S.E.

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

185 3401

114

REGISTER OF RAINFALL IN 19[illegible]

FORM A. BRITISH RAINFALL.

6 . 1 . 18

Kept at [illegible] Cred[illegible]

in the County of S Devon

by S. F. Pope

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Crediton

Diameter of Funnel of Rain Gauge [illegible] in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 323 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·00	·16	·00	·22	·12	·00	·00	1·39	·00	·01	1·10	·00	1
2	·00	·05	·00	·04	·00	·00	·00	·03	·00	·03	·03	·02	2
3	·00	·11	·00	·25	·15	·00	·00	·01	·01	·05	·01	·02	3
4	·10	·12	·17	·01	·00	·00	·00	·12	·06	·00	·32	·11	4
5	·00	·00	·24	·12	·19	·00	·00	·72	·74	·11	·00	·04	5
6	·28	·07	·00	·23	·04	·02	·00	·02	·05	·16	·00	·08	6
7	·00	·12	·00	·01	·10	·01	·00	·00	·26	·17	·31	·03	7
8	·07	·00	·00	·00	·00	·00	·00	·00	·24	·45	·00	·04	8
9	·13	·14	·00	·06	·02	·25	·10	·00	·21	·02	·00	·18	9
10	·11	·28	·00	·38	·08	·00	·40	·00	·27	·03	·01	·66	10
11	·00	·02	·38	·01	·00	·00	·13	·00	·32	·09	·07	·15	11
12	·00	·05	·25	·00	·17	·02	·09	·00	·08	·00	·00	·07	12
13	·18	·21	·00	·00	·47	·09	·19	·00	·37	·14	·00	·18	13
14	·15	·00	·00	·00	·01	·09	·04	·00	·15	·04	·00	·14	14
15	1·30	·00	·25	·02	·03	·06	·44	·00	·00	·16	·02	·22	15
16	·02	·09	·00	·80	·00	·06	·01	·00	·37	·02	·00	·34	16
17	·35	·00	·11	·06	·00	·00	·23	·04	·03	·00	·00	·15	17
18	·56	·01	·25	·00	·00	·33	·15	·00	1·05	·15	·00	·13	18
19	·21	·03	·12	·01	·00	·00	·10	·02	·12	·00	·00	·54	19
20	·20	·12	·00	·30	·00	·01	·07	·00	·10	·00	·00	·00	20
21	·14	·05	·11	·00	·00	·08	·01	·00	·37	·04	·00	·43	21
22	·00	·08	·00	·00	·44	·00	·44	·00	·21	·00	·01	·32	22
23	·01	·00	·00	·00	·19	·00	·17	·00	·18	·50	·02	·51	23
24	·00	·11	·00	·00	·00	·00	·03	·09	·21	·00	·22	·30	24
25	·00	·20	·00	·00	·27	·00	·06	·50	·00	·06	·20	·01	25
26	·00	·43	·00	·00	·00	·00	·39	·01	·06	·02	·09	·10	26
27	·30	·27	·12	·00	·00	·00	·00	·07	·45	·00	·20	·01	27
28	·00	·11	·07	·00	·00	·00	·00	·00	·05	·02	·16	·07	28
29	·00		·11	·00	·00	·02	·00	·02	1·29	·00	·01	·07	29
30	·01	X	·30	·10	·00	·08	·00	·02	·02	·00	·31	·10	30
31	·01	X	·20	X	·00	X	·00	·03	X	·04	X	·00	31
Total	4·58	1·67	1·18	2·20	1·70	·90	3·05	3.07	7·07	1·75	2·97	5·02	YEAR'S TOTAL 35.16
Rain Days.	16	17	12	15	12	9	~~11~~ 18	14	26	20	16	28	~~196~~ 203

W. 8,000, IX. 17.

1667

9 JAN 20

FORM A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Okefield Crediton
in the County of Devon
by S J Pope

Lat. Long.
Time of Observation 8 30 am
Nearest Railway Station Crediton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
" " " " Sea Level 326 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·00	·07	·01	·08	·00	·37	·00	·03	·41	·00	·91	1
2	·08	·00	·00	·00	·04	·00	·07	·00	·01	·25	·02	·01	2
3	·27	·00	·47	·00	·02	·00	·00	·00	·04	·00	·08	·24	3
4	·36	·44	·46	·00	·00	·005	·57	·02	·28	·00	·01	·04	4
5	·09	·39	1·07	·00	·01	·00	·00	·00	·15	·00	·64	·20	5
6	·70	·56	·05	·00	·00	·00	·00	·00	·00	·005	·01	·63	6
7	·40	·00	·21	·10	·00	·00	·00	·00	·00	·00	·00	·08	7
8	·19	·00	·23	·02	·01	~~·00~~ ·01	·00	·00	·00	·00	·02	·00	8
9	·15	·00	·00	·21	·02	·00	·00	·00	·00	·00	S ·52	·00	9
10	·07	·00	·08	·03	·00	·00	·00	·00	·00	·03	·00	·20	10
11	·03	·00	·31	·11	·06	·00	·06	·00	·00	·01	·02	·29	11
12	·21	·00	·12	·03	·00	·06	·00	·00	·00	·08	·12	·02	12
13	·01	·06	·11	·19	·00	·00	·02	·00	·00	·07	·00	·03	13
14	·08	·17	·00	·53	·39	·00	·03	·00	·03	·10	·00	·23	14
15	·09	·18	·00	·09	·00	·00	·00	·00	·00	·10	·00	·10	15
16	·10	·88	·00	·00	·00	·00	·00	·09	·00	·00	·26	·01	16
17	·04	S ·77	·00	·00	·00	·00	·00	·00	·00	·00	·36	·00	17
18	·08	·15	·66	·00	·04	·00	·07	·02	·02	·00	·18	·00	18
19	·25	·28	·24	·00	·00	·02	·55	·47	·47	·00	·22	·16	19
20	·35	·03	·11	·00	·00	·23	·00	·18	·24	·01	·21	·06	20
21	·04	·46	·00	·00	·00	·00	·21	·01	·06	·00	·00	·15	21
22	·00	·03	·00	·00	·00	·00	·63	·00	·12	·00	·06	·04	22
23	·00	·00	·005	·00	·00	·00	·00	·07	·00	·49	·04	·11	23
24	·00	·00	·10	·00	·00	·20	·00	·00	·01	·27	·06	·46	24
25	·13	·00	·00	·00	·00	·04	·00	·68	·00	·01	·16	·24	25
26	·23	·01	·11	·05	·00	·00	·00	·01	·14	·00	·05	·14	26
27	·28	·03	·07	·27	·00	·00	·00	·96	·00	·00	·00	·05	27
28	·00	·00	·30	·17	·00	·00	·00	·12	·00	·00	·36	·49	28
29	·01		·01	·10	·00	·00	·00	·12	·00	·15	·00	·03	29
30	·00		·04	·11	·00	·05	·00	·44	·01	·01	·22	·32	30
31	·00		·09		·00		·01	·00		·00		·48	31
TOTAL	4·72	4·44	4·855	2·62	·67	·615	1·93	3·19	1·61	1·995	3·02	5·72	YEAR'S TOTAL 34·785
Days with ·01 in. or more	25	15	21	15	9	8	11	13	14	14	21	27	194

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1581

3 JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Okefield Crediton
in the County of Devon
by S. F. Pope

Lat. Long.
Time of Observation 8·30 a.m.
Nearest Railway Station Crediton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 325 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·00	·00	·15	·13	·00	·21	·08	·07	·03	·03	·70	1
2	·26	·00	·00	·18	·00	·00	·15	·30	·08	·03	·00	·03	2
3	·16	·03	·00	·11	·02	·00	·06	·00	·01	1·28	·00	·28	3
4	·00	·00	·04	·00	·01	·00	·03	·22	·00	·30	·00	·00	4
5	·00	·02	·15	·17	·06	·00	·29	·03	·00	·05	·00	·00	5
6	·00	·00	·12	·01	·13	·00	·13	·00	·00	·33	·00	·00	6
7	·01	·00	·02	·45	·02	·00	·50	·00	·00	·00	·01	·00	7
8	·14	·05	·00	·23	·07	·00	·37	·00	·00	·02	·00	·13	8
9	·82	·03	·01	·02	·00	·36	·08	·01	·03	·00	·00	·00	9
10	·59	·12	·04	·00	·00	·25	·36	·00	·00	·00	·01	·01	10
11	·29	·00	·05	·65	·15	·04	·08	·00	·00	·00	·00	·00	11
12	·15	·03	·05	·27	·00	·13	·04	·00	·00	·01	·06	·06	12
13	·03	·03	·49	·04	·00	·00	·00	·00	·05	·01	·00	·08	13
14	·00	·04	·30	·43	·00	·00	·02	·00	·01	·19	·17	·01	14
15	·00	·12	·03	·15	·04	·00	·02	·00	·21	·50	·07	·00	15
16	·00	·01	·02	·01	·00	·04	·12	·00	·46	·19	·09	·00	16
17	·00	·00	·03	·00	·10	·01	·00	·02	·14	·02	·00	·00	17
18	·03	·02	·01	·03	·07	·10	·03	·13	·11	·00	·00	·00	18
19	·18	·03	·00	·22	·02	·39	·00	·02	·00	·00	·00	·00	19
20	·07	·02	·00	·44	·13	·21	·00	·00	·01	·02	·00	·08	20
21	·00	·00	·00	·05	·00	·00	·08	·00	·00	·23	·00	·17	21
22	·00	·00	·00	·04	·00	·02	·00	·00	·00	·01	·00	·54	22
23	·00	·00	·02	·00	·00	·00	·45	·09	·00	·00	·00	·21	23
24	·03	·01	·05	·01	·00	·00	·00	·01	·00	·00	·16	·03	24
25	·02	·06	·08	·01	·00	·00	·54	·00	·00	·00	·00	·01	25
26	·16	·01	·18	·00	·02	·03	·11	·00	·00	·00	·29	·18	26
27	·38	·08	·18	·15	·10	·21	·06	·00	·00	·00	·55	·27	27
28	·66	·02	·09	·09	·00	·02	·06	·00	·00	·00	·00	·01	28
29	·24	·00	·64	·10	·05	·01	·00	·00	·01	·00	·06	·08	29
30	·08	╳	·00	·01	·13	·07	·02	·00	·54	·04	·33	·08	30
31	·12	╳	·27	╳	·00	╳	·10	·00	╳	·36	╳	·02	31
TOTAL	4·54	·73	2·87	4·02	1·25	1·89	3·91	·91	1·73	3·62	1·83	2·98	YEAR'S TOTAL 30·28
Days with ·01 in. or more	21	18	22	25	17	15	24	10	13	18	12	20	215
Days with ·04 in. or more	16	6	15	18	12	10	19	5	8	10	9	13	141

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

2/21

CULLOMPTON

DEVON

1911 – 1920

RI

Kept at Cullomp

in the County of Dev

by M. T. Foster

5 in.

Ground 1 ft. in.

Sea Level 202 ft.

Name

Distance Direction

IMPORTANT NOT the result entered to the previous day. If an Ol versal rule, he is earnestly requested to add the rea ar in the space provided for it at the end of thi ent of rain, the selection and placi tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05	·05	·05			·02		·01	·01	·01	1
2			·03	·13	·30			·45		·23	·23	·12	2
3		·01	·03	·01	·25			·02	·04		·09	·08	3
4			·08	·01	·01			·07	·01	·09	·12	·64	4
5	·10		·17		·01			1·24		·06	·20	·01	5
6	·24		·17					·05		·02	·19	·78	6
7	·05		·01	·02				·01			·38	·01	7
8	·05		·25							·02	·07	·75	8
9	·02		·01								·45	·57	9
10	·12	·02	·28		·26						·02	·34	10
11	·41		·01		·01						·60	·13	11
12			·83						·05	·02	·19	·30	12
13									·19		·07	·46	13
14		·06								·07	·01	1·07	14
15	·01	·03	·01			·05					·17	·04	15
16	·01	·03	·01			·27					·37	·45	16
17		·04	·16	·02		·22					·13	·70	17
18		·26	·01	·35		·33				·09	·10	·49	18
19		·14		·03		·28			·33	·18	·22	·55	19
20	·06	·08	·10	·15		·02		·01	·07	·22		·68	20
21	·02	·20		·01		·02		·17	·18	·52		·11	21
22	·10	·04		·10		·02			·15	·61		·40	22
23	·02	·19	·03	·02		·30			·11	·32	·03	·12	23
24	·01	·38				·32		·25		·45		·33	24
25	·01	·07		·13		·04		·07	·03	·13		·10	25
26		·19		·46	·64			·03		·09	·05	·34	26
27		·39	·08	·03	·19			·13	·09	·67	·04	·18	27
28		·21	·03	·51				·07		·01	·08	·01	28
29				·37		·32	·20	·08	·33	·41	·01		29
30				·01		·03	·08		·01	·09	·08	·04	30
31							·02			·06		·01	31
Total	1·23	2·34	2·35	2·41	1·72	2·22	·30	2·67	1·59	4·37	3·91	9·82	TOTAL for year 34·93
No. of Rain Days	15	17	20	18	9	13	3	2·67 15	13	22	25	30	200

9,000, IX. '10.

DL

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

2/21

RI

Kept at Cullompton

in the County of South Devon 6

by M. J. Foster

RAIN GAUGE	Pattern
	Diameter of top 5 in.
	Height of top above Ground 1 ft. in.
	„ „ „ Sea Level 202 ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05	·05	·05			·02		·01	·01	·01	1
2			·03	·13	·30			·45		·23	·23	·12	2
3		·01	·03	·01	·25			·02	·04		·09	·08	3
4			·08	·01	·01			·07	·01	·09	·12	·64	4
5	·10		·17		·01			1·24		·06	·20	·01	5
6	·24		·17					·05	—	·02	·19	·78	6
7	·05		·01	·02				·01			·38	·01	7
8	·05		·25							·02	·07	·75	8
9	·02		·01								·45	·57	9
10	·12	·02	·28		·26						·02	·34	10
11	·41	—	·01		·01						·60	·13	11
12			·83						·05	·02	·19	·30	12
13									·19		·07	·46	13
14		·06								·07	·01	1·07	14
15	·01	·03	·01			·05					·17	·04	15
16	·01	·03	·01			·27					·37	·45	16
17		·04	·16	·02		·22					·13	·70	17
18		·26	·01	·35		·33				·09	·10	·49	18
19		·14		·03		·28			·33	·18	·22	·55	19
20	·06	·08	·10	·15		·02		·01	·07	·22		·68	20
21	·02	·20		·01		·02		·17	·18	·52		·11	21
22	·10	·04		·10		·02			·15	·61		·40	22
23	·02	·19	·03	·02		·30			·11	·32	·03	·12	23
24	·01	·38				·32		·25		·45		·33	24
25	·01	·07		·13		·04		·07	·03	·13		·10	25
26		·19		·46	·64			·03		·09	·05	·34	26
27		·39	·08	·03	·19			·13	·09	·67	·04	·18	27
28		·21	·03	·51				·07		·01	·08	·01	28
29				·37		·32	·20	·08	·33	·41	·01		29
30				·01		·03	·08		·01	·09	·08	·04	30
31							·02			·06		·01	31
Total	1·23	2·34	2·35	2·41	1·72	2·22	·30	2·67 2·67	1·59	4·37	3·91	9·82	TOTAL for year 34·93
No. of Rain Days	15	17	20	18	9	13	3	15	13	22	25	30	200

9,000, IX. '10.

82 ✓

Ex. - H.G.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

2/20

Kept at Cullompton

in the County of South Devon 5.6

by M. J. Foster

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.31		.02	.42	.05	.02	.02	.86		.33	1
2			.16	.03	.03	.26	.05	.01	.05	.02	.02	.01	2
3	.01		.18	.01	.01	.16	.31	.90	.08		.01	.02	3
4	.25	.01	1.32			.28	.01	.01			.24		4
5	.59	.20	.30		.02	.05	.01	.46	.01			.18	5
6	.80	.16	.04		.27	.10	.23	.30				.04	6
7	.03	.66	.37	.01	.14	.83		.21			.02	.25	7
8	.46	.14	.37	.03		.18	.07	.04	.03			.02	8
9	.12	.06	.01	.20	.01	.16	.02	.08				.63	9
10	.20	.14	.14	.01		.03		.28			.11	.22	10
11	.06	.06	.10			.15		.01			.05	.37	11
12	.05	.56	.34	.01	.01	.08	.10	.17				.05	12
13	.17	.01	.01			.02	.38	.02		.02	.01	.14	13
14	.10	.04	.92		.21	.03		.02				.03	14
15	.50	.07	.02		.38	.55		.01				.32	15
16	.53		.25		.02	.03		.22		.09	.07	.10	16
17	.18	.01	.10		.08	.11		.74				.09	17
18	.01	.02	.22					.28		.03	.02	.07	18
19	.01	.13	.21			.18	.09	.55		.15		.03	19
20	.09	.10	.34		.18	.01	.10	.38		.51	.05		20
21	.01	.28	.56		.50		.01	.31		.21	.01		21
22	.26	.15	.24		.31		.10	.21		.16	.01	.10	22
23	.34	.57	.34		.01	.13	.09	.72		.05	.07	.28	23
24	.07	.02	.05			.28	.02	.05		.06		.30	24
25	.09	.01				.07	.02	.38		.23	.24	.50	25
26		.01					.01	.04		.42	.47	.26	26
27						.47	.55	.02		1.08	.01	.35	27
28		.09				.08	.11	.37	.45	.31	.07	.53	28
29		.22	.02			.28	.10	.25	.78	.59		.04	29
30			.08			.40	.33	.02	.15	.31			30
31	.02		.38				.27	.01		.14		.05	31
Total	4.95	3.72	7.38	.30	2.20	5.34	3.03	7.09	1.57	5.24	1.48	5.31	TOTAL for year 47.61
No. of Rain Days	24	24	27	7	16	26	23	31	8	18	~~18~~ 17	27	248

9,000, IX. '10.

81

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

28 JAN 1914

2/20

Kept at Cullompton
in the County of S. Devon 6
by M. T. Foster

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5· in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·22	·16	·05	·17				·13	·04	·13	·05	1
2	·25	·10		·23	·42		·03			1·11	·21	·02	2
3	·22	·01	·10	·05	·17					·02	·01	·20	3
4	1·21	·02	·02		·12	·03	·04		·22	·33	·06	·20	4
5	·05	·04			·25	·21	·01		·36		·17	·37	5
6	·11	·07	·13		·02	·07	·18			·53	·10	·22	6
7	·02	·21	·02		·99	·08	·05			·47	·23	·02	7
8	·03	·05			·34	·02	·05	·02		·07	·01	·01	8
9		·05	·01	·01	·08	·16	·18	·41			·40	·04	9
10	·49	·02	·01		·22	·02		·01		·53	·04		10
11	·83	·01	·01	·13	·39	·06				·05	·87	·01	11
12	·02	·01		·01	·08	·02			·03	·01	·45	·02	12
13	·18	·02	·03				·01	·18	·19		·11		13
14	·36	·01	·16	·03	·03					·02	·16		14
15	·20		·41	·43					·08		·03	·02	15
16	·20		·44	·04		·01	·02	·10	·16		·01		16
17	·04		·03	·06			·02	·02			·01		17
18	·11		·19	·09	·02	·01			·01		·06		18
19	·63		·24		·06	·05	·03		·53	·05			19
20	·32		·15	·21					·01	·03	·11		20
21			·37	·03	·09						·50		21
22	·73		·64	·15	·01	·13		·02	·13	·05		·15	22
23	·02		·02	·01		·01		·10	·02		·13	·55	23
24	·02	·08		·07		·01		·06		·01	·05	·02	24
25		·02		·34					·06	·03	·02	·05	25
26	·01			1·40				·10		·04	·01	·20	26
27	·10		·25	·28				·03		·73		·01	27
28	·17		·13	·27						·65		·16	28
29	·12		·47	·30	·02				·01	·23	·01	·01	29
30	·38		·02		·01			·05		·60	·03		30
31	·24		·15		·16		·06	·85		·02			31
Total	7·07	·94	4·16	4·19	3·65	·89	·68	1·95	1·94	5·62	3·92	2·33	YEAR'S TOTAL 37·34
Rain Days.	28	16	24	21	20	15	12	13	14	22	26	20	231

W. 7,500, XI. 12

82

2/20

FORM A.
BRITISH RAINFALL.

23 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Cullompton

in the County of S. Devonshire 56

by M. T. Foster

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·14	·08		·08	·25	·31			·18	·05	1
2		·01	·08	·08	·05		·38	·01			·33	·36	2
3	·02	·01	·40	·23	·32		·01	·30		·02	·01	·04	3
4	·12		·10	·25	·15		·35	·27			·35	·52	4
5	·14	·01	·18	·36	·11		·01	·02			·02	·12	5
6		·07	·04	·18	·08		·35	·07			·06	·25	6
7	·02	·77	·18	·09	·25	·20	·28	·30	·08		·01	·12	7
8	·09	·01	1·05	·03	·18	·46	·01	·05				·01	8
9	·01	·03	·33	·28	·07	·46		·09	·70				9
10	·05	·30	·02	·18	·09	·06		·01	·33			·05	10
11		·14	·68		·10	·15	·03		·03		·07	·41	11
12		·32	·10	·01					·37	·03	·04	·80	12
13		·14	·34				·04		·34	·41	·38	·10	13
14		·09	·42			·09		·41	·02	·23	·23	·05	14
15	·01		·20				·02	·73	·11	·04	·17	·09	15
16			·02				·02		·18			·02	16
17		·48	·35				·03		·01			·58	17
18		·09	·01				·06		·08	·04		·37	18
19		·09	·56				1·70		·07		·10	·22	19
20		·31	·08			·32	·01					·24	20
21		·55	·01			·02		·01		·20		·10	21
22		·04	·03		·18	·09		·02		·45			22
23		·24	·28		·02	·02	·05			·23		·02	23
24			·11		·15		·02	·06		·01	·15		24
25	·09	·01	·37		·05		·08	·50		·48	·02	·44	25
26	·08	·01	·11				·05	·03		·08	·13	·52	26
27	·02	·03	·01							·10	·16	·15	27
28	·02	·11	·28		·09		·01			·18	·17	1·08	28
29	·15		·06		·09		·02			·18	·25	·05	29
30			·06							·16	·25	1·17	30
31	·03				·03		·31			·87		·50	31
Total	·86	3·86	6·60	1·77	2·01	1·95	4·09	3·19	2·32	3·71	3·08	8·43	YEAR'S TOTAL 41·87
Rain Days.	15	23	30	11	17	11	23	17	12	17	20	28	224

W.7,000, XI. 13

82

1901
2/20

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Cullompton

in the County of S. Devon

by M. T. Foster

S6

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·47	·23	—		·02			·25	·07	·49	·03	·22	1
2	·26	·39	·24	·02		·13		·53		·04		·43	2
3	·01	·10	·09	·12	·20		·05					·60	3
4	·17	·18			·05		·65					·20	4
5	·03	·60	·02	·05				·09				·54	5
6	·88	·06		·36			·56	·02	—		·02	·19	6
7	·43	·32		·10			·17				·05	·15	7
8	·27	·34		·01			·01	·11			·06	·12	8
9	·02	·05		·13							·43	·77	9
10	·38	·37	·02	·05	—			·13		·13	·03	·05	10
11	·23	·44	·03		·03			·36		·02	·85	·05	11
12	·22	·57		·06	·52		·05	·80		·06	·28		12
13	·02	·65			·45			·13	·12	·01	·12	·09	13
14	·09				—		·07	·08	·12	·10		·90	14
15	·25	·06			·29		·31	·01	·01	·02	·12	·24	15
16	·02	·62			·13		·77		·01			·05	16
17	—	·19			·09							·02	17
18		·30			·01					·01			18
19	·02	·03			·21		·17				·02		19
20	·31	·02		·13		·10	·02			·42	·02	·08	20
21	·26	·08			·01		·12		·02	·15		·06	21
22	·09	·03	·40	·14		·05	·47		·02	·05		·22	22
23		·08	·07			·02	·11		·09	·97		·63	23
24				·03			·46		·11	·19		·66	24
25	·05			·05		·81	·26		·01		·03	·35	25
26	·03	·05				·02	·03		·01			·64	26
27		·05				·53	·11			·40		·01	27
28		·10				·16			·36	·17	·02	·02	28
29						·15			·02		·15	·27	29
30	·20	X				·03	·10			·79	·27	·35	30
31	·01	X		X		X	·12	·02	X	·75	X	·15	31
Total	4·72	5·91	·87	1·25	2·01	2·00	4·61	2·53	·97	4·77	2·50	8·06	YEAR'S TOTAL 40·20
Rain Days.	24	25	7	13	12	10	20	12	13	18	16	28	198

W. 8,000. X. 14.

Dl

Ex D L

1858

FORM A. BRITISH RAINFALL.
30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Cullompton

in the County of South Devonshire

by M. T. Foster

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33		·03		·55	·08	·13		·09	·42	·11		1
2	·20	·07	·05		·03		·04		·02	·27	·35		2
3	·01	1·19			·32	·05	·15		·10	·51	·45	·02	3
4	·12	·14		·01	·14	·81	·04			·12	·88		4
5	·04	·01	·12		·19	·19				·01	·15		5
6	·05	·27	·03		·07	·05	·51			·07	·41		6
7	·04	·20	·35		·15	·11				·04	·85	·16	7
8		·25	·13		·28	·11					·36	·11	8
9		·02			·05	·06	·05			·15	·10	·41	9
10	·02	·55	·01	·06	·06		·04			·08	·01	·13	10
11			·02	·17					·01				11
12	·18	·07	·19	·05	·19		·15	·15		·02			12
13		·37	·07	·06			·02	·65	·02		·01		13
14	·07	·41	·03		·11			·05		·06			14
15	·01	·13	·13	·15	·01			·20		·05			15
16	·12	·12		·15			·07	1·31		·11			16
17	·11	·22		·04					·41	·39	·82		17
18	·04	·32	·22	·07					·22	·05	·01	·06	18
19	·23	·10	·25	·08							·11	·01	19
20	·06	·45	·25								·12	1·22	20
21	·04	·07	·21	·31	·13	·02					·01	·15	21
22						·08		·08		·45	·02	·58	22
23	·02	·13	·01	·25		·13		·18		·17	·07	·11	23
24		·40	·02	·03	·62			·07		·97	·03	·29	24
25		·65	·22			·03		·55	·03	·04	·39		25
26	·02	·14	·15		·04	·12		·42	1·45	·90	·04		26
27	·02		1·15			·40		·10	·20	·38			27
28		·15				·01		·13	·26	·48		·40	28
29		·45	·04			·52		1·73	·16	·31	·02	·30	29
30		×	·02					·01		·25		·01	30
31		×		×		×		·05	×	·26	×	·10	31
Total	1·73	6·88	3·70	1·43	2·94	2·77	1·20	5·68	2·97	6·56	5·32	4·06	YEAR'S TOTAL 45·24
Rain Days.	20	~~26~~ 25	23	13	16	16	10	15	12	25	22	16	213

W. 8,000. X. 15.

82 Ex 86 1780

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Cullompton

in the County of S. Devonshire

by M. T. Foster

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05		.13	.25		.20		.60		.02	.04	.01	1
2	.03			.11		.06		.01		.01			2
3	.07			.09			.58	.03		.23	1.21		3
4		.19	.52						.03	.30	.01	.02	4
5	.12		.37	.34		.05		.01	.10	.18	.09		5
6	.01		.09					.02		.04	.19	.01	6
7	.50						.11	.24		.37	.08	.05	7
8	.11		.20	.20		.02	.67	.28	.01	.66	.09	.14	8
9			.09	.04	.03		.04	.11		.44	.25		9
10	.28		.26	.19				.20		.05	.07		10
11	.02		1.25	.20				.31	.03	.27	.11		11
12	.08				.45			.01		.45			12
13	.01		.20	.01		.03		.22	.18	.15		.02	13
14			.03	.06			.08	.11	.05	.02			14
15				.01			.05	.02		.22		.45	15
16		.06		.10		.01	.10	.01	.01	.25	.01	.20	16
17		.02		.07			.38	.06	.38	.07			17
18		.06		.01	.02	.10	.13	.02	.75	.01			18
19		.60	.10			.15	.01		.05		.04		19
20	.01	.48	.05		.32	.05		.07	.08		.01	.04	20
21			.10			.26		.01		.02	.01		21
22	.01				.04	.01		.44		.11			22
23		.17			.20	.04		.31		.15	.02	.01	23
24			.01			.25	.25	.10		.15	.05		24
25		.05	.05				.02	.25	.05	.13	.11		25
26			.02		.37	.07		.45	.19	.18	.05		26
27					.32	.16		1.11		.08	.03		27
28		.08	.15		.21	1.54		.32				.03	28
29			.22			.22	.02	.05		.47	.02	.11	29
30			.15				.06	.17		.13			30
31			.14		.04			.11		.26		.02	31
Total	1.30	1.71	4.13	1.68	2.00	3.22	2.50	5.65	1.91	5.42	2.49	1.11	YEAR'S TOTAL 33.12
Rain Days.	13	9	20	14	~~9~~ 10	17	14	29	13	28	20	~~12~~ 13	200

.72

W. 8,000, VIII. 16

81

116

FORM A.
BRITISH RAINFALL.

23.1.19

REGISTER OF RAINFALL IN 1918

Kept at Cullompton

in the County of S. Devonshire

by M. T. Foster

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·19		·16	·05			1·26	·02	·06	·94		1
2		·05		·07						·02	·15	·20	2
3		·12	·01	·08	·06			·03	·01	·08	·08	·03	3
4		·10						·20	·29	·01	·35	·23	4
5		·01	·17	·10	·21			·60	·18	·17	·01	·05	5
6	·30	·11		·25					·07	·10		·20	6
7		·15	·01		·15	·05			·46	·14	·35	·10	7
8	·05	·06							·22	·35		·03	8
9	·13	·14		·08		·13	·25		·38	·05	·03	·29	9
10	·15			·27		·01	·49		·17	·05	·01	·45	10
11	·02	·03	·12		·03		·19		·24	·08	·06	·26	11
12		·12	·17		·25		·09		·27	·01		·02	12
13	·40				·10		·16		·83	·20		·14	13
14	·08				·02	·04	·20		·18	·11		·09	14
15	1·60			·19	·05	·06	·37		·03	·01		·44	15
16	·73		·01	·63		·04	·05	·01	·53			·15	16
17	·30		·04	·05			·30	·08	·22			·27	17
18	·82		·11			·68	·23		·74	·22		·30	18
19	·28	·03	·17	·01			·07	·07	·11	·02		·11	19
20	·29	·12		·10		·05	·34		·15	·01	·01		20
21	·09	·08				·05	·28		·41	·12		·32	21
22	·01	·01	·02		·21		·83	·01	·25	·01		·23	22
23	·18				·10		·08		·09		·04	·26	23
24		·12			·20		·02	·11	·10		·28	·10	24
25	·01			·02			·22	·76		·02	·16	·03	25
26		·05					·19	·02	·03	·01	·04	·26	26
27		·18	·04					·15	·40	·01	·29	·05	27
28		·15	·08	·02					·07	·01	·03	·15	28
29			·15						·95	·02	·01	·02	29
30			·42	·07				·05	·06	·04	·17	·05	30
31			·30					·02		·05			31
Total	5·44	1·82	1·82	2·10	1·43	1·11	4·36	3·37	7·46	1·98	3·01	4·83	YEAR'S TOTAL 38·73
Rain Days.	17	19	15	15	12	9	18	14	28	27	18	28	220

82 1669

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Cullompton
in the County of S. Devonshire
by M. T. Foster

read in
inches + hundths no ,, no record ,, received ,,

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	82		·11	·14	·15		·15		·04	·21		1·38	1
2	·10		·01		·04		·03		·11	·09	·01	·01	2
3	·29		·48		·04				·15		·09	·21	3
4	·47	·44	·54			·18	·02	·01	·51		·01	·05	4
5	·03	·37	·86						·33		·03	·21	5
6	·78	·21	·11	·01								·42	6
7	·34		·26	·14					·01			·12	7
8	·29		·22	·05		·01					·01		8
9	·15		·03	·13	·17						·16	·01	9
10	·09		·15	·01	·03					·03	·01	·38	10
11	·02		·31	·10	·12		·11		·02			·14	11
12	·30		·04	·04		·18				·08	13	·02	12
13	·02	·07	·08	·34						·07		·04	13
14	·26	·10		·90	·26				·04	·03		·39	14
15	·13	·05		·09						·14		·24	15
16	·12	·65					·01	·10			17	·02	16
17		·40						·03	·01		·45		17
18	·15	·10	·58				16		·02		·29	·02	18
19	·53	·43	·56			·07	·61	·44	·31		16	·03	19
20	·45	·06	·04			·14		·12	·09		·06	·10	20
21	·03	·68					·21	·03	·11			·12	21
22		·02					·07		·26		·04	·08	22
23								·03		1·15	·04	·05	23
24						·20		·16	·01	·85	·07	·35	24
25	·14			07		·03		1·18			12	·18	25
26	·20		·09	·17		·01	·07	·06	·11		·04	·40	26
27	·25		·10	·23			·01	·99				·03	27
28	·02		·38	·01				·02		·02	·40	·66	28
29	·01		·03	·10				·07		·05		·02	29
30		X	·01	·07		·07		·25		·03	·26	·50	30
31	·01	X		X		X	·01		X		X	·37	31
Total	6·00	3·58	4·99	2·60	·81	·89	1·46	3·49	2·13	2·75	2·55	6·55	YEAR'S TOTAL 37·80
Rain Days.	28	13	21 22	17	7	9	12	14	16	12	20	29	196

W. 6,500, VII. 18. W W G

[illegible] in inches & tenths

1583

31·3·21

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Collumpton (Mc)

in the County of Devon

by Murray T. Foster.

Lat 50° 51' N Long 3° 23' W

Time of Observation 9h

Nearest Railway Station

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1·2	-	0·5	2·0	8·6	-	7·0	3·0	3·1	0·3	2·7	14·2	1
2	8·0	-	-	6·1	0·3	-	6·4	7·1	1·2	4·0	-	1·3	2
3	1·5	0·6	-	3·2	0·6	-	0·8	-	0·2	21·0	-	7·1	3
4	-	-	1·1	3·2	-	-	0·7	10·0	-	3·8	-	–	4
5	-	-	6·1	-	3·5	-	6·5	1·8	-	10·5	-	–	5
6	-	-	11·8	1·3	4·0	-	2·0	-	-	3·9	-	–	6
7	0·3	-	0·2	11·1	0·3	-	19·5	-	0·5	-	0·3	–	7
8	2·2	1·7	-	7·0	1·0	-	15·0	-	-	0·3	-	3·5	8
9	23·2	1·3	0·6	1·5	-	6·9	10·7	-	-	-	-	–	9
10	22·5	2·0	2·8	-	-	8·4	8·2	-	-	-	-	–	10
11	7·0	-	2·0	14·0	6·8	0·3	6·5	-	-	-	-	–	11
12	5·1	2·0	2·0	4·5	-	1·2	1·0	-	-	1·0	3·0	0·7	12
13	6·2	0·9	16·7	2·0	-	-	-	-	-	2·8	-	0·7	13
14	0·7	1·2	9·0	17·7	-	-	1·8	-	3·5	4·8	9·0	0·5	14
15	-	4·5	1·4	9·5	2·0	4·5	-	-	0·7	16·5	0·5	–	15
16	-	0·5	2·1	0·5	-	5·5	4·2	-	6·8	2·5	2·0	–	16
17	0·8	-	0·5	3·5	4·5	3·1	-	-	15·0	-	-	–	17
18	1·1	-	1·0	2·1	3·3	3·5	0·3	9·3	1·1	-	0·3	0·5	18
19	2·3	1·8	-	13·0	1·0	10·8	-	-	0·5	-	-	–	19
20	1·1	0·5	-	9·8	1·0	3·2	0·9	-	-	-	-	6·1	20
21	-	-	-	1·7	-	-	2·0	-	0·2	1·0	-	4·5	21
22	0·7	-	-	1·7	-	0·4	0·6	-	-	-	-	13·2	22
23	-	-	0·5	-	-	-	16·7	2·5	-	-	-	10·0	23
24	-	-	2·9	-	-	-	0·5	-	-	-	4·0	2·1	24
25	1·5	0·7	3·4	0·4	1·9	-	14·5	-	0·3	-	0·2	0·4	25
26	6·2	-	6·4	-	0·5	1·6	0·3	-	-	0·3	5·5	3·0	26
27	14·2	1·2	3·4	2·6	-	7·0	3·8	-	-	0·3	18·7	5·5	27
28	17·5	0·5	3·3	3·0	-	2·0	2·3	-	-	-	-	1·4	28
29	6·5	0·5	18·0	0·2	1·5	-	-	-	0·4	-	5·2	2·2	29
30	3·1		-	0·5	5·8	4·9	1·0	-	12·5	2·0	10·0	3·5	30
31	2·5		10·0				0·2	0·3		17·0		3·7	31
TOTAL	135·4	19·9	105·7	122·1	46·6	63·3	133·4	34·0	46·0	92·0	61·4	84·1	YEAR'S TOTAL 943·9
Days with 0·2 mm. or more	23 20	15 8	23 18	25 21	17 13	15 13	26 18	7 6	14 7	17 13	13 9	20 15	215 161

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M 320·3.

DEVON.

CULMSTOCK.
(NICHOLASHAYNE)
1916 – 1920

REGISTE

FORM A.
BRITISH RAINFALL.
12 JAN 1917

Kept at Nicholashayne of C …… a.m. …… Culmstock

in the County of Devon …… auge 5 in.

by The Rev. H. F. …… Ground 1 ft. 0 in.

Sea Level ? about 250 ft.

IMPORTANT NOTE.—Ra …… he result entered to the previous day. If an Observer …… to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·04	·34	·00	·08	·22	·09		1
2						·00	·01	·00	·88	·32	·43		2
3						·00	·02	·00	·10	·43	·42		3
4						·38	·07	·00	·06	·18	1·11		4
5						·08	·00	·00	·00	·02	·47		5
6						·02	·48	·00	·00	·05	·52		6
7						·08	·00	·00	·00	·07	·87	·56	7
8						·06	·00	·00	·00	·00	·22		8
9						·21	·02	·00	·00	·22	·08		9
10						·01	·00	·00	·00	·02	·01		10
11						·00	·00	·00	·01	·00	·00		11
12						·00	·07	·15	·00	·02	·01		12
13						·00	·00	·32	·00	·03	·00	·00	13
14						·00	·00	·01	·00	·02	·00	·00	14
15						·00	·00	·29	·00	·01	·00	·00	15
16						·00	·05	1·67	·00	·18	·00	·00	16
17						·00	·00	·00	·23	·47	·85	·00	17
18						·00	·00	·00	·18	·04	·01	·03	18
19						·00	·00	·00	·02	·00	·05	·10	19
20						·00	·00	·00	·00	·00	·12	1·15	20
21						·06	·00	·00	·00	·00	·01	·02	21
22						·00	·00	·04	·00	·46	·02	·55	22
23						·08	·00	·23	·00	·19	·16	·16	23
24						·00	·00	·06	·00	·90	·01	·25	24
25						·00	·00	·51	·02	·02	·16	·01	25
26						·23	·00	·22	·68	·70	·04	·00	26
27						·08	·00	·21	·18	·65	·00	·00	27
28						·00	·00	·12	·22	·55	·00	·49	28
29						·33	·00	2·29	·21	·31	·00	·31	29
30		X				·00	·00	·00	·00	·25	·00	·01	30
31		X		X		X	·00	·00	X	·22	X	·03	31
Total						1·66	1·06	6·12	2·87	6·55	5·66	3·87	YEAR'S TOTAL
Rain Days.						13	8	13	13	26	21		

W. 8,000, VIII. 16

REGISTE

FORM A.
BRITISH RAINFALL.

12. JAN 191

Kept at Nicholashayne, in the Parish of Culmstock
in the County of Devon
by The Rev. H. F. Ramsay

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Culmstock
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level ? about 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·04	·34	·00	·08	·22	·09		1
2						·00	·01	·00	·88	·32	·43		2
3						·00	·02	·00	·10	·43	·42		3
4						·38	·07	·00	·06	·18	1·11		4
5						·08	·00	·00	·00	·02	·47		5
6						·02	·48	·00	·00	·05	·52		6
7						·08	·00	·00	·00	·07	·87	·76	7
8						·06	·00	·00	·00	·00	·22		8
9						·21	·02	·00	·00	·22	·08		9
10						·01	·00	·00	·00	·02	·01		10
11						·00	·00	·00	·01	·00	·00		11
12						·00	·07	·15	·00	·02	·01		12
13						·00	·00	·32	·00	·03	·00	·00	13
14						·00	·00	·01	·00	·02	·00	·00	14
15						·00	·00	·29	·00	·01	·00	·00	15
16						·00	·05	1·67	·00	·18	·00	·00	16
17						·00	·00	·00	·23	·47	·85	·00	17
18						·00	·00	·00	·18	·04	·01	·03	18
19						·00	·00	·00	·02	·00	·05	·10	19
20						·00	·00	·00	·00	·00	·12	1·15	20
21						·06	·00	·00	·00	·00	·01	·02	21
22						·00	·00	·04	·00	·46	·02	·55	22
23						·08	·00	·23	·00	·19	·16	·16	23
24						·00	·00	·06	·00	·90	·01	·25	24
25						·00	·00	·51	·02	·02	·16	·01	25
26						·23	·00	·22	·68	·70	·04	·00	26
27						·08	·00	·21	·18	·65	·00	·00	27
28						·00	·00	·12	·22	·55	·00	·49	28
29						·33	·00	2·29	·21	·31	·00	·31	29
30		X				·00	·00	·00	·00	·25	·00	·01	30
31		X		X		X	·00	·00	X	·22	X	·03	31
Total						1·66	1·06	6·12	2·87	6·55	5·66	3·87	YEAR'S TOTAL
Rain Days.						13	8	13	13	26	21		

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

Som o

FORM A.
BRITISH RAINFALL.

Kept at Culmstock (Nicholashayne)

in the County of Devon

by The Rev. H. F. Ramsay

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Culmstock

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 477 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·00	·21	·25	·00	·21	·00	·47	·04	·00	·08	·00	1
2	·02	·00	·00	·10	·00	·00	·00	·00	·00	·00	·06	·00	2
3	·07	·00	·00	·05	·00	·00	·49	·01	·00	·27	·49	·00	3
4	·00	·19	·40	·00	·00	·00	·03	·00	·02	·37	·00	·01	4
5	·10	·00	·49	·21	·00	·13	·00	·00	·10	·22	·07		5
6	·00	·01	·11	·00	·00	·02	·00	·00	·00	·03	·20		6
7	·33	·00	·00	·00	·00	·00	·32	·25	·00	·32	·03		7
8	·08	·00	·16	·08	·00	·03	·04	·17	·02	·57	·11		8
9	·00	·00	·02	·02	·02	·00	·08	·04	·04	·27	·05		9
10	·19	·00	·20	·12	·00	·01	·27	·11	·05	·01	·00		10
11	·02	·00	1·02	·16	·00	·00	·00	·22	·03	·22	·07	·54	11
12	·09	·00	·01	·00	·68	·00	·00	·01	·00	·42	·00		12
13	·06	·00	·16	·01	·00	·02	·00	·14	·09	·08	·00		13
14	·00	·00	·02	·04	·00	·00	·05	·08	·03	·01	·00		14
15	·00	·00	·00	·08	·00	·00	·15	·05	·00	·16	·00		15
16	·00	·05	·00	·08	·00	·60	·02	·04	·00	·25	·00		16
17	·01	·01	·00	·04	·00	·00	·38	·06	·70	·09	·00		17
18	·00	·06	·00	·00	·01	·04	·24	·00	·62	·01	·00	·00	18
19	·00	·41	·06	·00	·00	·17	·00	·00	·06	·00	·02	·00	19
20	·01	·22	·04	·00	·50	·08	·00	·57	·05	·00	·00	·04	20
21	·00	·00	·17	·00	·00	·15	·00	·00	·00	·04	·00	·00	21
22	·00	·00	·01	·00	·00	·01	·00	·34	·00	·03	·00	·00	22
23	·00	·19	·00	·00	·16	·01	·00	·45	·00	·12	·00	·01	23
24	·00	·00	·00	·00	·00	·22	·14	·08	·00	·09	·03	·00	24
25	·00	·07	·02	·00	·00	·00	·04	·14	·02	·08	·05	·00	25
26	·00	·00	·00	·00	·32	·03	·00	·92	·23	·04	·04	·00	26
27	·00	·00	·00	·00	·33	·21	·00	1·01	·00	·04	·01	·00	27
28	·00	·08	·07	·00	·15	2·27	·00	·46	·00	·00	·00	·02	28
29	·00	╳	·16	·01	·00	·32	·05	·01	·00	·49	·00	·24	29
30	·00	╳	·07	·00	·00	·00	·15	·17	·00	·04	·01	·01	30
31	·00	╳	·07	╳	·02	╳	·00	·09	╳	·09	╳	·01	31
Total	1·03	1·29	3·47	1·25	2·19	3·93	2·45	5·89	2·10	4·36	1·32	·88	YEAR'S TOTAL 30·16
Rain Days.	12	10	20	14	9	17	15	24	15	26	15	(12)	(189)

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

11.1.19

Kept at Nickolashayne, Culmstock,

in the County of Devon

by The Rev. H. F. Ramsay

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Culmstock

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.00	.12	.00	.17	.09	.00	.00	.80	.00	.03	1.13	.01	1
2	.00	.04	.00	.02	.00	.00	.00	.41	.00	.02	.01	.20	2
3	.00	.08	.00	.07	.05	.00	.00	.09	.01	.07	.04	.02	3
4	.00	.09	.15	.00	.00	.00	.00	.07	.23	.02	.53	.21	4
5	.00	.00	.00	.05	.12	.00	.00	.34	.22	.14	.00	.22	5
6	.24	.17	.00	.22	.00	.00	.00	.01	.20	.14	.00	.17	6
7	.00	.15	.00	.00	.21	.01	.00	.01	.51	.05	.39	.19	7
8	.08	.07	.00	.00	.00	.00	.01	.00	.13	.29	.00	.04	8
9	.05	.10	.00	.07	.00	.12	.18	.00	.47	.03	.00	.25	9
10	.08	.05	.00	.17	.00	.00	.30	.00	.53	.10	.01	.56	10
11	.00	.01	.14	.02	.00	.00	.47	.00	.12	.07	.04	.20	11
12	.02	.08	.12	.00	.19	.00	.19	.00	.12	.00	.00	.05	12
13	.42	.00	.00	.00	.12	.00	.12	.00	.53	.07	.00	.18	13
14	.12	.00	.00	.00	.01	.02	.11	.00	.13	.07	.00	.09	14
15	1.48	.00	.00	.15	.07	.05	.34	.00	.01	.04	.00	.29	15
16	.63	.00	.00	.60	.00	.03	.03	.00	.25	.00	.00	.13	16
17	.19	.00	.01	.20	.00	.00	.13	.07	.09	.00	.00	.27	17
18	1.08	.00	.08	.00	.00	.73	.08	.01	.58	.17	.00	.22	18
19	.23	.01	.12	.01	.00	.00	.10	.08	.05	.04	.00	.14	19
20	.36	.08	.00	.04	.00	.02	.42	.00	.16	.09	.00	.00	20
21	.08	.04	.00	.00	.00	.03	.12	.00	.93	.04	.00	.28	21
22	.01	.01	.00	.00	.10	.00	.61	.00	.32	.01	.00	.22	22
23	.08	.00	.00	.00	.14	.00	.15	.01	.18	.00	.01	.12	23
24	.01	.12	.00	.00	.00	.00	.01	.10	.27	.00	.14	.02	24
25	.00	.00	.00	.04	.21	.00	.36	.65	.00	.03	.10	.02	25
26	.00	.04	.00	.00	.00	.00	.39	.01	.01	.03	.17	.18	26
27	.00	.12	.05	.00	.00	.00	.05	.14	.37	.01	.13	.04	27
28	.00	.07	.20	.00	.00	.00	.00	.00	.01	.00	.01	.14	28
29	.00		.11	.00	.00	.00	.00	.00	1.09	.01	.00	.01	29
30	.00		.33	.00	.00	.00	.00	.02	.04	.00	.08	.04	30
31	.00		.20		.00		.00	.14		.04		.01	31
Total	5.16	1.45	1.51	1.83	1.31	1.01	4.17	2.96	7.56	1.61	2.79	4.52	YEAR'S TOTAL 35.88
Rain Days.	17	19	11	14	11	8	20	17	27	24	14	30	212

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

15 JAN 20

Kept at Culmstock (Nicholashayne)

in the County of Devon

by Rev. H. F. Ramsay

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Culmstock

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 477 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·62	·01	·07	·05	·18	·00	·27	·00	·03	·25	·00	1·05	1
2	·06	·00	·02	·00	·03	·00	·01	·00	·03	·01	·01	·07	2
3	·41	·00	·30	·00	·02	·00	·00	·00	·09	·00	·18	·24	3
4	·97	·39	·32	·00	·00	·15	·01	·04	·42	·00	·01	·05	4
5	·05	·27	·75	·00	·03	·00	·03	·00	·41	·00	·03	·20	5
6	1·14	·29	·12	·00	·00	·00	·00	·00	·00	·00	·01	·32	6
7	·36	·00	·21	·11	·00	·00	·00	·00	·01	·00	·00	·07	7
8	·22	·00	·17	·00	·00	·04	·00	·00	·00	·00	·00	·00	8
9	·07	·00	·03	·14	·06	·00	·00	·00	·00	·00	·35	·00	9
10	·02	·00	·16	·01	·03	·00	·00	·00	·00	·04	·01	·33	10
11	·01	·00	·24	·12	·13	·00	·14	·00	·00	·00	·00	·17	11
12	·22	·00	·03	·06	·00	·07	·01	·00	·00	·06	·09	·08	12
13	·02	·02	·05	·30	·00	·00	·00	·00	·01	·03	·00	·03	13
14	·62	·05	·00	·68	·38	·00	·01	·00	·02	·00	·01	·28	14
15	·15	·03	·00	·05	·00	·00	·00	·00	·00	·07	·03	·25	15
16	·05	·59	·00	·00	·00	·00	·00	·07	·00	·01	·13	·01	16
17	·00	·33	·00	·00	·00	·00	·00	·04	·00	·00	·40	·00	17
18	·10	·05	·53	·00	·00	·00	·11	·08	·00	·00	·35	·01	18
19	·48	·22	·41	·00	·00	·02	·72	·47	·40	·00	·07	·06	19
20	·52	·04	·07	·00	·00	·13	·00	·18	·36	·00	·03	·05	20
21	·01	·63	·01	·00	·00	·00	·17	·02	·05	·00	·00	·07	21
22	·00	·04	·00	·00	·00	·00	·04	·00	·00	·00	·02	·13	22
23	·00	·00	·03	·00	·00	·00	·00	·00	·00	1·10	·08	·09	23
24	·00	·00	·00	·03	·00	·07	·00	·00	·02	1·25	·03	·53	24
25	·10	·00	·00	·05	·00	·05	·00	1·14	·00	·01	·02	·13	25
26	·20	·00	·08	·09	·00	·02	·00	·07	·15	·00	·01	·42	26
27	·24	·00	·05	·18	·00	·00	·00	·79	·00	·00	·00	·07	27
28	·05	·00	·38	·00	·00	·00	·00	·06	·00	·00	·33	·42	28
29	·02		·01	·07	·00	·00	·00	·16	·00	·07	·01	·06	29
30	·00	✕	·00	·05	·00	·06	·00	·27	·00	·02	·29	·61	30
31	·02	✕	·00	✕	·00	✕	·00	·00	✕	·00	✕	·41	31
TOTAL	6·73	2·96	4·04	1·99	·86	·61	1·52	3·39	2·00	2·92	2·50	6·21	YEAR'S TOTAL 35·73
Days with ·01 in. or more	26	14	22	15	8	9	11	13	13	12	23	28	194

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

12 JAN 1921

Kept at Nicholashayne
in the County of Devon
by The Rev. H. F. Ramsay

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Culmstock
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 477 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·00	·01	·10	·30	·00	·46	·15	·06	·52	·00	·60	1
2	·33	·00	·01	·16	·00	·00	·65	·20	·05	·32	·00	·05	2
3	·07	·03	·00	·10	·00	·00	·03	·02	·05	·75	·00	·06	3
4	·00	·00	·03	·03	·00	·00	·05	·58	·01	·27	·00	·00	4
5	·00	·00	·24	·24	·19	·00	·38	·05	·00	·21	·00	·00	5
6	·00	·00	·32	·06	·17	·00	·05	·00	·05	·22	·00	·00	6
7	·01	·00	·00	·31	·01	·00	·72	·00	·00	·00	·00	·00	7
8	·02	·05	·00	·29	·00	·00	·59	·01	·02	·00	·00	·14	8
9	·87	·09	·03	·17	·07	·20	·32	·00	·00	·00	·00	·01	9
10	·71	·15	·05	·04	·00	·32	·31	·00	·08	·00	·01	·00	10
11	·27	·02	·12	·45	·29	·03	·25	·00	·00	·00	·00	·00	11
12	·23	·06	·10	·16	·00	·08	·03	·00	·00	·00	·11	·03	12
13	·28	·07	·52	·02	·00	·00	·00	·00	·00	·00	·00	·01	13
14	·04	·06	·32	·70	·00	·00	·01	·00	·10	·20	·34	·02	14
15	·01	·12	·03	·35	·13	·12	·00	·00	·30	·02	·01	·00	15
16	·04	·00	·06	·04	·03	·19	·20	·00	·01	·23	·02	·00	16
17	·05	·00	·01	·20	·17	·11	·00	·04	·75	·00	·00	·01	17
18	·05	·01	·04	·06	·07	·14	·01	·41	·10	·00	·00	·03	18
19	·02	·00	·00	·48	·02	·27	·00	·00	·08	·00	·00	·00	19
20	·02	·01	·00	·13	·15	·14	·02	·00	·00	·00	·00	·27	20
21	·00	·00	·00	·03	·00	·00	·10	·00	·00	·00	·00	·10	21
22	·00	·00	·00	·05	·00	·01	1.15	·09	·00	·00	·00	·55	22
23	·01	·00	·00	·00	·00	·00		·00	·00	·00	·00	·37	23
24	·01	·00	·19	·00	·00	·00		·00	·00	·00	·12	·10	24
25	·05	·02	·13	·00	·07	·00		·00	·00	·00	·00	·01	25
26	·22	·00	·32	·00	·01	·06		·00	·00	·00	·20	·18	26
27	·51	·02	·11	·05	·01	·32		·00	·00	·00	·44	·25	27
28	·57	·01	·15	·09	·00	·08		·00	·00	·00	·00	·05	28
29	·16	·01	·53	·02	·03	·02	·01	·00	·00	·00	·24	·12	29
30	·12	╳	·00	·02	·11	·16	·05	·00	·25	·95	·34	·28	30
31	·03	╳	·45	╳	·01	╳	·04	·02	╳	·15	╳	·22	31
Total	4·76	·73	3·77	4·35	1·84	2·25	5·43	1·57	1·91	3·84	1·83	3·46	YEAR'S TOTAL 35·74
Days with ·01 in. or more	26	15	22	26	18	16	(24)	10	14	11	10	22	(214)
Days with ·04 in. or more	18	7	16	21	11	13	(18)	7	11	10	7	15	(154)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DARTMOOR

COWSIC VALLEY

DEVON

1911 – 1920

FORM A2.
BRITISH RAINFALL.
-9 MAY 1912

Kept at Cowsic

in the County of D

by Mr F. W. S

n.

d 1 ft. 6 in.

evel 1352·46 ft.

Princetown

nce Direction

IMPORTANT NO result entered to the previous day. If an rule, he is earnestly requested to add the r the space provided for it at the end of t of rain, the selection and pla Rainfall Organization are given cation to Dr. H. R. Mill, 62, C

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·65									1·20			1
2													2
3									–			2·20	3
4						–							4
5		–	3·00								3·50		5
6								3·30					6
7					1·90								7
8	1·70									·25			8
9				·50			–		–				9
10												5·30	10
11						–							11
12		–	2·30								3·30		12
13								–					13
14					–								14
15	1·30									–			15
16				–			–						16
17									·50			5·80	17
18						1·70							18
19		1·95	1·30								3·60		19
20								–					20
21					–								21
22	–									3·10			22
23				1·60			–						23
24									2·10				24
25						2·10						4·50	25
26		2·40	–										26
27								2·50			–		27
28					–								28
29	·40									2·80			29
30				2·50			·60						30
31												1·10	31
Total	4·05	4·35	6·60	4·60	1·90	3·80	·60	5·80	2·60	7·35	10·40	18·90	TOTAL for year 70·95
No. of Rain Days.	Gauging Taken Weekly.												

W. 8,000, X. '11.

RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
-9 MAY 1912

Kept at Cousic Valley.

in the County of Devon 4

by Mr F.W. Lillicrap

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 1352·46 ft.

Time of Observation

Nearest Railway Station
Name Princetown
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·65									1·20			1
2													2
3									—			2·20	3
4						—							4
5		—	3·00								3·50		5
6								3·30					6
7					1·90								7
8	1·70									·25			8
9				·50			—		—				9
10												5·30	10
11						—							11
12		—	2·30								3·30		12
13								—					13
14					—								14
15	1·30									—			15
16				—			—						16
17									·50			5·80	17
18						1·70							18
19		1·95	1·30								3·60		19
20								—					20
21					—								21
22	-									3·10			22
23				1·60			—						23
24									2·10				24
25						2·10						4·50	25
26		2·40	—										26
27								2·50			—		27
28					—								28
29	·40									2·80			29
30				2·50			·60						30
31												1·10	31
Total	4·05	4·35	6·60	4·60	1·90	3·80	·60	5·80	2·60	7·35	10·40	18·90	TOTAL for year 70·95
No. of Rain Days.					Gauging Taken Weekly.								

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

26 JUN 1913

Kept at Cowsic Valley

in the County of Devon S 4

by Mr. F. W. Sillicrap

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 1352·46 ft.

Time of Observation

Nearest Railway Station
Name Princetown
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·10			·70			3·20					3·80	1
2					–				2·90		–		2
3						1·50							3
4			3·20		–						1·75		4
5		–						2·70					5
6					–								6
7							–		–	1·00			7
8	3·30			·45			·40						8
9			–						·40			1·30	9
10						1·80							10
11			2·50								1·15		11
12		2·50						2·75					12
13					1·30								13
14										·25			14
15	2·10			·30			·90						15
16									–			5·10	16
17						1·55							17
18			3·50								·60		18
19		·70						4·35					19
20					·60								20
21										1·40			21
22	1·30			–			–						22
23									–			·90	23
24						·70							24
25			3·20								1·10		25
26		4·00						5·15					26
27					·50								27
28										4·70			28
29	·60			–			1·60						29
30									1·55			4·90	30
31													31
Total	8·40	7·20	12·40	1·45	2·40	5·55	6·10	14·95	4·85	7·35	4·60	16·00	TOTAL for year 91·25
No. of Rain Days.	Gauges taken Weekly.												

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

-6 MAY 1914

REGISTER OF RAINFALL IN 1913.

Kept at Cowsic Valley

in the County of Devon 5.4

by Mr. F. W. Sillicrap

Lat. Long.

Time of Observation 9. a.m

Nearest Railway Station Princetown

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 1352·46 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									·50			·60	1
2						—							2
3		2·80	1·10								4·20		3
4								—					4
5					2·40								5
6	3·40									·55			6
7				·80			—						7
8									2·30			—	8
9						2·10							9
10		2·35	2·50								2·50		10
11								·70					11
12					3·15								12
13	2·75									1·70			13
14				·35			·30						14
15									·90			·80	15
16						·60							16
17		—	3·00								3·30		17
18								1·70					18
19					·30								19
20	2·70									·25			20
21				4·10			·25						21
22									1·70			—	22
23						·25							23
24		—	2·60								3·45		24
25								·35					25
26					·50								26
27	1·50									·45			27
28				4·20			—						28
29									—			2·80	29
30						—							30
31			1·40										31
Total	10·35	5·15	10·60	9·45	6·35	2·95	·55	2·75	5·40	2·95	13·45	4·20	YEAR'S TOTAL 74·15
Rain Days.					Gauge Taken Weekly.								

W.7,000, XI. 13

cwd to bot of month NB. Jan 3 - 1915 reading 5·05 in.

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 14 JAN 1915

Kept at Cowsic Valley

in the County of Devon S 4

by F. W. Lillicrap Esq

Lat. Long.

Time of Observation 9·30 am

Nearest Railway Station Princetown

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 1352·46 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		~~2·0~~									(~~2~~·60)		1
2			(·20) ~~·55~~					(·60) ~~2·00~~					2
3													3
4				–	1·20					–			4
5	·60												5
6				2·40			1·75		–			3·30	6
7													7
8						–					·50		8
9		1·95	5·50					2·90					9
10													10
11					2·45					–			11
12	1·30												12
13				2·65			–		3·40			2·10	13
14													14
15						1·70					2·75		15
16		5·50	4·00					·80					16
17										–			17
18					–					·25			18
19	–												19
20				–			2·70		1·20			4·20	20
21													21
22						·25					·40		22
23		3·10	1·50					–					23
24													24
25					–					2·05			25
26	·25												26
27				–			1·20		–			2·75	27
28		(·35)											28
29						–							29
30		✕	2·30	(–)		(–)	(1·40)		–	(2·00)	5·30		30
31	2·00	✕	(–)	✕	·25	✕		1·40	✕		✕	(4·50)	31
													YEAR'S TOTAL
Total	~~2·15~~	~~12·55~~	~~13·85~~	5·05	3·90	1·95	~~5·65~~	~~7·10~~	4·60	~~2·30~~	~~11·55~~	~~12·35~~	~~83·00~~
Rain Days.	4·15	10·90	13·50	5·05	3·90	1·95	7·05	5·70	4·60	4·30	9·55	16·85	87·50

Measurements taken weekly.

W. 8,000. X. 14.

13 JAN 1916
"1836

REGISTER OF RAINFALL IN 1915

Kept at Cowsie Valley by Frank Howarth

in the County of Devon 54

RAIN GUAGE.
Diameter 8" in
Height of top above Ground 1 ft 6 in.

Lat. Lon. Time of Observation " " " Sea Level 1352·46 ft

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2					–								2
3	1·00									·30			3
4				·70			–						4
5									·60			3·65	5
6						–							6
7		5·00	1·30								–		7
8								1·20					8
9					–								9
10	3·70									·40			10
11				2·10			1·70						11
12									–			3·20	12
13						–							13
14		3·95	·30								3·50		14
15								1·30					15
16					2·80								16
17	1·30									·40			17
18				–			2·60						18
19									·55			3·55	19
20						·25							20
21		3·60	–								–		21
22								–					22
23					·55								23
24	1·60									1·80			24
25				·45			2·70						25
26									·50			6·25	26
27						1·65							27
28		·95	·50								–		28
29								–					29
30						1·70			·60		1·30		30
31	·40						2·00	·25		2·40		2·00	31
Totals	8·00	13·50	2·10	3·25	3·35	3·60	9·00	2·75	2·25	5·30	4·80	18·65	Year's Total 76·55
Total from Jan. 1													

Exd FW

1793

18. 20. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Cowsic Valley by Frank Howarth

in the County of Devon

RAIN GUAGE.
Diameter 8"
Height of top above Ground 1'-6"
" " " Sea Level 1352·46 ft.

Lat. Lon. Time of Observation 9 A.M.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	1·55			—			—						2
3									·25			—	3
4						1·40							4
5			·25								3·15		5
6		3·55						—					6
7					1·30								7
8										3·35			8
9	1·60			—			1·25						9
10									·60			1·05	10
11						·80							11
12			—								3·00		12
13		3·20						1·00					13
14					·85								14
15										1·70			15
16	·90			1·65			·90						16
17									1·35			—	17
18						—							18
19			·90								1·50		19
20		3·65						1·85					20
21					—								21
22										2·45			22
23	2·10			1·30			—						23
24									·50			1·90	24
25						·75							25
26			1·10								2·10		26
27		—						2·70					27
28					·30								28
29										3·85			29
30	·25			·65		1·50	—		2·20		—		30
31			·60					1·85		·90		2·60	31
Totals	6·40	10·40	2·85	3·60	2·45	4·45	2·15	7·40	4·90	12·25	9·75	5·55	Years Total 72·15
Total from Jan. 1	5												

1715

FORM A.
BRITISH RAINFALL

19 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Cowsic Valley

in the County of Devon

by Frank Howarth

Lat. Long.

Time of Observation 9 AM.

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 1352·46 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2									–			–	2
3						·70							3
4		–	·45								·90		4
5								·40					5
6					–								6
7	2·20									3·10			7
8				1·30			1·10						8
9									·75			·70	9
10						1·00							10
11		–	1·85								2·90		11
12								2·85					12
13					·55								13
14	·70									3·80			14
15				·95			·60						15
16									·90			·50	16
17						·25							17
18		–	·30								–		18
19								2·80					19
20	–				1·50								20
21										2·45			21
22				·80			1·80						22
23									2·20			–	23
24						1·40							24
25		1·70	·25								1·10		25
26								2·70					26
27					·50								27
28	–	–								2·35			28
29		X		–			·50						29
30		X		–		1·30			1·65		·50	–	30
31	–	X	1·10	X	·90	X	–	4·30	X	2·00	X	–	31
Total	2·90	1·70	3·95	3·05	3·45	4·65	4·00	13·05	5·50	13·70	5·40	1·20	YEAR'S TOTAL 62·55
Rain Days.													

W. 8,000. X. 14.

58

EX M&

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

14 2 19

Kept at Cowsic Valley
in the County of S Devon
by Mr F. Howarth

Lat. ______ Long. ______
Time of Observation 9. A.M.
Nearest Railway Station ______
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 1352·46 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									–				1
2						–							2
3		1·40	–								1·60		3
4								·70					4
5					·60								5
6	·60									1·70			6
7				1·30			–						7
8									2·80			3·50	8
9						·85							9
10		2·10	·30								2·30		10
11								1·60					11
12					·50								12
13	·45									2·10			13
14				–			1·45						14
15									4·10			4·10	15
16						·60							16
17		·55	–								–		17
18								·30					18
19					·25								19
20	5·70									·80			20
21				1·00			1·70						21
22									3·15			3·20	22
23						1·10							23
24		·90	–								·50		24
25								1·40					25
26					·60								26
27	1·50									·40			27
28		1·20		–			1·90						28
29		X							1·90			2·40	29
30		X		–		–			–		1·70		30
31	·15	X	1·40	X	–	X	–	·80	X	·25	X	·40	31
Total	8·40	6·15	1·70	2·30	1·95	2·55	5·05	4·80	11·95	5·25	6·10	13·60	YEAR'S TOTAL 69·80
Rain Days.													

W.7,000, XI. 13

1617

FORM A.
BRITISH RAINFALL.

14 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Cowsie ~~[illegible]~~ Valley

in the County of Devon

by Frank Howarth

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 1352·46 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2		—	·30								—		2
3								—					3
4													4
5	1·60				·65					·40			5
6				·25	From 6th to 26th ·50		·30						6
7									2·50			3·90	7
8						–							8
9		1·20	3·50								·80		9
10								·50					10
11													11
12	2·85									·50			12
13				2·80			·25						13
14									–			2·00	14
15						·40							15
16		2·20	3·00								1·20		16
17								·05					17
18													18
19	3·70									·80			19
20				1·10			·90						20
21									1·50			1·70	21
22						·30							22
23		2·10	1·70								3·30		23
24								2·10					24
25													25
26	1·10									1·30			26
27				·60			1·10						27
28		–							90			4·00	28
29		X				–							29
30		X	1·10	·50		–			–		1·50		30
31	·25	X	–	X	–	X	–	3·20	X	–	X	2·00	31
Total	9·50	5·50	9·60	5·25	1·15	(·70+)	2·55	5·85	4·90	3·00	6·80	13·60	YEAR'S TOTAL (68·40)
Rain Days.													

W. 8,000, VIII. 16

+ Gauge Imperfect

Sed Appl

1533

26 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Cowsic Valley by Frank Howarth

in the County of Devon

RAIN GUAGE.

Diameter 8"

Height of top above Ground 1' 6"

Lat. Lon. Time of Observation 9 AM " " " Sea Level 1352.46 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2					1.00								2
3										1.70			3
4	.70			.70			.80						4
5									.70			1.80	5
6						–							6
7			1.10								–		7
8		.30						1.70					8
9					1.10								9
10										.65			10
11	5.00			2.50			2.40						11
12									–			.30	12
13						–							13
14			2.45								1.70		14
15		2.10											15
16					.40								16
17										2.30			17
18	2.10			3.10			1.00						18
19									1.60			–	19
20						.70							20
21			.50								1.25		21
22		–						–					22
23					1.00								23
24										–			24
25	.90			1.50			2.10						25
26									.40			3.30	26
27						.90							27
28			2.40								1.65		28
29		.45						–					29
30				.80	.40	.80			1.00		.80		30
31	3.30		.90		–		2.20	–		1.10		3.60	31
Totals	12.00	2.85	7.35	8.60	3.90	2.40	8.50	1.70	3.70	5.75	5.40	9.00	71.15
Total from Jan. 1													

DARTMOOR.
DEANCOMBE FARM.
DEVON
1911 – 1920

13 JAN 1912

REGISTE

Kept at Deancombe ... Howarth

in the County of De ... nd 1 ft 0 in

Lat. ..... Lon. ..... Sea Level 830 ft

Date.	Jan.	Feb.	March.	A							Nov.	Dec.	Date.
	in.	in.	in.								in.	in.	
1	·05		·04								·16	·01	1
2			·02								·29	·74	2
3			·05								·28	·19	3
4			·29					·85			·27	·97	4
5	·45		·13					·54		·12	·21		5
6	·54		·16							·10	·08	1·70	6
7	·26			·06							·54	·03	7
8	·12		·29								·14	1·52	8
9	·17										·32	·66	9
10	·20	·06	1·30									·34	10
11	·65										1·00	·23	11
12			·80						·15		·13	·45	12
13			·11						·19		·14	·50	13
14		·30	·05							·04	·23	·55	14
15		·12	·07			·03				·02	·73	·19	15
16	·02	·06	·10			·50				·03	·63	1·05	16
17		·11	1·13			·32					·15	1·12	17
18		·33	·47	·44		·21				·18	·25	·67	18
19		·03	·07	·02		·65			1·09	·28	·25	1·12	19
20	·03	·08	·07	·29					·23	1·27		1·22	20
21	·02	·75		·04		·19			·19	41		·16	21
22	·02	·15		·26		·10			·28	·34		·87	22
23		·20		·19					·27	·65		·62	23
24	·06	·29				·65		·55		·26		·26	24
25	·05	·09		·49		·18			·25	·37		·23	25
26	·01	·15	·03	·80				·69		·73		·44	26
27		1·28	·01	·06				·65	·26	·19	·03	·40	27
28		·35		·53				·03			·28		28
29				·18	·18	·57	·85		·21	·66			29
30						·13	·30			·36	·95	·16	30
31			·30				·21			·09		·01	31
Totals	2·65	4·35	5·49	3·80	1·56	3·53	1·36	4·67	3·12	6·21	7·06	16·41	Total for Year 60·21
No of ~~Total~~ Rain ~~from Jan 1~~ days	15	16	20	14	4	11	3	9	10	19	21	28	170

13 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Deancombe Farm *by* Frank Howarth

in the County of Devon S. 2

RAIN GUAGE.
Diameter 5"
Height of top above Ground 1 ft 0 in
" " " Sea Level 830 ft

Lat. Lon. Time of Observation 9 AM.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·04		·20			·04			·16	·01	1
2			·02	·41	·78			1·27		·11	·29	·74	2
3			·05	·03	·40			·05			·28	·19	3
4			·29					·85			·27	·97	4
5	·45		·13					·54		·12	·21		5
6	·54		·16							·10	·08	1·70	6
7	·26			·06							·54	·03	7
8	·12		·29								·14	1·52	8
9	·17										·32	·66	9
10	·20	·06	1·30									·34	10
11	·65										1·00	·23	11
12			·80						·15		·13	·45	12
13			·11						·19		·14	·50	13
14		·30	·05							·04	·23	·55	14
15		·12	·07			·03				·02	·73	·19	15
16	·02	·06	·10			·50				·03	·63	1·05	16
17		·11	1·13			·32					·15	1·12	17
18		·33	·47	·44		·21				·18	·25	·67	18
19		·03	·07	·02		·65			1·09	·28	·25	1·12	19
20	·03	·08	·07	·29					·23	1·27		1·22	20
21	·02	·75		·04		·19			·19	·41		·16	21
22	·02	·15		·26		·10			·28	·34		·87	22
23		·20		·19					·27	·65		·62	23
24	·06	·29				·65		·55		·26		·26	24
25	·05	·09		·49		·18			·25	·37		·23	25
26	·01	·15	·03	·80				·69		·73		·44	26
27		1·28	·01	·06				·65	·26	·19	·03	·40	27
28		·35		·53				·03			·28		28
29				·18	·18	·57	·85		·21	·66			29
30						·13	·30			·36	·95	·16	30
31			·30				·21			·09		·01	31
Totals	2·65	4·35	5·49	3·80	1·56	3·53	1·36	4·67	3·12	6·21	7·06	16·41	Total for Year 60·21
Nº of ~~Total~~ Rain ~~from~~ days Jan 1	15	16	20	14	4	11	3	9	10	19	21	28	130

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
1 FEB 1913

Kept at Deancombe Farm

in the County of Devon S 2

by Frank Howarth

Lat. Long.

Nearest Railway Station

Time of Observation 9 AM

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 830 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·32		·08	·50	·15	·07	·20	·90		·49	1
2			·40	·18		·88	·05	05	·08	·07		·03	2
3	·07		·49			·39	·04	1·67	·12			·48	3
4	·52		·76		·03	·44	·19	·15			·52		4
5	89	·34	·20	·02			75	1·39			·10	·20	5
6	·57	·09	·03		·58	·26		·57			05	·02	6
7	·22	1·13	·56	01	·26	·31		·25			·06	·35	7
8	·89	·24	·44			·25	·05	·05				·01	8
9	·03	·21	·24	·02		·09	·11	·06				1·04	9
10	·39	·07	·04	·01			·32	·08			·41	·23	10
11		·17	·49					·05			·38	1·06	11
12	·05	·73	·51		·04			·28			·06	·02	12
13	·59		·11			·08	21	·02		·31		·44	13
14	·43	·09	1·01		·29	·05		·14		·03		·15	14
15	1·19	·43	·09		·34	·87		·09			·01	·78	15
16	·41		·79		·14	·07		1·13		·20	·03	·14	16
17			·33		·03	·41		2·17			·09	·15	17
18		·09	·22					·54		·19	08	·08	18
19		·14	·30			·08	·08	·62		·15	·07	·06	19
20	·08	·05	·89		·23			·48		·28	·24		20
21		·94	·43		·41		·02	·21		·55	·05		21
22	·32	1·00	·38					·46		·10	·03	·34	22
23	·32	·71	28			·40	04	1·45		·09	·34	·41	23
24	·07	·13	75			1·10		·05				·45	24
25		·02	·01			·09	·15	·14		·27	·58	·66	25
26		·14	·02				·05	·13		·75	71	·30	26
27		·09	·01			1·38	71	·16		2·72		·94	27
28		·23				·38	·46	1·31	1·00	·41	92	·55	28
29		·63					·14	·36	·71	·33		·10	29
30			·11			·18	36		17	·39			30
31			·37				42	·03		·01		·67	31
Total	7·04	7·67	9·98	·24	2·43	8·21	3·70	14·10	2·28	7·75	4·73	10·15	TOTAL for year 78·28
No. of Rain Days	17	22	29	5	11	20	19	30	6	18	19	27	223

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Ex DL

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Deancombe Farm by Frank Howarth

in the County of S Devon 2

RAIN GUAGE.
Diameter 5"
Height of top above Ground 1'0"

Lat. .... Lon. .... Time of Observation 9·AM.
" " " Sea Level 830

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·27	·33	·10	·26						·71		1
2	·12	·21	·30	·37	·34					·20	·36	·20	2
3	1·10	·05	·24	·09	·30				2·10	·10		·34	3
4	1·60		·23	·02	·01	·04			·50	·08	·40	·40	4
5	·13	·04	·04		·26	·82	·10		1·41	·15	·30	·58	5
6	·61	·20	·19		·24	·30				·45	·32	·25	6
7	·18	·74	·13		1·60	·26				·50	·50		7
8	·15	·66			·48		·10	·40		·10		·15	8
9	·19	·15				·15		·10			·90		9
10	1·20		·09	·02	·09					·28	·17		10
11	1·00			·03	·81	·20			·10	·24	1·30	·15	11
12	·17				·08				·13		·30		12
13	·06		·25		·03			·18	·28		·24		13
14	·57		·39	·13	·13				·30				14
15	·21		·71	1·35					·08		·36		15
16	·51		·58	·04				·48	·30		·10		16
17	·19		·07	·12							·15		17
18	·14		·73	·34	·12		·16				·10		18
19	·84		·09		·04		·04		·67	·32			19
20	·25		·06	·68						·30	1·37		20
21	·07		·45	·25	·14			·05			·37		21
22	·26		·71	·03	·04	·27		·12	·10				22
23	·06		·03								·28	1·35	23
24	·05	·38		·20		·07							24
25		·04		·71				·03		·15	·10	·20	25
26				1·71				·06				·43	26
27	·45		·37	·61				·19		·54			27
28	·15		·18	·35	·10					·47		·15	28
29	·13		1·03	·51						·50			29
30	1·09			·10	·06		·15			1·10			30
31	·10		·29					·36		·20			31
Totals	11·60	2·74	7·49	7·76	5·13	2·41	·55	1·97	5·97	5·68	8·33	4·23	Total for year 63·56
Total from Jan. 1	28	10	23	21	19	8	5	10	11	17	19	11	182

Esc 449

26 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Deancombe Farm by Frank Howarth

in the County of Devon S2

RAIN GUAGE.
Diameter 5"
Height of top above Ground 1'0"

Lat. Lon. Time of Observation 9 A.M. " " " Sea Level 830 ft

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.16	.12			.72	.57			1.00		1
2			.10		.19	10	12				.20	.60	2
3			.40	.29	1.10					.03	.05		3
4			.16	.71	.19		.80	.15				.92	4
5	.26		.41	.31	.10							05	5
6		.19	-30	08	.20	05	.26	.20				1.11	6
7	.30	1.62	.82	.20	.25		.30	.45	.48			.29	7
8	.34		1.15	.16		.38		.34			.30 +	-20	8
9	.19	.10	.50	.32	.41	.50		.55	.80			.01	9
10	-22	1.25	17	.50	.30	.10			.45			.25	10
11		.22	1.00			.15			.03		N	.66	11
12		.85	.34						.32	.16 ✳	.10	.49	12
13		1.39	.82				.15		.60		.55	.42	13
14		.80	.36			.12		.60	.04		.84	.28	14
15			.30				18	.10	.03		.21	.66	15
16			.03				.03		.86			.03	16
17		1.07	.50				.03					1.41	17
18		.14	.15				.23		.22			.26	18
19		10	.85				1.67		.09		.14	.18	19
20		.58	17			.17						.35	20
21		.76	.15			.05				.55		.02	21
22		.19	10		30	.27		20		.45			22
23			.49				11	.03		.11			23
24			.07							.08		.01	24
25	.20		.35				.09	1.44		.70	.40	1.10	25
26		.11	.02				.33	.03		.08	.30	.95	26
27	.34	.17								.15	.50 a	.80	27
28		.20	.72		.12		.17			.20		.67	28
29	.80		.48		.17					.03	1.70	.05	29
30			.37			.05				.20	.48	1.47	30
31	.30				-05		78			1.65		.80	31
Totals	2.95	9.74	11.44	2.69	3.08	1.94	5.97	4.66	3.92	4.39	6.88	14.04	Years Total 71.70
Rain ~~Total~~ ~~from~~ Days ~~Jan. 1~~	9	17	29	9	12	11	16	12	11	15	19	27	187

✳ .16 = 3 days Rain October 12th, 13th & 15th.
+ .30 = 4 Days Rain November 7th, 8th, 9th, 10th.
a .50 = 2 days Rain November 27th & 28th

1790

13 JAN 1916

REGISTER OF RAINFALL IN ~~18~~ 1915

Kept at Deancombe Farm by Frank Howarth

in the County of Devon

S2

RAIN GUAGE.
Diameter 5"
Height of top above Ground 1'·0"

Lat. ……… Lon. ……… Time of Observation 9 A.M. ,, ,, ,, Sea Level 830 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	·77			·07			1·14	·30	·28	·06	·12	1
2	·53	·34	·35	10		·16		·51	·08	·01		·45	2
3	·13	·63	·53	·28	·14			·01				·66	3
4	·07	·72	·03	·01		·02		·01				·38	4
5	·08	1·06	·02	·23				·22				1·24	5
6	1·22	·21		·93			·60	·17				·44	6
7	·40	·93		09			·38	·01		·35	·08	·45	7
8	·15	·45					·05	·09		·01	·22	·06	8
9		·17		·13				·04			·68	1·30	9
10	·40	·72	·11	·06				·11		·26	·09	·16	10
11	·17	·07	·15		·01		·04	·21		·05	1·78	·13	11
12	·18	·71		·06	·60			·11		·10	·57		12
13	·09	1·14			1·22		·06	·05	·14	·05	·27	·12	13
14	·16	·02	·01		·02		·23	·13	·24	·15	·02	2·80	14
15	·15				·22		·24		·11		·06	·34	15
16	·02	2·86			·35		1·62			·01		·18	16
17	·03	·26	·01		·02								17
18		·35					·08						18
19	·06	·02		·02	·70		·21						19
20	·46			·11	·04	·10	·01			·25			20
21	·22	·34			·25	·05	·53			·07		·30	21
22	·19	·06	·46	·04		·01	·84		·01	·02		·77	22
23	·08	·07	·66				·06		·16	1·00		·73	23
24			·01	01		·06	·09			·66		·89	24
25				05		·12	·23		·06			·73	25
26		·72				·50	·02		·04			1·04	26
27	·07	·04				·32	·07		·03	1·02		·02	27
28		·04				·21	·01	·02	·16	·16	·06	·05	28
29						·68	·02		·06	·09	·47	·24	29
30	·31			01		·11	·01		·06	1·15	·70	·62	30
31	·04						·13	04		·85		·60	31
Totals	5·66	12·70	1·74	2·13	3·64	2·34	5·56	2·87	1·45	6·50	5·06	14·82	Year's Total 64·47
Rain ~~Total~~ from Days ~~Jan. 1~~	24	24	11	15	12	12	22	16	13	20	13	26	208

1749

20 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Deancombe Farm by Frank Howarth

in the County of Devon

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'-0"

Lat. Lon. Time of Observation 9 A.M. " " " Sea Level 830 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	36				·06	14	16		·02	25	·43	·01	1
2	75	·20	·23		·07		01		·18	·59	·54		2
3	·20	2·09			·35	·10			·13	1·18	·59		3
4	·46	·20			·03	·67	·05		·28	·36	1·51		4
5	·11	·45			·06	·20				·42	·24		5
6	15	·30	21		·29	15	1·10			·61	1·70		6
7	·12	·22	·18		·17		05			·17	1·17	·13	7
8		·49	·19		·42	·08					12	·18	8
9	06	·04	·33		·04	·13	·02			·19	·11	·42	9
10	·02			·08	·09	01	·08			·17	·05	·04	10
11	·01			·17	·09	·06			·14		·01	·02	11
12	16	·14	·09	07	·25		·50	·20		·27			12
13		·56	·12		·02		10	·35	·04	·05		·12	13
14	·05	·70			·12			·36		·21		·02	14
15		·42	·21	·12	·01			11		·07		·05	15
16	·54	11		·30			·08	·96		·22			16
17	·54	·22	05	·01				13	·26	·72	2·04		17
18	·08	·23	·30	·07					·37	·24	·08		18
19	50	·16	·12	·21					·02	·01	·53	·31	19
20	·08	·62	·26								·06	·76	20
21	·10	19	·14	21	·03						·08	·42	21
22			04			·32		·09		·30	12	·65	22
23	15	·05		·15		31		·35		·36	·95	·15	23
24		20	·16	1·18	·22	·07		·27		·95	·15	·33	24
25		37	·14		02	·01		·56	·01	·02	·18		25
26	·08		·12			·38		·36	·81	1·55	·05	·04	26
27	04		1·20		·13	08		·39	·30	·40			27
28		10	·05					·10	·70	·91	·11	·97	28
29		20	·10			·89		1·01	06	·36		·93	29
30			·02			11				·76		·03	30
31								·35		·56		·05	31
Totals	4·56	8·26	4·25	2·57	2·47	3·71	2·15	5·59	3·32	11·90	10·82	5·63	Years Total 65·24
~~Total from Jan. 1~~ Number Days	21	23	21	11	19	17	10	15	14	27	22	20	220

[illegible] 1671

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

19 JAN 1918

Kept at Deancombe Farm

in the County of Devon

by Frank Howarth

Lat. ______ Long. ______

Time of Observation 9. AM.

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 830 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		01	·11		·57		·10	·03		·15	·01	1
2	·03		·02	·10		·08			·01	·02	·02		2
3	15			04						·86	·82		3
4		·22	·74				·46		·11	·46	·03	·01	4
5	·32		·47	17		·54				·35	·28		5
6			·57			·29		·05	10	·21	·14	·24	6
7	·77			20			·29	·07		·23	·12	·11	7
8	·07		10	·10 ·+·		·03	·50	·56	·08	·50	·30	·48	8
9			·12	·02	·05		·09	·06		·45	·53	·10	9
10	·37		·61	·27				·38		·06	·14	·03	10
11	·05		·45	·12				·03	·06	·53	·30		11
12	·33			08	·34			·04		·61	·02	·01	12
13	·12		·28	06		·20		·08	·30	·28		·08	13
14	·05			09	·02		·27	·29	·10	·14	·01	·02	14
15				02			·17	·33	·03	·94		·36	15
16		·04		08		·06		·04	·06	·57		·41	16
17		·03	·05	·42	·04		·63	·26	·98	·21		·05	17
18	06	·05		·04	·61	·03	·54	·03	·94	·05			18
19		·82	·03			·84		·01	·08		·12		19
20		18	·04		·47	·06	·03	·07	·16		·08	·07	20
21						06		·02		·24	·10	·02	21
22					·01			·98		·18	·06		22
23		22			·21	·07	·02	·30		·24	·05	·02	23
24		·03				·29	·40	·07		·38	·18	·06	24
25		·09	07			·01	·22	·43	·42	·16	·08		25
26		·02			·34	·07	·03	·63	·35	·10	·09		26
27			·02			·57	·02	1·61		·11	·06		27
28		·10	·26			·23		1·19		·02	·08		28
29		X	·15			·13		09		1·22	·06	·14	29
30		X	·16				·19	·56		·05	·05	·03	30
31		X	·04	X	·55	X		·06	X	·24	X	·03	31
Total	2·39	1·80	4·19	1·92	2·64	4·13	3·86	8·34	3·81	9·41	3·84	2·28	YEAR'S TOTAL 48·64
Rain Days.	12	11	19	16	10	18	15	27	16	28	25	20	214

W. 8,000. X. 15.

-X- Gauge Tampered with Estimated Quantity

18

FORM A.
BRITISH RAINFALL.

14 · 1 · 19

REGISTER OF RAINFALL IN 1918

Kept at Deancombe Farm
in the County of S Devon
by Mr F. Howarth

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 830 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·55		·13	·04			·47		·02	1·48	·02	1
2		·99		·11				·07	·03	·01	·06	·88	2
3		·45		·24	·07				·11	·19	·24	·31	3
4		·13		·01				·45	·94	·01	1·78	1·51	4
5		·07	·38	·14	·26			·76	·48	·54	·11	·22	5
6	·23	·62	·68	·35				·17		·23		·63	6
7	·01	·53	·01	·13		·04		·04	·85	·13	·65	1·20	7
8	·02	·14		·01					·30	·79		·04	8
9	·16	·02				·50	·36		·77	·30	·04	·92	9
10	·08			·24		·02	·16		·31	·37	·01	·51	10
11	·07	·04	·44	·03	·06		·39		·33	·01	·03	·24	11
12	·01	·15	·03		·49	·03	·13		·05	·01		·06	12
13		·03			·27	·01	·21		1·07	·37		·54	13
14	·76				·19	·25	·16		·90	·17		·48	14
15	1·17				·02	·28	·66		·30	·23		·69	15
16	·71			·24		·02	·20	·01	·47	·02		·09	16
17	·36			·14			·16	·11	·24			·58	17
18	1·63		·24			1·41	·16	·05	·88	·28		·29	18
19	·36	·12	·23	·09			·14	·11	·09	·01		·17	19
20	·11	·52		·26		·09	·12	·02	·30			·01	20
21	·30	·04				·32	·13		·78	·04		·44	21
22	·05	·01			·27		1·63		·19	·15	·06	·46	22
23	·29	·02			·09	·01	·60	·01	·28		·06	·25	23
24	·13	·32				·03	·06	·23	·39		·32	·23	24
25	·09			·05	·16		·36	·93	·02	·11	·29	·03	25
26	·05	·27		·23			·34	·02	·24	·06	·11	·68	26
27	·02	·21	·15					·18	·05	·05	·28	·05	27
28		·34	·39					·01	·06	·14	·37	·09	28
29			·49						·99	·01	·07	·26	29
30		✕	·45	·05				·18	·02	·18	·15	·27	30
31		✕	·18	✕		✕		·01	✕	·05	✕	·05	31
Total	6·63	5·57	3·67	2·45	1·92	3·01	5·97	3·83	11·44	4·48	6·11	12·20	YEAR'S TOTAL 67·28
Rain Days.	22	21	12	17	11	13	18	19	28	27	18	31	23~~6~~7

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

3 JAN 20

Kept at Deancombe

in the County of Devon

by Frank Howarth

Lat. Long.

Time of Observation 9 AM.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 830 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·94		·47	07	·11		·20	·02	·50	·34		·91	1
2	·20		·09		·04		·03		·14	·05		·13	2
3	·26		·38		·21				·29		·04	·29	3
4	·23	·56	·65		·02	·02	·47	·39	1·58		·03	·02	4
5	·13	·35	·95		·04			·01	·28		·03	·16	5
6	1·05	1·48	·24						·01		·02	31	6
7	·58		·49	·16		·02	·02		·02			·41	7
8	·45		·43	·02	·01	·03					·115		8
9	·15		·12	·47	·16						·78	·12	9
10	·12		1·43	08	·06					·03	·03	1·18	10
11	·13		·86	·38	·67	07	·08			·12	·11	·83	11
12	·28		·08	·09		02				·22	·16	01	12
13	·51	·10	·15	1·04			·12			·21		·54	13
14	1·50	·16		·57	1·00		·10		·05	·25		·43	14
15	·45	·10		·15						·18		·41	15
16	·11	1·77			·09	·08	·02				·69	·04	16
17	·03	·13			·02	·13		·04			·37	·13	17
18	·06	·66	·86				·49	·47	·06		·45	·03	18
19	·83	·67	·34			·20	·47	·67	·27		·39	·16	19
20	·69	04	10			·23	·02	·16	·34		·29	·17	20
21	·26	1·43			·04		·22	·04	·19		·05	·10	21
22		05				·04	·04	·03	·48		·09	·10	22
23			·02					·12	·08	1·04	·19	·22	23
24						·27		24	·06	·49	·13	·29	24
25	·23	04				·03		·89	·02	·02	·11	·11	25
26	·11	·04	·13	·10				·18	·18	·03	·09	·47	26
27	·26		·16	·25		·03		1·43		·04	·01	·10	27
28	·04	·02	·45	·17				·05	·03	·02	·57	·82	28
29			·02	·10				·24				·25	29
30	·01		·04	·14		·21		24	·07		1·05	1·33	30
31			05				·07					·53	31
Total	9·61	7·60	8·48	3·79	2·47	1·38	2·35	5·22	4·65	3·04	6·13	10·90	YEAR'S TOTAL 65·62
Rain Days.	26	16	23	15	13	14	14	17	19	14	23	30	224

W. 8,000, VIII. 16

Se 72 1452

26 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Deancombe Farm by Frank Howarth

in the County of Devon

RAIN GUAGE. Diameter 5"

Height of top above Ground 1' 0"

Lat. .... Lon. .... Time of Observation 9 AM

" " " Sea Level 830

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·24		·03	·28	·91		·70	·02	·18	·14	02	1·25	1
2	·73	·02		·31	·03		·26	·35	·24	·09		·37	2
3	·86			06	·02		·03		·05	1·86		·44	3
4			·02				·04	1·74	·03	·55			4
5			·52		·13		·50	·40	·01	·26			5
6			·34	10	·47		·24		·01	·14			6
7	·13		·09	·72	·07		·55					·28	7
8	·05	·20	·02	·67	·16		·31	·07		·01		·17	8
9	1·30	·12	·06	10		·03	·70	·03	·05				9
10	1·64	37	·36	·02		·38	·56						10
11	·47	·03	·30	·95	·34	·01	·28						11
12	·58	32	·32	29	·05	02	·11			·06	·23		12
13	·12	·06	·82	12		·05				·30	·01	·10	13
14	·33	·14	·43	1·06			·13		·32	·61	·78		14
15	·17	·41	·21	·65	·05				·15	·90	·16		15
16	·02	·07	·12	·13		·08	·27		·67	·05	04		16
17	·19		·02		·83	·02			1·00	·29			17
18	·46			·15	·09	·21	·10	35	·09			·10	18
19	·14			·55	·10	·40	·01		·02	·01			19
20	09	·02		·31		·33	·05			·12		·91	20
21				·23			·09		·04	04		·16	21
22	·15			24		02	·14	·01	·02			·31	22
23	·07		·07				·40	10				·81	23
24	·05		·87								·38	·56	24
25	·13	·04	·18	·06			1·44				02	·12	25
26	·55	·05	·25			·07	·11				·41	·03	26
27	1·14	·08	·15	·25		·54	18				·69	·61	27
28	·84	·02	·30	·03		25	·48				05	·13	28
29	·73		·53	04	·16	05	·06				·89	·72	29
30	·33				·07	·57	·48		1·32	·19	·49	1·35	30
31	·18		·49		·01		·03			·89		·45	31
Totals	11·69	1·95	6·50	7·32	3·49	3·03	8·25	3·07	4·20	6·51	4·17	8·87	Year's Total 69·05
Total from Jan. 1	27	15	23	23	16	16	27	9	16	18	13	29	222
+·04	26	11	19	21	13	11	24	6	11	16	10	18	186

DARTMOOR.
LOWERY
DEVON
1911 — 1916- 1920

FORM A2.
BRITISH RAINFALL.

9 MAY 1912

1911

Kept at S

in the County of

by Mr F.

er of top 5 in.
of top above Ground 1 ft. in.
„ „ Sea Level 890 ft.
tion 8 a.m.
Station Name Doulsland
Distance Direction

IMPORTAN m., and the result entered to the previous day. I ost universal rule, he is earnestly requested to add wing year in the space provided for it at the en measurement of rain, the selection and the British Rainfall Organization are g ree on application to Dr. H. R. Mill, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	·01	·18	·80	—	—	·08	—	—	·31	·01	1
2	—	—	·01	·43	·30	—	—	·01	—	·10	·27	·68	2
3	—	—	·03	—	·40	—	—	1·00	·02	·02	·34	·18	3
4	—	—	·35	—	—	—	—	·05	—	—	·40	·84	4
5	·72	—	·23	—	—	—	—	·50	—	·03	·14	—	5
6	·37	—	·15	—	—	—	—	1·05	—	·05	·12	1·80	6
7	·17	—	—	·02	—	—	—	·06	—	—	·57	·05	7
8	·13	—	·26	—	—	—	—	—	—	—	·13	1·03	8
9	·05	—	—	—	—	—	—	—	—	—	·27	1·40	9
10	·10	—	1·35	—	—	—	—	—	—	—	·02	·28	10
11	·67	—	·01	—	—	—	—	—	—	—	1·07	·04	11
12	·03	—	·86	—	—	—	—	—	·14	—	·13	·46	12
13	—	—	·14	—	—	—	—	—	·34	—	·21	·37	13
14	—	·23	·07	—	—	—	—	—	—	·02	·14	·54	14
15	—	·12	·10	—	—	—	—	—	—	·01	·67	·20	15
16	·03	·05	·02	—	—	·47	—	—	—	—	·58	·78	16
17	—	·09	·81	·07	—	·26	—	—	—	·02	·19	1·30	17
18	—	·39	·34	·40	—	·22	—	—	—	·06	·36	·75	18
19	—	·02	·14	·04	—	·78	—	—	·90	·23	·40	1·08	19
20	—	·09	·02	·36	—	·03	—	—	·30	1·12	—	1·00	20
21	·05	·67	·01	·05	—	·13	—	—	·31	·36	—	·11	21
22	—	·10	—	·34	—	·11	—	—	·31	·49	—	·78	22
23	—	·29	—	·03	—	·04	—	—	·15	·48	—	·79	23
24	·05	·28	—	—	—	·71	—	·47	·01	·23	—	·36	24
25	·05	·09	—	·42	—	·13	—	·02	·16	·28	—	·09	25
26	—	·20	—	·68	—	—	—	·50	—	·67	—	·43	26
27	—	1·05	—	·03	·01	—	—	·47	·23	·28	·01	·36	27
28	—	·36	—	·50	—	—	·01	·10	—	—	·27	·02	28
29	—	—	·02	·31	·35	·53	—	—	·20	·55	·01	—	29
30	—	—	—	—	—	·05	·86	—	·02	·45	·78	·10	30
31	—	—	·05	—	—	—	·15	—	—	·02	—	—	31
Total	2·44	4·03	4·98	3·86	1·86	3·49	1·02	4·31	3·09	5·47	7·39	15·83	TOTAL for year 57·77
No. of Rain Days.	13	15	21	15	5	12	3	12	13	20	23	28	180

W. 8,000, X. '11.

1

FORM A2.
BRITISH RAINFALL.

9 MAY 1912

19*11*

Kept at *Lowery*

in the County of *Devon* 2

by *Mr F. W. Lillicrap*

RAIN GAUGE { Pattern
Diameter of top *5* in.
Height of top above Ground *1* ft. in.
" " " Sea Level *890* ft.

Time of Observation *8 a.m.*

Nearest Railway Station { Name *Dousland*
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	·01	·18	·80	—	—	·08	—	—	·31	·01	1
2	—	—	·01	·43	·30	—	—	·01	—	·10	·27	·68	2
3	—	—	·03	—	·40	—	—	1·00	·02	·02	·34	·18	3
4	—	—	·35	—	—	—	—	·05	—	—	·40	·84	4
5	·72	—	·23	—	—	—	—	·50	—	·03	·14	—	5
6	·37	—	·15	—	—	—	—	1·05	—	·05	·12	1·80	6
7	·17	—	—	·02	—	—	—	·06	—	—	·57	·05	7
8	·13	—	·26	—	—	—	—	—	—	—	·13	1·03	8
9	·05	—	—	—	—	—	—	—	—	—	·27	1·40	9
10	·10	—	1·35	—	—	—	—	—	—	—	·02	·28	10
11	·67	—	·01	—	—	—	—	—	—	—	1·07	·04	11
12	·03	—	·86	—	—	—	—	—	·14	—	·13	·46	12
13	—	—	·14	—	—	—	—	—	·34	—	·21	·37	13
14	—	·23	·07	—	—	—	—	—	—	·02	·14	·54	14
15	—	·12	·10	—	—	—	—	—	—	·01	·67	·20	15
16	·03	·05	·02	—	—	·47	—	—	—	—	·58	·78	16
17	—	·09	·81	·07	—	·26	—	—	—	·02	·19	1·30	17
18	—	·39	·34	·40	—	·22	—	—	—	·06	·36	·75	18
19	—	·02	·14	·04	—	·78	—	—	·90	·23	·40	1·08	19
20	—	·09	·02	·36	—	·03	—	—	·30	1·12	—	1·00	20
21	·05	·67	·01	·05	—	·13	—	—	·31	·36	—	·11	21
22	—	·10	—	·34	—	·11	—	—	·31	·49	—	·78	22
23	—	·29	—	·03	—	·07	—	—	·15	·48	—	·79	23
24	·05	·28	—	—	—	·71	—	·47	·01	·23	—	·36	24
25	·05	·09	—	·42	—	·13	—	·02	·16	·28	—	·09	25
26	—	·20	—	·68	—	—	—	·50	—	·67	—	·43	26
27	—	1·05	—	·03	·01	—	—	·47	·23	·28	·01	·36	27
28	—	·36	—	·50	—	—	·01	·10	—	—	·27	·02	28
29	—	—	·02	·31	·35	·53	—	—	·20	·55	·01	—	29
30	—	—	—	—	—	·05	·86	—	·02	·45	·78	·10	30
31	—	—	·05	—	—	—	·15	—	—	·02	—	—	31
Total	2·44	4·03	4·98	3·86	1·86	3·49	1·02	4·31	3·09	5·47	7·39	15·83	TOTAL for year 57·77
No. of Rain Days.	13	15	21	15	5	12	3	12	13	20	23	28	180

W. 8,000, X. '11.

Exd FW

20 JAN 191

REGISTER OF RAINFALL IN 1916

Kept at Lowery by Frank Howarth

in the County of Devon

RAIN GUAGE.
Diameter 5
Height of top above Ground 1' 0"

Lat. ……… Lon. ……… Time of Observation 9. AM. " " " Sea Level 899·29 ft

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33		·08		·03	·15	·11			·13	·22		1
2	·75	·18	13		·09				·16	·59	·33		2
3	·13	1·85			·34	·12			·13	1·07	·49	·02	3
4	·48	·18			·01	·64	·03		·27	·27	1·18		4
5	·10	·32	·02		·03	·23	·01			·31	·29		5
6	·15	·38	·07		·28	·19	1·15			·65	1·13		6
7	·11	·22	·10		·18	·03	·02			·11	1·06	·11	7
8	·02	·17	·31		·39	·01				·01	·17	·14	8
9	·07	·40	·07			·21	·01			·22	·17	·30	9
10	·02	1·02		·09	·07		·03			·20	·05	·04	10
11		·03		·15	·12				·12	·01		·01	11
12	·18	·12	·05	·07	·28		·48	·19	·01	·21			12
13		·50	·08		·01		·09	·47	·03	·03		·12	13
14	·06	·63	·01		·15			·24		·18			14
15	·08	·68	·14	·15	·01			·07		·04			15
16	·47	·17		·29	·01		·08	·64		·20		·03	16
17	·58	·20	·01					·29	·29	·57	1·59		17
18	·05	·27	·27	·10				·01	·49	·24	·10	·10	18
19	·36	·10	·08	·20					·05		·40	·20	19
20	·12	·45	·25								·08	·80	20
21	·11	·02	·08	·36							·08	·22	21
22			·03	·02		·30		·10		·54	·12	·43	22
23	·17	·05		·14		·30		·25		·25	·92	·15	23
24		·06	·19	·96	·18	·05		·34		·62	·15	·23	24
25	·03	·20	·15		·02	·01		·44		·03	·17	·01	25
26	·07	·07	·05			·36		·65	·57	·83	·03	·02	26
27	·05		·98		·09	·12		·30	·30	·55		·03	27
28		·02	·07			·01		·09	·76	·73	·19	·96	28
29		·19	·09			·78		1·02	·03	·37		·98	29
30		✕	·01			·12		·01	·01	·61		·04	30
31		✕		✕		✕		·28	✕	·44	✕	·06	31
Totals	4·49	8·48	3·32	2·53	2·27	3·66	2·01	5·39	3·22	10·01	8·92	5·00	Years Total 59·30
Rain Days	23	26	24	11	18	17	10	17	14	28	21	22	231

1672

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Lowery
in the County of Devon
by Frank Howarth

Lat. Long.
Time of Observation 9 AM.
19 JAN.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 899·29 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08			18		·50		·09	·04		·12		1
2	·05		·03	·20		·05				·05	·04		2
3	·21			·08						·60	·76		3
4	01	·20	·50				·17		·10	·66			4
5	·30		·46	·17		·37				·40	·22		5
6	·07		·40			·25		·10	·07	·21	·12	·18	6
7	·73			08			·26	·06		·21	·13	·10	7
8	·08		·11	·10		04	42	·83	·04	·50	·26	·52	8
9			·20	·20	·04		·09	·11		·38	·54	·03	9
10	·38		·45	38				·40		·09	·11		10
11	·03		·41	32				·04	·12	·58	·28		11
12	·58				·42			·04		·64		·01	12
13	·17		·26	08		·17		·10	·30	·25		·08	13
14	·01			·12	·01		·15	·85	·12	·15			14
15				·03			·20	·22	·05	·85		·50	15
16		·06		·08		·03		·04	·07	·40		·29	16
17		·03	·05	·16	·03		·58	·16	92	·17			17
18	·04	·03		·36	·56	·03	·43	·04	·75	·06			18
19		·82	·05			·72		·01	·14		·05		19
20	01	·21			·41	05		·14	·20		·05	·04	20
21		·01				·03		01		·20	·14		21
22					·01			·77		·18	·06		22
23		·26			·15	·10	·02	·20		·23	·05		23
24		02				·37	·44	·09		·37	·26	·10	24
25		·07	07			·01	·13	·38	·33	·12	·05		25
26					·37	·05	01	·56	·29	·08	·10		26
27			·01			·35		1·57		·10	·06		27
28		·09	·28			·25		·85		·03	·09		28
29			·16			·05		·07		1·01	·04	·07	29
30			·13				·19	·57		·01	·08		30
31			06		63			05		·24		01	31
Total	2·75	1·80	3·63	2·54	2·63	3·42	3·09	8·35	3·54	8·77	3·61	1·93	YEAR'S TOTAL 46·06
Rain Days.	15	11	17	15	10	18	13	27	15	28	22	12	203

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
14 2 18

REGISTER OF RAINFALL IN 1918

Kept at Lowery
in the County of S Devon
by Mr F. Howarth

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 899·29 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·50		·15	·05			·56	·01	·05	1·58	·02	1
2		·80		·08				·03	·04			·96	2
3		·30		·14	·04				·10	·12	·17	·26	3
4		08						·42	·25	·01	1·52	1·60	4
5	·01	·05	·25	·05	·25			·57	·74	·55	·09	·27	5
6	·22	·58	·60	·46				·38	·02	·35		·59	6
7		·45		·17		·05		·03	·84	·14	·70	1·26	7
8	·03	·08							·31	·82		02	8
9	·10	06				·51	·24		·77	·36	·01	·97	9
10	·08			·14			·13		·30	38	·02	·51	10
11		·03	·43	·04	·09		·26		·33		06	·25	11
12		·33	·02		·46	·01	·09		·06			·04	12
13		02			·36	·01	·20		1·04	·47		·48	13
14	·63				·16	·20	·10		·97	·16		·55	14
15	1·30				·02	·16	·58		·10	·24		·78	15
16	·48			·20		·01	·30	·03	·37	·01		·10	16
17	·31			·06		·01	·18	·09	·08			·64	17
18	1·45		·23			1·09	·16	·07	·76	·50		·31	18
19	·30	·09	·24	·09		·02	·16	·08	·10			·26	19
20	·10	47		·27		·08	·09		·24			·03	20
21	·26	·02				·30	·09		·81	·04		·47	21
22	·06				·30		1·42		·21	·17	·07	·44	22
23	·25				·10		·61	·02	·26		·33	·26	23
24	·09	·38			·01		·03	·66	·37		·21	·24	24
25	·08			·03	·16		·35	·48	·02	·10	·29	·04	25
26	·03	·35		·06			·35	·04	·25	·06	·04	·60	26
27	·02	·24	·11					·17	·05	·06	·26	·06	27
28		·40	·40						·04	·11	·33	·10	28
29			·44						1·10		·06	·28	29
30			·38	·05				·15	·05	·17	·26	·27	30
31			·19					·02		·05		04	31
Total	5·80	5·23	3·29	1·99	2·00	2·45	5·34	3·80	10·59	4·92	6·00	12·70	YEAR'S TOTAL 64·11
Rain Days.	19	19	11	15	12	12	18	17	30	22	17	31	223

REGISTER OF RAINFALL IN 1919

1579

FORM A.
BRITISH RAINFALL.

14 JAN 20

Kept at Lowery
in the County of Devon
by Frank Howarth

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 899·29 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1·00		·44	·02	·20		·20	·01	40	·31		1·01	1
2	·18		·08		·06		·10		·12	·05		12	2
3	·18		·31		·17				·27		·02	33	3
4	·07	·65	·57			·02	·57	·50	1·72		·02	·01	4
5	·09	·27	·66		·04				·26			22	5
6	·96	1·37	·33									·47	6
7	·62		·56	·15			·02		·02			·20	7
8	·60		·32	·01	02	·02					·20		8
9	·20		·08	·40	·10						·70	72	9
10	11		1·51	·09	·07					·07		1·42	10
11	·12		·99	·40	·69	·10	·12			·14	·17	·86	11
12	·24		·07	·21	·01	·01				·22	·22		12
13	·56	14	·04	92			·11			·20		·50	13
14	1·62	14		·68	1·08		·12		02	·18		·41	14
15	45	·04		·16	02					·16		·55	15
16	·10	1·56			·09	·05	·02				·60	·02	16
17	·03	·04			·03	·07		·07			51	·19	17
18	·20	·36	89				·50	·46	·10		·48		18
19	86	·56	40			·22	·57	·66	·25		·36	75	19
20	·92	·03	·06		·06	·27		·12	·12		·32	·18	20
21	·20	1·49			·01		·17	·03	·14		·02	·15	21
22		·06			·01	·08	·05	·11	·40		·08	·12	22
23						·01		·15		1·40	·22	·30	23
24						·20		·12	·07	·45	·18	·40	24
25	·24	·06				·03		1·00			·12	·09	25
26	·03	04	·13	·05				14	·18	·02	·05	1·00	26
27	·26		·09	·40		02		1·28				·12	27
28		·04	·44	·11				·05		·06	·48	·91	28
29		×	·04	·12				·21		02		25	29
30		×	·03	·17		·18		·26	·05		·95	1·38	30
31		×	·04	×		×	·05		×		×	·47	31
Total	9·84	6·85	8·08	3·89	2·66	1·28	2·60	5·17	4·12	3·28	5·70	11·95	YEAR'S TOTAL 65·42
Rain Days.	24	16	22	15	16	14	13	16	15	13	19	28	211

W. 8,000, VIII. 16

1493

26 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Lowery by Frank Howarth

in the County of Devon

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'–0"

Lat. Lon. Time of Observation 9-AM ,, ,, ,, Sea Level 899-29 ft

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14		.02	.17	.96		.75	.03	.22	.16	.01	1.00	1
2	.90	.02		.22	.01		.36	.38	.22	.22		.40	2
3	1.00	.16		.10			.01	.01	.06	1.78		.37	3
4			.01				.01	1.80	.02	.44			4
5			.50	.01	.12		.54	.32		.16			5
6			.40	.12	.48		.18			.16			6
7	.12		.07	.61	.06		.77	.01				.39	7
8	.08	.10		.68	.10		.07	.05				.30	8
9	1.47	.12	.06	.10		.03	.61	.03	.04				9
10	2.14	.37	50	.01		.36	.77	.01					10
11	.59	.06	.25	.95	.44	02	.22						11
12	.61	.39	.29	.21	.10	.07	.12			.08	.23	.08	12
13	.04	.06	.92	10			.05		.02	.25	.03	.08	13
14	.41	.07	.44	1.08			.19		.31	.37	.84		14
15	.25	.37	.17	71					.10	.95	.19		15
16	.05	11	.06	.10	.05	07	.40		.55	05	.02		16
17	.25			.02	.66		.01		.87	.32			17
18	.53	.02	.01	.17	.12	.18	.06	.30	.06				18
19	.12	.02		.49	.03	.50							19
20	.10			35		.37	.01			.16		.89	20
21	.02			.20			.10		.01	.07		.13	21
22	.08			21		.05	.11	.03				.34	22
23	.09		.06				.34	.08				.90	23
24	.20		.77								.40	.64	24
25	.10	.04	.17	.04		.03	1.61					.11	25
26	.55	.05	.22			.15	.12		.03		.35	.03	26
27	1.20	.02	23	.19		.48	.07				1.08	.55	27
28	.94	.05	.36	.03	.06	.28	.60				.05	.12	28
29	.88		34	.01	.16	.04	.09				.88	.76	29
30	.42				.08	.52	.52		1.20	.18	.42	1.45	30
31	20		55		.01		.02			.68		.39	31
Totals	13.48	2.03	6.40	6.88	3.44	3.15	8.71	3.05	3.71	6.03	4.50	8.93	Years Total 70.31
Total from Jan. 1	28	17	22	25	16	15	28	12	14	16	12	19	224
	27	13	19	20	13	12	23	6	10	16	9	18	186

DARTMOOR

LEATHER TOR FARM

DEVON

1911 - 1920

REGIST

Kept at Leather Tor ... Howarth

in the County of D

13 JAN 1912

Ground 1 ft 0 in

Lat. Lon. „ Sea Level 910 ft

Date.	Jan.	Feb.	March.							ct.	Nov.	Dec.	Date.
	in.	in.	in.							in.	in.	in.	
1			·03								·27	·02	1
2			·10							[illegible]	·30	·85	2
3			·08		[illegible]						·47	·18	3
4			·34		·01			1·11			·66	·97	4
5	·63		·09					·57			·16		5
6	·54		·25					·04		·12	·09	2·04	6
7	·24										·83	·05	7
8	·11		·33								·14	1·50	8
9	·17										·36	·92	9
10	·18	·06	1·24		·08						·02	·65	10
11	·70										1·00	·05	11
12			·76						·29		·24	·39	12
13			·10						·16		·21	·53	13
14		·34	·05								·21	·56	14
15		·14	·06			·05				·04	·98	·19	15
16			·04			·44					·66	1·11	16
17		·20	1·00	·06		·31				·02	·21	1·36	17
18		·40	·29	·43		·31				·08	·25	·92	18
19		·05	·07	·06		·53			1·27	·21	·33	1·14	19
20	·08	·06	·04	·36		·03			·15	1·37		1·19	20
21	·02	·84		·12		·21		·05	·27	·50		·22	21
22	·03	·14		·38		·12			·27	·70		·82	22
23		·34		·07		·05			·21	·64	·03	1·02	23
24	·04	·31				·59		·43		·25		·40	24
25	·10	·10		·58		·38		·11	·32	·31		·11	25
26	·03	·13		·91		·01		·83		·88		·50	26
27		1·38		·07		·02		·60	·33	·20		·57	27
28		·48		·60		·02		·06	·01		·28	·03	28
29			·02	·35	·21	·71	·93		·29	·76	·01	·03	29
30						·12	·22		·02	·49	·85	·23	30
31			·20				·18			·13		·01	31
Totals	2·87	4·97	5·09	4·53	2·06	3·90	1·33	5·11	3·62	6·76	8·56	18·56	Total for Year 67·36
No of ~~Total~~ Rain ~~from~~ Days ~~Jan.~~	13	15	19	14	6	16	3	12	13	17	23	30	181

REGISTER OF RAINFALL IN 1911

13 JAN 1912

Kept at Leather Tor Farm by Frank Howarth

in the County of Devon S2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1 ft 0 in

Lat. ……… Lon. ……… Time of Observation 9 AM. „ „ „ Sea Level 910 ft

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·06	1·22 }	two days Rain.		·03			·27	·02	1
2			·10	·48				1·20		·06	·30	·85	2
3			·08		·54			·08	·03		·47	·18	3
4			·34		·01			1·11			·66	·97	4
5	·63		·09					·57			·16		5
6	·54		·25					·04		·12	·09	2·04	6
7	·24										·83	·05	7
8	·11		·33								·14	1·50	8
9	·17										·36	·92	9
10	·18	·06	1·24		·08						·02	·65	10
11	·70										1·00	·05	11
12			·76						·29		·24	·39	12
13			·10						·16		·21	·53	13
14		·34	·05								·21	·56	14
15		·14	·06			·05				·04	·98	·19	15
16			·04			·44					·66	1·11	16
17		·20	1·00	·06		·31				·02	·21	1·36	17
18		·40	·29	·43		·31				·08	·25	·92	18
19		·05	·07	·06		·53			1·27	·21	·33	1·14	19
20	·08	·06	·04	·36		·03			·15	1·37		1·19	20
21	·02	·84		·12		·21		·05	·27	·50		·22	21
22	·03	·14		·38		·12			·27	·70		·82	22
23		·34		·07		·05			·21	·64	·03	1·02	23
24	·04	·31				·59		·43		·25		·40	24
25	·10	·10		·58		·38		·11	·32	·31		·11	25
26	·03	·13		·91		·01		·83		·88		·50	26
27		1·38		·07		·02		·60	·33	·20		·57	27
28		·48		·60		·02		·06	·01		·28	·03	28
29			·02	·35	·21	·71	·93		·29	·76	·01	·03	29
30						·12	·22		·02	·49	·85	·23	30
31			·20				·18			·13		·01	31
Totals	2·87	4·97	5·09	4·53	2·06	3·90	1·33	5·11	3·62	6·76	8·56	18·56	Total for Year 6736
No of ~~Total~~ Rain ~~from~~ Days ~~Jan. 1~~	13	15	19	14	6	16	3	12	13	17	23	30	181

Ex. D L

1 FEB 1913

REGISTER OF RAINFALL IN 1912

Kept at Leather Tor Farm by Frank Howarth

in the County of Devon 52

RAIN GUAGE.
Diameter 5"
Height of top above Ground 1'-0'
" " " Sea Level 910

Lat. Lon. Time of Observation

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·32		·12	·35	·10	·16	·17	·97		·54	1
2			·63	·24		1·08	·05	·03				·04	2
3	·11		·77			·44		1·58	·22			·60	3
4	·61		·94					·21			·61		4
5	·92	·24	·25	·06	·10		·07	1·37			·04	·20	5
6	·68	·14	·04	·02	·71			·60			·05	·04	6
7	·16	1·10	·53	·07	·24	1·02		·30			·12	·45	7
8	·89	·33	·87		·04	·24	·05		·02		·01	·01	8
9	·02	·22	·18	·10		·08	·09	·09				1·15	9
10	·44	·09	·03	·02		·10	·29	·08			·44	·23	10
11	·02	·12	·55				·13	·09			·26	1·20	11
12		·60	·40				·32	·23			·05	·03	12
13	·64	·01	·33				·18	·05		·30		·60	13
14	·55	·13	1·16		·23	·04		·21		·07		·23	14
15	1·17	·31	·09		·37	·85		·03				1·07	15
16	·46	·03	·94		·03	·25		1·14		·25	·04	·16	16
17	·01		·28		·05	·50		2·44				·10	17
18		·08	·24		·22	·04		·24		·18	·21	·07	18
19	·03	·22	·33			·08	·10	·78		·04	·04	·11	19
20	·07	·04	·83		·19			·56		·40	·16		20
21		·40	·49		·36			·23		·51	·12		21
22	·28	1·75	·40		·03	·07		·51		·12	·07	·29	22
23	·18	·80	·33			·19	·06	1·84		·05	·40	·47	23
24	·03	·16	·17			1·12	·04	·08				·57	24
25	·04	·03	·02			·26	·35	·13		·28	·69	·70	25
26		·18					·07	·26		·86	·95	·74	26
27		·15	·06			1·50	·53	·09		2·74	·02	1·34	27
28		·27	·03			·42	·55	1·51	·91	·43	·89	·53	28
29		·70	·02			·05	·20	·30	·70	·39		·16	29
30			·11			·13	·29	·01	·13	·48			30
31			·40				·58	·03		·03		·80	31
Totals	7·31	8·10	11·74	·51	2·69	8·81	4·05	15·18	2·15	8·10	5·17	12·43	Total for Year 86·24
Total from Jan. 1	20	24	30	6	13	21	19	30	6	17	19	27	232

Ex DL

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Leather Tor Farm by Frank Howarth

in the County of S Devon 2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1' 0"

Lat. ..... Lon. ..... Time of Observation 9 AM. " " " Sea Level 910

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·29	·72	·22	·33				·14	·04	·67	·06	1
2	·26	·30	·14	·34	·26	·03				·25	·30	·25	2
3	1·31	·03	·45	·08	·35				1·48	·10		·19	3
4	1·64	·02	·40			·24			·47	·02	·14	·50	4
5	·16	·06	·08		·31	·71	·07		1·23		·45	·64	5
6	·84	·24	·25		·21	·40				·65	·36	·35	6
7	·27	1·08			1·73	·29				·57	·40	·02	7
8	·16	·78			·60	·02	·10	·28		·08	·02	·20	8
9	·17	·23	·17		·10	·20		·10			·76	·04	9
10	1·09		·15	·03	·07	·02		·14		·23	·11		10
11	1·19		·04	·06	·88	·14			·07	·24	1·17	·12	11
12	·05				·06	·09			·13		·25	·07	12
13	·09		·36		·11		·02	·17	·25		·24		13
14	·63		·64	·10			·06		·32	·03	·11	·04	14
15	·28		·38	1·67					·07		·24	·05	15
16	·52		·81	·03				·65	·31		·09		16
17	·05		·07	·30			·07				·15		17
18	·14		·99	·58	·21						·32		18
19	1·10		·08		·07	·04	·11		·60	·29			19
20	·37		·10	·65	·02				·07	·37	1·03		20
21	·05		·44	·30	·18				·03	·04	·55		21
22	·37		·82	·19	·07	~~·24~~	·05	·17	·03			·23	22
23	·09		·04					·02			·21	·76	23
24	·07	·35		·27		·09		·03			·04		24
25	·01	·06		1·02					·07	·08	·12	·26	25
26				2·19				·07		·07		·48	26
27	·34		·45	·60	·12			·15		·60	·04	·03	27
28	·18		·21	·42	·06				·02	·38		·07	28
29	·10		·82	·41						·70	·05		29
30	1·29			·10	·04					1·08	·10	·09	30
31	·19		·31					·36		·13			31
Totals	13·03	3·44	8·92	9·56	5·78	2·51	·48	2·14	5·29	5·95	7·92	4·45	Total of year 69·47
Total from Jan. 1	30	11	24	20	20	13	7	11	16	20	25	20	217

Esc. Mg.

26 JAN 1915

REGISTER OF RAINFALL IN 1~~8~~914

Kept at Leather Tor Farm by Frank Howarth

in the County of Devon S2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'-0"

Lat. Lon. Time of Observation 9 AM.

" " " Sea Level 910 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·01	·11	·14		·03	64	·79			·89	·07	1
2	·04		·09	06	18	07	18	·03			·13	·72	2
3	05		·47	·21	1·00			·08		·04	·08	·04	3
4	·19		·12	·60	·23		·91	·13			·16	·90	4
5	·24		·50	39	·14		·05	·04				·10	5
6		·20	·38	·13	·23	·02	·84	·22				1·09	6
7	·09	1·40	·91	·22	·80 *	·05	·32	·43	·45		·06	·39	7
8	·39	·01	1·09	·17		·40	·05	·43			·04	·10	8
9	·19	·07	·47	·38		·49		·57	1·05		·05		9
10	·23	1·08	·06	44		·09		·01	·20		·04	·39	10
11		·23	1·12	·03	02	·15			·09		·11	·32	11
12		·86	·37						·45	·05	·19	·47	12
13		1·20	·79			·07	·21		·71		·49	·24	13
14		·74	·43			·23		·63	·14		·73	·28	14
15		·01	·44				22	·14	·03		·20	·66	15
16			·04				12		·68			·04	16
17		·93	·53				·05		·05			1·28	17
18		·14	·11				·24		·21			·32	18
19		·11	·43				1·63		·12		·12	·17	19
20		·66	·39			·18	03					·32	20
21		·53	·05							·56		·02	21
22		·19	·11	·06	·13	·29		·21		·45			22
23		·12	·53				·19	·02					23
24		·03	·03			·01	06	·12		·22	·09		24
25	·21		·37		·05		·09	1·21		·64	·23	1·06	25
26	11	·04	05				·37	·08		·08	·42	·70	26
27	·25	·16					·03			·09	·25	·81	27
28	·06	·20	·58		·09		23			·27	·39	·80	28
29	·77		·39		·22		08			·11	1·53	·09	29
30	·04		·39		·10	·04				·17	·42	1·59	30
31	·25		·01		·02		1·14			1·40		·62	31
Totals	3·12	8·92	11·36	2·83	3·21	2·12	7·68	5·14	4·18	4·08	6·62	13·59	Years Total 72·85
Rainy ~~Total from Jan. 1~~ Days	16	22	30	12	16	14	22	17	12	12	21	27	221

* ·80 equals 4 days Rain May 7th 8th 9th & 10th

13 JAN 1916
1791

REGISTER OF RAINFALL IN 1~~8~~915

Kept at Leather Tor Farm by Frank Howarth

in the County of Devon S2

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'-0"

Lat. Lon. Time of Observation 9 A.M. " " " Sea Level 910 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·49			·10			1·25	·35	·28	·03	·20	1
2	·53	·68	·34	09		·15		·43	·11	·01		·47	2
3	·19	·65	·55	·33	·12							·59	3
4	·07	·71	·06			·03		·03				·57	4
5	·07	1·02		·40				·26				1·21	5
6	1·27	·24		·66			·67	·20				·59	6
7	·88	1·05	·04				·45	·03		·18	·02	·47	7
8	·13	·38		·05			·05	·12		·03	·41	·09	8
9	·04	·21		·23				·03			·54	1·31	9
10	·46	·64	·13	·08				·09		·29	·11	·19	10
11	·20	·07	·15		·03		·06	·15		·15	1·63		11
12	20	·58		·07	·60			·11		·08	·50		12
13	·12	1·12			1·19		·07	·04	·05	·03	·24	·23	13
14	·20	·02					·34	·08	·33	·05	·03	2·43	14
15	·19				·26		·20		·11	01		·24	15
16	·03	2·46			·37		1·56					·25	16
17	·02	·32			03		·02						17
18	·05	·35					·07						18
19	·11	·04		·01	·59		·26						19
20	·52	·02		·16		·08				·30			20
21	·30	·40			·26	·08	·44			·05		·43	21
22	·20	·19	·44				·95			·03		·98	22
23	·05	·04	·06				·18		·12	·97		·49	23
24			·01	·04		·05	·08		·09	·61		·94	24
25				·08		·13	·25					·78	25
26		·74				·62			·05			·96	26
27	·06	·05				·38	·16		·25 for 3 Days	·77		·03	27
28		·07				·27		·06		·36	·10	·04	28
29						·79	·03			·11	·46	·28	29
30	·34			01		·14			06	1·08	·65	·58	30
31	·06						·17	·05		·76		·39	31
Totals	6·65	12·54	1·78	2·21	3·55	2·72	6·01	2·93	1·52	6·15	4·75	14·74	Years Total 65·55
Rain ~~Total from~~ Day ~~Jan. 1~~	26	25	9	13	10	11	19	15	12	20	12	25	194

~~18~~ 1750
20. JAN 1917

[illegible]

REGISTER OF RAINFALL IN 1916

Kept at Leather Tor Farm by Frank Howarth

in the County of Devon

RAIN GUAGE.
Diameter 5"
Height of top above Ground 1'-0"

Lat. Lon. Time of Observation 9. AM. " " " Sea Level 910 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33		·19		·03	·19	·42			·20	·26		1
2	89	·24			·13				·20	62	·60		2
3	·18	1·83			·03	·21			·29	1·04	·28		3
4	·36	·20		·03	·05	·66	·03		·13	·30	1·27		4
5	·11	·54			·31	·21				·38	·34		5
6	·12	·27			·28	·17	1·15			·74	1·56		6
7	·20	·39			·19		04			·11	1·03	·15	7
8	·03	·12	·83 3		·38	·13				·27	·15	·12	8
9	·07				·02	·15				·20	·16	·39	9
10	·03	1·41		·10	·06		·05			·05	·06	·07	10
11	·02			·19	·22				·18		·02	·02	11
12	·17	·16	·07	·09	·13		·55	·09		·11			12
13		·57	·10	·03	·03		·09	·58	·06	·16			13
14	·09	71	·04		·14			·16		·24			14
15	·08	↑ 1·37	·15	·19				·10	·03	·07			15
16	·47	for		·31			·11	·68		·05			16
17	·58	4 Days	·02					31	·36	·78	1·82		17
18	·09	↓	·30	·20				02	·46	·03	·10		18
19	·40	·13	·18	·16							·47	·54	19
20	·09	34	·25	01							·09	·41	20
21	·19	30	·11	·32							·17	·46	21
22	·02		·02	·02		·39		·07		·62	·15	·83	22
23	·17			·20		·30		·26		·30	·83	·13	23
24			·16	·86	·22	07		·22		·82	·14	·27	24
25	·03		·11		·03	14		·62		·03	·21	·02	25
26	·07	·38	·15			·25		·48	·51	1·10	·08		26
27	·03		1·31		09	12		·35	·44	·63			27
28	·02		·08					·23	·79	·73	·14	1·07	28
29		·03	·11			·85		·84	·02	·43	·03	1·10	29
30			·01			·16		·03		·67		·07	30
31								·31		·55		·08	31
Totals	4·84	8·99	4·19	2·71	2·34	4·00	2·74	5·35	3·47	11·23	9·96	5·73	Year's Total 64·95
Number from Days	26	20	19	14	17	15	8	17	12	27	23	16	214

Exd C7h

1673

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

19. JAN

Kept at Leather Tor Farm

in the County of Devon

by Frank Howarth

Lat. ________ Long. ________

Time of Observation 9 A.M.

Nearest Railway Station ________

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 910 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14			·16		·50		10	·07		·11	01	1
2	·07		·04	·21		·06				·04	·18		2
3	·20			·09						·83	·64		3
4	05	·22	·53				·07		10	·57	·03		4
5	·35		·54	·19		·41				·48	·25		5
6	·03		·09	·02		29		10	·06	·17	·14	·19	6
7	·80		·21	16		·04	·26	08		·23	·10	·12	7
8			18	·15		·02	·40	·83	10	·54	·29	·53	8
9			·21	·11	·05		·08			·41	·57		9
10	·45		·55	·41				·47		·17	·16		10
11	·14		40	39				·03	·11	·61	·34		11
12	·33		·03	02	·38			·09		·72	·02		12
13	·14		·25	·13	·04	·20		·22	·39	·21	·03		13
14				·10			·18	·74	·13	·08			14
15	·21			·02			·20	·30	·06	·91			15
16		·03		·09		·07	·08	·05	·07	·40			16
17		·13	·09	·15	06		·52	·17	·93	·26			17
18		·12		·39	·39	·11	·50	·03	·70	·05			18
19		·75				·67		·05	·13		·10		19
20		·21			·45	·66	·05	06	·19		·12		20
21		01	·10		·01	·04		08		·21	·14		21
22			·03		·03			·76		·20	·04		22
23		·27			·14	·16	·03	·26		·22	·07		23
24		03				·30	·56	·06		·45	·25		24
25		·13				·04	·06	·60	30	·15	·07		25
26		·02			35	·05	·03	·36	·29	·13	·08		26
27						·35		1·54		·13	·17		27
28		·11	·38			·32		1·04		·03	·06		28
29			·19			·02		·14	·01	·99	·08		29
30			·14				17	·49	·01	·03	·04		30
31			·04		·63			09		·26			31
Total	2·91	2·03	4·00	2·79	2·53	3·71	3·19	8·74	3·65	9·48	4·05	2·10	YEAR'S TOTAL 49·18
Rain Days.	12	12	18	17	11	19	15	26	14	28	25	(12)	(212) ~~200~~ For 11 months

Daily Gauges inaccurate from 9th – but total correct.

W. 8,000. X. 15.

20

FORM A.
BRITISH RAINFALL.
14 2 19

REGISTER OF RAINFALL IN 1918

Kept at Leather Tor Farm
in the County of S Devon
by Mr F Howarth

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station —
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 910 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·45		·24				·50		·02	1·37	·01	1
2		·84			·11			·04	·02	·03		·90	2
3	·01	·37		·18					·14	·17	·42	·29	3
4		·08						} two days	·63		1·61	1·21	4
5	·01	·09	·78	·19	·20			1·16 }	·56	·58	·07	·22	5
6	·24	·60	·18	·32				·04	·04	·30		·53	6
7	·03	·53		·20		·13		·01	·89	·12	·62	1·02	7
8	·03	·09						·01	·34	·82		·03	8
9	·16	·02				·41	·08		·74	·28	·03	1·04	9
10	·07			·19		·03	·29		·29	·36	·01	·50	10
11	·06	·06	·36	·03	·07		·28		·34		·02	·27	11
12	·01	·28	·02		·47	·02	·10		·11			·06	12
13		·05			·28	·03	·13		1·17	·25		·50	13
14	·65				·15	·33	·14		·77	·16		·50	14
15	1·39					·25	·42		·22	·24		·76	15
16	·64			·18		·02	·09		·41	·02		·12	16
17	·27			·07			·19	·15	·16			·60	17
18	1·48		·34			1·22	·09	·07	·65	·33		·35	18
19	·37	·14	·07	·11			·16	·06	·15			·25	19
20	·11	·50		·27		·13	·08	·02	·32		·01	·01	20
21	·26	·04				·34	·07	·01	·85	·08	·01	·40	21
22	·08	·02			·30		1·44		·32	·15	·04	·49	22
23	·25	·02			·13	·04	·03		·18		·22	·31	23
24	·08	·35					·05	·22	·39		·16	·27	24
25	·06				·17		·33	·84	·03	·11	·27	·07	25
26	·04	·32		·16			·38	·04	·25	·06	·10	·73	26
27	·01		·18				·03	·25	·08	·05	·28	·06	27
28		·29	·34						·07	·11	·41	·13	28
29			·50						·89		·06	·24	29
30		X	·53	·06				·23	·02	·14	·19	·29	30
31		X	·16	X		X		·02	X	·05	X		31
Total	6·31	5·14	3·46	2·20	1·88	2·95	4·38	3·67	11·01	4·43	5·90	12·16	YEAR'S TOTAL 63·49
Rain Days.	23	20	11	13	9	12	19	18	29	22	19	30	225

W. 8,000, VIII. 16

1580

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

JAN 2

Kept at Leather Tor Farm

in the County of Devon

by Frank Howarth

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 910 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·97		·41		·14		·18	01	·42	·23		·97	1
2	·20		·06		·08		·06		·22	·03		·13	2
3	·20		·31		·22			01	·24		·03	·32	3
4	·07	·41	·67		·02	·02	1·71	·39	1·40			·04	4
5	·14	·37	·66		·05				·23			·16	5
6	·71	1·07	·38								·02	·42	6
7	·49	·01	·54	·19		·02	·03		·02			·29	7
8	·39			·02	·01	·03					·89	01	8
9	·18		·55 two days	·51	·17						·18	·10	9
10	·09		1·30	·12	·09					·14	·01	·96	10
11	·08		·83	·43	·50	·06	·06			·11	·13	·70	11
12	·24		·11	·10	01	·03	·02		·01	·23	·16	·01	12
13	·53	·09	·10	·98			·15			·22		·45	13
14	1·34	·11		·77	·81		·08		·04	·17		·35	14
15	·32	·08		12	·01					·15		·50	15
16	·12	1·57			·13	·03	·02				·69	·03	16
17	·07	·14			·01	·09		·02			·49	·14	17
18	·07	·35	88				·43	·62	·09		·50	·03	18
19	·71	·54	34			·21	·49	·57	·26		·38	·22	19
20	·66	·04	09		01	·27	·02	·17	·10		·27	·28	20
21	·23	1·37			·02	01	·28	·01	·43		·05	·12	21
22	·02	·03			·01	·03	·07	·06	·31		·11	·18	22
23	·02							08	·09	·96	·24	·25	23
24		·02				28		·20	·07	·52	·14	·26	24
25	·23	·01		02		·02		·92	·03	·02	·17	·15	25
26	·13	·08		·11		·04		·22	24	·03	·12	·87	26
27	·31	·05	19	·31				1·14		·01	01	·12	27
28		·02	·58	·14				·06	·03	·04	·42	·85	28
29			·03	·11				·28		·06	·01	·28	29
30			·07	·15		·16		·20	05		·87	1·35	30
31	·01		·13				·09					·48	31
Total	8·53	6·36	8·23	4·08	2·29	1·30	3·69	4·96	4·28	2·92	5·89	11·02	YEAR'S TOTAL 63·55
Rain Days.	27	19	21	15	17	15	15	17	19	15	22	31	233

1494

26 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Leather Tor Farm
in the County of Devon
by Frank Howarth

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station —
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 910 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·19	·01	04	·36	·88		·81		·31	·19	·02	·95	1
2	·71	·02		·30	·02		·57	·33	·29	·29		·34	2
3	·81	·14		·09			·10	·02	·03	1·91		·50	3
4			·02	·01	·01		·03	1·50	·05	·48		·02	4
5			·43		·12		·53	·42	·02	·23			5
6			35	·08	·48		24	·01	·02	14			6
7	·16		10	·70	·06		·64				·01	·36	7
8	·02	·09		·62	·18		·23	·06		·02		·18	8
9	1·41	13	·07	07			·48	·05	·06				9
10	1·74	·39	32			·32	·35						10
11	·54	03	·26	·64	·30		·26						11
12	·54	·37	·39	·33		·02	·14			·06	·23	·08	12
13	·16	·07	·75	·06		·03	01			·25	·01	·02	13
14	29	15	44	·90			·12		·33	·58	·86		14
15	18	31	31	·81			·02		·16	·74	·22		15
16	·03	·07	03	·09	·10	·06	·21		·71	·04	·07		16
17	·21			·03	·67	·02		·02	·84	33			17
18	·45		·03	·10	·10	·14	·05	·35	·05				18
19	·17	·03		·53	·07	·34	·01	·01	·03				19
20	·14	03		·26		35	04			·10		·82	20
21				27			10		·01	·02		·18	21
22	·15			·11			·11	·01	·03			·28	22
23	·07		·06				·43		·02			·80	23
24	05		·81	·04		·02	·03				·33	·59	24
25	14	·06	·21	·05		·04	1·46		·01		·02	·09	25
26	·50	·05	·35			·04	·12		·01		·29	·04	26
27	1·03	·11	·16	·33	·01	·58	·20				·84	·49	27
28	·88	·03	·20	·04	·03	·26	·46				·07	·11	28
29	·76	·01	·40	·03	·10	·03	·08				·64	·68	29
30	·41	✕	·01		·07	·57	·57		1·24	·29	·53	1·18	30
31	·17	✕	·57	✕	·01	✕	04		✕	·72	✕	·42	31
TOTAL	11·91	2·10	6·31	7·05	3·21	2·82	8·38	2·78	4·22	6·39	4·14	8·13	YEAR'S TOTAL 64·44
Days with ·01 in. or more	27	19	23	25	17	15	30	11	19	17	14	20	237

25 12 19 22 12 10 25 6 10 15 10 18 184

✓

F 11.

FORM A2.
BRITISH RAINFALL.
12 APR 1912

DAWLISH
THE LAWN
DEVON
1911 —

Kept at The Law
in the County of
by D. F. C. Cha

5" in.
ve Ground 1 ft. - in.
Sea Level 17·59 ft.
pm
Name
Distance Direction

IMPORTANT NO d the result entered to the
previous day. If an iversal rule, he is earnestly
requested to add the r year in the space provided
for it at the end of rement of rain,
the selection and pla British Rainfall
Organization are given n application to
Dr. H. R. Mill, 62, C

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.07								0.03	1
2				0.03							0.17	0.31	2
3					0.44			0.19		0.05		0.07	3
4					0.13							0.24	4
5					0.03			0.16			0.14	0.82	5
6	0.37		0.31					0.07			0.17	0.47	6
7			0.03								0.09		7
8											0.60		8
9			0.08								1.01	0.74	9
10		0.05	0.08			0.58				0.04		0.39	10
11	0.15											0.41	11
12	0.12				0.23							0.10	12
13			0.29		0.04							0.62	13
14		0.04							0.21		0.04	0.53	14
15			0.06			0.27					0.17	0.53	15
16		0.02	0.09			0.35					0.04	0.38	16
17			0.48							0.10	0.19	0.92	17
18		0.22	0.50	0.33							0.07	0.38	18
19		0.09		0.05		0.48			0.31	0.12	0.14	0.70	19
20		0.06	0.05			0.17				0.40	0.05	0.54	20
21		0.22	0.50			0.30		0.10	0.14	0.71			21
22	0.20	0.03		0.02	0.21	0.05			0.30				22
23	0.10					0.07				0.04	0.04		23
24		0.14				0.09		0.05	0.04	0.36		0.27	24
25						0.12			0.09				25
26		0.22						0.04		0.47		0.04	26
27		0.14	0.05					0.02	0.13	0.07		0.19	27
28		0.25	0.10					0.11		0.19			28
29				0.17			0.60			0.17			29
30						0.15	0.07			0.42			30
31					0.20								31
Total	0.94	1.48	2.62	0.67	1.28	2.63	0.67	0.74	1.22	3.14	2.92	8.68	TOTAL for year 26.99
No. of Rain Days.	5	12	13	6	7	11	2	8	7	13	14	21	119.

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
12 APR 19

REGISTER OF RAINFALL IN 1911.

Kept at The Lawn Dawlish

in the County of Devon 5

by D. F. C. Churchward

RAIN GAUGE
Pattern
Diameter of top 5" in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 17·59 ft.

Time of Observation 6 pm

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0·07								0·03	1
2				0·03							0·17	0·31	2
3					0·44			0·19		0·05		0·07	3
4					0·13							0·24	4
5					0·03			0·16			0·14	0·82	5
6	0·37		0·31					0·07			0·17	0·47	6
7			0·03								0·09		7
8											0·60		8
9			0·08								1·01	0·74	9
10		0·05	0·08			0·58				0·04		0·39	10
11	0·15											0·41	11
12	0·12				0·23							0·10	12
13			0·29		0·04							0·62	13
14		0·04							0·21		0·04	0·53	14
15			0·06			0·27					0·17	0·53	15
16		0·02	0·09			0·35					0·04	0·38	16
17			0·48							0·10	0·19	0·92	17
18		0·22	0·50	0·33							0·07	0·38	18
19		0·09		0·05		0·48			0·31	0·12	0·14	0·70	19
20		0·06	0·05			0·17				0·40	0·05	0·54	20
21		0·22	0·50			0·30		0·10	0·14	0·71			21
22	0·20	0·03		0·02	0·21	0·05			0·30				22
23	0·10					0·07				0·04	0·04		23
24		0·14				0·09		0·05	0·04	0·36		0·27	24
25						0·12			0·09				25
26		0·22						0·04		0·47		0·04	26
27		0·14	0·05					0·02	0·13	0·07		0·19	27
28		0·25	0·10					0·11		0·19			28
29				0·17			0·60			0·17			29
30						0·15	0·07			0·42			30
31					0·20								31
Total	0·94	1·48	2·62	0·67	1·28	2·63	0·67	0·74	1·22	3·14	2·92	8·68	TOTAL for year 26·99
No. of Rain Days.	5	12	13	6	7	11	2	8	7	13	14	21	119

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19 13.

FORM A. BRITISH RAINFALL.

17 JAN 1914

Kept at Dawlish (Lawn)

in the County of Devon

by S. F. C. Churchward
Engineer Surveyor Dawlish Urban Dist Council

Lat. .... Long. ——

Time of Observation 9 . am

Nearest Railway Station Dawlish

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·12		0·02					0·39	0·13			1
2		0·31		0·20	0·13				0·06	0·19	0·25		2
3	0·19		0·17	0·10	0·20		0·05		0·04	0·25	0·25		3
4			0·04				0·04		0·03	0·50			4
5	0·53				0·32	0·06			0·08	0·22	0·13	0·38	5
6	1·60	0·04	0·08		0·17	0·05	0·04		1·09	0·25	0·40	0·41	6
7		0·16	0·09		0·06	0·16	0·02		0·01	1·20	0·03	0·19	7
8		0·16	0·10		0·59		0·35			0·18	0·20		8
9	0·08				0·15		0·05	0·02		0·04			9
10		0·17			0·10		0·02	0·19			0·27		10
11								0·04		0·10	0·11		11
12	0·53				0·60	0·06				0·06	0·92		12
13	0·79				0·05				0·04		0·56		13
14	0·32		0·06	0·04				0·06	0·04		0·15		14
15	0·31		0·10		0·36				0·01		0·11		15
16	0·32			0·50					0·28				16
17			0·55						0·14				17
18	0·10		0·04	0·10									18
19	0·32		0·28	0·05							0·17		19
20	0·65		0·04			0·06			0·33				20
21	0·15		0·22	0·30						0·13	0·28		21
22			0·45								0·30		22
23	0·31					0·05			0·12	0·24		0·31	23
24			0·35			0·02						0·75	24
25		0·07		0·07									25
26				0·40				0·39					26
27												0·18	27
28	0·50		0·21	1·62				0·12		0·32			28
29			0·08	0·26				0·01		0·28			29
30				0·21						0·19			30
31	0·40		0·50							0·55			31
Total	7·10 ✓	1·03 ✓	3·36 ✓	3·87 ✓	2·73 ✓	0·46 ✓	0·57 ✓	0·83 ✓	2·66 ✓	4·73 ✓	4·13 ✓	2·22 ✓	YEAR'S TOTAL 33·69 ✓
Rain Days.	~~19~~ 16	~~8~~ 7	17	~~14~~ 13	~~12~~ 11	7	7	7	14	17	15	6	~~143~~

137

W.7,000, XI. 13

1

Ex. Mg.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

- 8. JUL. 1915

Kept at *The Lawn - Dawlish*

in the County of *Devon S5*

by *S.F.C. Churchward.*
Engineer Surveyor Dawlish Urban District Council

Lat. Long.

Time of Observation *9. am*

Nearest Railway Station *Dawlish*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *0* in.

" " " " Sea Level *18* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0·18	0·20					0·43			0·31	0·23	1
2			0·05			0·09	0·07	0·42			0·35	0·10	2
3				0·38	0·05		0·23	0·41			0·06	0·21	3
4			0·14	0·15	0·81							0·07	4
5	0·28			0·25	0·16			0·12				0·08	5
6	0·14							0·06				0·21	6
7			0·02	0·24	0·15	0·18	0·01				0·08	0·63	7
8		1·14	0·60	0·23	0·06		0·20	0·16			0·03	0·03	8
9	0·01		0·36	0·14	0·05	0·25		0·25	0·65		0·58		9
10				0·16	0·10	0·76			0·87				10
11		0·55	0·07			0·49			0·22			1·21	11
12		0·13	0·28			0·19	0·03					0·97	12
13		0·20								0·03	0·05	0·57	13
14		0·41	0·38				0·11	0·47	0·57	0·13	0·23	0·02	14
15		0·30	0·26			0·07	0·02			0·07		0·01	15
16			0·07				0·05			0·02	0·62	0·09	16
17			0·06						0·16				17
18	0·19	0·19	0·23									0·62	18
19	0·01	0·05	0·18				1·80		0·23		0·04	0·03	19
20	0·03	0·03									0·06	0·25	20
21	0·02	0·38	0·72										21
22	0·30	0·52			0·24	0·06				0·37	0·06	0·32	22
23	0·52	0·08								0·36	0·02	0·31	23
24	0·08	0·11	0·31		0·02						0·39	0·52	24
25					0·40	0·05					0·12	0·72	25
26			0·27		0·01	0·02	0·04			0·62		0·81	26
27							0·07		0·39	0·02	0·12	0·23	27
28										0·03	0·03	0·91	28
29			0·48		0·10					0·03	0·15		29
30					0·13					0·15	0·24		30
31										0·24			31
Total	1·58	4·27	4·68	1·55	2·28	2·16	2·63	2·32	3·03	2·07	3·54	9·09	YEAR'S TOTAL 39·20
Rain Days.	10	14	18	7	13	10	11	8	7	12	19	24	153

W. 8,000. X. 14.

[illegible] 10.IV.16 1858

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3-FEB 1916

Kept at Dawlish (Lawn)

in the County of Devon

by S.H.Churchward.

Lat. 50·40 N. Long. 3·28

Time of Observation 9. am

Nearest Railway Station Dawlish

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20 0·02	0·05	0·06					0·44	0·25	0·52	0·06	0·07	1
2		0·17		0·01		0·08		0·31	0·43	0·04		0·68	2
3	0·40	0·17	0·06	0·02	0·05							0·53	3
4	0·24	0·12	0·03	0·09								0·30	4
5	0·03	0·06		0·30				0·36				0·55	5
6	0·03	0·68		0·15			0·40					0·20	6
7	0·92	0·11					0·27			0·02		0·46	7
8	0·30	0·38		0·02			0·03	0·09			0·08	0·25	8
9	0·07	0·45		0·05							0·38	0·70	9
10	0·33	0·45								0·14	0·04	0·06	10
11	0·11	0·43	0·04	0·04	0·05					0·09	0·80	0·03	11
12	0·13	0·66	0·15		0·56			0·24		0·04	0·30		12
13	0·07	0·34			0·64			0·12			0·17	0·03	13
14		0·41					0·24	0·19	0·05	0·10	0·04	0·72	14
15					0·28		0·18			0·02	0·07	0·09	15
16	0·10				0·25		0·72			0·02		0·15	16
17		1·20			0·08								17
18		0·41											18
19		0·19			0·48		0·10	0·43					19
20						0·09				0·35		0·06	20
21	0·17			0·12			0·19			0·12			21
22	0·33	0·11				0·08	0·38			0·04		0·25	22
23	0·06			0·05		0·06	0·06			1·52		0·40	23
24			0·32				0·46			0·16		0·43	24
25			0·05			0·63	0·14					0·34	25
26		0·13		0·07			0·14					0·90	26
27	0·02	0·04	0·04			0·18	0·06			0·38		0·02	27
28						0·12			0·52	0·06	0·03	0·09	28
29						0·72	0·58		0·09		0·17	0·11	29
30		╳							0·04	0·45	0·30	0·48	30
31	0·20	╳		╳		╳	0·16		╳	(1·00)	╳	0·27	31
Total	3·71	6·56	0·75	0·92	2·29	1·96	4·11	2·18	1·38	5·07 ✓	2·43	8·17	YEAR'S TOTAL 39·53 ✓
Rain Days.	18	20	8	11	8	8	16	8	6	18 ✓	12	26	158

W. 8,000. X. 15.

1819

FORM A.
BRITISH RAINFALL.

20. FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at The Lawn Dawlish

in the County of Devon

by S. T. C. Churchward
Engineer & Surveyor
Dawlish U.D. Council

Lat. 50·40 Long. 3·28

Time of Observation 9 am

Nearest Railway Station Dawlish

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·27		0·05		0·30				0·15	0·25	0·11		1
2	0·12	0·07			0·03				0·10	0·24	0·32		2
3	0·11	1·10			0·36	0·05				0·50	0·20		3
4	0·02	0·10			0·18	0·12				0·15	0·68		4
5	0·19	0·08	0·09		0·02	0·09				0·10	0·07		5
6		0·12			0·16	0·04	0·74			0·05	0·88		6
7		0·20	0·10		0·05	0·14				0·05	0·60	0·06	7
8	0·03	0·30	0·28		0·20	0·15	0·05				0·05	0·14	8
9		0·08			0·06	0·04					0·08	0·13	9
10		0·63		0·03						0·06		0·12	10
11			0·06			0·05							11
12			0·26	0·13	0·17		0·05	0·10					12
13		0·21	0·17	0·04			0·02	0·15					13
14		0·57	0·25		0·05			0·30		0·04			14
15		0·35	0·13	0·07						0·08		0·20	15
16	0·04	0·12		0·10			0·07	0·34		0·13			16
17	0·15	0·06		0·04					0·10	0·24	0·90		17
18	0·16	0·08	0·34	0·02					0·18	0·05		0·14	18
19	0·06	0·15	0·26	0·05					0·06		0·17	0·10	19
20	0·10	0·86	0·29								0·34	1·20	20
21	0·08	0·05	0·10		0·06							0·26	21
22	0·04					0·08		0·09		0·18		0·65	22
23		0·04				0·14		0·11		0·17	0·12	0·10	23
24	0·05			0·05	0·30			0·11		0·53		0·40	24
25		0·32	0·04			0·03		0·23			0·22		25
26		0·31	0·12		0·04	0·42		0·08	1·95	0·60			26
27			1·15			0·30		0·11	0·26	0·20			27
28								0·14	0·16	0·33		0·40	28
29		0·38				0·27		2·75	0·10	0·10			29
30		X								1·15			30
31		X		X		X			X	0·30	X		31
Total	1·42	6·18	3·69	0·53	1·98	1·92	0·93	4·51	3·06	5·50	4·74	3·90	YEAR'S TOTAL 38·36
Rain Days.	14	22	16	9	14	14	5	12	9	22	14	13	164

W. 8,000, VIII. 16

DEVON.

DAWLISH.

"BLYTH"

1911

RE[illegible] 911

4 - JAN 1912

FORM A2.
BRITISH RAINFALL.

[illegible] Snowden

Kept at Blyth, [illegible] ...op 5 in.

...above Ground 1 ft. 0 in.

in the County of De[illegible] „ Sea Level 44 ft.

[illegible].0 A.14.

by Captain C. W. [illegible] ...n { Name Dawlish
Distance 100 yds Direction S by W

IMPORTANT NOTE.—[illegible] daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	.04	.06	–	–	–	–	.01	.01	.01	1
2	–	–	–	.05	.30	–	–	.16	–	.10	.15	.26	2
3	–	–	–	–	.11	–	–	–	.02	–	.07	.08	3
4	–	–	.04	–	–	–	–	.02	–	.03	.06	.47	4
5	.09	–	.08	–	–	–	–	.15	–	–	.10	–	5
6	.26	–	.33	–	–	–	–	.03	–	–	.08	.85	6
7	.02	–	–	.02	–	–	–	–	–	–	.44	.02	7
8	–	–	.10	–	–	–	–	–	–	–	.07	.54	8
9	–	–	–	–	–	.33	–	–	–	–	.52	.68	9
10	.01	.02	.28	–	.29	–	–	–	–	–	–	.25	10
11	.15	–	[illegible]	–	–	–	–	–	–	–	.76	.06	11
12	–	–	.60	–	–	–	–	–	.05	–	.03	.07	12
13	–	–	.03	–	–	–	–	–	.25	.01	.02	.47	13
14	–	.13	–	–	–	–	–	–	–	.04	~~2~~	.78	14
15	–	.03	.09	–	–	.01	–	–	–	–	.25	.07	15
16	–	–	.09	–	–	.33	–	–	–	–	.55	.55	16
17	–	–	.38	.02	–	.15	–	–	–	–	.25	.59	17
18	–	.21	.22	.23	–	.28	–	–	–	.16		.42	18
19	–	.05	.01	.06	–	.40	–	–	.33	.33	.10	.42	19
20	.02	.01	.27	–	–	.01	–	–	.05	.37	.01	.60	20
21	.01	.06	–	–	–	–	–	.05	.09	.57	–	.05	21
22	.42	–	.05	.01	–	.07	–	–	.24	.18	–	.65	22
23	.01	.12	.06	–	–	.07	–	–	.02	.29	.08	.24	23
24	–	.10	–	–	–	.30	–	.04	–	.31	–	.26	24
25	–	.07	–	–	–	.03	–	–	.07	.10	–	.15	25
26	–	.07	–	.22	.02	–	–	.02	–	.45	.02	.14	26
27	–	.22	.02	.01	–	–	–	.03	.17	.45	.01	.12	27
28	–	.18	.01	.39	–	–	–	.07	.15	–	.04	–	28
29	–		–	.18	.05	.15	.67	–	–	.17	–	–	29
30	–		–	–	–	.03	.03	–	–	.11	.06	–	30
31	–		–		–		.04	–		.01		–	31
Total	0.99	1.27	2.66	1.23	0.83	2.16	.74	.57	1.44	3.69	3.91	8.74	TOTAL for year 28.23
No. of Rain Days	9	13	17	11	6	13	3	9	11	18	23	26	159

9,000, IX. '10.

RE 911

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

Kept at Blyth, Dawlish

in the County of Devon S. 5

by Captain C. W. H. Plenderleath

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 44 ft.

Time of Observation 9.0 A.M.

Nearest Railway Station
Name Dawlish
Distance 100 yds Direction S by W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.04	.06	—	—	—	—	.01	.01	.01	1
2	—	—	—	.05	.30	—	—	.16	—	.10	.15	.26	2
3	—	—	—	—	.11	—	—	~~t~~	.02	—	.07	.08	3
4	—	—	.04	—	—	—	—	.02	—	.03	.06	.47	4
5	.09	—	.08	—	—	—	—	.15	—	—	.10	—	5
6	.26	—	.33	—	—	—	—	.03	—	—	.08	.85	6
7	.02	—	—	.02	—	—	—	—	—	—	.44	.02	7
8	—	—	.10	—	—	—	—	—	—	—	.07	.54	8
9	—	—	—	—	—	.33	—	—	—	—	.52	.68	9
10	.01	.02	.28	—	.29	—	—	—	—	—	—	.25	10
11	.15	—	[illegible]	—	—	—	—	—	—	—	.76	.06	11
12	—	—	.60	—	—	—	—	—	.05	—	.03	.07	12
13	—	—	.03	—	—	—	—	—	.25	.01	.02	.47	13
14	—	.13	—	—	—	—	—	—	—	.04	~~2~~	.78	14
15	—	.03	.09	—	—	.01	—	—	—	—	.25	.07	15
16	—	—	.09	—	—	.33	—	—	—	—	.55	.53	16
17	—	—	.38	.02	—	.15	—	—	—	—	.25	.59	17
18	—	.21	.22	.23	—	.28	—	—	—	.16	[illegible]	.42	18
19	—	.05	.01	.06	—	.40	—	—	.33	.33	.10	.42	19
20	.02	.01	.27	—	—	.01	—	—	.05	.37	.01	.60	20
21	.01	.06	—	—	—	—	—	.05	.09	.57	—	.05	21
22	.42	—	.05	.01	—	.07	—	—	.24	.18	—	.65	22
23	.01	.12	.06	—	—	.07	—	—	.02	.29	.08	.24	23
24	—	.10	—	—	—	.30	—	.04	—	.31	—	.26	24
25	—	.07	—	—	—	.03	—	—	.07	.10	—	.15	25
26	—	.07	—	.22	.02	—	—	.02	—	.45	.02	.14	26
27	—	.22	.02	.01	—	—	—	.03	.17	.45	.01	.12	27
28	—	.18	.01	.39	—	—	—	.07	.15	—	.04	—	28
29	—		—	.18	.05	.15	.67	—	—	.17	—	—	29
30	—		—	—	—	.03	.03	—	—	.11	.06	—	30
31	—		—		—		.04	—		.01		—	31
Total	0.99	1.27	2.66	1.23	0.83	2.16	.74	.57	1.44	3.69	3.91	8.74	TOTAL for year 28.23
No. of Rain Days	9	13	17	11	6	13	3	9	11	18	23	26	159

9,000, IX. '10.

Cor. for aith.

REGIS

DEVON.

DAWLISH.

"THE BURROWS"

1911-1913, 1916

FORM A2.
BRITISH RAINFALL.
12 APR 1912

Kept at The Burrow

in the County of Dev

by S.F. Churchw

5 in.

round 1 ft. in.

ea Level ft.

ame

istance Direction

IMPORTANT NOTE.—Ra   the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0.08									1
2					0.50			0.05		0.08		0.78	2
3					0.18			0.16				0.26	3
4											0.17	0.32	4
5	0.16							0.03			0.22		5
6	0.28		0.13					0.21			0.04	0.86	6
7			0.20					0.03			0.61		7
8			0.09							0.08	1.05	0.48	8
9						0.64						0.62	9
10	0.04	0.02	0.24		0.20							0.19	10
11	0.29											0.12	11
12			0.32									0.09	12
13									0.28			0.40	13
14												0.70	14
15			0.06								0.45	1.45	15
16			0.11			0.50					0.16	0.56	16
17			0.46			0.29					0.09	0.22	17
18		0.27	0.54			0.36				0.09	0.36	0.56	18
19		0.08		0.09		0.50			0.38	0.44		0.14	19
20			0.43						0.06			0.42	20
21		0.09						0.12	0.38	0.47		0.37	21
22	0.11		0.12			0.03			0.08	0.80		0.47	22
23	0.17	0.26				0.09			0.02	0.14	0.07	0.16	23
24		0.13				0.20							24
25		0.05	0.04			0.13			0.12				25
26		0.22	0.06	0.06				0.05		0.38		0.32	26
27		0.16		0.05				0.03		0.31			27
28		0.28		0.23				0.08		0.24	0.04		28
29					0.18	0.15			0.16	0.26	0.12		29
30				0.22			0.62			0.09			30
31							0.04						31
Total	1.05	1.56	2.80	0.73	1.06	2.89	0.66	0.76	1.48	3.58	~~2~~3.38	8.89	TOTAL for year ~~27.84~~ 28.84
No. of Rain Days.	6	10	13	6	4	10	2	9	8	12	12	21	113.

3.38

W. 8,000, X. '11.

Cor. for auth.

REGIS

FORM A2.
BRITISH RAINFALL.
12 APR 1912

Kept at The Burrows Dawlish

in the County of Devon 5

by S.F. Churchward

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 9 A.M.

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.08									1
2					0.50			0.05		0.08		0.18	2
3					0.18			0.16				0.26	3
4											0.17	0.32	4
5	0.16							0.03			0.22		5
6	0.28		0.13					0.21			0.04	0.86	6
7			0.20					0.03			0.61		7
8			0.09							0.08	1.05	0.48	8
9						0.64						0.62	9
10	0.04	0.02	0.24		0.20							0.19	10
11	0.29											0.12	11
12			0.32									0.09	12
13									0.28			0.40	13
14												0.70	14
15			0.06								0.45	1.45	15
16			0.11			0.50					0.16	0.56	16
17			0.46			0.29					0.09	0.22	17
18		0.27	0.54			0.36				0.09	0.36	0.56	18
19		0.08		0.09		0.50			0.38	0.44		0.14	19
20			0.43						0.06			0.42	20
21		0.09						0.12	0.38	0.47		0.37	21
22	0.11		0.12			0.03			0.08	0.80		0.47	22
23	0.17	0.26				0.09			0.02	0.14	0.07	0.16	23
24		0.13				0.20							24
25		0.05	0.04			0.13			0.12				25
26		0.22	0.06	0.06				0.05		0.38		0.32	26
27		0.16		0.05				0.03		0.51			27
28		0.28		0.23				0.08		0.24	0.04		28
29					0.18	0.15			0.16	0.26	0.12		29
30				0.22			0.62			0.09			30
31							0.04						31
Total	1.05	1.56	2.80	0.73	1.06	2.89	0.66	0.76	1.48	3.58	~~2~~3.38	8.89	TOTAL for year ~~24.84~~ 28.84
No. of Rain Days.	6	10	13	6	4	10	2	9	8	12	12	21	113.

3.38

W. 8,000, X. '11.

S. made

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

19 FEB 191

Kept at Dawlish (Burrows Reservoir)
in the County of Devon 5
by S. F. Churchward
Surveyor. Dawlish Urban Dist. Council

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Dawlish
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						0.63	0.06		0.07	0.53		0.27	1
2			0.07			0.20	0.03	0.03		0.29		0.03	2
3			0.32			0.30	0.18	0.93				0.04	3
4	0.12		0.62			0.37		0.16			0.36		4
5	0.46		0.09			0.14		0.25					5
6	0.17				0.12	0.04						0.03	6
7	0.04	0.66	0.36		0.17		0.94	0.08				0.36	7
8	0.48		0.16			0.20							8
9	0.06	0.25					0.05	0.09				0.22	9
10	0.32	0.09	0.07			0.46		0.48			0.08	0.44	10
11	0.10							0.05			0.06	0.14	11
12		0.60	0.09				0.07	0.48					12
13	0.28					0.03	0.41			6.04		0.09	13
14	0.54		0.52		0.13			0.09				0.04	14
15		0.08			0.42	0.27						0.09	15
16	0.32		0.29		0.11			0.03		0.02		0.03	16
17	0.04		0.34			0.32		0.90				0.07	17
18	0.06		0.16					0.05				0.05	18
19		0.06	0.06			0.03		0.34					19
20			0.32		0.17			0.26		0.13	0.03		20
21		0.18	0.22		0.34			0.09		0.12			21
22	0.28	0.09	}				0.06	0.05		0.04	0.03		22
23	0.58	0.22	}0.33			0.03	0.07	0.32		0.12	0.07		23
24		0.06				0.06		0.05				0.18	24
25						0.23				0.20	0.06	0.24	25
26		0.05					0.04			0.52	0.66	0.38	26
27						0.38	0.38			1.33		0.11	27
28		0.16				0.13	0.09		0.20	0.38	0.42	0.59	28
29		0.62					0.17		0.40	0.56		0.06	29
30						0.54	0.06		0.26	0.43			30
31			0.19				0.73						31
Total	3.85	3.12	4.21	—	1.46	4.36	3.34	4.73	0.93	4.71	1.77	3.46	YEAR'S TOTAL 35.94 ✓
Rain Days.	15	13	17?	—	7	18	15	19	4	14	9	20	151. ✓

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
17 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Dawlish. (Burrows Reservoir) 34 P

in the County of 5 Devon 5

by S. F. C. Churchward
Engineer Surveyor
Dawlish Urban Dist Council

Lat. Long.
Time of Observation about 7. am.
Nearest Railway Station Dawlish
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·15			0·09				0·11				1
2	0·07	0·15			0·05		0·06		0·03	0·26			2
3	0·54		0·20	0·23	0·51					0·21		0·24	3
4	0·74		0·04		0·10				0·09	0·33	0·10	0·10	4
5	0·27	0·05	0·04		0·16	0·08			1·18		0·36	0·36	5
6	0·05	0·16	0·05		0·06	0·16				1·07	0·02	0·20	6
7		0·53	0·09		0·05	0·03	0·28			1·15	0·17		7
8	0·04				0·16					0·03	0·27		8
9		0·22			0·19		0·07	0·13		0·16			9
10								0·08		0·08	0·30		10
11	1·33	0·20				0·04					0·59		11
12	0·06				0·72	0·02					0·50		12
13	0·12							0·04			0·40		13
14	0·30		0·12	0·05	0·16						0·06		14
15	0·33		0·20	0·48					0·02				15
16	0·24		0·46	0·80					0·36				16
17	0·09		0·33	0·08									17
18	0·02		0·25	0·30							0·03		18
19	0·57			0·04		0·02			0·46				19
20	0 04		0·18			0·03				0·09	0·25		20
21			0·22	0·40						0·05	0·40		21
22	0·72		0·54						0·03	0·16		0·15	22
23				0·03		0·04					0·04	0·96	23
24		0·04		0·05									24
25				0·05					0·04	0·07			25
26				1·43				0·11				0·12	26
27	0·37		0·13	0·24						0·36			27
28	0·54		0·30	0·24						0·29		0·03	28
29	0·22		0·46							0·07		0·05	29
30	0·37									0·03			30
31	0·50		0·19					0·44		0·57			31
Total	7·53	1·50	3·80	4·42	2·25	0·42	0·41	0·80	2·32	4·98	3·49	2·21	YEAR'S TOTAL 34·13
Rain Days.	22	8	17	14	11	8	3	5	9	17	14	9	137

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
20 FEB 1917

Kept at Burrow's Reservoir Dawlish
in the County of Devon
by S. F. C. Archward
Engineer & Surveyor
Dawlish U. D. Council

Lat. Long.
Time of Observation weekly
Nearest Railway Station Dawlish
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 420 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					0·30							0·19	1
2					0·08								2
3	0·50		1·06	1·17							0·62		3
4		1·55			0·59	0·28							4
5	0·18					0·04							5
6					0·16		0·60						6
7					0·06	0·09				1·55			7
8	0·02	0·61				0·30			0·29				8
9						0·06							9
10													10
11						0·02					2·80		11
12					0·22								12
13								0·14		0·08			13
14								0·20					14
15													15
16								0·24					16
17	0·25						0·07				0·80		17
18	0·20												18
19	0·06												19
20	0·12		1·66										20
21	0·06	3·23											21
22						0·12							22
23						0·12						2·75	23
24	0·04					0·03							24
25											0·40		25
26						0·34		0·72					26
27			0·90			0·30							27
28								3·05					28
29		0·69				0·34			2·90				29
30		X										1·10	30
31		X		X		X			X	3·13	X		31
Total	1·43	6·08	3·62	1·17	1·41	2·04	0·67	4·35	3·19	4·76	4·62	4·04	YEAR'S TOTAL 37·38
Rain Days.	9												

W. 8,000, VIII. 16

DOUSLAND RES
DEVON

1912 – 1920

REC

FORM A.
BRITISH RAINFALL.

26 JUN 1913

Kept at Dousland
in the County of De
by Mr F. W. Sil

a.m.
Dousland
5 in.
ove Ground 1 ft. in.
Sea Level 721 ft.

IMPORTANT NO
previous day. If an O
requested to add the rea
for it at the end of th
the selection and placin
Organization are given i
Dr. H. R. Mill, 62, Ca

l the result entered to the
versal rule, he is earnestly
ar in the space provided
ment of rain,
ritish Rainfall
application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·04	·01	·08	·34	·07	·09	·14	·80		·47	1
2			·62	·12	·01	1·14	·04	·05		·05		·02	2
3	·10		·64			·60	·02	1·43	·13			·30	3
4	·39		·72		·06	·39		·23			·54	·02	4
5	·85	·30	·21	·01	·03			1·12			·03	·20	5
6	·47	·04	·03		·60			·56			·02	·01	6
7	·17	1·30	·47	·02	·22	·46		·15			·08	·28	7
8	·87	·27	·79		·02	·40		·01			·01	·01	8
9	·14	·17	·16	·10	·01	·10	·15	·14				·97	9
10	·30	·08	·12	·02			·35	·05			·40	·23	10
11	·05	·05	·05				·05	·04			·26	·90	11
12	·04	·66	·40		·05		·31	·25			·05	·02	12
13	·87	·03	·09				·18	·01					13
14	·13	·16	·94		·21	·02		·14		·08		·30	14
15	·94	·40	·09			·72		·11				·60	15
16	·45		·72		·07	·08		·94		·20	·04	·10	16
17	·02		·19		·05	·30		2·00			·09	·06	17
18		·05	·17			·02		·22		·90	·06		18
19	·02	·12	·43			·04	·07	·55		·30	·04		19
20	·04	·04	·65		·25			·44		·34	·14	·01	20
21		1·03	·39		·08		·03	·19		·54	·02		21
22	·20	·90	·34				·02	·42		·07	·03	·25	22
23	·04	·64	·31			·27	·01	1·50		·04		·40	23
24	·05	·14	·11			·70	·02	·04			·37	·30	24
25	·03	·04	·01			·27	·24	·15		·27	·50	·64	25
26		·07					·13	·14		·77	·70	·37	26
27		·10	·02			1·40	·70	·15		2·37	·02	1·01	27
28		·24				·41	·23	1·40	·64	·43	·82	·46	28
29		·45				·05	·22	·32	·83	·37		·09	29
30			·16		·02	·04	·32	·01	·14	·46		·01	30
31			·27				·57	·01		·01		·59	31
Total	6·17	7·28	9·14	·28	1·76	7·75	3·73	12·86	1·88	8·00	4·22	8·62	YEAR'S TOTAL 71·69 ✓
Rain Days.	21	23	28	6	15	20	20	31	5	17	20	27	233 ✓

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

26 JUN 1913

Kept at Dousland

in the County of Devon S2

by Mr. F. W. Sillicrap

Lat. Long.

Time of Observation 8 a.m.

Nearest Railway Station Dousland

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 721 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·01	·08	·34	·07	·09	·14	·80		·47	1
2			·62	·12	·01	1·14	·04	·05		·05		·02	2
3	·10		·64			·60	·02	1·43	·13			·30	3
4	·39		·72		·06	·39		·23			·54	·02	4
5	·85	·30	·21	·01	·03			1·12			·03	·20	5
6	·47	·04	·03		·60			·56			·02	·01	6
7	·17	1·30	·47	·02	·22	·46		·15			·08	·28	7
8	·87	·27	·79		·02	·40		·01			·01	·01	8
9	·14	·17	·16	·10	·01	·10	·15	·14				·97	9
10	·30	·08	·12	·02			·35	·05			·40	·23	10
11	·05	·05	·05				·05	·04			·26	·90	11
12	·04	·66	·40		·05		·31	·25			·05	·02	12
13	·87	·03	·09				·18	·01					13
14	·13	·16	·94		·21	·02		·14		·08		·30	14
15	·94	·40	·09			·72		·11				·60	15
16	·45		·72		·07	·08		·94		·20	·04	·10	16
17	·02		·19		·05	·30		2·00			·09	·06	17
18		·05	·17			·02		·22		·90	·06		18
19	·02	·12	·43			·04	·07	·55		·30	·04		19
20	·04	·04	·65		·25			·44		·34	·14	·01	20
21		1·03	·39		·08		·03	·19		·54	·02		21
22	·20	·90	·34				·02	·42		·07	·03	·25	22
23	·04	·64	·31			·27	·01	1·50		·04		·40	23
24	·05	·14	·11			·70	·02	·04			·37	·30	24
25	·03	·04	·01			·27	·24	·15		·27	·50	·64	25
26		·07					·13	·14		·77	·70	·37	26
27		·10	·02			1·40	·70	·15		2·37	·02	1·01	27
28		·24				·41	·23	1·40	·64	·43	·82	·46	28
29		·45				·05	·22	·32	·83	·37		·09	29
30			·16		·02	·04	·32	·01	·14	·46		·01	30
31			·27				·57	·01		·01		·59	31
Total	6·17	7·28	9·14	·28	1·76	7·75	3·73	12·86	1·88	8·00	4·22	8·62	YEAR'S TOTAL 71·69
Rain Days.	21	23	28	6	15	20	20	31	5	17	20	27	233

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

-6 MAY 1914

REGISTER OF RAINFALL IN 1913

Kept at Dousland Reservoir

in the County of Devon S.2

by Mr. F. W. Lillicrap

Lat. .... Long. ....

Time of Observation 8 a.m

Nearest Railway Station Dousland

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ' in.

" " " " Sea Level 721 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·40	·67	·11	·10	—	—	—	·15	·04	·67	·02	1
2	·23	·03	·07	·33	·37	·03	—	—	—	·33	·36	·12	2
3	·91	·01	·27	·09	·20	·01	—	—	·46	·03	·04	·28	3
4	1·49	·03	·28	·01	·01	·20	—	—	·29	·02	·13	·40	4
5	·15	·02	·02	—	·34	·43	—	—	1·69	·01	·20	·53	5
6	·48	·16	·18	—	·17	·13	—	—	—	·44	·36	·15	6
7	·28	·75	·10	—	1·60	·18	—	—	—	·35	·50	·02	7
8	·17	·60	—	—	·43	·01	·08	·22	—	·06	—	·15	8
9	·20	·09	·04	—	·02	·03	—	·16	—	—	·84	·01	9
10	1·01	·01	·06	·04	·07	·06	—	·02	—	·26	·10	—	10
11	1·20	—	—	·03	·90	·05	—	—	—	·22	1·15	·09	11
12	·06	—	—	—	·06	·09	—	—	·26	—	·24	·06	12
13	·07	—	26	·01	·09	—	—	—	·40	—	·20	—	13
14	·60	—	·24	·07	·11	—	·03	—	·10	—	·07	·02	14
15	·12	—	·40	1·17	—	—	—	—	·02	—	·23	—	15
16	·59	—	·63	·11	—	—	—	·27	·38	—	·09	—	16
17	·06	—	·04	·16	—	—	·04	—	·01	—	·13	—	17
18	·45	—	·65	·40	·09	—	·01	—	—	—	·20	—	18
19	·47	—	·05	·01	·06	·02	—	—	·60	·22	—	—	19
20	·26	—	·09	·60	·01	—	·01	—	—	·17	1·14	—	20
21	·02	—	·28	·35	·11	—	—	·03	—	·03	·23	—	21
22	·27	—	·65	·18	·04	·11	—	·07	—	·01	—	·31	22
23	·08	—	·02	·01	—	·03	—	·02	—	—	·32	·77	23
24	·03	·30	—	·27	—	·06	—	—	—	—	·01	·01	24
25	·02	·04	—	·70	—	—	—	—	·70	·03	·07	·13	25
26	—	—	—	1·65	—	—	—	·10	—	·03	·01	·35	26
27	·53	—	·50	·56	·04	—	—	·20	—	·52	·03	·02	27
28	·15	—	·11	·40	·06	—	—	—	—	·34	·01	·10	28
29	·13		·74	·42	—	—	—	—	—	·40	·03	—	29
30	·83		·01	·33	·05	—	·04	—	—	1·24	·01	—	30
31	·10		·28		·04		—	·30		·13		—	31
Total	10·97	2·44	6·64	8·01	4·97	1·44	·21	1·39	5·06	4·88	7·37	3·54	YEAR'S TOTAL 56·92
Rain Days.	30	12	25	24	23	15	6	10	12	21	27	19	224

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at Dousland

in the County of Devon S2 Ex M

by F. W. Sillicrap Esq

Lat. ______ Long. ______

Time of Observation 8 am

Nearest Railway Station Dousland

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 721 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·06	·19	–	·03	·48	·92	–	–	·87	·07	1
2	·03	–	·07	·14	·25	·01	·12	·03	–		·08	·54	2
3	·04	–	·26	·25	·97	–	–	·05	–		·04	·01	3
4	·11	–	·04	·62	·26	–	1·01	·16	–	–	·16	·96	4
5	·20	–	·37	·31	·11	–	–	–	–		·03	·02	5
6	–	·26	·24	·10	·15	·01	·83	·17	–		·04	1·23	6
7	·15	1·68	·67	·12	·28	·05	·37	·47	·54		·01	·37	7
8	·36	·01	1·10	·38	·02	·35	·02	·23	·17		–	·14	8
9	·13	·08	·37	·28	·01	·55	–	·48	·45		·05	–	9
10	·20	1·53	·15	·50	·30	·08	–	·02	·56		·03	·24	10
11	–	·29	·94	·03	–	·17	–	–	·05		·07	·68	11
12	–	·79	·30	·01	–	–	–	–	·56		·05	·37	12
13	–	1·13	·64	–	–	·05	·16	–	·47		·41	·22	13
14	–	·70	·35	–	–	·25	–	·34	·11	·02	–	·28	14
15	–	–	·29	–	–	–	·10	·17	·02	·07	–	·75	15
16	–	–	·02	–	–	–	·03	–	·67	–	–	·02	16
17	–	·87	·37	–	–	–	·02	–	·02	–	–	1·17	17
18	–	·10	·15	–	–	–	·17		·66	–	–	·32	18
19	–	·11	·65	–	–	–	1·85		·05	–	·16	·21	19
20	–	·73	·15	–	–	–	–		·02	–	–	·38	20
21	–	·64	·06	–	–	–	·02		–	·75	–	·02	21
22	–	·11	·15	–	·09	·18	–	·20	–	·42	–	–	22
23	–	·14	·40	–	·02	–	·10	·02	–	·08	–	–	23
24		·04	·02	–	–	–	·09	·10	–	·04	·08	–	24
25	·14	–	·37	–	·03	–	·11	1·23	–	·78	·15	1·06	25
26	·13	·04	·05	–	–	–	·18	·14	–	·05	·33	1·09	26
27	·14	·33	–	–	–	–	·06	·03	–	·25	·24	·80	27
28	–	·16	·65	–	·10	–	·12	–	–	·25	·21	·72	28
29	·58	–	·46	–	·15	–	·06	–	–	·04	1·53	·03	29
30	·05	╳	·37	–	·03	–	–	–	–	·14	·39	1·52	30
31	·15	╳	–	╳	–	╳	1·25	–	╳	1·10	╳	·85	31
Total	2·41	9·74	9·70	2·93	2·77	1·73	7·15	4·76	4·35	3·99	4·91	14·07	YEAR'S TOTAL 68·51
Rain Days.	14	20	29	12	15	11	21	17	14	13	20	27	213

W. 8,000. X. 14.

1789

13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Dousland by Frank Howarth

in the County of Devon S2

RAIN GUAGE.

Diameter 5"

Height of top above Ground 1'0"

" " " Sea Level 721 ft

Lat. Lon. Time of Observation 8·AM.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·85			·08			·97	·28	·33	·03	·11	1
2	·40	·43	·35	·10	·01	·18		·43	·13	·01		·46	2
3	·11	·50	·51	·17	·09	·02		·02				·57	3
4	·04	1·03	·03		·01	·02		·01				·49	4
5	·12	·93	·02	·26				·27				1·33	5
6	1·23	·30	·01	85 ·85			·91	·16				·55	6
7	·40	·83		·10			·42	·01		·39	·05	·47	7
8	·17	·47		·01			·04	·11		·04	·18	·07	8
9	·02	·11		·14				·06			·62	1·35	9
10	·32	·75	·06	·08			·01	·07		·35	·15	·18	10
11	·16	·02	·14		·01		·01	·22			1·84	·07	11
12	·18	·53		·05	·60			·07		·13	·39	·04	12
13	·06	·95			1·17		·04	·12	·04		·25	·07	13
14	·14						·24	·09	·30	·13	·03	3·00	14
15	·16				·33		·29		·07	·02	·12	·27	15
16	·03	2·91			·36		1·72			·05		·18	16
17	·06	·30	·02		·02								17
18	·01	·28					·06						18
19	·06	·02			·86		·22						19
20	·37	·01		·12	·08	·08				·34			20
21	·19	·34			·18	·07	·43		·02	·14		·17	21
22	·23	·07	·43	·04		·01	·62			·02		·70	22
23	·08	·09	·06				·14		·16	·72		·66	23
24		·02				·03	·11		·10	·34		·91	24
25				·08		·14	·24		·02			·78	25
26		·78				·91	·01		·02			1·00	26
27	·07	·09				·25	·08		·02	1·02		·01	27
28		·07				·23	·01	·02	·18	·16	·02	·06	28
29						·41	·03		·13	·01	·46	·62	29
30	·25					·34	·01		·04	1·07	·81	·63	30
31	·01						·26	·03		·58		·42	31
Totals	5·22	12·68	1·63	2·00	3·80	2·69	5·90	2·66	1·51	5·85	4·95	15·17	Years Total 64·06
Rain Days Total from Jan. 1	26	25	10	12	13	13	22	16	14	19	13	27	210

1748

20. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Dousland by Frank Howarth

in the County of Devon

RAIN GUAGE. Diameter 5"

Height of top above Ground 1'0"

Lat. Lon. Time of Observation 9·AM. " " " Sea Level 721 ft.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40		·08		·02	·15	·18		·04	·20	·56		1
2	·68	20	09.		·10		·02		·21	·56	·41		2
3	·18	2·12			·22	·20	·01		·11	1·10	·47		3
4	·52	·17		·02	·10	·50	·04		·19	·26	1·59	01	4
5	·11	·41	·02		·03	·24				·32	·24		5
6	·09	·35	·02		·25	·23	1·10			·60	1·40		6
7	·06	30	·09		·16	03	·03			·14	1·27	·10	7
8	·01	·22	·26		·49	·01				·01	·30	·15	8
9	·03	·17	·10		·02	·22	03			·18	·20	·31	9
10	·01	90	·01	·09	·10	02	·06			·13	·03	·09	10
11		·03		·11	·09	·01			·06		·02	·03	11
12	·11	·12	·06	·08	·29		·38	·19	·01	·25			12
13		·39	·07		·01		·05	·43	·02	·04		·15	13
14	·03	·62	·01		·09			·11		·23		·01	14
15	·06	·34	·08	·20				·12		·04			15
16	·52	·09		·25	·01		·64	·34		·06		·03	16
17	·60	·17		·02				·11	·16	·65	1·77		17
18	·05	·15	27	·03				·01	·36	·22	·06	·08	18
19	·43	·14	·07	·25					·05		·44	·18	19
20	·14	·44	·23	·01							·09	·91	20
21	·11	·07	·08	·38	·02						·20	·13	21
22			·03	·02		·36	·19	·11		·55	·16	·53	22
23	·20	·04		·20		·24		·34		·26	·75	·13	23
24		·11	·20	1·30	·10	·03		·20		·75	·15	·28	24
25	·01	·07	·16		·02	·02		·64		·04	·20	·01	25
26	·06	·14	·03		·01	·36		·55	·53	1·35	·05	·03	26
27	·07		1·48		·01	·10		·28	·45	·88			27
28		·02	·05			·01		·07	·71	·85	·09	·92	28
29		·16	·08			·85		·94	·15	·35		·89	29
30		✕				·16				·57	·01	·01	30
31		✕		✕		✕		·22	✕	·26	✕	·02	31
Totals	4·48	7·94	3·57	2·96	2·14	3·74	2·13	4·86	3·05	10·85	1046	5·00	Years Total 61·18
~~Total from Jan. 1~~ Rain Days	23	26	23	14	20	19	12	16	14	27	23	22	239

1670

FORM A.
BRITISH RAINFALL.

19 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Dousland
in the County of Devon
by Frank Howarth

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 721 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05			·15		·63		·07	·03		·12	·01	1
2	·03		·04	·14		·07				·01	·01	·01	2
3	·15			·04						·58	·68		3
4		·07	·68	·01			·07		·09	·63	·01		4
5	·27	·04	·58	·14		·44	·01			·33	·24		5
6			·56			·28		·14	·01	·18	·11	·15	6
7	·71			·09			·18	·02		·25	·13	·06	7
8	·05		·09	·10		·05	·47	·92	·07	·53	·20	·56	8
9			·15	·03	·06		·07	·01		·42	·56	·03	9
10	·47		·65	·25				·45	·01	·09	·15	·01	10
11	·02		·35	·26				·06	·08	·48	·28		11
12	·44		·02	·05	·53			01		·63			12
13	·15		·32	·07		·13		·18	·20	·28		·07	13
14	·03		·01	·11			·08	1·02	·11	·08	·02	·01	14
15	·04			·03			11	·17	·03	·72		·45	15
16	·14	·08		·05		·01		·01	·05	·55	·01	·37	16
17	·01	·09	·03	·32	·01		·50	·21	·92	·20		·01	17
18	·01	·08		·02	·34	·02	·45	·05	·72	·09	—		18
19		·91	·03			·63		·01	·13		·02		19
20		·24	·04		·42	·08		·07	·18		·03	·02	20
21		01	·03		·01	·03			·01	·16	·17	·06	21
22		·01			·01			·71		·15	·03	·01	22
23		·28			·17	·04		·23		·29	·04	·01	23
24		·05				·41	·46	·05		·40	·22	·07	24
25		·11	·05				·17	·37	·24	·11	·13		25
26		·03	·01		·37	·04	·01	·73	·27	·08	·07		26
27						·39	·01	1·42	01	·11	·05		27
28		·04	·22			·25		·85		·03	·07	·01	28
29		X	·13		—	·03		·07		·98	·05	·07	29
30		X	·14				17	·58		·02	·02		30
31		X	·04	X	·47	X		·05	X	·14	X		31
Total	2·57	2·04	4·17	1·86	2·39	3·53	2·76	8·46	3·16	8·52	3·42	1·99	YEAR'S TOTAL 44·87
Rain Days.	15	14	21	17	10	17	14	26	18	28	25	19	224

W. 8,000. X. 15.

17

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
14 2 19

Kept at Dousland

in the County of S Devon

by Mr F. Howarth

Lat. ______ Long. ______
Time of Observation 9·A.M.
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 721 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·52	·01	·16	·05			·65		·01	1·11	·01	1
2		·75	01	·07				·02	·03		·04	·79	2
3		·34		·14	·04				·10	·13	24	·21	3
4		·07			·01			·36	·37	·01	1·55	1·18	4
5		·03	·22	08	·16			·58	·55	·47	08	·19	5
6	·27	·59	·63	·37				·29	·01	·25		·68	6
7	·05	·43		11		·03		·04	·87	·14	·70	·98	7
8		·07							·31	·64	·01	·08	8
9	·07	·01				·50	·20		·68	·25	·01	·71	9
10	08			13			·14		·27	·26	·02	·46	10
11	·03	·03	·37	·02	·05		·25		·33	·01	·01	·17	11
12		·39	·03		·43	·03	·14		·07			·06	12
13		·03			·35		·15		·85	·33		·32	13
14	·59				·13	·17	·06		·61	·12		·38	14
15	1·27				·01	·19	·63		·13	·23		·60	15
16	·47			·17		·03	·26	·01	·36	·02		·14	16
17	·40			·06		·02	·29	·07	·04			·49	17
18	1·20		·22			1·04	·16	·05	·73	·33		·32	18
19	·32	·07	·24	·09		·01	·09	·07	·11			·29	19
20	·08	·47	01	·21		·06	·07	·01	·16			·01	20
21	·20	·03				·30	·10		·66	·09		·38	21
22	·05				·32		1·20		·13	·23	·05	·39	22
23	20	·03			·17		·68		·30		·07	·29	23
24	·07	·38				·02		·25	·29		31	·07	24
25	·06				·16		·35	·72		·10	·23	·04	25
26	·08	31		·06			·44	·01	·13	·05	·07	·47	26
27		19	·12					·28	·05	·04	20	·03	27
28		·35	·33						·03	·08	·27	·07	28
29			·37						·94		08	·26	29
30		X	·38	·06				·10	·03	·14	13	·35	30
31		X	·29	X		X		·02	X	·04	X	·02	31
Total	5·49	5·09	3·23	1·73	1·88	2·40	5·21	3·53	9·14	3·97	5·18	10·44	YEAR'S TOTAL 57·29
Rain Days.	18	20	14	14	12	12	17	17	28	23	19	31	225

W. 8,000, VIII. 16

1577

FORM A.
BRITISH RAINFALL.

14 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Dousland

in the County of Devon

by Frank Howarth

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 721 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·85		·39	·06	·13		·16		·32	·33		·95	1
2	·25		·05		·05		·10		·13	·08		·09	2
3	·24		·30		·12				·22		·03	·22	3
4	·11	·36	·56		·01	·05	·16	·36	1·32		·01	·02	4
5	·10	·29	·90		04				·22			·10	5
6	·70	·98	·27								·01	·40	6
7	·50		·48	·12		·02	01		0·1			·27	7
8	·39		·37	·02		·02					·60		8
9	·19		08	·42	·15						·44	·07	9
10	·12		·97	·09	·09					·03		·84	10
11	·06		·78	·37	·58	·04	·09			·13	·41	·70	11
12	·25		09	·09	·01	·02	·02			·24	·10		12
13	·39	·09	·15	·77			·09			·22	·01	·43	13
14	1·20	·11		·67	·94		·13		·04	·20		·30	14
15	·29	·05		·11						·12		·58	15
16	·07	1·20			·05	·01					·45	·02	16
17	·08	·12				·08		03			·37	·15	17
18	·06	·29	·76				·46	·29	·09		·45	·02	18
19	·74	·46	·48			·18	·51	·53	·26		·35	·15	19
20	·64	·03	·10		·02	·31	·01	·16	·20		·31	·17	20
21	27	1·30			·05	·01	·13	·05	·17		·03	·05	21
22		·05				·02	·05		·32		·06	·11	22
23			01					·10	·08	·92	·18	·19	23
24						·23		·09	·05	·58	·13	·37	24
25	·17	·01		·05		·06		·80	·02	·02	·10	·11	25
26	·09	·09	·12	·04				·09	·20	·05	·09	·72	26
27	·25	·04	·13	·41		·02		·95		·01		·10	27
28	·03	·02	·38	·12				·08		·05	·44	·72	28
29		✕	·01	·13				·24		·06	·02	·22	29
30		✕	·02	·14		·19		·18	04		·74	1·08	30
31	02	✕	10	✕		✕	·05		✕		✕	·38	31
Total	8·06	5·49	7·50	3·61	2·24	1·26	1·97	3·95	3·69	3·04	5·03	9·53	YEAR'S TOTAL 55·37
Rain Days.	26	17	23	16	13	15	14	14	17	15	22	29	221

W, 6,500, VII. 18. w w c

[illegible] Ackd

1491

26 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dousland
in the County of Devon
by Frank Howarth

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 721 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in. 8	
1	·27		·03	·13	·65		·72		·16	·05		·88	1
2	·63		01	28	·01		·68	·35	·19	·09		·31	2
3	·77	·10		·10			·04		·03	1·29		·35	3
4	·01		02		·01		·01	1·18	·04	·52		·03	4
5			·35	·01	·08		·47	·46	·01	·14			5
6			·25	·06	·43		·23		·01	·12			6
7	·08		·06	52	·05		39					·44	7
8	·03	·05	·02	52	·16		·10	·04				·30	8
9	1·25	·10	·05	05		·04	·62	·03	·05				9
10	1·46	·35	·29	02		·24	·46	·01					10
11	·45	·04	24	71	·30		·20						11
12	·50	·19	26	·20	·06	·03	·13			·02	·25	·02	12
13	·11	09	·77	11		01	·62			·20		·07	13
14	·29	·15	·39	78			·12		·24	·33	·58	·01	14
15	·09	·31	·09	·45	·03				·13	·82	·23		15
16	·02	·05	·09	·13	·02	04	·16		·61	·09	·06		16
17	·09		·01	·02	·54	·03	·61		·78	·39			17
18	·38	·02	·01	·15	·09	·13	·01	·30	·08				18
19	·11	·02		·57	·03	·40		·01	·03				19
20	09			32	·01	39	·03			·08		·66	20
21				·19			·08		·02	·06		·16	21
22	·10			·13			·10					·26	22
23	·06		·04				·36	·14				·70	23
24	·04		·75	·02				·01			·25	·44	24
25	·08	04	·11	·03			1·28				·02	·07	25
26	·56	·04	20			·02	·13				·26	·03	26
27	·87	·08	·18	26		·47	·15				·89	·40	27
28	72		·57	·05	·02	·15	·38				·06	·10	28
29	·59	·02	40	·02	·13	·13	·05				·57	·51	29
30	·30	X		·01	·04	46	·42		1·04	·34	·36	·98	30
31	·16	X	·55	X		X	·03		X	·64	X	·40	31
Total	10·11	1·65	5·74	5·78	2·66	2·54	7·38	2·53	3·42	5·18	3·53	7·12	Year's Total 57·64 ✓
Days with ·01 in. or more	28	16	25	27	18	14	28	10	15	16	11	21	229 ✓
	25	13	19	20	11	10	22	6	10	15	10	17	178

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DEVON.

EAST ALLINGTON.
(FALLAPIT GDNS.)
1911–1920

FORM A2.
BRITISH RAINFALL.
2 - FEB 1912

REGIS 1

Kept at Fallapit G 5 in.

in the County of Devon e Ground ft. 12 in.

Sea Level ft.

by John Brown A.M.

Name Coddiswell

Distance 3 Direction SW

IMPORTANT NOTE.—Rain should be measured d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03		·08			·22		·04		4	1
2			·03	·08	·77			·24		·15	·24	·60	2
3			·05		·42			·09			·27	·35	3
4			·13					·11		·03	·44	·57	4
5	·31		·14					·09		·46	·19		5
6	·64		·29							·11	·25	·99	6
7	·12										·85		7
8	·13		·24								·11	·13	8
9	11					·03					·13	·80	9
10	·18	·11	·91								·04	·25	10
11	·34										1·37	·04	11
12			·81						·29		·07	·16	12
13			·03						·12		·07	·73	13
14		·23	·04							·26	·07	·61	14
15		·07	·10			·02				·04	·43	·24	15
16		·04	·04			·41				·03	·85	·73	16
17		·08	1·10			·24					·31	·54	17
18		·36	·69	·16		·21				·10	·14	·63	18
19			·10	·04		·21			·47	·35	·16	·76	19
20		·10	·15	·15		·02			·15	·51		·70	20
21		·79	·03	·03		·15			·08	·78		·09	21
22	·11	·08		·29		·15			·56	·38	·03	·68	22
23		·23							·10	·43	·10	·69	23
24	·06	·45				·29		·18		·45		·65	24
25	·03	·13		·32		·02			·08	·43		·19	25
26		·22		·63				·32		·39		·63	26
27		1·19		·05				·16	·23	·64		·22	27
28		·39		·49				·11				·02	28
29				·21		·69	·76		·20	·69	·11	·02	29
30						·03	·04			·35	·22	·97	30
31			·05				·12			·07		·02	31
Total	2·03	4·47	4·96	2·45	1·27	2·47	·92	1·52	2·28	6·68	6·45	12·06	TOTAL for year 47·56
No. of Rain Days	10	15	19	11	3	13	3	9	10	21	22	28	164

9,000, IX. '10.

REGIS

FORM A2.
BRITISH RAINFALL.
2 -FEB 1912

Kept at Fallapit Gardens

in the County of Devon

by John Brown

Rain Gauge	Diameter of top	5 in.
	Height of top above Ground	ft. 12 in.
	" " " Sea Level	ft.

Time of Observation 9 A.M.

Nearest Railway Station: Name Loddiswell
Distance 3 Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03		·08			·22		·04		4	1
2			·03	·08	·77			·24		·15	·24	·60	2
3			·05		·42			·09			·27	·35	3
4			·13					·11		·03	·44	·57	4
5	·31		·14					·09		·46	·19		5
6	·64		·29							·11	·25	·99	6
7	·12										·85		7
8	·13		·24								·11	·13	8
9	11					·03					·13	·80	9
10	·18	·11	·91								·04	·25	10
11	·34										1·37	·04	11
12			·81						·29		·07	·16	12
13			·03						·12		·07	·73	13
14		·23	·04							·26	·07	·61	14
15		·07	·10			·02				·04	·43	·24	15
16		·04	·04			·41				·03	·85	·73	16
17		·08	1·10			·24					·31	·54	17
18		·36	·69	·16		·21				·10	·14	·63	18
19			·10	·04		·21			·47	·35	·16	·76	19
20		·10	·15	·15		·02			·15	·51		·70	20
21		·79	·03	·03		·15			·08	·78		·09	21
22	·11	·08		·29		·15			·56	·38	·03	·68	22
23		·23							·10	·43	·10	·69	23
24	·06	·45				·29		·18		·45		·65	24
25	·03	·13		·32		·02			·08	·43		·19	25
26		·22		·63				·32		·39		·63	26
27		1·19		·05				·16	·23	·64		·22	27
28		·39		·49				·11				·02	28
29				·21		·69	·76		·20	·69	·11	·02	29
30						·03	·04			·35	·22	·07	30
31			·05				·12			·07		·02	31
Total	2·03	4·47	4·96	2·45	1·27	2·47	·92	1.52	2·28	6·68	6·45	12·06	TOTAL for year 47·56
No. of Rain Days	10	15	19	11	3	13	3	9	10	21	22	28	164

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
31 JAN 191

REGISTER OF RAINFALL IN 1912

Kept at Fallapit Gardens
in the County of Devon S.3
by John Brown - Gardener

Lat. Long.
Time of Observation 9-0 Clock a.m.
Nearest Railway Station Loddiswell 3 miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07			·38			·09	·46		·32	1
2			·20	·08		1·21	·03		·13	·02	·05	·02	2
3			·34			·46	·04	1·20				·08	3
4	·49		·40		·04	·58		·09			·36		4
5	·85	·49	·49		·05		·13	·95				·43	5
6	·67	·06	·07		·67	·24		·10			·03	·06	6
7	·10	·76	·28	·04	·27	·70		·18	·02			·47	7
8	·03	·20	·44			·03	·05						8
9	·79	·07	·05	·16		·11	·10	·19				·83	9
10	·27	·05	·10	·02			·05	·20			·15	·42	10
11		·24	·07					·21			·25	1·00	11
12	·03	·44	·35				·22	1·05		~~[illegible]~~		·02	12
13	·22	·15	·10				·28			·12		·79	13
14	·10	·30	·85					·13		·06		·18	14
15	·60		·04		·58	·67						·56	15
16	·25		·59					·76		·29		·03	16
17			·44		·06	·15		1·59			·04	·11	17
18		·05	·12					·14		·09	·02		18
19		·19	·25			·09	·09	·23		·04	·14	·03	19
20		·13	·42		·20		·02	·18		·43			20
21		·85	·22		·23		·04	·17		·22			21
22	·39	·54	·36				·15	·57		·09	·08	·16	22
23	·67	·43	·46			·25		1·67		·15	·28	·34	23
24	·10	·11	·13			·45		·03				·18	24
25	·14		·02			·08		·20		·38	·62	·42	25
26		·08	·02					·26		·24	·52	·72	26
27		·13				·40	·85	·19		1·66	·03	1·02	27
28		·16	·02			·33	·14	·69	·29	·59	·90	·57	28
29		·60	·04			·08	·27	·02	·31	·46	·02	·08	29
30			·11			·02	·21	·02	·55	·48			30
31			·25				·28	·05		·02		·46	31
Total	5.70	6.02	7.21	·30	2.10	6.15	2.95	11.07	1.39	5.79	3.49	9.30	YEAR'S TOTAL 61.47
Rain Days.	16	21	30	4	8	18	17	26	6	18	15	25	204

W. 7,500, XI. ·12

Ex DL

REGISTER OF RAINFALL IN 1913 -

FORM A.
BRITISH RAINFALL.
20 JAN 1914

Kept at Fallapit House Gardens
in the County of S Devon 3
by John Brown

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Loddiswell
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·25	·37	·13					·05	·56	·44	·07	1
2	·32	·25		·13	·52		·08			·26	·24	·13	2
3	·75		·20	·06	·19				·88	·15	·02	·12	3
4	1·47		·30	13		·06			·09	·11	·15	·31	4
5	·20	·19			·30	·17			·40	·30	·60	·40	5
6	·14	·46	·09		·12	·36				·26	·18	·05	6
7		·48	·07		·70	·12	·06			·12	·38		7
8	·08	·12			·30		·10	·16		·02	·05	·23	8
9	·12				·08	·04		·15			·42	·03	9
10	1·02		·03		·04	·04		·02		·09	·03		10
11	·70				·79	·12			·06	·02	·91	·12	11
12	·07				·03				·05		·48	·03	12
13	·40		·29	·14					99		·26		13
14	·48		·27						·04		·06	·03	14
15	·28		·46	1·10	·16				·12		·07	·04	15
16	·40		·67	·07			·04	·34	·22		·07		16
17	·14		·04	·08							·23		17
18	·10		·52	·27							13		18
19	·79		·09		·05				·63	·03			19
20	·16		·22	·28						·16	·44		20
21			·37	·11	·05			·06		·09	·35		21
22	·32		·28		·04	·20		·05	·04			·20	22
23	·03		·04					·07		·04	·06	·87	23
24	·17	·11		11		·04					·11	·18	24
25				·65					·04	·08	·03	·31	25
26				1·06				·19		·02		·03	26
27	·67		·23	·60				·13		·28			27
28	·33		·06	·30					·22	·43	·04		28
29	·21		1·22	·32	–		·23	·16		·08	·03		29
30	1·11		·02	·09	·06		·25	·19		·94			30
31	·15		·18							·09			31
Total	10·65	1·86	6·02	5·63	3·43	1·15	·76	1·52	2·93	4·13	5·78	3·15 ~~3·18~~	YEAR'S TOTAL 47·01
Rain Days.	27	7	22	18	15	9	6	11	14	21	25	17	192

W.7,000, XI. 13

check [illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
16 JAN 1915

Kept at Fallapit Gardens
in the County of Devon S3
by John Brown

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Loddiswell
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 12 in.
" " " " Sea Level 205 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09	·07		11	·13	·63	·40		·97	·03	1
2			·06	·03	·12		·14				1·20	·46	2
3			·34	·20	·82			·04			·34	02	3
4	·29		·16	·54	·08		·52	·64			·21	·75	4
5	·14		·29	·35	·03						·02	·03	5
6		·10	·22	·11	·23		·04	·09				·95	6
7	·15	1·12	·40	·12	·03		·49	·23	·50			·44	7
8	·41	·02	1·32	·05		·26		·23			·03	·17	8
9	·24	·05	·32	·21		·66		·18	·66		·02		9
10	·21	·57	·18	·18	·25	·11			·37		·05	·33	10
11		·20	·96			·08					·03	1·12	11
12		·14	·27						·38	·19	·10	·89	12
13		·68	·33				·11		·50	·20	·40	·39	13
14		·37	·58			·08	07	·91		·03	·81	·44	14
15	·03	·02	·30					·22		11	·38	46	15
16			·03						·73				16
17		·88	·37				·03					1·12	17
18		·09	·14				26		·25			·19	18
19		·14	·88				1·64				·05	·21	19
20		·39	·09			·09					·07	·24	20
21		·36				·10			·04	·39			21
22		·33	·07		·15	12		·12		·19			22
23		·14	·58			·02	·05			·53			23
24		·07	·02				·02			·02	·04		24
25	·07		·23				·06	·88		·84	·11	·87	25
26		·07					·10	·02		·06	·35	·64	26
27	·04	·12								·03	·08	·71	27
28	·02	·21	·48		·21					·08	·25	·81	28
29	·84		·24		·11					·04	·85		29
30	·08	X	·11							·47	·70	·97	30
31		X		X		X	·68		X		X	·35	31
Total	2·52	6·07	9·06	1·86	2·03	1·63	4·34	4·19	3·83	3·18	7·06	12·59	YEAR'S TOTAL 58·36
Rain Days.	12	21	27	10	10	10	15	12	9	14	22	24	186

W. 8,000. X. 14.

1814

FORM A.
BRITISH RAINFALL
3 MAY 1916

REGISTER OF RAINFALL IN 1915

Kept at Fillapit Gardens
in the County of Hook — Devon
by John Brown

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Kingsbridge
Diameter of Funnel of Rain Gauge 5 Inches in.
Height of top of Gauge above Ground One ft. ~ in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	3.6	58			05			38	29	37		45	1
2	4.6	19	43	17		22		27	05	02		53	2
3	0.3	20	40	29	50	03						91	3
4	0.9	12	03		03	04			02			13	4
5	0.9	104	02	21				58				53	5
6	1.43	33		69			49	12		36		14	6
7	42	59		09			14				.05	34	7
8	1.4	48					04	06		02	09	33	8
9	0.3	18		04			02	03			52	121	9
10	4.9	58	07	07						29	07	17	10
11	20	08	30				02	06		25	151	09	11
12	1.2	56		05	70			07		14	54	~~09~~	12
13	0.3	72			188		05	07			12	09	13
14	1.8						34		25			206	14
15	20				56		60		03	15		13	15
16	~~04~~	197			28		140	17		~~15~~		14	16
17	04	45			08								17
18	—	25					06				13		18
19	04				51		13						19
20	44	07		17		23				.13		07	20
21	10				08	22	70						21
22	07	06	46				87			05		57	22
23			16			14	20		18	134		84	23
24						27	38			30		86	24
25	20			07		23			50			27	25
26		47				22	18		25			110	26
27		05				20				99			27
28		07				30		05		10	03	08	28
29						28		02	25	05	30	07	29
30	16	X				20				65	85	45	30
31		X		X		X	25	15	X	96	X	25	31
Total	532	904	187	185	467	258	587	203	182	617	421	11.81	YEAR'S TOTAL 5724
Rain Days.	22	~~904~~ 21	8	10	10	13	17	13	9	17	11	25	176

W. 8,000. X. 15.

1771

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Fallapit Gardens
in the County of Devon —
by John Brown —

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Kingsbridge
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3.5				15	10	03		12	67	13		1
2	5.5	·1x6	09						12	52	35		2
3	1.6	1.32			49	05				80	30		3
4	2.6	23				59	13			06	78		4
5	1.4	29		05		05				22	18		5
6	1.3	23			27	13	88			18	1.26		6
7	0.7	17	30		04					83	72	12	7
8		17	36		40						17	35	8
9		12	35							09	17	31	9
10		97	10	08	24	11					08	02	10
11				15	05				0.4			03	11
12	1.5	12	17	10	22 ~~24~~	—	45	24		35			12
13		31	17				08	08		02		10	13
14		48	04		15			14		09			14
15	0.5	54	37	10						04		36	15
16	2.4	10		14			03			24			16
17	3.1	25							08	61	207		17
18	1.0	36	51	05					15	09	04		18
19	3.5	28	09	07							11	36	19
20	2.0	1.21	08								34	1.53	20
21	0.4	25	10									31	21
22					~~24~~ → ·27			06		28	05	69	22
23				21	~~23~~	23		16		05	58	04	23
24				32	31			23		58	11		24
25	0.4	30	19		03	03		48		05	08		25
26	0.5	34	11			20		11	60	97	03	22	26
27	0.3		1.79			41		10	27	31			27
28		35						19	63	61		72	28
29		13	07			73		289	05	23		43	29
30		X				07				102			30
31		X		X		X		19	X	58	X	04	31
Total	322	~~748~~ 8.68	489	1.27	235	297	160	487	206	949	755	546 5.93	YEAR'S TOTAL 5828 ~~54.88~~
Rain Days.	18	23	17	10	11	13	6	12	9	25	19	16	179

W. 8,000, VIII. 16

5 made ✓ and [illegible] W.C.

1691

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 1 JAN 1918

Kept at Fallapit Gardens

in the County of Devon - South,

by John Brown —

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Kingsbridge

Diameter of Funnel of Rain Gauge ~~1 foot~~ in. 5 in

Height of top of Gauge above Ground 1 foot ~~6~~ in.

" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.6			26		36		20			07		1
2				17		05							2
3	11			04						28	72		3
4		24	86				13		06	41			4
5	17		24	15		18			04	11	17		5
6			24			11		63		21	21	19	6
7	61						50	10		15	12	15	7
8	03		52	11			21	45	07	60	35	43	8
9			16	06	04		16			16	28		9
10	32		45	33				46				05	10
11			1.66	37				04		71	25		11
12	15		10		56					62			12
13			26	05		10		11	20	21	03		13
14				09					03				14
15							05	15	04	54		48	15
16		17		06		09		02	02	1,03		24	16
17	31	07		05	26		48	18	95	19			17
18		12			69		28		89	02			18
19		76	11			17.		09	17		04		19
20		20			56	03		08			03	05	20
21			04					12		18			21
22					03			21		14			22
23		30			1.0			65		13	03		23
24		03				12	50			32	08		24
25					7		02	41	25	07			25
26					23	19		39	23	03	14		26
27						91		1.34					27
28			36			18		34			08	05	28
29			07		1.6	46				89	13	10	29
30		X	18				22	36			04		30
31		X	08	X	12	X		04	X	23	X		31
Total	176	189	5,33	174	2,74 2.75	2,95	2,55	574 5.77	295	726	277	194	YEAR'S TOTAL 30.46 3942
Rain Days.	8	8	15	12	10	13	10	21	12	22	14	9	157

W. 8,000, IX. 17.

36

FORM A.
BRITISH RAINFALL.
14 2 19

REGISTER OF RAINFALL IN 1918

Kept at Fallapit East Allington
in the County of South Devon
by John Brown —

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Kingsbridge
Diameter of Funnel of Rain Gauge 5 — in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 305 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.
to December 29th-1918

Date. 1918	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date. 1918
1		48		12	07			44		06	78		1
2		23						04		06	05	69	2
3		13		46							20	15	3
4				11				39	69		108	44	4
5			15		44			15	40	48	18	05	5
6	44	61	25	20				19		12		21	6
7		30			05			04	36		52	36	7
8		04							12	60			8
9	1.0					11	51		57	30	14	48	9
10	0.3			34			25		17	21		28	10
11	0.2	06	44				44		27	03	10	19	11
12		20			50						03		12
13	0.9						34		94	49		25	13
14	5.0		11		15	11			1.02	09		31	14
15	8.6					18	58		10	12		25	15
16	1.45			23		20	05		0.8				16
17	19			12		04	47	03	~~02~~			40	17
18	88		20			92	09		57	36		36	18
19	13	04	24	07			24		09			15	19
20		40		12			05		45	06			20
21	0.8	1.0				12	07		75	17		61	21
22	0.3	03			09		1.02		19	07		37	22
23	39						34		02		04	16	23
24	02	22						24	36		29	17	24
25	0.5				10		10	88		06	26	58	25
26	02	18					32		20	06	06	10	26
27		30	06					18	05	04	21	25	27
28		12	32						06		09	08	28
29			55						102		05	09	29
30		X	48					06			13		30
31		X	20	X		X			X	11	X		31
Total	528	344	300	177	140	168	4.87	264	841	349.	414	728	YEAR'S TOTAL 4740
Rain Days.	17	16	11	9	7	7	15	11	22	19	17	24	175

W, 6,500, VII. 18. W W C

1596

cwd/ [illegible] — 121

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

21 JUN 20

Kept at Fallapit House.
in the County of Devon.
by J. Brown. (Gardener Head.)

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Kingsbridge.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
„ „ „ „ Sea Level 327. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·10	–	·20	–	·12	–	·27	–	·07.	·24	·06	·79.	1
2	·54	–	–	–	·04	–	–	–	·19.	·04	–	·14.	2
3	·54	–	·54	–	·26.	–	·06	–	·27	–	·04	·15	3
4	1·26	·71	·53	–	–	–	·02	·30	·50	–	·10	·15	4
5	–	·29.	·35	–	–	–	–	–	·60	–	·04	–	5
6	·56	1·51	·23	–	–	–	·04	–		–	–	·25	6
7	·27	–	·60	·15	–	–	–	–		–	–	·14	7
8	·32	–	·33	·31	–	·05	–	–		–	·62	–	8
9	·11	–	·23	·22	·25	–	–	–		–	·44	–	9
10	·08	–	·82	·07	–	–	–	–		–	–	·30	10
11	·15	–	·39	·45	·65	–	·08	–		–	–	·35	11
12	·36.	–	·03	–	–	–	–	–		·14	·06	·02	12
13	·22	·48.	·26	·58	–	–	·02	–		·06	–	·19	13
14	·96	·44	–	·51	·93.	–	–	–		·06	–	·20	14
15	·33	·47.	–	·11	–	–	–	–		·09.	–	·25	15
16	·16	1·51.	–	–	·05	–	–	–		–	·23	–	16
17	·06	·08	–	–	–	·03	–	–		–	·39	·10	17
18	·08	1·21.	·45	–	·06.	–	·49	–		–	·43	·03.	18
19	1·18	·48	·31	–	–	·27	·48	·66	·62	–	·17	~~·13~~	19
20	·61	·03.	·04	–	–	·27	–	·23	·15	–	·14	·13.	20
21	·29	1·27	–	–	–	–	·19.	–	·07	–	·03	·08	21
22	~~·19~~	·06	·06.	–	–	–	·02	–	·16.	–	·02	·14.	22
23	~~·43~~	–	·28	–	–	–	–	–	–	·58	·10	·17	23
24	~~·42~~	–	–	·05	–	·34	–	·18	–	·26	·24	·16	24
25	·19	·05	–	·04	–	·04	–	·35	–	–	–	–	25
26	·13	·05	·08	–	–	–	–	–	–	–	–	·72	26
27	·12	–	·50	·30.	–	–	·68	2·04	–	–	–	·05	27
28	–	·04	·45	·05	–	–	–	·04	–	–	·48	1·05	28
29	·06.	–	–	–	–	–	–	·24	–	·13	–	·15	29
30	–		–	·03.	–	·09.	–	·10	·05.	–	·78.	·94	30
31	–		–		–		–	–		–		1·20.	31
TOTAL	~~9·48~~ 9·68	7·78	6·68	2·87	2·36	1·09.	2·35	4·14	2·18	1·60.	4·37	7·85	YEAR'S TOTAL 52·95 ~~52·75~~
Days with ·01 in. or more	24	16	20	13	8	7	11	9	10	9	18	25	

170

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1540
FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Fallapit Gardens East Allington
in the County of Devon
by John Brown (Gardener)

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Kingsbridge G.W.R.
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 327. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·06	·57	—	·41	—	·04	·80	—	·86	1
2	·30	—	—	·28	—	—	—	·24	·06	·09	—	·20	2
3	·72	·11	—	·12	—	—	·19	—	—	·56	—	·42	3
4	—	—	—	—	—	—	—	·85	—	·35	—	—	4
5	—	—	·12	·23	—	—	·32	—	—	·05	—	—	5
6	—	—	·20	—	·63	—	·34	—	—	·06	—	—	6
7	·25	—	—	·67	—	—	·41	—	—	—	—	·21	7
8	·03	·05	—	·30	·15	—	·05	·03	—	—	—	·38	8
9	1·24	·14	—	·03	—	·10	·13	—	—	—	·07	—	9
10	1·33	·31	·36	—	—	·35	·66	—	—	—	—	—	10
11	·40	—	·27	·69	·27	·08	·30	—	—	—	—	—	11
12	·73	·26	·12	·40	—	—	·11	—	—	—	·14	1·30	12
13	·31	·02	·61	·07	—	—	—	—	—	—	—	—	13
14	·40	·06	·55	·75	—	—	·05	—	—	·20	·40	—	14
15	·17	·09	·08	·31	·11	—	—	—	·33	·61	—	—	15
16	—	·02	·21	·11	—	·05	·17	—	·09	·06	·17	—	16
17	·22	—	·08	·05	·48	—	·04	—	·20	—	·10	—	17
18	·25	—	·02	·13	·09	·40	·07	·30	·35	—	—	—	18
19	·07	—	—	·41	—	·52	—	—	·09	·05	—	—	19
20	·03	·07	—	·38	—	·42	·03	—	·02	·23	—	·83	20
21	—	—	—	·20	—	—	—	—	—	·25	—	·28	21
22	·20	—	—	·18	—	—	·06	—	—	—	—	·54	22
23	·02	—	—	—	—	—	·16	·07	—	—	—	·78	23
24	—	·04	·36	—	—	—	—	—	—	—	·13	·23	24
25	—	—	·16	—	—	—	1·08	—	—	—	—	·03	25
26	·40	—	·30	—	—	—	·03	—	—	—	·22	·08	26
27	·63	·05	·12	·11	—	·30	·08	—	—	—	·42	·38	27
28	·71	—	·15	—	—	—	·37	—	—	—	—	·17	28
29	·52	·03	—	—	—	·05	—	—	—	—	·54	·57	29
30	·25	✕	·74	—	—	·64	·25	—	1·03	·43	·38	·84	30
31	·13	✕	·38	✕	—	✕	—	—	✕		✕	·37	31
TOTAL	9·31	1·25	4·85	5·48	2·30	2·91	~~5·41~~ 5·61	1·49	2·21	3·74	2·57	8·47	YEAR ~~49·99~~ 50·19
Days with ·01 in. or more	23	13	19	20	9	10	22	5	9	13	10	18	16[illegible]
Days with ·04 in. or more	20	10	17	19	7	10	20	4	8	15	10	17	155

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

EAST BUDLEIGH.

BICTON

DEVON

1911 - 1916, 1919-1920

REC

Kept at Bicton C

in the County of Deve

by E. I

8 January

in.

round 1 ft. — in.

ea Level 90 ft.

ame East Budleigh

istance 3/4 mile Direction S.E

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

IMPORTANT NOTE. … he result entered to the previous day. If an Obse… sal rule, he is earnestly requested to add the readin… r in the space provided for it at the end of this … nt of rain, the selection and placing … sh Rainfall Organization are given in " … plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				24				3					1
2				8	36			14			21	25	2
3					14				2		5	6	3
4			10					3	1		9	42	4
5	10		9					26		6	10		5
6	34		31							2	7	92	6
7	4										33	3	7
8			16								6	67	8
9											41	65	9
10	3	4	28		3							18	10
11	18				5						93	11	11
12			85						3		2	13	12
13									32		1	60	13
14		14								15		1'03	14
15		6									23	6	15
16						44					57	47	16
17			35			15					22	42	17
18		15	16	22		14				13	13	35	18
19		1	2	4		50			33	16	16	41	19
20	3	2	17	7		8		1	4	41		58	20
21		24		6					3	49		6	21
22		2	1	2					24	4		59	22
23	26	8				19			8	18	5	26	23
24	1	13				67		3		30		28	24
25		5		5		9			7	15		20	25
26		11		22	1			2		27	4	16	26
27		22	7	1	2			7	11	78	5	19	27
28		24		45				7			4		28
29				27	1'06	20	43		16	17			29
30						6				15	10	4	30
31													31
Total	99	1'51	2'57	1'73	1'67	2'52	43	66	1'44	3'46	3'87	9'12	TOTAL for year 29'97
No. of Rain Days.	8	14	12	12	7	10	1	9	12	15	21	26	147

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Bicton Gardens

in the County of Devonshire S.7

by E. H. High

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 90 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name East Budleigh
Distance 3/4 mile Direction S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				24				3					1
2				8	36			14			21	25	2
3					14				2		5	6	3
4			10					3	1		9	42	4
5	10		9					26		6	10		5
6	34		31							2	7	92	6
7	4										33	3	7
8			16								6	67	8
9											41	65	9
10	3	4	28		3							18	10
11	18				5						93	11	11
12			85						3		2	13	12
13									32		1	60	13
14		14								15		1'03	14
15		6									23	6	15
16						44					57	47	16
17			35			15					22	42	17
18		15	16	22		14				13	13	35	18
19		1	2	4		50			33	16	16	41	19
20	3	2	17	7		8		1	4	41		58	20
21		24		6					3	49		6	21
22		2	1	2					24	4		59	22
23	26	8				19			8	18	5	26	23
24	1	13				67		3		30		28	24
25		5		5		9			7	15		20	25
26		11		22	1			2		27	4	16	26
27		22	7	1	2			7	11	78	5	19	27
28		24		45				7			4		28
29				27	1'06	20	43		16	17			29
30						6				15	10	4	30
31													31
Total	99	1'51	2'57	1'73	1'67	2'52	43	66	1'44	3'46	3'57	9'12	TOTAL for year 29'97
No. of Rain Days.	8	14	12	12	7	10	1	9	12	15	21	26	147

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8- JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Bicton Gardens
in the County of Devonshire 57
by E. H. High

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 90 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name East Budleigh
Distance 3/4 mile Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			9			21	5		3	62			1
2			14	3		38	6				2	37	2
3			16			26	12	1'08	1		1	5	3
4	18		57			23		3			32		4
5	38	part snow 26	30		2	20		66			1	34	5
6	37	9			36	21	3	22					6
7		71	14		10	91		5				21	7
8	47	13	49	2		54	6					1	8
9	5	2	1	8		15	3	3				46	9
10	16	7	16			2	1	5			4	27	10
11	8	4						3			3	49	11
12	1	39	10				7	41				1	12
13	6					1	4					2	13
14	7		46		17			18					14
15	48	18			36	40						8	15
16	42		32		3	1		4		4	1	3	16
17	part snow 15		22		2	13		78				2	17
18	part snow 3	2	11					10				5	18
19	2	11	part snow 39			5	8	6			4	2	19
20	5	10	37		15		2	22		19			20
21	31	10	26		46		3	11		11			21
22	60	32	18		15		5	9		24	2		22
23	8	30	17		2		3	41		7	15	37	23
24		1	1			48		3		13		15	24
25	41	3				4	2	50		39		48	25
26		1						7		18	54	31	26
27						40	61	20		1'16		19	27
28		9				5	6	39	9	46	36	52	28
29		26				41	10	20	54	40		2	29
30			11			36	11		20	32		1	30
31			19				51			11		3	31
Total	4'38	3'24	4'95	'13	1'84	5'45	2'09	5'94	'87	4'42	1'55	4'51	TOTAL 39'37
No. of Rain Days.	20	20	22	3	11	21	20	24	5	14	12	24	196

W. 8,000, X. '11.

Written 23.5.14

Cnd for arith 20.III.14

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Bicton Gardens

in the County of S Devonshire 7

by E. H. High

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station East Budleigh

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to [illegible] ost universal rule, he is earnestly requested to add the reading at 9 a.m. on [illegible] ar in the space provided for it at the end of this paragraph. [illegible] ient of rain, the selection and placing of rain gauges, [illegible] itish Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		15	10	3	10				14	9	19		1
2	9	8		15	27		5			1	7		2
3	54	1			23					1		24	3
4	1'05				13		7		15	39	10		4
5	7	8	6		24	9			60	3	29	70	5
6	3	8	7		2	10	10			1'58	2	18	6
7		41	5		62	1	3			37	23	3	7
8	6	10			14		8					2	8
9	2	1			3		2	5			27		9
10	61				5			2		19	15		10
11	83			10	63	10				2	46	1	11
12	part hail 12				12				1		71		12
13	22				2			12	14		13		13
14	32		7	5	7						14		14
15	part hail 30		39	29					14		2		15
16	part hail 21		part snow 33	6		1			12		1		16
17	3		part hail 3	1									17
18	5		18	6	7						3		18
19	45		6	37		8			38	2			19
20	25		17	14						11	19		20
21			13		8					3	31		21
22	34		52	5		7	1		12	1		18	22
23	1										13	69	23
24	1			5				1			2		24
25		4		25					1	3	1	2	25
26				86				9				10	26
27	49		17	43						15			27
28	54		6	26					1	34		part snow 13	28
29	12		40	29						6			29
30	18				1				39	48			30
31	part hail 17		10					81		2			31
Total	7'11	'96	2'89	3'45	2'83	'46	'36	1'10	2'21	3'94	3'48	2'30	YEAR'S TOTAL 30'09
Rain Days.	26	9	17	17	14	7	7	6	12	19	20	11	168

7·11

31·09

W.7,000, XI. 13

Exd 331

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Bicton Gardens

in the County of Devonshire S7

by E. H. High

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station East Budleigh

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				3		8	29	50			7	7	1
2			10	9	5		35	3			68	36	2
3			11	13	65			28			9	2	3
4	18		2	33	10		45	9			63	60	4
5	Part. Hail 11		4	18	10						3	4	5
6		8	1	18	6		1				3	43	6
7	4	77	10	16	5	2	22		18			34	7
8	3	2	35	2	9	13		6				4	8
9		6	Part Snow 39	22	3	97		24	1·71				9
10	5	47	4	8	6	4			84			3	10
11		8	27		3	12	26				4	94	11
12		17	15						14	8	1	83	12
13		27	29				3		14	20	17	24	13
14		21	21			28		93		6	34	12	14
15			11					15		24	23	18	15
16			1						31			2	16
17		18	17									42	17
18		2	5				13		11			16	18
19		9	55				1·90				6	10	19
20		37	18				2					16	20
21		48	2			5				26			21
22		4	1		17	2				11			22
23		14	24		2					39		2	23
24		3	1		23					8	5		24
25	13		38				11	39		36	2	20	25
26	8		10		4		9			3	13	53	26
27	2	2	1				3				19	19	27
28		6	32		4					5	18	1·01	28
29	4		14		11					15	50	2	29
30		×	12	5						16	36	65	30
31	8	×		×	3	×	61		×	56	×	17	31
Total	·76	3·56	4·50	1·47	1·86	1·71	4·50	2·67	3·43	2·73	3·81	7·89	YEAR'S TOTAL 38·89
Rain Days.	10	19	29	11	17	9	14	9	7	14	19	27	185

W. 8,000. X. 14.

Edited

1913

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

5 JAN 1916

Kept at Bicton Gardens
in the County of Devonshire
by Ed High

57

Lat.
Long. —
Time of Observation 9 am
Nearest Railway Station East Budleigh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	23	25						41	47	49		9	1
2	21	18	16	3		13		34		13		56	2
3	1	8	6	6	21							57	3
4	3	6			2							25	4
5	1	62		7			42	32				59	5
6	61	13		19				2				22	6
7	22	45		8			18					20	7
8	10	35					3	10			3	20	8
9	1	5		6							29	73	9
10	14	68	5	4			2			7	3	8	10
11	10	47	15	2	2			11		3	1'08	3	11
12	22	46		9	55			10		3	36	1	12
13		30			16			1'51	4		15	3	13
14							30	27	7	11	3	66	14
15	9				26		13		1	5	4	11	15
16	1	91			23		66			1		13	16
17	1	31			11							1	17
18		12											18
19	1				48		15						19
20	19	3		12		10				41		8	20
21	27	1					6			58		4	21
22	4	5	33	4	5	3	36			4		22	22
23		Vast snow 5	6			14	9		11	2'22		32	23
24				2			50			11		34	24
25	4			2		52	2		14		7	30	25
26	2	26				19	21					74	26
27		3				30	12			64		1	27
28		6				19			27	12	2	8	28
29						29					14	4	29
30	18	X				1				81	58	31	30
31		X		X		X	16	2	X	1'29	X	22	31
Total	2'75	5'91	'81	'84	2'09	1'90	3'41	3'20	1'11	7'14	2'82	7'77	YEAR'S TOTAL 39'15
Rain Days.	22	23	6	13	10	10	16	10	7	17	12	29	175

W. 8,000. X. 15.

Exd FW

1870

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
6 JAN 1917

Kept at Bicton Gardens
in the County of Devonshire
by E. H. High

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station East Budleigh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	6		11		32				16	35	9		1
2	5	5			1				12	28	33		2
3		95			25	2	1			54	23		3
4	8	18			9	14			2	5	64		4
5		1	Fair Snow 18		4	11				4	10		5
6		11	Fair Snow 2		12	3	69			19	74		6
7	3	9	Fair Snow 15		6	4	8			2	72	9	7
8		21	Fair Snow 19		19						20	26	8
9		6	Fair Snow 10		2	10	3			2	10	31	9
10		62	Fair Snow 2	3	6		8			2	2	13	10
11				2									11
12	6	2	41	3	17		10	13		3			12
13		19	10	3	1			10					13
14		47	3	5	4			28		2			14
15		13	15	10				5		2		31	15
16	15	9		11			7	39		5			16
17	20	13		2					20	33	1'13		17
18	5	9	23	3					17	3	1	8	18
19	6	23	31	2					1		18	11	19
20	7	81	23	1							8	1'18	20
21	1	13	6									35	21
22				6	7	8		2		21		61	22
23		Fair Snow 7	Fair Snow 2			12		30		11	6	8	23
24		Fair Snow 4			57	2		9		61	3	37	24
25		Fair Snow 36	7		9	1		43			18	1	25
26	1	Fair Snow 10	4			23		40	1'55	82	4		26
27		3	Fair Snow 1'27			22		47	81		1	2	27
28		Fair Snow 15	1	14				11	20	52		11	28
29		Fair Snow 30	1			27		1'95	12	6		37	29
30		X	2	6									30
31		X		X		X		2	X	33	X	3	31
Total	'83	5'62	3'73	'71	2'11	1'39	1'06	4'74	3'36	4'65	4'89	4'42	YEAR'S TOTAL 37'51
Rain Days.	12	26	22	14	16	13	7	14	10	22	19	17	192

W. 8,000, VIII. 16

1676

FORM A. BRITISH RAINFALL

JAN

REGISTER OF RAINFALL IN 1919

Kept at Bicton Gardens

in the County of Devon

by E. H. Higgs

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station East Budleigh

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·54		·16				·11			·20		·83	1
2	·29				·08		·06		·08	·04		·02	2
3	·41		·32						·14		·05	·04	3
4	hail snow ·82	·70	·54			·09		·14	·42		·03	·04	4
5	·04	·36	·66						·60		·08	·05	5
6	·33	·87	·04								·01	·23	6
7	·24		·22									·10	7
8	·25		·30	·17									8
9	·13		·01	·02	·01						·19		9
10	·12		·28	·22	·16					·02		·12	10
11	·01		·36	·01	31		·10			·02		·36	11
12	·14			09		·03				·02	·08	·06	12
13	·4	·11	·19	·03						·03		·06	13
14	·30	30		·21	23				03	·06		·22	14
15	·15	16		·65						·14		·15	15
16	·09	77		·13				·05			·07	·01	16
17	·01	snow 50									·09		17
18	·10	16	·67				·19				·12		18
19	·65	54	·35			·13	·69	·27	·17		·10	·04	19
20	·27		·04			·30		·14	·07		·06	·03	20
21	·03	84					·06	·01	·07			·05	21
22									·07				22
23			·03					·20		·78	·04	·07	23
24				·01		·29		·28		·25	·17	·26	24
25	·9					·02		·31	·05		·03	·5	25
26	rain snow ·22		·03	·13				·04			·08	·25	26
27	rain snow ·29			·19		·01	·30	1·56				·08	27
28	·01		·22					~~1·56~~			·53	·41	28
29	·01		rain snow ·03	·11				·05		·04		·08	29
30		X		·08		·10		·16			·45	·49	30
31		X		X		X		·22	X		X	·57	31
Total	5·58	5·31	4·45	2·05	·81	·97	1·53	3·43	1·72	1·60	2·18	4·70	YEAR'S TOTAL 34·33
Rain Days.	26	11	18	14	5	8	7	13	10	11	17	26	166

W. 8,000, IX. 17.

Ed. AWB

1590

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bicton Gardens
in the County of Devon
by E H Bligh

Lat. Long.
Time of Observation 9 am
Nearest Railway Station East Budleigh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·01	·02	·09	·35		·32		·08	·02	·03	·83	1
2	·25			·25			·02	·08	·02	·04		·14	2
3	·07	·03		·03			·04			·41		·33	3
4			·01				·02	·39		·17			4
5			·10	·10	·03		·34	·12		·22			5
6			·24	·10	·06		·28			·24			6
7				·30	·06		·41			·01		·10	7
8	·13	·09		·29	·04		·82						8
9	·39	·01		·07		·40	·10						9
10	·81	·02	·05			·48	·27					·01	10
11	·23		·15	·35	·30	·02	·12						11
12	·09	·02	·05	·10		·15	·02				·06	Snow ·13	12
13	·21		·43	·05			·03			·01		Snow ·08	13
14	·06	·07	·28	·65					·11	·33	·15	·02	14
15	·01	·08	·02	·26	·05					·54	·02		15
16		·02	·02	·02		·05	·24		·21	·05			16
17				·20	·20	·06	·02		·19				17
18	·07	·01	·01	·29	·03	·30	·08	·28	·07				18
19	·04			·35	·02	·36		·04	·02				19
20	·02	·07		·21		·26						·30	20
21				·07			·02			·33		·15	21
22	·02			·25								·46	22
23							·28	·10				·35	23
24			·21								·18	·05	24
25		·03	·06		·04		·64				·01	·01	25
26	·17		·21				·02				·19	·13	26
27	·59	·09	·08	·08	·02	·09	·07				·39	·30	27
28	·82	·03	·17	·12			·06					·10	28
29	·37	·02	·56	·08	·01		·13				·17	·16	29
30	·10	╳		·01	·02	·10			·48		·45	·36	30
31	·10	╳	·39	╳		╳	·02		╳	·47	╳	·07	31
TOTAL	4·64	·60	3·06	4·32	1·23	2·27	4·37	1·01	1·18	2·84	1·65	4·08	YEAR'S TOTAL 31·25 ✓
Days with ·01 in. or more	21 ~~3~~	15 ~~10~~	19 ~~5~~	24 ~~3~~	14 6	11 ~~1~~	24 ~~8~~	6	8 ~~2~~	13 ~~3~~	10 ~~3~~	20 ~~3~~	~~47~~ 185
Days with ·04 in. or more	18	5	14	21	6	10	16	6	6	10	7	17	138 ✓

(44.283). 10/19. (52.638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8l ✓

333

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RE

EAST ANSTEY

RHYLL MANOR

DEVON

1911 - 1920

Kept at Rhyll,
in the County of N. D
by E. L. Hanco

in.
Ground ft. in.
Sea Level ~~410~~ ft.
ame
istance Direction

IMPORTANT NOTE … the result entered to the previous day. If an Obs… ersal rule, he is earnestly requested to add the readi… r in the space provided for it at the end of this … nt of rain, the selection and placing … ish Rainfall Organization are given in " … plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06		·10	·32	·01								1
2			·06		·41			·27			·40	·23	2
3			·14		·43						·23	·11	3
4			·12		·02			·04		·12	·59	·80	4
5	·47		·20					·33			·38	·09	5
6	·32		·19								·35	·40	6
7	·17										·71	·17	7
8	·47		·20								·12	1·10	8
9	·26										·52	·40	9
10	·14	·06	·56		·72							·38	10
11	·32										·50	·34	11
12			·84						·10		·30	·41	12
13								·02	·55		·14	·32	13
14		·30								·01	·11	·73	14
15		·11				·08					·40	·21	15
16		·03				·19					·20	·40	16
17		·24		·02		·18					·12	·44	17
18		·75		·34		1·45				·10	·30	·30	18
19		·06	·12	·12		·30			·25	·35	·35	·80	19
20	·03	·22	·10	·27					·31	·50	·02	·49	20
21	·02	·30							·30	·13		·24	21
22	·03	·13		·14		·30		·42	·20	·50		·87	22
23		·21				·12			·20	·43	·04	·20	23
24	·10	·86				·43				·53		·30	24
25		·24		·28		·04		·23	·10	·18		·38	25
26	·12	·19		·46	·13			·02		·37	·09	·56	26
27		·79	·10	·05		·02		·10		·25		·34	27
28		·26		·56				·32			·18	·03	28
29				·45		·85	·16	·02		·53		·02	29
30						·20				·21	·16	·07	30
31							·07			·22			31
Total	2·51	4·75	2·73	3·01	1·72	4·16	·23	1·77	2·01	4·43	6·21	11·13	TOTAL for year 44·66
No. of Rain Days	13	16	12	11	6	13	2	10	8	15	24	29	159

9,000, IX. '10.

8h

333

FORM A2.
BRITISH RAINFALL
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Rhyll, E. Anstey

in the County of N. Devon N 2

by E. L. Hancock

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level 400 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06		·10	·32	·01								1
2			·06		·41			·27			·40	·23	2
3			·14		·43						·23	·11	3
4			·12		·02			·04		·12	·59	·80	4
5	·47		·20					·33			·38	·09	5
6	·32		·19								·35	·40	6
7	·17										·71	·17	7
8	·47		·20								·12	1·10	8
9	·26										·52	·40	9
10	·14	·06	·56		·72							·38	10
11	·32										·50	·34	11
12			·84						·10		·30	·41	12
13								·02	·55		·14	·32	13
14		·30								·01	·11	·73	14
15		·11				·08					·40	·21	15
16		·03				·19					·20	·40	16
17		·24		·02		·18					·12	·44	17
18		·75		·34		1·45				·10	·30	·30	18
19		·06	·12	·12		·30			·25	·35	·35	·80	19
20	·03	·22	·10	·27					·31	·50	·02	·49	20
21	·02	·30							·30	·13		·24	21
22	·03	·13		·14		·30		·42	·20	·50		·87	22
23		·21				·12			·20	·43	·04	·20	23
24	·10	·86				·43				·53		·30	24
25		·24		·28		·04		·23	·10	·18		·38	25
26	·12	·19		·46	·13			·02		·37	·09	·56	26
27		·79	·10	·05		·02		·10		·25		·34	27
28		·26		·56				·32			·18	·03	28
29				·45		·85	·16	·02		·53		·02	29
30						·20				·21	·16	·07	30
31							·07			·22			31
Total	2·51	4·75	2·73	3·01	1·72	4·16	·23	1·77	2·01	4·43	6·21	11·13	TOTAL for year 44·66
No. of Rain Days	13	16	12	11	6	13	2	10	8	15	24	29	159

9,000, IX. '10.

Dl

[illegible] 22.11.13

Ex. [illegible]

325

REGISTER OF ~~RAINFALL~~ IN 1912

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

Kept at Rhyll Manor, East Anstey

in the County of N Devonshire N2

by E. L. Hancock

RAIN GAUGE Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.31		.08	.59	.07	.21	.09	1.04		.49	1
2			.28	.07		.53	.10				.04		2
3	.12		.36			.11	.23	1.00	.33		.01	.11	3
4	96		1.37	.02	.04	.40		.10			.53		4
5	.75		.71		06			.43				.12	5
6	1.15	.27	.02	.01	.30		.02	2.41			.04	.10	6
7	.06	.54	.07	.05	.65	.59		.88				.11	7
8	.55	.24	.27			.12	.02	.14	.07		.06		8
9		.15	.61	.25		.29	.05	.01				.55	9
10	.30	.12	.04			.15		.10	.06		.36	.13	10
11		.13									.15	.60	11
12	.04	.22	.28				.20					.16	12
13	.35		.04			.01		.10		.03		.58	13
14	.14	.02	.70		.12	.03		.21		.06		.16	14
15	.33		.11		.10	1.34		.04				.98	15
16	.37		.40			.07		.18		.27	.04	.10	16
17	.15		.14		.03	.37		.62				.22	17
18		.03	.52					.78		.40	.03	.21	18
19	.04	.30	.15			.03	.10	.48		.17		.07	19
20		.09	.38		.14	.08	.07	1.02		.86	.20		20
21	.14	.14	.63		.75			.39		.48			21
22	.45	.26	.23		.03		.30	.93		.15	.06		22
23	.37	.72	.40				.11	1.95		.17	.14	.46	23
24	.03	.10	.25			.37	.06	.02				.12	24
25						1.00		.41		.13	.66	.70	25
26		.26						.09		.40	.72	.45	26
27		.08				.52	.49			1.30	}	.76	27
28		.15	.02			.14	.34	.86	.31	.31	.55	.67	28
29			.07			.32	.43	.01	.94	.42		.10	29
30					.04	.20	.30			.45		.03	30
31			.54				.37	.04	.23	.04		.25	31
Total	6.30	3.82	8.90	.40	2.34	7.26	~~2.19~~ 3.26	13.41	2.03	6.68	3.59	8.23	TOTAL for year 66.22
No. of Rain Days.	18	18	26	5	12	21	17	26	7	17	16	25	208

W. 8,000, X. '11.

82 Written to June 25.3.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

338

28 JAN 1914

Kept at Rhyll Manor, East Anstey Exe

in the County of N. Devonshire 2

by E. ~~H.~~ L. Hancock

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.02	.21	.40	.09	.02	·			.12		.30	.98	1
2	.08	.25	.03	.14	.17	·			.02	.22		.06	2
3	.24	.02	.19	.07	.28	·			.03			.31	3
4	1.12		.18		.31	.02	.02		.24	.02	.10	.51	4
5	.14	.06	.03		.19	1.07	.14		.22	.14	.17	.54	5
6		.19	.18		.02	.20	.71			.52	.26	.29	6
7		.71	.03		.80	.18	.10			.50	.25	.04	7
8	.03	.12			.62	.03		.01		.13			8
9		.11	.40	.03	.31	.52	.02	.17			.62	.14	9
10	.69		.25		.20	.07		.03		.23	.23		10
11	.80		.08		.35	.15	.01	.04	.07	.08	.84	.17	11
12	.15				.03	.02					.62		12
13	.08		.65			·		.24	.33		.24		13
14	.29		.15			·		.01	.09		.40	.21	14
15	.09		.59	1.07		·					.50	.07	15
16	.30		.79	.08		·	.10	.08	.69		.16		16
17	.20		.07	.09		·	.09				.13		17
18	.37		.35	.23		·	.04		.05		.15		18
19	.70				.18	.10	.18		.35	.15	.01		19
20	.73		.27	.13		·			.02	.31	.55		20
21			.15	.03	.18	·	.05				.19		21
22	1.73		1.10		.10	.15	.02	.27				.10	22
23	.04		.04		.06	.05		.23	.12			.70	23
24	.11	.04		.21		·		.10			.23		24
25		.02		.30		·					.19	.19	25
26				.61		·		.02				.54	26
27	.25		.35	.33		·		.03		.37		.09	27
28	.20		.06	.38	.07	·				.42		.35	28
29			.70	.31		·				.13	.06		29
30	.65			.13		·				.77	.30		30
31	.39		.36		.28			.74					31
Total	9.40	1.73	7.40	4.23	4.17	2.56	1.48	1.97	2.35	3.99	6.50	5.29	YEAR'S TOTAL 51.07
Rain Days.	24	10	26	17	18	12	12	13	16	14	22	17	201

W. 7,500, XI. 12

82 written 20.III.15

card for writer 19.III.15

322

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Rhyll, East Anstey
in the County of N. Devonshire N2
by ~~E. H.~~ Mrs Hancock

Lat. ………… Long. …………
Time of Observation …………
Nearest Railway Station …………
Diameter of Rain Gauge ………… in.
Height of top of Gauge above Ground ………… ft. ………… in.
" " " " Sea Level ………… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06	·15		·19	·48	·44			·18	·15	1
2			·05	·04			·35	·08			·23	·71	2
3	·07		·70	·16	·46			·04			·07	·14	3
4	·25		·62	·42	·20		·50	·21			·41	·76	4
5	·18		·62	·76	·13			·07				·06	5
6		10	·35	·52	·17		64	·13			·11	·33	6
7	·10	·46	·50	·23	·40	·23	·52	·22				·07	7
8	·40		1·25	}	·47	·66		·06			·01	·04	8
9	·30		·35	·15 }	·28	·72		·08	65			·01	9
10	·11	·35	·02		·21	·07			·52		·05	·08	10
11		·16	·85	·25	·06	·25					·25	·51	11
12		·70	·18						·56		·17	·59	12
13		·38	·38				·03		1·06	·17	·75	·18	13
14			·65			·30		·85	·01	·25	·32	·02	14
15		·04	·39				·14	1·00	·39	·03	·35	·13	15
16			·08				·08		·31			·03	16
17		·19	·39				·11		·02			·62	17
18		·28	·30				·09		·13			·44	18
19		·35	·46				2·39		·08		·17	·27	19
20		·25	·21			·45						·29	20
21		·52				·08						·04	21
22		·04	·03	·03	·13			·06		·27		·01	22
23		}	·21				·14			·50		·01	23
24		·35 }	·05		·17		·03	·05		·35	}		24
25	·25		·41				·15	·46		·50	·46 }	·22	25
26			·14				·20	·08		·05	·42	·61	26
27	·17	·05								·24	·14	·42	27
28	·07	·35	·13		·08					·47	}	1·07	28
29	·36		·13		—					·35	·62 }	·05	29
30			·16		·14					·27	·54	·72	30
31	·11				·08		·48			·57		·68	31
Total	2·37	4·57	9·67 9·67	2·71	2·98	2·95	6·33	3·83	3·73	4·02	5·25	9·26	YEAR'S TOTAL 57·67
Rain Days.	12	17	28	11	14	9	16	15	10	13	20	30	195

W.7,000, XI. 13

Cord for auth 17·III·16 Hy B.

1951
317

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

N2

Kept at Rhyll, East Anstey
in the County of N. Devonshire
by M. Hancock

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33	·30			·11			·65	·12	·57	·02	·15	1
2	·16		·51	·26			·05	·37		·02		·93	2
3		·28	·15	·56			·01					·51	3
4	·17	·15	·04		·14		·78					·85	4
5	·33	·56	·03	·19		·10		·33			·05	·56	5
6	·73	·05		·35			·39	·13			·18	·18	6
7	·53	·69		·15			·10	·10			·44	·45	7
8	·26	·35		·01				·15			·12	·11	8
9	·06	·19		·30				·03			1·12	1·02	9
10	·60	·31	·07	·05				·18		·25	·54	·11	10
11	·15	·05					·03	·01		·14	·31	·09	11
12	·33	·60		·04	·58			·27		·26		·04	12
13	·06	·38			·80			·06		·02	·52	·20	13
14	·10						·30	·48	·21	·11		·84	14
15	·38	·04			·34		·19	·03		·01		·04	15
16	·02	1·08			·15		1·47		·47			·02	16
17		·14											17
18		·34					·03						18
19	·02			·10			·19						19
20	1·13	·07		·01	·24	·09				·27		·10	20
21	·48	·21				·03	·04			·22		·33	21
22	·07	·05	·27			·09	·40		·02	·16		·43	22
23		·13	·07				·38		·10	·89		1·15	23
24							·30		·03	·28		·80	24
25						·21	·46					·26	25
26		·11				·51	·16		·15			·60	26
27		·14				·42	·09			·66		·06	27
28		·06	·02			·05	·03		·75			·02	28
29						·13			·02		·11	·25	29
30	·18	✕					·14		·02	1·03	·47	·36	30
31		✕		✕		✕	·12		✕	·58	✕	·24	31
Total	6·09 ~~6·11~~	6·28	1·16	2·02 ~~1·82~~	2·36	1·63	5·66	2·79 2·97	1·89	5·47	3·88	10·70	YEAR'S TOTAL 49·93
Rain Days.	20	24	8	11	7	9	21	13	12	16	11	28	180

W. 8,000. X. 14.

1906
282

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Rhyll, East Anstey
in the County of N. Devonshire
by M. Hancock

Lat. ____ Long. ____
Time of Observation ____
Nearest Railway Station ____
Diameter of Funnel of Rain Gauge ____ in.
Height of top of Gauge above Ground ____ ft. ____ in.
" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·15				·86	·13	·25		·02	·32	·06		1
2	·77	·05	·16		·05				·09	·54	·23		2
3		·93			·27	·02	·08		·07	·65	·29	·04	3
4	·50	·10		·02	·25	·77	·14		·08	·30	·78		4
5	·42	·09	·10		·24	·15				·08	·85		5
6	·31	·35	·01		·17	·28	·50			·10	·55		6
7	·10	·45	·60		·24	·04				·01	·97		7
8		·29	·13		·11	·22					·40	·14	8
9		·06			·15	·02	·06			·16	·09	·22	9
10	·04	·81		·18	·06	·33	·01			·05	·02	·24	10
11				·45	·03	·03			·08				11
12	·26	·21	·11	·16	·16		·25	·02		·63			12
13		·51	·08	·05				·30		·10			13
14	·10	·55	·10		·32			·50		·08			14
15	·03	·60	·08	·19	·04		·01	·32					15
16	·06	·28		·37	·02		·10	·27		·14			16
17	·12	·57		·09					1·00	·33	·60		17
18	·09	1·02	·31	·19					·40	·34		·10	18
19	·22	·13	·13	·34							·33		19
20	·17	·37	·30								·25	·50	20
21	·15	·05	·15		·04						·01	·19	21
22	·07					·12		}		·57	·03	·58	22
23		·39	·11	·05		·08		·27 }		·08	·18	·43	23
24		·32	·07	·06	·40	·19		·05		·63	·02		24
25		·80	·31			·02		·07	·02	·03	·63		25
26	·15	·25	·11		·04	·33		·03	·98	·80			26
27	·22		1·18			·03		·29	·30	·90			27
28		·22				·01		·10	·03	·38		1·00	28
29		·38	·21			·45		1·69	·15	·54		·61	29
30		X				·01		·03		·28		·13	30
31		X		X		X		·08	X	·11	X	·42	31
Total	3·93	9·78	4·25	2·15	3·45	3·23	1·40	4·02	3·22	8·15	6·29	4·60 4·60	YEAR'S TOTAL 54·47
Rain Days.	19	25	19	12	18	19	9	15	12	25	18	13	204

W. 8,000. X. 15.

81

1827 ~~185~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at East Anstey, Rhyll Manor

in the County of N. Devonshire

by M. Hancock

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

26. JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.13		.14	.30		.23		.57	.06		.13	.02	1
2	.12			.27		.12					.07	.01	2
3	.21	.12		.16			.33			1.09	1.12		3
4		.11	.30							.56			4
5	.35		.40	.31		.25			.07	.46	.26		5
6			.12							.28	.27	.03	6
7	.48						.19	.16		.47	.12	.08	7
8			.15	.17		.05	.80	.64		1.32	.49	.26	8
9	.07		.08	.14				.17	.06	.55	.28		9
10	.27		.30	.30		.02		.09		.07	.05		10
11			.36	.36				.52		.43	.10		11
12	}		.27		.40			.18		1.17			12
13	}			.10		.03		.30	.59	.29		.02	13
14	.15}			.08				.72	.05	.02			14
15				.03				.05	.02	.25		.30	15
16				.21				.06		.23		.41	16
17				.30			.41	.15	.31	.15			17
18					.04	.04	.48		.76	.10			18
19		.67	}			.51		.06			.20		19
20		.12	.11}		.39	.07		.12	.02		.12		20
21			.12		.12	.53		.03			.03		21
22								.62		.30			22
23		.30						.90			.10		23
24						.12	.09	.19		.75	.17		24
25		.15	.07			.02	.01	.15	.04	.23	.10		25
26					.30	.11		.65	.17	.15	.22		26
27					.25	12		1.53			.03		27
28		.09	.18		.10	3.78		.54		}	.09		28
29			.31			.27		.07		.36}	.07	.23	29
30		✗	.05				.02	.19		.22	.02		30
31		✗	.03	✗	.26	✗		.15	✗	.26	✗	.01	31
Total	1.78	1.56	2.99	2.73	1.86	6.27	2.33	8.81	2.15	9.71	4.04	1.37	YEAR'S TOTAL 45.60
Rain Days.	10	7	17	13	8	16	8	25	11	24	21	10	170

W. 8,000, VIII. 16

18 ~~250~~

FORM A.
BRITISH RAINFALL.
30.1.19

REGISTER OF RAINFALL IN 1918

Kept at Rhyll Manor, East Anstey
in the County of N. Devonshire
by M. Hancock

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.10				1.53		.02	.83		1
2		.09						.13		.01		.17	2
3		.12		.15	.05					.08		.05	3
4		.15						.04		.11	.85	.45	4
5		.12	.07	.11				.54	.66	.21		.05	5
6	.17	.06		.35	.12					.12		.15	6
7		.82			.21	.05		.03	.76	.31	.36	.12	7
8	.13	.23		.03		.10			.30	.22		.04	8
9	.15					.32	.10		.60	.29		.41	9
10	.17	.20		.18			.76		.42	.10	.05	.65	10
11	.13	.02	.19	.01	.29		.66			.01	.09	.72	11
12	.02		.04		.02		.19		.36			.22	12
13	.51	.49				.10	.04		.45	.12		.63	13
14	.32					.01	.30		.44	.03		.13	14
15	2.02			.05		.08	.35		.05	.10		.65	15
16	.52			1.18		.02	.04	.27	.25	.02		.28	16
17	.58			.12			.30	.11	.03			.32	17
18	.86	.09	.08			.74	.52	.07	.54	.15		.33	18
19	.20		.19	.11			.05		.19			.12	19
20	.07	.35				.13	.13		.19				20
21	.06	.04					.05		.88	.04		.27	21
22	.10	.22			.37		.62		.31			.71	22
23					.08		.16		.13		.04	.31	23
24							.26	.15	.40		.38	.14	24
25					.11		.55	.85		.02	.11		25
26		.06					.71	.02	.20	.08	.30	.72	26
27		.22	.05			.02		.29	.43	.01	.48	.21	27
28		.15	.18						.06		.30	.70	28
29			.10		—				1.15	.02		.10	29
30		X	.40	.04	—			.09		.05	.14	.21	30
31		X	.61	X		X		.42	X	.01	X	.03	31
Total	6.01	3.43	1.91 ~~1.84~~	2.43	1.25	1.57	5.79	4.54	8.80	2.13	3.93	8.89	YEAR'S TOTAL 50.68 ~~50.61~~
Rain Days.	16	17	10	13	8	10	18	14	24	23	12	28	193

W. 8,000, IX. 17.

81 ~~W~~ 84 17''
~~232~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Rhyll Manor, East Anstey
in the County of N. Devonshire
by M. Hancock

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·89			·07			·30			·41		·86	1
2	·25				·47				·29		·07	·35	2
3					·06						·10	1·00	3
4	·27	·48	·84		·25		·49	·15	·40			·05	4
5	·05	·30	·70				·03		·02			·73	5
6	·66	·25	·29								·01	·46	6
7	·32		·29	·17								·11	7
8	·06		·26			·03							8
9	·49		·04	·25	·10						·26		9
10	·01		·52	·02	·02					·10	·13	·10	10
11	·10		·24	·28	·16		·07					·15	11
12	·32		·14	·09		·32				·28	·19	·06	12
13	·11	·03	·04	·49					·02	·11		·12	13
14	·31	·12		·97	·14							·10	14
15	·42	·13		·14						·33		·46	15
16	·26	·62									·43	·01	16
17	·02	·78				·08					1·31	·03	17
18	·12	·06	·57				·18	·31	·09		·80	·06	18
19	·33	·27	·18			·11	·48	·43	·63		·48	(·05)	19
20	·49	·19	·26			·07		·09	·22		·05	·25	20
21	·01	·94					·90	·06	·06			·18	21
22						·04	·09		·29		·22	·17	22
23										·46	·18	·34	23
24						·15		·07	·17	·97	·13	·66	24
25	·13			·01		·02		·60	·01	·01	·20	·27	25
26	·19	·09	·20	·27				·14	·22	·07		·29	26
27	·27			·30				·80				·08	27
28	·05		·58	·02				·01			·30	·79	28
29	·02		·03	·17				·12		·29		·17	29
30		X	·08	·20		·07		·32			·61	·75	30
31		X		X		X	·05		X		X	·37	31
Total	6·15	4·26	5·26	3·45	1·20	·89	2·59	3·10	2·42	3·03	5·47	9·02	YEAR'S TOTAL 46·84
Rain Days.	25	13	18	15	7	9	9	12	13	11	17	29	178

W, 6,500, VII. 18. w w d

291 Written for missing month 14 m

JL

1623

FORM A. I. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

21 MAR 1921

Kept at East Anstey, Rhyll Manor

in the County of N. Devonshire

by Mrs Hancock

Lat.
Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07				·07		·50	·33	·12	·28	·14	·55	1
2	·13			·23				·36		·15		·12	2
3	·09			·04	·04		·25		·29	1·40		·22	3
4			·05	·10	·31		·15	·74	·03	·25			4
5			·12		·35		·52	·15		·22			5
6			·16	·08	·02		·04		·05	·35			6
7				·28	·04		·55				·11		7
8	·21	·06		·48	·11		·62	·04					8
9	1·54	·69	·07	·24		·21	·37	·02			·03		9
10	1·27	·77	·28	·21		·25	·14				·07		10
11	·15		·18	·59	·29	·03	·13						11
12	·37	·15	·02	·39	·07	·07	·12				·12		12
13	·22	·07	·46	·06						·13	·01	·07	13
14	·37	·03	·43	·66			·05		·23	·24	·67		14
15	·05	·16	·09	·28	·06	·05			·12	·64	·12		15
16			·21	·01		·20	·11		·23	·22	·18		16
17	·24		·03	·18	·33	·11		·09	·53	·04			17
18	·15			·01	·04	·06		·31	·47			·02	18
19	·13	·22		·43		·26		·02					19
20	·10			·42	·02	·17	·07					·30	20
21				·02			·12			·08		·22	21
22	·02			·04		·04						·65	22
23							·16	·05				·61	23
24		·07	·32	·04		·02	·13				·05	·18	24
25	·02	·06	·10	·01		·05	·68					·01	25
26	·42		·30			·15	·04				·26	·15	26
27	·25		·07	·15		·91	·06				·62	·37	27
28	·59		·17	·18		·05	·20					·05	28
29	·37	·02	·32		·31		·28				·21	·24	29
30	·38			·12	·04	·30	·38		·50	·07	·47	·45	30
31	·15		·28				·08			(·79)		·17	31
TOTAL	7·29	2·30	3·66	5·25	2·10	2·93	5·75	2·11	2·57	4·86	3·06	4·38	YEAR'S TOTAL 46·26
Days with ·01 in. or more	23	11	19	25	15	17	26	10	12	14	14	17	203
	21	9	17	21	13	15	26	8	11	14	12	15	182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1507

corrected for WI

JAN 20

Form A. 1. METE ANIZATION.

ERMINGTON

STRODE

DEVON

1919.

19.

Kept at Stro

in the County of

by Capt H

9 a m

Ivybridge

n Gauge 5 in.

ve Ground 1 ft in.

Sea Level 75 ft.

IMPORTANT ntered to the previous day.

If an Observer pre ested to add the reading at 9 a.n t the end of this paragraph. Ful rain gauges, and particulars as *ll Observers,"* sent post-free on a 62, Camden Square, London, N.V

Jan. 1, following.
.44

Date	Jan.	Feb.									Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil	nil	.06	nil	.08	nil	.09	nil	nil	.03	nil	nil	1
2	.90	"	.25	"	.15	"	.19	"	"	.25	" ~~.25~~	.80	2
3	.38	"	nil	"	.08	"	.02	"	.11	nil	"	.10	3
4	.35	"	.37	"	nil	"	nil	"	.14	"	"	.15	4
5	.48	.75	nil	"	"	"	"	.47	.63	"	"	.03	5
6	.05	.35	.73	"	"	"	"	nil	.58	"	"	.13	6
7	.42	1.15	.30	"	"	"	"	"	.02	"	"	.37	7
8	.31	nil	.47	"	"	"	"	"	nil	"	"	.08	8
9	.24	"	.35	.11	"	"	"	"	"	"	.56	nil	9
10	.15	"	.09	.36	.11	"	"	"	"	"	.09	.06	10
11	.12	"	.82	.13	nil	.04	"	"	"	"	nil	.33	11
12	.13	"	.33	.36	.39	nil	"	"	"	.03	"	.53	12
13	.47	"	.09	nil	.05	"	"	"	"	.23	"	nil	13
14	.15	.15	.06	.49	nil	"	"	"	"	.05	"	.25	14
15	.84	.17	nil	.55	1.10	"	.09	"	"	.10	"	.08	15
16	.24	.09	"	.25	.04	"	nil	"	"	.17	"	.29	16
17	.10	1.45	"	.03	nil	"	"	"	"	nil	.37	.02	17
18	.13	.20	"	nil	"	.23	"	"	"	"	.78	.09	18
19	nil	.30	.78	"	"	.04	.48	.23	.03	"	.40	nil	19
20	1.05	.50	.08	"	"	nil	.66	.27	.13	.23	.30	.05	20
21	.44	.05	.10	"	"	"	nil	.13	.16	nil	.21	.14	21
22	.32	.90	nil	"	"	"	.24	nil	.06	.10	.08	.04	22
23	nil	nil	"	"	"	"	nil	"	.30	nil	.06	.05	23
24	"	.04	"	"	"	.03	"	.03	.03	"	.10	.20	24
25	.11	nil	.10	"	"	.21	"	.09	.02	.75	.08	.18	25
26	.35	"	nil	.05	"	.07	"	.45	nil	.23	nil	.06	26
27	.09	.03	"	nil	"	nil	"	.14	.10	nil	.08	.59	27
28	nil	nil	.45	.39	"	"	"	1.40	nil	"	.11	.12	28
29	"	"	nil	.16	"	"	"	.37	"	"	.47	.88	29
30	"		"	nil	"	"	"	.35	"	.09	nil	.24	30
31	"		"		"		"	.10		nil		.75	31
	–	.06	–	.08	–	.09	–	–	.03	–	–	.44	
Total	7.82	~~6.13~~ 6.19	~~5.43~~ 5.37	~~2.88~~ 2.96	~~2.00~~ 1.92	~~0.62~~ .71	~~1.77~~ 1.88	4.03	~~2.31~~ 2.34	~~2.26~~ 2.23	3.69	~~6.61~~ 7.05	Year's Total ~~45.55~~ 45.99
Days with ·01 in. or more	23	15 ~~14~~	16 ~~17~~	12	7 ~~8~~	7 ~~6~~	6 ~~7~~	12	14 ~~13~~	11 ~~12~~	14	28	~~164~~ 165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

corrected for WI

1597

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

8 JAN 20

Kept at Stro-de, Ermington
in the County of Devon
by Capt H G HAWKER

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Ivybridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 75 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
.44

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	nil	nil	.06	nil	.08	nil	.09	nil	nil	.03	nil	nil	1
2	.90	"	.25	"	.15	-	.19	.	.	.25	~~.25~~ "	.80	2
3	.38	"	nil	"	.08	.	.02	.	.11	nil	"	.10	3
4	.35	"	.37	"	nil	-	nil	.	.14	-	"	.15	4
5	.48	.75	nil	"	-	-	-	.47	.63	-	"	.03	5
6	.05	.35	73	"	-	-	-	nil	.58	"	"	.13	6
7	.42	1.15	.30	"	-	"	-	.	.02	.	"	.37	7
8	.31	nil	.47	"	-	-	.	.	nil	-	.	.08	8
9	.24	"	.35	.11	.	-	-	.	-	.	.56	nil	9
10	.15	"	.09	.36	.11	.	-	"	.	-	.09	.06	10
11	.12	"	.82	.13	nil	.04	-	"	.	.	nil	.33	11
12	.13	"	.33	.36	.39	nil	.	.	-	.03	-	.53	12
13	.47	"	.09	nil	.05	.	.	.	"	.23	.	nil	13
14	.15	.15	.06	.49	nil	-	.	.	.	.05	.	.25	14
15	.84	.17	nil	.55	1.10	-	.09	.	.	.10	-	.08	15
16	.24	.09	"	.25	.04	.	nil	.	.	.17	.	.29	16
17	.10	1.45	"	.03	nil	-	-	.	-	nil	.37	.02	17
18	.13	.20	"	nil	"	.23	.	.	-	"	.78	.09	18
19	nil	.30	.78	"	-	.04	.48	.23	.03	.	.40	nil	19
20	1.05	.50	.08	"	-	nil	.66	.27	.13	.23	.30	.05	20
21	.44	.05	.10	"	"	-	nil	.13	.16	nil	.21	.14	21
22	.32	.90	nil	-	-	.	.24	nil	.06	.10	.08	.04	22
23	nil	nil	"	-	-	-	nil	"	.30	nil	.06	.05	23
24	"	.04	"	"	-	.03	-	.03	.03	.	.10	.20	24
25	.11	nil	.10	"	-	.21	.	.09	.02	.75	.08	.18	25
26	.35	"	nil	.05	-	.07	-	.45	nil	.23	nil	.06	26
27	.09	.03	"	nil	-	nil	.	.14	.10	nil	.08	.59	27
28	nil	nil	.45	.39	-	-	.	1.40	nil	.	.11	.12	28
29	"	"	nil	.16	-	-	-	.37	-	.	.47	.88	29
30	"		"	nil	-	-	-	.35	.	.09	nil	.24	30
31	"		"		.		-	.10		nil		.75	31
	–	.06	–	.08	–	.09	–	–	.03	–	–	.44	YEAR'S TOTAL
TOTAL	7.82	~~6.13~~ 6.19	~~5.43~~ 5.37	~~2.88~~ 2.96	~~2.00~~ 1.92	~~0.62~~ .71	~~1.77~~ 1.68	4.03	~~2.31~~ 2.34	~~2.26~~ 2.23	3.69	~~6.61~~ 7.05	~~45.55~~ 45.99
Days with ·01 in. or more	23	15 ~~14~~	16 ~~17~~	12	7 ~~8~~	7 ~~6~~	6 ~~7~~	12	14 ~~13~~	11 ~~12~~	14	28	~~164~~ 165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

REG

EXETER.

DEVON & EXETER INST.

DEVON

1911 - 1920

Kept at Devon & Ex

in the County of Dev

by John E. Coo

in.

und 13 ft. 7 in.

Level 155 ft. m

7

me L & S. W. R.

tance 1/4 mil Direction N.W.

IMPORTANT NOTE.- … e result entered to the previous day. If an Observ … al rule, he is earnestly requested to add the reading … in the space provided for it at the end of this p … t of rain, the selection and placing … h Rainfall Organization are given in " … plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·01	·10	·08	·	·	·01	·	·01	·	·	1
2	·	·	·	·01	·18	·	·	·14	·	·08	·21	·12	2
3	·	·	·	·	·06	·	·	·01	·02	·	·05	·10	3
4	·	·	·07	·	·	·	·	·15	·	·02	·06	·47	4
5	·10	·	·15	·	·	·	·	·67	·	·04	·21	·03	5
6	·20	·	·23	·	·	·	·	·01	·	·01	·08	1·05	6
7	·01	·	·	·	·	·	·	·	·	·	·40	·01	7
8	·01	·	·10	·	·	·	·	·	·	·	·04	·91	8
9	·	·	·	·	·	·	·	·	·	·	·61	·75	9
10	·05	·02	·11	·	·11	·	·	·	·	·	·01	·22	10
11	·15	·	·	·	·07	·	·	·	·01	·	·62	·15	11
12	·	·	·55	·	·	·	·	·	·06	·	·11	·21	12
13	·	·	·01	·	·	·	·	·	·16	·	·01	·30	13
14	·	·08	·01	·	·	·	·	·	·	·05	·07	·97	14
15	·	·02	·05	·	·	·02	·	·	·	·	·20	·05	15
16	·01	·	·02	·	·	·37	·	·	·	·	·29	·47	16
17	·	·02	·25	·03	·	·20	·	·	·	·	·05	·72	17
18	·	·20	·06	·32	·	·15	·	·	·	·16	·19	·52	18
19	·	·02	·04	·04	·	·46	·	·	·28	·31	·32	·58	19
20	·02	·03	·21	·02	·	·01	·	·	·04	·47	·01	1·06	20
21	·01	·09	·09	·01	·	·02	·	·07	·04	·21	·	·07	21
22	·17	·01	·	·03	·	·	·	·	·21	·08	·	·42	22
23	·01	·06	·01	·02	·	·14	·	·	·03	·36	·04	·09	23
24	·	·06	·	·	·	·33	·	·	·	·36	·	·14	24
25	·	·04	·	·03	·	·02	·	·	·05	·15	·	·30	25
26	·	·05	·	·16	·	·	·	·04	·	·64	·	·05	26
27	·	·14	·07	·	·21	·	·	·25	·07	·54	·02	·19	27
28	·	·14	·01	·42	·	·	·	·07	·	·	·03	·	28
29	·	·	·	·22	·02	·20	·30	·	·12	·17	·	·	29
30	·	·	·	·	·	·05	·	·	·01	·10	·07	·06	30
31	·	·	·	·	·	·	·08	·	·	·01	·	·	31
Total	0.74	0.98	2.05	1.41	0.73	1.97	0.38	1.42	1.10	3.77	3.70	9.98	TOTAL for year 28.23
No. of Rain Days.	11	15	19	13	7	12	2	10	13	19	23	27	171

W. 8,000, X. '11.

REG

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

Kept at Devon & Exeter Institution

in the County of Devon S. 6

by John E. Coombes

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	13 ft. 7 in.
	„ „ „ Sea Level	155 ft.

Time of Observation 9 am

Nearest Railway Station { Name L. & S. W. R.
Distance 1/4 mi Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·01	·10	·08	·	·	·01	·	·01	·	·	1
2	·	·	·	·01	·18	·	·	·14	·	·08	·21	·12	2
3	·	·	·	·	·06	·	·	·01	·02	·	·05	·10	3
4	·	·	·07	·	·	·	·	·15	·	·02	·06	·47	4
5	·10	·	·15	·	·	·	·	·67	·	·04	·21	·03	5
6	·20	·	·23	·	·	·	·	·01	·	·01	·08	1·05	6
7	·01	·	·	·	·	·	·	·	·	·	·40	·01	7
8	·01	·	·10	·	·	·	·	·	·	·	·04	·91	8
9	·	·	·	·	·	·	·	·	·	·	·61	·75	9
10	·05	·02	·11	·	·11	·	·	·	·	·	·01	·22	10
11	·15	·	·	·	·07	·	·	·	·01	·	·62	·15	11
12	·	·	·55	·	·	·	·	·	·06	·	·11	·21	12
13	·	·	·01	·	·	·	·	·	·16	·	·01	·30	13
14	·	·08	·01	·	·	·	·	·	·	·05	·07	·97	14
15	·	·02	·05	·	·	·02	·	·	·	·	·20	·05	15
16	·01	·	·02	·	·	·37	·	·	·	·	·29	·47	16
17	·	·02	·25	·03	·	·20	·	·	·	·	·05	·72	17
18	·	·20	·06	·32	·	·15	·	·	·	·16	·19	·52	18
19	·	·02	·04	·04	·	·46	·	·	·28	·31	·32	·58	19
20	·02	·03	·21	·02	·	·01	·	·	·04	·47	·01	1·06	20
21	·01	·09	·09	·01	·	·02	·	·07	·04	·21	·	·07	21
22	·17	·01	·	·03	·	·	·	·	·21	·08	·	·42	22
23	·01	·06	·01	·02	·	·14	·	·	·03	·36	·04	·09	23
24	·	·06	·	·	·	·33	·	·	·	·36	·	·11	24
25	·	·04	·	·03	·	·02	·	·	·05	·15	·	·30	25
26	·	·05	·	·16	·	·	·	·04	·	·64	·	·05	26
27	·	·14	·07	·	·21	·	·	·25	·07	·54	·02	·19	27
28	·	·14	·01	·42	·	·	·	·07	·	·	·03	·	28
29	·	·	·	·22	·02	·20	·30	·	·12	·17	·	·	29
30	·	·	·	·	·	·05	·	·	·01	·10	·07	·06	30
31	·	·	·	·	·	·	·08	·	·	·01	·	·	31
Total	0.74	0.98	2.05	1.41	0.73	1.97	0.38	1.42	1.10	3.77	3.70	9.98	TOTAL for year 28.23
No. of Rain Days.	11	15	19	13	7	12	2	10	13	19	23	27	171

W. 8,000, X. '11.

Exe DS

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
10 JAN 1913

Kept at Devon & Exeter Institution

in the County of Devon S-6

by John E. Coombes

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 13 ft. 7 in.
" " " Sea Level 155 ft.

Time of Observation 9 am.

Nearest Railway Station
Name L & S. W. R.
Distance 1/4 m Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	·14	.	.	·58	·10	.	·04	·73	.	·40	1
2	.	.	·17	·06	·04	·35	·02	·03	.	·01	.	·04	2
3	.	.	·16	.	·01	·12	·29	1·10	.	.	.	·01	3
4	·20	·01	·70	.	.	·11	.	·06	.	.	·29	.	4
5	·38	·23	·21	.	·03	·88	.	·48	·02	.	·01	·15	5
6	·49	·05	·01	.	·32	·57	·27	·26	.	.	.	·04	6
7	·10	·91	·32	·01	·09	·95	.	·03	.	.	.	·12	7
8	·34	·10	·26	·01	.	·22	.	·01	.	.	.	·01	8
9	·02	·02	·07	·08	.	·21	·03	·02	.	.	.	·30	9
10	·20	·07	·36	·01	.	·21	.	·19	.	.	·20	·19	10
11	·01	·05	·01	.	.	·33	.	·02	.	.	·12	·31	11
12	·01	·27	·06	.	·01	.	·05	·22	.	.	.	·02	12
13	·20	·01	·01	.	.	·02	·04	·03	.	.	.	·01	13
14	·06	·02	·42	.	·24	.	.	·10	.	.	.	.	14
15	·59	·03	·03	.	·40	·50	.	.	.	.	.	·06	15
16	·33	.	·12	.	·07	·04	.	·02	.	·02	·01	·06	16
17	·06	.	·14	.	.	·09	.	·49	.	.	.	·03	17
18	·02	·01	·18		.	.	.	·28	.	·01	·01	·02	18
19	·01	·13	·41	.	.	.	·04	·10	.	·01	.	·02	19
20	·04	·07	·29	.	·23	.	·02	·30	.	·21	·06	.	20
21	.	·09	·34	.	·44	.	·01	·18	.	·13	.	.	21
22	·24	·07	·16	.	·05	.	·03	·09	.	·16	.	·03	22
23	·50	·39	·13	.	.	·02	·10	·32	.	.	·07	·18	23
24	·07	·01	.	.	.	·21	.	.	.	.	.	·17	24
25	·18	.	.	.	.	·05	.	·60	.	·22	·12	·54	25
26	.	.	.	.	.	.	·01	·06	.	·26	·40	·25	26
27	.	.	.	.	.	·26	·54	·22	.	1·08	·01	·15	27
28	.	·09	.	.	.	·04	·22	·36	·20	·23	·25	·40	28
29	.	·32	.	.	.	·18	·06	·21	·74	·41	.	·09	29
30	.	.	·02	.	.	·01	·13	.	·15	·34	.	.	30
31	.	.	·21	.	.	.	·25	.	.	·02	.	·01	31
Total	4.05	2.95	4.93	0.17	1.93	5.95	2.21	5.78	1.15	3.84	1.55	3.61	TOTAL for year 38.12
No. of Rain Days.	21	21	25	5	12	22	18	26	5	15	12	26	208

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913.

24 APR 1914
FORM A. BRITISH RAINFALL.

Kept at Devon and Exeter Institution
in the County of Devon S.6
by John E. Coombes

Lat. 50° 45' N. Long. 3° 41' W.
Time of Observation 9 am.
Nearest Railway Station Queen Street: L.S.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 13 ft. 7 in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.14	.07	.05	.01	.	.	.	.08	.08	.06	.	1
2	.09	.02	.	.09	.38	.	.02	.	.	.29	.06	.	2
3	.35	.	.01	.	.48	.	.	.	.05	.24	.	.24	3
4	.90	.01	.	.	.04	.05	.	.	.11	.28	.28	.31	4
5	.02	.04	.	.	.09	.08	.01	.	.56	.01	.21	.41	5
6	.05	.08	.06	.	.03	.09	.03	.	.	1.22	.02	.15	6
7	.03	.32	.04	.	.86	.02	.09	.	.	.20	.14	.01	7
8	.05	.05	.	.	.25	.	.07	.	.	.01	.02		8
9	.02		.	.	.05	.	.07	.04	.	.	.53	.01	9
10	.82	.	.	.	.04	.	.	.02	.	.09	.03		10
11	.49	.01	.	.07	.63	.08	.	.	.	.07	.75		11
12	.05	.	.	.	.04	.01	.	.	.	.	.47	.05	12
13	.34	.	.	.	.	.	.	.05	.09	.	.10		13
14	.43	.01	.05	.03	.27	.	.	.	.	.	.16		14
15	.16	.	.36	.26	.	.	.	.	.16	.	.01		15
16	.11	.	.36	.	.	.	.	.03	.15	.	.		16
17	.03	.	.05	.01	.	.	.	.	.	.	.		17
18	.14	.	.18	.02	.02	.	.	.	.	.	.03		18
19	.50	.	.08	.	.	.01	.	.	.20	.07	.		19
20	.16	.	.14	.14	.01	.	.	.	.	.03	.11		20
21	.01	.	.35	.01	.08	.	.	.	.	.	.25		21
22	.40	.	.52	.17	.	.07	.01	.	.09	.05	.	.21	22
23	.	.	.	.	.	.	.	.	.	.	.12	.64	23
24	.	.06	.	.02	.	.01	.	.	.	.	.01	.01	24
25	.	.	.	.45	.	.	.	.	.04	.06	.		25
26	.	.	.	1.13	.	.	.	.04	.	.	.	.18	26
27	.22	.	.27	.14	.	.	.	.	.	.27	.	.02	27
28	.17	.	.02	.26	.	.	.	.	.	.46	.	.08	28
29	.12	.	.38	.28	.01	.	.	.	.	.30	.		29
30	.18	.	.	.01	.05	.	.	.	.08	.53	.01		30
31	.14	.	.15	.	.07	.	.	.55	.	.02			31
Total	5.98	0.74	3.09	3.14	3.41	0.42	0.30	0.73	1.61	4.28	3.37	2.32	YEAR'S TOTAL 29.39
Rain Days.	26	10	17	17	19	9	7	6	11	19	20	13	174

W.7,000, XI. 13

✓ EX 9112

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL.

27 APR 1915

Kept at Devon and Exeter Institution

in the County of Devon S6

by John E. Coombes

Lat. 50° 45′ N Long. 3° 41′ W.

Time of Observation 9 am

Nearest Railway Station Queen Street L.S.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 13 ft. 7 in.

" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	0.03	0.15	·	0.09	0.04	0.16	·	·	0.30	0.03	1
2	·	·	0.01	0.04	0.03	·	0.31	·	·	·	0.10	0.36	2
3	·	·	0.14	0.20	0.41	·	·	0.01	·	·	0.01	0.06	3
4	0.27	·	0.01	0.13	0.05	·	0.36	0.15	·	·	0.47	0.58	4
5	0.14	·	0.03	0.19	0.01	·	·	·	0.04	·	0.01	0.10	5
6	·	0.06	0.08	0.06	0.01	·	0.05	0.04	·	·	0.03	0.22	6
7	0.04	0.88	0.06	0.02	0.07	·	0.20	0.01	0.10	·	0.01	0.13	7
8	0.01	·	0.58	0.05	0.07	0.34	·	·	0.02	·	·	0.01	8
9	·	0.01	0.34	0.19	0.06	0.38	·	0.08	1.50	·	·	·	9
10	0.02	0.45	0.05	0.14	0.01	0.04	·	·	0.34	·	·	0.13	10
11	·	0.10	0.18	·	0.01	0.19	·	·	·	·	0.04	0.69	11
12	·	0.32	0.13	·	·	·	·	·	0.10	0.03	0.04	0.57	12
13	·	0.11	0.40	·	·	·	0.03	·	0.16	0.25	0.19	0.17	13
14	·	0.13	0.27	·	·	0.06	·	0.38	·	0.04	0.23	0.05	14
15	·	·	0.09	·	·	·	0.02	0.82	·	0.07	0.08	0.18	15
16	·	·	0.03	·	·	·	·	·	0.07	·	·	0.02	16
17	·	0.12	0.27	·	·	·	·	·	·	·	·	0.34	17
18	·	0.06	0.05	·	·	·	·	·	0.08	0.01	·	0.23	18
19	·	0.05	0.62	·	·	·	1.87	·	0.05	·	0.06	0.02	19
20	·	0.36	0.25	·	·	0.06	·	0.04	·	·	·	0.20	20
21	·	0.69	·	·	·	·	·	·	·	0.33	·	0.10	21
22	·	0.01	0.02	·	0.21	0.01	·	·	·	0.12	·	·	22
23	·	0.02	0.24	·	·	·	0.01	·	·	0.26	·	0.01	23
24	·	0.10	0.01	·	0.38	·	·	0.03	·	0.01	0.05	·	24
25	0.09	0.01	0.31	·	0.02	·	0.17	0.17	·	0.27	0.01	0.10	25
26	0.09	0.01	0.12	·	·	·	0.14	0.01	·	0.01	0.07	0.66	26
27	0.03	·	·	·	·	·	·	·	·	0.11	0.10	0.17	27
28	·	0.01	0.24	·	0.07	·	0.01	·	·	0.15	0.12	0.90	28
29	·		0.15	·	0.10	·	·	·	·	0.13	0.38	0.01	29
30	·	X	0.04	·	·	·	·	·	·	0.19	0.25	1.02	30
31	0.03	X		X	·	X	0.23	·	X	0.92	X	0.50	31
Total	0.72	3.50	4.75	1.17	1.51	1.17	3.44	1.90	2.46	2.90	2.55	7.56	YEAR'S TOTAL 33.63
Rain Days.	9	19	28	10	15	8	13	12	10	.16	20	28	188

W. 8,000. X. 14.

✓ 6X ML 1889

REGISTER OF RAINFALL IN 1915.

FORM A. BRITISH RAINFALL.

15. JAN 1916

Kept at Devon & Exeter Institution

in the County of Devon 56

by John E. Coombes

Lat. 50° 45′ N. Long. 3° 41′ W.
Time of Observation 9. am
Nearest Railway Station Queen Street; L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 13 ft. 7 in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·18	·	·	·	·	·	·51	·32	·53	·	·04	1
2	·20	·09	·09	·	·	·20	·	·21	·10	·05	·	·52	2
3	·01	·15	·01	·	·20	·	·	·	·	·	·	·65	3
4	·03	·07	·	·	·05	·	·70	·01	·	·	·	·10	4
5	·	·74	·	·08	·	·	·	·05	·	·	·	·55	5
6	·75	·06	·	·10	·	·	·38	·	·	·	·	·20	6
7	·35	·28	·	·10	·	·	·14	·	·	·	·01	·18	7
8	·08	·29	·	·	·	·	·	·13	·	·	·02	·16	8
9	·04	·01	·	·10	·	·	·	·01	·	·	·33	·43	9
10	·12	·37	·	·05	·	·	·	·05	·	·16	·08	·07	10
11	·15	·25	·03	·	·01	·	·03	·11	·	·16	·66	·03	11
12	·09	·72	·	·04	·56	·	[illegible]	·11	·	·07	·20	·	12
13	·	·62	·	·	·28	·	·	·57	·07	·01	·15	·03	13
14	·	·	·	·	·	·	·13	·16	·05	·25	·	·45	14
15	·10	·01	·	·	·25	·	·12	–	·	·04	·03	·25	15
16	·01	·82	·	·	·18	·	·58	·	·	·	·	·03	16
17	·	·13	·	·	·06	·	·	·	·	·	·	·	17
18	·	·12	·	·	·	·	·	·	·	·	·	·	18
19	·	·02	·	·	·32	·	·14	·	·	·	·	·	19
20	·21	·	·	·11	·	·11	·	·	·	·27	·	·07	20
21	·33	·06	·	·	·	·	·11	·	·01	·18	·	·09	21
22	·06	·01	·14	·08	·	·09	·25	·	·01	·07	·	·32	22
23	·	·03	·01	·	·	·01	·02	·	·02	1·03	·	·56	23
24	·	·		·02	·	·	·08	·	·08	·21	·	·34	24
25	·07	·	·02	·01	·	·78	·01	·	·07	·	·	·21	25
26	·	·02	·	·	·	·27	·02	·	·01	·	·	·63	26
27	·	·	·	·	·	·39	·12	·	·01	·50	·	·	27
28	·	·09	·	·	·	·18	·	·	·33	·17	·01	·10	28
29	·	·	·	·	·	·17	·	·	·02	·	·13	·23	29
30	·10	X	·	·	·	·	–	·	·01	·94	·28	·40	30
31	·01	X	·	X	·	X	·14	·	X	·72	X	·23	31
Total	3.03	5.14	0.30	0.69	1.91	2.20	2.97	1.92	1.11	5.36	1.90	6.87	YEAR'S TOTAL 33.40 ✓
Rain Days.	19	23	6	10	9	9	16	11	14	17	11	26	171 ✓

W. 8,000. X. 15.

Exd C72

1845

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

√

Kept at Devon & Exeter Institution Exeter.

in the County of Devon

by John E. Coombes

Lat. 50° 45' N Long. 3° 41' W

Time of Observation 9. am.

Nearest Railway Station Queen Street, L.S.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 13. ft. 7. in.

" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·	·04	·	·34	·	·01	·	·05	·23	·15	·	1
2	·04	·05	·05	·	·02	·	·	·	·02	·19	·61	·	2
3	·	1·16	·	·	·44	·	·36	·	·	·42	·13	·	3
4	·06	·10	·	·03	·03	·13	·05	·	·02	·07	1·00	·	4
5	·	·	·07	·	·09	·19	·	·	·	·01	·25	·	5
6	·03	·13	·01	·	·05	·03	·35	·	·	·04	·79	·	6
7	·07	·16	·19	·	·09	·03	·03	·	·	·02	·70	·09	7
8	·	·22	·23	·	·16	·03	·	·	·	·	·19	·12	8
9	·	·07	·	·	·	·02	·08	·	·	·06	·06	·22	9
10	·	·54	·	·04	·05	·01	·01	·	·	·	·	·07	10
11	·	·	·	·02	·03	·	·	·	·	·	·	·	11
12	·05	·02	·41	·03	·10	·	·04	·	·	·	·	·	12
13	·	·17	·16	\	·02	·	·	0.56	·01	·	·	·	13
14	·	·44	·23	·01	·	·	·	·01	·	·	·	·	14
15	·	·08	·13	·12	·	·	·	·01	·	·09	·	·16	15
16	·09	·08	·	·09	·	·	·17	1·07	·	·19	·	·	16
17	·05	·15	·	·02	·	·	·	·	·20	·16	1·12	·02	17
18	·05	·22	·42	·11	·	·	·	·	·26	·03	·	·05	18
19	·13	·24	·19	·06	·	·	·	·	·	·	·14	·08	19
20	·09	·69	·28	·	·	·	·	·	·	·	·08	1·17	20
21	·02	·12	·19	·04	·11	·04	·	·	·	·	·	·19	21
22	·	·	·	·	·	·06	·	·08	·	·39	·	·64	22
23	·01	·03	·	·	·	·14	·	·19	·	·22	·06	·16	23
24	·	·21	·02	·	·30	·	·	·08	·	·58	·	·36	24
25	·	·32	·20	·	·	·06	·	·40	·03	·01	·33	·02	25
26	·03	·05	·08	·	·01	·25	·	·27	1·20	1·17	·02	·	26
27	·	·	1·42	·	·	·25	·	·29	·75	·31	·	·	27
28	·	·11	·	·	·	·01	·	·13	·11	·46	·	·12	28
29	·	·35	·03	·	·	·18	·	1·66	·06	·12	·	·23	29
30	·	X	·	·01	·	·		·	·	·24	·	·	30
31	·	X	·	X	·	X	·	·02	X	·35	X	·02	31
Total	0.82	5.71	4.35	0.58	1.84	1.43	1.10	4.77	2.71	5.36	5.63	3.72	YEAR'S TOTAL 38.02
Rain Days.	14	24	19	12	15	15	9	13	11	22	15	17	186

W. 8,000, VIII. 16

1768

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

17 APR 1918

Kept at Devon & Exeter Institution
in the County of Devon
by John E. Coombes

Lat. 50°45'N Long. 3°41'W
Time of Observation 9 am
Nearest Railway Station Queen Street. L.S.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 13 ft. 7 in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.	.10	.14	.	.21	.	.60	.02	.	.04	.	1
2	.	.	.01	.13	.	.05	.	.	.	.	.	.	2
3	.02	.	.	.07	.	.	.75	.05	.	.19	.95	.	3
4	.	.03	.87	.	.	.	.01	.	.03	.22	.	.	4
5	.16	.	.36	.37	.	.28	.	.01	.03	.16	.03	.	5
6	.	.	.28	.	.	.03	.	.42	.14	.01	.13	.	6
7	.37	.	.	.	.	.	.11	.21	.	.27	.12	.	7
8	.14	.	.12	.13	.	.	.40	.24	.03	.26	.05	.27	8
9	.	.	.28	.12	.02	.	.08	.12	.01	.38	.23	.01	9
10	.13	.	.27	.17	.	.	.	.13	.	.16	.	.	10
11	.02	.	1.35	.15	.	.	.	.13	.03	.19	.18	.	11
12	.10	.	.	.06	.41	.	.	.	.	.27	.	.	12
13	.	.	.16	.	.	.	.	.24	.04	.10	.	.	13
14	.	.	.	.	.	.	.02	.24	.03	.	.	.01	14
15	.	.	.	.08	.01	.	.15	.13	.	.13	.	.30	15
16	.	.06	.	.	.	.	.	.04	.	.15	.	.17	16
17	.	.07	.	.12	.	.	.20	.03	.29	.07	.	.	17
18	.	.05	.	.02	.21	.11	.10	.02	.55	.01	.	.	18
19	.	.36	.15	.	.	.11	.	.	.04	.	.	.	19
20	.	.05	.01	.	.57	.03	.	.33	.11	.	.01	.03	20
21	.	.	.05	.	.	.02	.	.	.	.	.02	.	21
22	.	.	.	.	.03	.	.	.56	.	.04	.	.	22
23	.	.16	.	.	.18	.	.	.07	.	.23	.	.	23
24	.	.	.	.	.	.04	.48	.03	.	.13	.01	.	24
25	.	.05	.08	.	.	.	.	.30	.02	.14	.03	.	25
26	.	.	.	.	.27	.05	.	.20	.06	.06	.02	.	26
27	.	.	.	.	.08	.39	.	.85	.	.02	.01	.	27
28	.	.11	.10	.	.02	.85	.	.29	.	.	.	.04	28
29	.		.04	.	.	.10	.	.06	.	.40	.	.13	29
30		X	.07	.	.		.02	.07	.	.02	.	.	30
31		X	.04	X	.05	X			X	.28	X	.02	31
Total	0.95	0.94	4.34	1.56	1.85	2.27	2.32	5.37	1.43	3.89	1.83	0.98	YEAR'S TOTAL 27.73
Rain Days.	8	9	18	12	11	13	11	25	15	24	14	9	169

W. 8,000, IX. 17.

~~W~~ M8

105

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

15

Kept at Devon & Exeter Institution Exeter.
in the County of Devon
by John E. Coombes.

Lat. 50° 45′ N. Long. 3° 41′ W.
Time of Observation 9 am
Nearest Railway Station L. S. W. R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 13 ft. 7 in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·08	·	·15	·02	·	·	·92	·	·04	1·19	·	1
2	·	·11	·	·05	·	·	·	·11	·	·02	·02	·03	2
3	·	·21	·	·19	·06	·	·	·	·	·02	·09	·	3
4	·	·04	·	·01	·	·	·	·14	·33	·	·46	·22	4
5	·	·	·24	·02	·31	·	·	·39	·34	·08	·01	·07	5
6	·24	·02	·	·12	·	·	·	·	·	·10	·	·19	6
7	·	·08	·	·01	·16	·03	·	·	·02	·06	·34	·13	7
8	·03	·23	·	·	·	·	·	·	·07	·33	·01	·01	8
9	·17	·02	·	·07	·	·14	·15	·	·29	·01	·	·21	9
10	·08	·	·	·25	·	·	·90	·	·15	·06	·	·58	10
11	·01	·	·07	·02	·	·	·08	·	·22	·13	·07	·05	11
12	·	·05	·14	·	·16	·	·09	·	·04	·	·	·	12
13	·12	·	·	·	·08	·	·28	·	·17	·15	·	·02	13
14	·16	·	·	·	·01	·05	·05	·	·18	·04	·	·10	14
15	1·02	·	·	·04	·02	·12	·44	·	·03	·08	·	·19	15
16	·58	·	·02	·40	·	·01	·04	·	·41	·01	·	·32	16
17	·16	·	·	·13	·	·	·28	·	·14	·	·	·13	17
18	·74	·	·	·	·	·46	(14)	·	1.12	·12	·	·15	18
19	·19	·02	·06	·	·	·	·15	·	·02	·	·	·43	19
20	·27	·08	·	·29	·	·	·52	·	·12	·	·	·01	20
21	·10	·03	·	·	·	·01	·01	·	·28	·06	·	·39	21
22	·01	·	·	·	·15	·	·76	·03	·15	·04	·	·13	22
23	·01	·	·	·	·01	·	·09	·	·13	·	·	·28	23
24	·	·14	·	·	·	·	·	·	·14	·	·14	·21	24
25	·	·	·	·	·20	·	·09	·42	·	·05	·21	·	25
26	·	14 ·~~09~~	·	·	·	·	·25	·02	·	·	·02	·06	26
27	·	·09 ·~~15~~	·09	·	·	·	·	·05	·33	·01	·24	·	27
28	·	·15	·08	·	·	·	·		·	·02	·02	·	28
29	·	·	·09	·	·	·	·		1.32	·	·	·01	29
30	·	X	·31	·21	·	·	·		·01	·03	·11	·07	30
31	·	X	·05	X	·	X	·	·02	X	·03	X	·05	31
Total	3.89	1.49	1.15	1.96	1.18	0.82	4.32	2.10	6.01	1.49	2.93	4.04	YEAR'S TOTAL 31.38
Rain Days.	16	16	10	15	11	7	17	9	23	22	14	25	185

W. 8,000. X. 14.

CX ML

1658

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

18 FEB 20

Kept at Devon & Exeter Institution

in the County of Devon

by John E. Coombes.

Lat. 50° 45′ N Long. 3° 41′ W.

Time of Observation 9 am.

Nearest Railway Station L & S. W. R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 13 ft 7 in.

" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	·	·12	·	·02	·	·16	·	·01	·34	·	·76	1
2	·09	·	·	·	·	·	·18	·	·02	·15	·	·01	2
3	·31	·	·38	·	·	·	·	·	·12	·	·10	·08	3
4	·60	·76	·58	·	·	·06	·22	·03	·44	·	·03	·05	4
5	·05	·34	1.10	·	·	·	·03	·	·27	·	·09	·12	5
6	·76	·46	·06	·	·	·	·	·	·	·	·	·32	6
7	·42	·	·14	·10	·	·	·	·	·01	·	·	·02	7
8	·28	·	·26	·	·	·02	·	·	·	·	·05	·	8
9	·12	·	·	·24	·04	·	·	·	·	·	·38	·	9
10	·06	·	·14	·	·03	·	·	·	·	·	·	·30	10
11	·01	·	·28	·03	·17	·	·10	·	·	-	·	·17	11
12	·20	·	·03	·06	·	·	·	·	·	·04	·10	·01	12
13	·02	·14	·15	·33	·	·	·	·	·	·10	·	·06	13
14	·13	·19	·01	·64	·37	·	·08	·	·	·11	·	·37	14
15	·12	·12	·	·07	·	·	·	·	·	·11	·	·25	15
16	·08	·81	·	·	·	·	·	·03	·	·	·12	·02	16
17	·03	·60	·	·	·	·	·	·	·	·	·14	·	17
18	·08	·28	·64	·	·	·	·	·	·01	·	·15	·	18
19	·25	·32	·19	·	·	·10	·72	·33	·30	·	·12	·06	19
20	·62	·02	·04	·	·	·22	·	·09	·13	·	·15	·03	20
21	·	·65	·	·	·	·	·04	·02	·07	-	·	·10	21
22	·	·01	·	·	·	·	·03	·	·11	·	·02	·01	22
23	·	·	·	·	·	·	·	·19	·	·57	·01	·05	23
24	·	·	·	·	·	·20	·	·11	·	·21	·09	·27	24
25	·08	·	·	·	·	·03	·	·30	·	·	·07	·08	25
26	·20	·03	·10	·14	·	·	·	·01	·04	·04	·16	·20	26
27	·30	·	·	·14	·	·	·	1.40	·	·	·	·03	27
28	·02	·	·26	·07	·	·	·	·01	·	·	·53	·40	28
29	·01	·	·02	·07	·	·	·	·07	·	·12	·	·03	29
30	·	×	·	·06	·	·05	·	·24	·	·	·48	·44	30
31	·	×	·02	×	·	×	·	·	×	·	×	·40	31
TOTAL	5.29	4.73	4.52	1.95	0·63	0.68	1.56	2.83	1.53	1.79	2.79	4.64	YEAR'S TOTAL 32.94
Days with ·01 in. or more	25	14	19	12	5	7	9	13	12	10	18	27	171.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1572

18 MAR

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Devon & Exeter Institution

in the County of Devon.

by John E. Coombes.

Lat. 50° 45′ N Long. 3° 41′ W

Time of Observation 9 am.

Nearest Railway Station Queen Street L.S.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 13 ft. 7 in.

" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·	·04	·07	·30	·	·29	·	·06	·02	·03	·74	1
2	·26	·	·	·13	·02	·	·07	·54	·02	·04	·	·07	2
3	·04	·02	·	·06	·	·	·06	·	·	·82	·	·23	3
4	·	·	·04	·	·	·	·02	·22	·	·22	·	·	4
5	·	·	·18	·14	·02	·	·30	·03	·	·26	·	·	5
6	·	·	·28	·15	·11	·	·10	·	·	·14	·	·	6
7	·	·	·02	·34	·07	·	·53	·	·	·	·	·	7
8	·17	·03	·	·22	·04	·	·19	·	·	·03	·	·20	8
9	·70	·01	·	·03	·	·42	·11	·	·	·	·	·	9
10	·60	·02	·03	·02	·	·39	·10	·	·	·	·	·	10
11	·16	·	·07	·63	·20	·03	·18	·	·	·	·	·	11
12	·08	·	·08	·28	·	·	·02	·	·	·	·03	·10	12
13	·24	·02	·45	·02	·	·11	·	·	·	·	·	·11	13
14	·04	·03	·30	·75	·	·	·	·	·06	·21	·13	·02	14
15	·	·14	·02	·27	·05	·	·	·	·02	·64	·	·	15
16	·	·02	·	·08	·	·02	·15	·	·19	·02	·04	·	16
17	·	·	·	·05	·14	·17	·	·	·37	·	·	·	17
18	·03	·01	·01	·05	·05	·09	·02	·17	·04	·	·	·	18
19	·06	·04		·39	·15	·46	·	·	·	·	·	·	19
20	·02	·	·	·26	·12	·09	·	·	·	·05	·	·16	20
21	·	·	·	·03	·	·	·03	·	·	·10	·	·13	21
22	·	·	·	·05	·	·	·	·	·	·01	·	·41	22
23	·	·	·01	·	·	·	·30	·04	·	·	·	·20	23
24	·01	·	·12	·	·	·	·	·	·	·	·17	·03	24
25	·05	·01	·09	·	·02	·	·48	·	·	·	·	·03	25
26	·21	·	·20	·	·	·	·08	·	·	·	·31	·07	26
27	·72	·05	·13	·12	·	·12	·10	·	·	·	·49	·39	27
28	·66	·	·08	·07	·	·02	·02	·	·	·	·	·03	28
29	·41	·	·62	·09	·	·05	·	·	·	·	·09	·09	29
30	·07	×	·	·	·01	·10	·01	·	·61	·08	·41	·18	30
31	·05	×	·29	×	·	×	·02	·	×	·61	×	·03	31
TOTAL	4.59	0.40	3.06	4.30	1.30	2.07	3.18	1.00	1.37	3.25	1.70	3.22	YEAR'S TOTAL 29.44
Days with ·01 in. or more	21 ~~4~~	12 ~~8~~	20 ~~5~~	24	14	13	27	5	8	15 ~~4~~	9	19	182
Days with ·04 in. or more	17	3	15	20	10	10	15	4	6	11	7	14	132

82 320

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGI 11

DEVON.

EXETER.

"ELMFIELD HOUSE"

1911 - 1920

Kept at Exeter, E

in the County of S. Dev

by W. B. Heberden

5 in.

ve Ground 1 ft. in.

Sea Level 100 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.09	.04			.02				.02	1
2					.23			.17		.09	.20	.11	2
3					.07				.01		.04	.10	3
4			.07							.02	.05	.50	4
5	.07		.09					.78		.05	.27	.04	5
6	.21		.33								.06	1.04	6
7	.02			.03							.36	.01	7
8			.14								.03	.85	8
9											.58	.75	9
10	.04	.02	.12		.11							.18	10
11	.19				.13				.01		.56	.14	11
12			.54						.05		.10	.20	12
13									.14		.02	.36	13
14		.07	.01							.06		.90	14
15		.02	.05			.02					.23	.05	15
16	.01		.03			.33					.28	.46	16
17		.03	.24	.02		.23					.07	.77	17
18		.15	.10	.28		.15				.20	.20	.48	18
19		.01	.04	.05		.58			.25	.32	.30	.57	19
20	.03	.03	.21	.02		.02			.04	.38		1.10	20
21		.07	.09					.10	.05	.30		.09	21
22	.20	.01		.06					.20	.09		.43	22
23		.04	.01			.11			.03	.37	.05	.06	23
24		.06				.30		.11		.34		.19	24
25		.03		.01		.02		.01	.05	.17		.24	25
26		.05		.16				.03		.62		.12	26
27		.12	.02		.08			.25	.08	.64		.19	27
28		.15	.06	.45				.09			.04		28
29				.29	.04	.21	.30		.10	.20	.02		29
30						.03	.03			.09	.04	.06	30
31							.06			.01			31
Total	.77	.86	2.15	1.46	.70	2.00	.39	1.56	1.01	3.95	3.50	10.01	TOTAL for year 28.36
No. of Rain Days	8	15	17	11	7	11	3	9	12	17	20	28	158

9,000, IX. '10.

82)

320

FORM A2. BRITISH RAINFALL.

20 JAN 191

REGI [illegible] 11

Kept at Exeter, Elmfield House

in the County of S. Devon 6

by W. B. Heberden

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 100 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·09	·04			·02				·02	1
2					·23			·17		·09	·20	·11	2
3					·07				·01		·04	·10	3
4			·07							·02	·05	·50	4
5	·07		·09					·78		·05	·27	·04	5
6	·21		·33								·06	1·04	6
7	·02			·03							·36	·01	7
8			·14								·03	·85	8
9											·58	·75	9
10	·04	·02	·12		·11							·18	10
11	·19				·13				·01		·56	·14	11
12			·54						·05		·10	·20	12
13									·14		·02	·36	13
14		·07	·01							·06		·90	14
15		·02	·05			·02					·23	·05	15
16	·01		·03			·33					·28	·46	16
17		·03	·24	·02		·23					·07	·77	17
18		·15	·10	·28		·15				·20	·20	·48	18
19		·01	·04	·05		·58			·25	·32	·30	·57	19
20	·03	·03	·21	·02		·02			·04	·38		1·10	20
21		·07	·09					·10	·05	·30		·09	21
22	·20	·01		·06					·20	·09		·43	22
23		·04	·01			·11			·03	·37	·05	·06	23
24		·06				·30		·11		·34		·19	24
25		·03		·01		·02		·01	·05	·17		·24	25
26		·05		·16				·03		·62		·12	26
27		·12	·02		·08			·25	·08	·64		·19	27
28		·15	·06	·45				·09			·04		28
29				·29	·04	·21	·30		·10	·20	·02		29
30						·03	·03			·09	·04	·06	30
31							·06			·01			31
Total	·77	·86	2·15	1·46	·70	2·00	·39	1·56	1·01	3·95	3·50	10·01	TOTAL for year 28·36
No. of Rain Days	8	15	17	11	7	11	3	9	12	17	20	28	158

9,000, IX. '10.

8L

312

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Exeter

in the County of S. Devonshire 5.6

by W. B. Heberden

Rain Gauge { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·16			·60	·11		·04	·86		·35	1
2			·15	·06	·08	·43	·02	·01		·01		·03	2
3			·10		·02	·11	·23	1·10					3
4	·20	·03	·62			·10		·04			·29		4
5	·36	·18	·19		·03	·32		·45				·12	5
6	·40	·10				·43	·33	·25				·02	6
7	·08	·96	·26		·36	·84		·05				·16	7
8	·36	·14	·35		·05	·20							8
9	·01	·02	·08	·08		·61	·03	·01				·24	9
10	·20	·05	·41	·01		·16		·10			·13	·29	10
11		·05				·31		·01			·10	·27	11
12		·27	·06			·01	·05	·23				·04	12
13	·25					·01	·04	·04				·02	13
14	·06	·02	·50		·25			·10					14
15	·50	·02	·01		·31	·52						·07	15
16	·34		·08		·05	·03		·01		·01		·08	16
17	·11		·12			·12		·49				·04	17
18			·21					·21				·02	18
19	·01	·08	·45				·02	·16		·01		·02	19
20	·06	·06	·29		·18		·01	·23		·26	·05		20
21		·08	·35		·48		·01	·17		·11			21
22	·26	·09	·08		·08		·02	·10		·74		·04	22
23	·68	·38	·22			·01	·09	·31			·06	·20	23
24	·09	·02				·20		·05		·04		·11	24
25	·16					·05	·02	·58		·20	·11	·50	25
26							·02	·06		·20	·39	·29	26
27						·27	·73	·17		1·10		·14	27
28		·09				·04	·14	·35	·18	·19	·24	·38	28
29		·35				·18	·03	·23	·87	·47		·08	29
30			·02			·01	·10		·17	·36		·01	30
31			·19				·21			·01			31
Total	4·13	2·99	4·90	·15	1·89	5·56	2·21	5·51	1·26	4·57	1·37	3·52	TOTAL for year 38·06
No. of Rain Days.	18	19	22	3	11	23	19	26	4	15	8	24	192

W. 8,000, X. '11.

82. ✓ 325

BRITISH RAINFALL. FORM A.
28 JAN 1914

REGISTER OF RAINFALL IN 1913

3rd Div

Kept at Exeter, Elmfield House
in the County of S. Devonshire 6
by W. B. Heberden

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1		·14	·06		·03				·07	·10	·07		1
2	·12	·04		·10	·34		·02			·14	·05		2
3	·22		·01		·42					·13		·18	3
4	1.00				·10	·02			·18	·54	·28	·25	4
5	·02	·04			·10	·10			·60		·22	·46	5
6	·04	·06	·06		·02	·08	·06			·93	·03	·15	6
7	·04	·35	·05		·84	·01	·12			·57	·12	·02	7
8	·05	·06			·32		·07	·01		·01			8
9	·73				·06		·04	·04			·57		9
10	·58				·06			·01		·09	·03		10
11	·05			·05	·55	·07				·08	·80		11
12	·04				·11	·02					·49	·04	12
13	·34							·04	·08		·06		13
14	·43		·03	·03	·13						·17		14
15	·20		·33	·26					·16				15
16	·12		·37					·01	·19				16
17	·04		·05										17
18	·10		·15	·02	·01						·04		18
19	·54		·05			·01			·20	·08			19
20	·16		·04	·16					·01	·05	·08		20
21			·38		·11						·31		21
22	·38		·61	·32		·07		·01	·09	·04		·18	22
23							·02				·10	·73	23
24		·07		·02							·01		24
25				·42					·04	·05			25
26				1·04				·06				·15	26
27	·23		·28	·17						·30		·01	27
28	·16		·06	·39						·49		·21	28
29	·12		·38	·24	·01					·23			29
30	·16			·01					·13	·50			30
31	·14		·13		·02			·55					31
Total	6.01	·76	3.04	3·23	3·23	·38	·33	·73	1·75	4·33	3·43	2·38	YEAR'S TOTAL 29·60
Rain Days.	25	7	17	14	17	8	6	8	11	17	17	11	158

W. 7,500, XI. ·12

82

308

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Exeter Elmfield House

in the County of S. Devonshire S6

by W. B. Heberden

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·10		·07	·05	·19			·37	·04	1
2			·01	·08	·01		·26				·11	·37	2
3			·12	·20	·39		·02	·02			·01	·03	3
4	·12			·15	·04		·38	·16			·50	·60	4
5	·17		·03	·20					·02			·04	5
6		04	·07	·05			·06	·06			·06	·30	6
7	·04	92	·05		·08		·20	·01	·08			·14	7
8	·02		·57	·01	·06	·42						·01	8
9		·01	·41	·21	·04	·40		·08	1·70				9
10	·04	·42	·07	·14	·02	·04			·34			·05	10
11		·11	·19		·02	·17					·03	·87	11
12		·29	·13						·11	·01	·03	·60	12
13		·14	·41				·01		·18	·30	·20	·20	13
14		·15	·22			·08		·38		·03	·18	·06	14
15		·01	·08				·01	1·06		·06	·10	·20	15
16			·02						·05			·01	16
17		·10	·32									·36	17
18		·08	·03						·08			·23	18
19		·04	·65				1·90		·06		·05	·02	19
20		·39	·23			·07		·01				·21	20
21		·74								·35		·11	21
22					·20					·12		·01	22
23		·02	·22				·01			·20			23
24		·07			·32			·02			·04		24
25	·07		·30				·04	·16		·27		·10	25
26	·11	·02	·10				·21	·01			·07	·66	26
27	·02									·10	·06	·20	27
28		·01	·25		·07		·01			·19	·18	·85	28
29			·14		·12					·15	·38	·01	29
30			·06							·20	·30	1·06	30
31	·04						·22			1·06		·44	31
Total	·63	3·56	4·71	1·14	1·37	1·25	3·38	2·16	2·62	3·04	2·67	7·78	YEAR'S TOTAL 3431
Rain Days.	9	18	25	9	12	7	14	12	9	13	17	28	143

W.7,000, XI. 13

8l

1891
306

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at *Exeter*

in the County of *S. Devonshire*

by *W. B. Heberden*

Exp 8/

56

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·36	19						·56	·20	·52		·04	1
2	·19	·09	·09			22		·20	·05	·06		·53	2
3	·01	·18	·01		·20							·51	3
4	·03	·10			·06		1·04					·20	4
5		·74		·07				·05				·55	5
6	·85	·07		·10			·40	·01				·18	6
7	·33	·30		·08			·12				·01	·17	7
8	·11	·29						·12			·01	·09	8
9		·01		·10				·01			·36	·50	9
10	·15	·39		·05				·04		·16	·07	·06	10
11	·16	·29	·02		·01		·02	·11		·12	·68	·04	11
12	·10	·72		·03	·54			·11		·06	·18		12
13		·62			·31			·37	·05		·15	·01	13
14							·10	·23	·04	21		·52	14
15	·10	·01			·28		·12			·01	·02	·24	15
16		·82			·14		·56			·01		·09	16
17		·11			·13							·01	17
18		·13											18
19		·01			·33		12						19
20	·19			·10		·08				·25		·07	20
21	·38	07					·02			·14		·06	21
22	·10	·01	·16	·11		·06	·25			·02		·35	22
23		·01	·01				·10		·01	·98		·51	23
24				·02			·07		·14	·20		·26	24
25	·07			·01		·75	·01		·03			·36	25
26		·02				·23	·01					·70	26
27		·02				·46	·09			·50			27
28		·08				·18			·33	·25		·07	28
29						·20			·02		·12	·24	29
30	·09	X				·02	·02		·01	·94	·30	·38	30
31		X		X		X	·12		X	·80	X	·27	31
Total	3·22	5·28	·29	·67	2·00	2·20	3·17	1·81	·88	5·23	1·90	7·01	YEAR'S TOTAL 33·66
Rain Days.	16	24	5	10	9	9	17	11	10	17	10	27	165

W. 8,000. X. 14.

8L

Exe 8L

184
27

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Exeter

in the County of S. Devonshire

by W. B. Heberden

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·04		39				·04	·20	·04		1
2	·08	·05	·05		·01				·01	·20	·46		2
3	·01	1·28			41	·02	·34			·48	·29		3
4	·05	·10		01	·07	·08	·01		·01	·06	1·05		4
5			·05		·08	·15				·01	·24		5
6	·01	·11			05	·02	·36			·04	·78		6
7	·06	·15	·19		·08	·01	·02			·01	·79	·08	7
8		·24	·30		·14	·05					·22	·11	8
9		·08			·02	·03	·04			·05	·05	·14	9
10		·57		·03	·04	·01	·03				·01	·14	10
11				·01									11
12	·03	·01	·41	·01	·09		·04						12
13		·16	·14		·02			·52		·01			13
14		·46	·23					·04					14
15		·08	·18	·10				·02		·06		·11	15
16	·06	·04		·09			·15	1·64		·09	—	·05	16
17	·03	·12							·14	·26	1·12	·05	17
18	·03	·18	·46	·06					·30	·03			18
19	·11	·22	·18	·05							·14		19
20	·06	·74	·30								·07	1·10	20
21		·25	·20		·10	·03						·07	21
22						·05		·06		·46		·66	22
23	·01	·07				·16		·29		·23	·06	·15	23
24		·21	·02		·28	·01		·06		·60		·36	24
25		·36	·19			·01		·48			·34	·01	25
26	·03	·07	·05		·01	·20		·27	1·00	1·07	·01		26
27			1·40			·17		·39	·93	·39			27
28		·08				·01		·09	·09	·50		·12	28
29		·31				·15		1·62	·06	·11		·23	29
30		X	·01							·26			30
31		X		X		X		·01	X	·30	X	·02	31
Total	·65	5·94	4·40	·36	1·79	1·16	·99	5·49	2·58	5·42	5·67	3·40	YEAR'S TOTAL 37·85
Rain Days.	14	24	18	8	15	17	8	13	9	22	16	16	180

W. 8,000. X. 15.

8L ✓ 177°
~~256~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26 JAN 1918

Kept at Exeter, Elmfield House

in the County of S. Devonshire

by W. B. Heberden

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12	·16		·20		·52	·03		·03		1
2			·01	·11		·01					·91		2
3	·02			·09			·71	·05		·11			3
4		·03	·94						·01	·30			4
5	·14		·38	·37		·29		·02	·02	·16	·02		5
6			·28			·02		·47	·03		·12		6
7	·41						·08	·19		·16	·10		7
8	·14		·38	·12			·35	·24	·01	·33	·05	·28	8
9	·13		·06	·07			·04	·06		·44	·21		9
10			·30	·16				·16		·15	·01		10
11	·01		1·35	·15				·13	·05	·16	·15		11
12	·10			·05	·40					·26			12
13			·18					·36	·03	·10			13
14				·05			·01	·19	·04				14
15				·04			·07	·13		·11		·35	15
16		·04						·01		·13		·20	16
17		·01		·10			·20	·02	·28	·04			17
18		·10		·01	·20	·10	·13		·57	·01			18
19		·38	·07			·13			·04				19
20		·04	·03		·55	·05		·58	·11			·02	20
21			·02					·01					21
22					·01			·57		·03			22
23		·16			·17			·08		·18			23
24						·05	·44	·02		·11			24
25		·04	·06					·12	·01	·15	·02		25
26					·25	·04		·24	·06	·06	·01		26
27					·03	·38		·84		·02			27
28		·09	·08		·05	·84		·32				·04	28
29			·03			·08		·06		·46		·16	29
30		×	·06				·03	·06		·01			30
31		×	·02	×	·04	×		·01	×	·30	×		31
Total	·95	·89	4·37	1·48	1·70	2·19	2·06	5·46	1·29	3·78	1·63	1·05	YEAR'S TOTAL 26·85
Rain Days.	7	9	18	13	9	12	10	26	14	23	11	6	158

W. 8,000, VIII. 16

Sh

107
~~210~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Exeter, Elmfield House
in the County of S. Devonshire
by W. B. Heberden

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07		·15	·01			·94		·03	1·28	·02	1
2		·10		·04				·07		·02			2
3		·22		·22	·06					·01	·01		3
4		·05						·10	·32		·52	·24	4
5			·24	·02	·34			·35	·38	·08		·06	5
6	·28	·01		·12				·04		·12		·17	6
7		·06		·01	·14	·01			·19	·07	·36	·14	7
8	·04	·20							·07	·38	·01		8
9	·16	·03		·06		·15	·17		·34			·23	9
10	·07			·24			·55		·14	·06		·60	10
11	·01		·06	·01			·06		·19	·06	·06	·06	11
12		·03	·13		·16		·06		·04				12
13	·13				·07		·27		·19	·14		·01	13
14	·14				·01	·04	·12		·16	·06		·11	14
15	1·15			·03	·01	·06	·42		·02	·06		·23	15
16	·57		·01	·36		·04	·04		·28			·30	16
17	·18			·14			·26		·11			·14	17
18	·71					·43	·16		1·03	·12		·15	18
19	·19	·01	·06				·14	·03	·01			·41	19
20	·32	·09		·29			·48		·11			·01	20
21	·10	·02				·01	·01		·26	·06		·40	21
22					·14		·72		·13	·04	·01	·11	22
23	·01				·01		·07		·12			·35	23
24		·12						·06	·15		·14	·22	24
25					·17		·06	·39		·04	·21		25
26		·15					·22	·01			·01	·06	26
27		·08	·08					·05	·33		·25		27
28		·15	·07						·06	·01	·01		28
29			·08						1·32			·01	29
30		X	·33	·22						·02	·11	·07	30
31		X	·09	X		X		·01	X	·02	X	·03	31
Total	4·06	1·39	1·15	1·91	1·12	·74	3·81	2·05	5·95	1·40	2·98	4·13	YEAR'S TOTAL 30·69
Rain Days.	15	16	10	14	11	7	17	11	23	19	13	24	180

W. 8,000, IX. 17.

81

1660
~~229~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Exeter, Elmfield House
in the County of S. Devonshire
by W. B. Heberden

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48		·12		·01		·17		·01	·35		·82	1
2	·10						·10		·01	·17			2
3	·33		·38		·01				·12		·11	·07	3
4	·76	·75	·41			·01	·20	·01	·48		·02	·05	4
5	·06	·40	1·28				·01		·25		·11	·09	5
6	·83	·52	·06									·27	6
7	·44		·12	·07								·01	7
8	·31		·26								·03		8
9	·10			·22	·03						·43		9
10	·09		·13	·01	·02							·37	10
11	·01		·34	·02	·15		·08					·17	11
12	·21		·03	·01						·03	·10	·01	12
13	·14	·13	·14	·35						·10		·06	13
14	·01	·21		·59	·38		·06			·13		·38	14
15	·10	·12		·06				·03		·11		·31	15
16	·08	·84									·13	·01	16
17	·02	·65									·13		17
18	·08	·20	·62				·15		·01		·15		18
19	·28	·40	·18			·10	·52	·33	·27		·08	·06	19
20	·68		·04			·18		·09	·13		·14	·01	20
21		·69					·03	·02	·06			·09	21
22							·02		·12		·01		22
23										·60	·02	·03	23
24						·19		·15		·24	·08	·35	24
25	·08					·03		·10			·06	·06	25
26	·21	·03	·07	·07				·33	·03	·02	·14	·19	26
27	·30			·16				1·30				·02	27
28	·01		·28	·02				·04			·50	·44	28
29			·01	·06				·05	·01			·05	29
30		×		·06		·04		·28			·48	·42	30
31	·01	×	·02	×		×			×		×	·40	31
													YEAR'S TOTAL
Total	5·72	4·94	4·49	1·70	·60	·55	1·34	2·73	1·50	1·75	2·72	4·74	32·78
Rain Days.	25	12	18	13	6	6	10	12	12	9	18	25	166

W, 6,500. VII. 18. w w c

282 1574

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Exeter, Elmfield House
in the County of S. Devonshire
by W. B. Heberden

Lat............ Long............
Time of Observation............
Nearest Railway Station............
Diameter of Funnel of Rain Gauge............in.
Height of top of Gauge above Ground............ft............in.
" " " " Sea Level............ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·03	·06	·34		·36	·01	·05	·02	·04	·72	1
2	·27			·14			·06	·46	·01	·07		·06	2
3	·03	·02		·05			·05			·66		·20	3
4			·04				·02	·22		·24			4
5			·18	·15	·02		·32	·04		·25			5
6			·30	·17	·11		·10			·13			6
7			·01	·38	·06		·58						7
8	·10	·01		·26	·02		·21			·03		·15	8
9	·67			·04		·45	·11						9
10	·56	·01	·02			·42	·10					·10	10
11	·17		·07	·55	·21	·02	·17					·09	11
12	·11		·05	·40		·10	·01			·01	·02		12
13	·26	·02	·50	·01			·01						13
14	·04	·03	·32	·79					·06	·20	·14		14
15		·11	·02	·21	·04				·01	·49			15
16		·02		·10		·02	·15		·18	·03	·04		16
17				·03	·13	·16			·44				17
18	·03	·01	·02	·02	·07	·10	·02	·14	·03				18
19	·05	·06		·44	·16	·47							19
20				·26	·16	·11				·06		·18	20
21				·05			·06			·08		·14	21
22	·01		·01	·03								·49	22
23							·33	·03				·19	23
24			·16				·02				·18	·02	24
25	·03		·09		·01		·47				·01	·02	25
26	·17		·23				·09				·31	·10	26
27	·69	·06	·15	·09	·02	·12	·13				·57	·43	27
28	·69		·08	·15			·01						28
29	·41	·01	·62	·03		·01					·08	·10	29
30	·06	×				·10			·60	·08	·45	·17	30
31	·04	×	·30	×		×	·04		×	·48	×	·04	31
TOTAL	4·43	·36	3·20	4·26	1·35	2·08	3·42	·90	1·38	2·83	1·84	3·20	YEAR'S TOTAL 29·25
Days with ·01 in. or more	20	11	20	23	13	12	23	6	8	15	10	17	178
	16	[illegible]	14	18	9	9	17	4	5	11	8	15	12~~8~~9

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~EXETER~~

HELE'S SCHOOL

DEVON

1914 - 1920

FORM A.
BRITISH RAINFALL.

JAN 1915

Kept at Helé

in the County of

by Senior

014

Long.

9 a.m.

tion St. David's, Exeter

uge 8 in.

ge above Ground 6 ft. 4 in.

-screen. thermometer etc Sea Level 160 ft.

IMPORTANT … and the result entered to the previous day. If … universal rule, he is earnestly requested to add th… ng year in the space provided for it at the end … easurement of rain, the selection and p… he British Rainfall Organization are gi… e on application to Dr. H. R. Mill, 62

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·00	0·00	0·05	0·09	0·00	0·08	0·06	0·18	0·00	0·00	*	0·05	1
2	0·00	0~~·03~~ ·00	0·01	0·07	*	0·00	0·28	0·00	0·00	0·00	0·46	0·36	2
3	·01	0·00	~~0·1~~ 0·14	0·17	0·45	0·00	*	0·05	0·00	0·00	0·02	0·05	3
4	·15	0·00	0·10	*	0·05	0·00	0·39	0·15	0·00	0·00	0·50	0·66	4
5	·15	0·00	0·02	0·34	0·01	0·00	0·00	0·02	0·20	0·00	0·04	*	5
6	0·00	0·03	0·04	0·05	0·01	0·00	0·12	0·06	0·02	0·00	0·07	0·34	6
7	·04	0·94	0·05	0·02	0·10	0·00	0·39	0·04	0·09	0·00	0·01	0·14	7
8	·00~~5~~	0·00	0·62	0·23	0·07	0·44	0·00	*	0·02	0·00	0·01	0·03	8
9	0·00	0·01	0·04	0·14	0·07	0·45	0·00	0·18	1·55	0·00	0·00	0·01	9
10	~~·002~~ ·02	0·45	0·06	0·00	0·00	0·03	0·00	0·00	0·34	0·00	0·00	0·07	10
11	0·00	0·11	0·18	0·00	0·02	0·18	0·00	0·00	0·00	0·00	0·05	0·78	11
12	0·00	0·31	0·12	0·00	0·00	0·00	0·00	0·00	0·22	0·04	0·05	0·60	12
13	0·00	0·13	0·44	0·00	0·00	0·00	0·02	*	0·33	0·28	0·20	0·17	13
14	0·00	0·15	0·27	0·00	0·00	0·09	0·00	*	0·01	0·05	0·20	0·06	14
15	~~0·02~~ 0·00	0·00	0·08	0·00	0·00	0·00	0·03	*	0·00	0·07	0·11	0·20	15
16	0·00	0·00	0·02	0·00	0·00	0·00	0·00	1·53	0·10	0·00	0·00	0·06	16
17	0·00	0·12	0·30	0·00	0·00	0·00	0·01	0·00	*	*	0·00	0·34	17
18	0·00	0·09	0·03	0·00	0·00	0·00	*	0·00	0·18	0·02	0·00	0·25	18
19	0·00	0·05	0·65	0·00	0·00	0·00	1·87	0·00	0·05	0·01	0·08	0·03	19
20	0·00	0·41	0·25	0·00	0·00	0·09	*	0·03	0·00	0·00	0·00	0·20	20
21	0·00	0·81	0·00	0·00	0·00	0·00	*	0·00	0·00	0·31	0·00	0·12	21
22	0·00	0·00	0·00	0·00	0·10	0·01	*	0·00	0·00	0·12	0·00	0·01	22
23	*	0·02	0·28	0·00	0·34	0·00	*	0·00	0·00	0·20	0·00	0·01	23
24	·01	0·07	0·01	0·00	0·02	0·00	0·04	0·03	* 0·00	*	0·06	0·01	24
25	·08	0·00	0·29	0·00	0·01	0·00	0·14	0·16	* 0·00	0·27	0·01	0·10	25
26	·10	0·01	0·11	0·00	0·00	* 0·00	0·13	0·02	0·00	0·02	0·07	0·62	26
27	·02~~5~~	0·00	0·00	0·00	0·00	0·00	×	0·00	* 0·00	0·10	0·07	0·18	27
28	0·00	*	0·31	0·00	0·07	0·00	0·01	0·00	0·00	0·19	0·18	0·87	28
29	0·00		0·09	0·00	0·13	0·00	0·00	* 0·00	0·00	0·15	0·59	0·02	29
30	0·00		0·05	0·00	0·00	0·00	0·01	0·00	0·00	0·22	0·28	1·09	30
31	·03		0·00		0·00		0·22	0·00		1·15		0·30	31
Total	0·61	3·71	4·61	1·11	1·58	1·37	3·72	2·45	3·11	3·20	3·06	7·93	YEAR'S TOTAL 36·46
Rain Days.	10	16(?)	27(?)	8(?)	14(?)	8	15(?)	?	13(?)	16?	20(?)	31	?

* No observation made. Rain-fall included in next days quantity

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Hele's School
in the County of Devon
by Senior Boys

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station St. David's, Exeter
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 6 ~~1~~ ft. 4 in.
Sea Level 160 ft.

Our rain gauge is placed on wind-screen containing thermometers etc

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·00	0·00	0·05	0·09	0·00	0·08	0·06	0·18	0·00	0·00	*	0·05	1
2	0·00	·00 0 ~~·03~~	0·01	0·07	*	0·00	0·28	0·00	0·00	0·00	0·46	0·36	2
3	·01	0·00	~~0·1~~ 0·14	0·17	0·45	0·00	*	0·05	0·00	0·00	0·02	0·05	3
4	·15	0·00	0·10	*	0·05	0·00	0·39	0·15	0·00	0·00	0·50	0·66	4
5	·15	0·00	0·02	0·34	0·01	0·00	0·00	0·02	0·20	0·00	0·04	*	5
6	0·00	0·03	0·04	0·05	0·01	0·00	0·12	0·06	0·02	0·00	0·07	0·34	6
7	·04	0·94	0·05	0·02	0·10	0·00	0·39	0·04	0·09	0·00	0·01	0·14	7
8	·00~~5~~	0·00	0·62	0·23	0·07	0·44	0·00	*	0·02	0·00	0·01	0·03	8
9	0·00	0·01	0·04	0·14	0·07	0·45	0·00	0·18	1·55	0·00	0·00	0·01	9
10	·02 ~~·002~~	0·45	0·06	0·00	0·00	0·03	0·00	0·00	0·34	0·00	0·00	0·07	10
11	0·00	0·11	0·18	0·00	0·02	0·18	0·00	0·00	0·00	0·00	0·05	0·78	11
12	0·00	0·31	0·12	0·00	0·00	0·00	0·00	0·00	0·22	0·04	0·05	0·60	12
13	0·00	0·13	0·44	0·00	0·00	0·00	0·02	*	0·33	0·28	0·20	0·17	13
14	0·00	0·15	0·27	0·00	0·00	0·09	0·00	*	0·01	0·05	0·20	0·06	14
15	0·00 ~~·002~~	0·00	0·08	0·00	0·00	0·00	0·03	*	0·00	0·07	0·11	0·20	15
16	0·00	0·00	0·02	0·00	0·00	0·00	0·00	1·53	0·10	0·00	0·00	0·06	16
17	0·00	0·12	0·30	0·00	0·00	0·00	0·01	0·00	*	*	0·00	0·34	17
18	0·00	0·09	0·03	0·00	0·00	0·00	*	0·00	0·18	0·02	0·00	0·25	18
19	0·00	0·05	0·65	0·00	0·00	0·00	1·87	0 0·08	0·05	0·01	0·08	0·03	19
20	0·00	0·41	0·25	0·00	0·00	0·09	*	3 0·02	0·00	0·00	0·00	0·20	20
21	0·00	0·81	0·00	0·00	0·00	0·00	*	0·00	0·00	0·31	0·00	0·12	21
22	0·00	0·00	0·00	0·00	0·10	0·01	*	0·00	0·00	0·12	0·00	0·01	22
23	*	0·02	0·28	0·00	0·34	0·00	*	0 0·08	0·00	0·20	0·00	0·01	23
24	·01 ~~·006~~	0·07	0·01	0·00	0·02	0·00	0·04	0·03	~~*~~ 0·00	*	0·06	0·01	24
25	·08	0·00	0·29	0·00	0·01	0·00	0·14	0·16	~~*~~ 0·00	0·27	0·01	0·10	25
26	·10	0·01	0·11	0·00	0·00	* 0·00	0·13	0·02	0·00	0·02	0·07	0·62	26
27	·02	0·00	0·00	0·00	0·00	0·00	×	0·00	~~*~~ 0·00	0·10	0·07	0·18	27
28	0·00	*	0·31	0·00	0·04	0·00	0·01	0·00	0·00	0·19	0·18	0·87	28
29	0·00		0·09	0·00	0·13	0·00	0·00	~~*~~ 0·00	0·00	0·15	0·59	0·02	29
30	0·00		0·05	0·00	0·00	0·00	0·01	0·00	0·00	0·22	0·28	1·09	30
31	·03		0·00		0·00		0·22	0·00		1·15		0·80	31
Total	0·61	3·71	4·61	1·21	1·58	1·37	3·72	2·45	3·11	3·20	3·06	7·93	YEAR'S TOTAL 36·46
Rain Days.	10	16(?)	27(?)	8(?)	14(?)	8	15(?)	?	13(?)	16?	20(?)	31	?

* No observation made. Rain-fall included in next day's quantity

W.7,000, XI. 13

Ed Lat. 1892

3. JAN 1916

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Hele's School, Exeter

in the County of Devon 56

by Senior Boys.

Lat. 50° - 43·6′ N. Long. 3° - 32·2′ W.

Time of Observation 9·14 a.m. (= 9.0 local time)

Nearest Railway Station St. David's, Exeter

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 7 ft. 0 in.

" " " " Sea Level 160. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·36	0·00	0·00	0·00	0·00	0·00	0·00	0·73	0·27	0·50	0·00	0·05	1
2	0·18	0·08	0·09	0·01	0·00	0·21	0·00	0·17	0·08	0·00	0·00	0·50	2
3	0·01	0·11	0·02	0·02	0·21	0·00	0·00	0·00	0·00	0·05	0·00	0·53	3
4	0·05	0·87	0·00	0·00	0·06	0·00	0·83	0·00	0·00	0·02	0·00	0·19	4
5	0·00	0·26	0·00	0·08	0·00	0·00	0·00	0·05	0·00	0·00	0·00	0·53	5
6	0·81	0·12	0·00	0·10	0·00	0·00	0·38	0·01	0·01	0·01	0·00	0·20	6
7	0·38	0·36	0·00	0·08	0·00	0·00	0·13	0·00	0·00	0·01	0·02	0·18	7
8	0·21	0·36	0·00	0·00	0·00	0·00	0·01	0·12	0·00	0·00	0·02	0·11	8
9	0·03	0·02	0·00	0·11	0·00	0·00	0·00	0·02	0·00	0·00	0·36	0·48	9
10	0·12	0·40	0·00	0·06	0·00	0·00	0·00	0·00	0·00	0·15	0·08	0·06	10
11	0·28	0·40	0·03	0·00	0·03	0·00	0·04	0·16	0·00	0·12	0·65	0·03	11
12	0·15	0·29	0·00	0·04	0·55	0·00	0·00	0·09	0·00	0·06	0·19	0·00	12
13	0·00	0·79	0·00	0·00	0·34	0·00	0·00	0·36	0·05	0·01	0·15	0·03	13
14	0·00	0·00	0·00	0·00	0·00	0·00	0·11	0·02	0·06	0·21	0·00	0·46	14
15	0·11	0·00	0·00	0·00	0·16	0·00	0·13	0·01	0·00	0·03	0·05	0·22	15
16	0·02	0·90	0·00	0·00	0·27	0·00	0·58	0·00	0·01	0·00	0·00	0·13	16
17	0·00	0·20	0·00	0·00	0·06	0·00	0·00	0·00	0·01	0·02	0·00	0·03	17
18	0·00	0·13	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·01	0·00	0·00	18
19	0·00	0·16	0·00	0·00	0·32	0·00	0·13	0·00	0·00	0·00	0·00	0·07	19
20	0·18	0·03	0·00	0·12	0·00	0·11	0·00	0·00	0·00	0·24	0·00	0·08	20
21	0·33	0·02	0·00	0·00	0·00	0·00	0·04	0·00	0·01	0·13	0·00	0·09	21
22	0·10	0·01	0·16	0·11	0·00	0·07	0·25	0·00	0·00	0·05	0·00	0·34	22
23	0·00	0·11	0·02	0·00	0·00	0·00	0·12	0·00	0·01	0·96	0·00	0·59	23
24	0·00	0·00	0·00	0·03	0·00	0·00	0·09	0·00	0·14	0·22	0·00	0·31	24
25	0·08	0·06	0·02	0·02	0·00	0·35	0·02	0·00	0·07	0·00	0·00	0·25	25
26	0·00	0·06	0·00	0·00	0·00	0·77	0·02	0·00	0·01	0·00	0·00	0·68	26
27	0·00	0·00	0·00	0·00	0·00	0·30	0·11	0·00	0·02	0·49	0·00	0·00	27
28	0·00	0·00	0·00	0·00	0·00	0·22	0·00	0·00	0·35	0·21	0·01	0·07	28
29	0·00		0·00	0·00	0·00	0·20	0·00	0·00	0·03	0·00	0·12	0·24	29
30	0·10		0·00	0·00	0·00	0·00	0·02	0·00	0·02	0·91	0·28	0·36	30
31	0·18		0·00		0·00		0·12	0·00		0·76		0·26	31
Total	3·68	5·74	0·34	0·78	2·00	2·23	3·13	1·74	1·15	5·17	1·93	7·07	YEAR'S TOTAL 34·96
Rain Days.	19	22	6	12	9	8	18	11	16	22	11	28	182

W. 8,000. X. 14.

1848

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Heles School, Exeter
in the County of Devon
by Senior Boys.

Lat. 50° 43·6′ N. Long. 3° 32·2′ W
Time of Observation 9·14 (= 9 a.m. local time)
Nearest Railway Station St. David's, Exeter
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 7 ft. 0 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09 ~~·90~~	·00	·04	0·00	0·36	0·01	0·00	0·00	0·06	0·20	0·10	0·00	1
2	·04	·00	·05	0·00	0·04	0·00	0·00	0·00	0·01	0·18	0·60	0·00	2
3	·00	·00	·00	0·00	0·25	0·04	0·39	0·00	0·00	0·39	0·12 ~~0·72~~	0·01	3
4	·05	1·16	·00	0·02	0·05	0·09	0·05	0·00	0·02	0·06	0·96	0·00	4
5	·00	·13	·06	0·01	0·16	0·17	0·00	0·00	0·00	0·01	0·35	0·00	5
6	·02	·06	·01	0·00	0·06	0·20 ~~0·02~~	0·34	0·00	0·00	0·05	0·61	0·00	6
7	·10	·11	·20	0·00	0·11	0·02	0·00	0·00	0·00	0·02 ~~0·00~~	0·77	0·11	7
8	·00	·15	·25	0·00	0·11	0·04	0·00	0·00	0·00	0·00 ~~0·04~~	0·22	0·10	8
9	·00	·07	·01	0·00	0·04	0·00	0·00	0·00	0·00	0·04	0·03	0·13	9
10	·00	·30	·00	0·04	0·04	0·00	0·09	0·00	0·01	0·00	0·01	0·14	10
11	·00	·55	·02	0·02	0·00	0·02	0·00	0·00	0·00	0·00	0·00	0·03	11
12	·05	·01	·37	0·03	0·10	0·00	0·04	0·02	0·00	0·01	0·00	0·00	12
13	·00	·03	·14	0·01	0·00	0·00	0·00	0·55	0·01	0·01	0·01	0·00	13
14	·00	·16	·23	0·01	0·01	0·00	0·00	0·03	0·00	0·04	0·00	0·00	14
15	·00	·50	·07	0·11	0·00	0·00	0·00	0·03	0·00	0·05	0·00	0·12	15
16	·07	·09	·00	0·07	0·00	0·00	0·14	1·19	0·00	0·15	0·00	0·00	16
17	·03	·00	·00	0·02	0·00	0·00	0·00	0·00	0·25	0·18	1·10	·00 0·~~07~~	17
18	·07	·13	·45	0·05	0·00	0·00	0·00	0·00	0·27	0·04	0·00	0·07	18
19	·14	·20	·17	0·09	0·00	0·00	0·00	0·00	0·00	0·01	0·13	0·00	19
20	0·06	·23	·25	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·12 ~~0·52~~	1·18	20
21	·06	·70	·21	0·01	0·12	0·03	0·00	0·00	0·00	0·00	0·01	0·22	21
22	·01	·10	·01	0·00	0·00	0·05	0·00	0·06	0·00	0·46	0·00	0·64	22
23	·01	·00	·00	0·01	0·00	0·15	0·00	0·21	0·00	0·35	0·06	0·15	23
24	·02	·22	·03	0·01	0·29	0·00	0·00	0·06	0·00	0·63	0·00	0·35	24
25	·00	·32	·22	0·00	0·00	0·01	0·00	0·47	0·14	0·04	0·33	0·00	25
26	·05	·00	·06	0·00	0·00	0·25	0·00	0·28	1·14 ~~0·94~~	1·25 ~~1·05~~	0·03	0·00	26
27	·00	·05	1·29	0·00	0·00	0·20	0·00	0·34	0·90	0·35	0·00	0·01	27
28	·00	·09	·00	0·00	0·00	0·02	0·00	0·10	0·10	0·47	0·02	0·15	28
29	·00	·25	·03	0·00	0·00	0·16	0·00	1·53 ~~1·28~~	0·06	0·11	0·00	0·21	29
30	·00	✕	·00	0·01	0·00	0·00	0·00	0·00	0·00	0·25	0·00	0·00	30
31	·00	✕	·00	✕	0·00	✕	0·00	0·01	✕	0·35	✕	0·03	31
Total	0·87 ~~1·62~~	5·61 ~~5·54~~	4·17	0·52	1·74	1·46 ~~1·26~~	1·05	4·88	2·97	5·70 ~~5·50~~	5·58 ~~5·98~~	3·65	YEAR'S TOTAL 38·20
Rain Days.	~~15~~ 16	~~22~~ 23	22	16	14	16	6	14	12	26	19	17	201

W. 8,000. X. 15.

1771

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
2 JAN 1918

Kept at Hele's School, Exeter

in the County of Devon

by Boys of the school.

Lat. 50° 43·6′ Long. 3° 32·2′ W.

Time of Observation 9·0 a.m. Local [illegible] = 9·14 Greenwich time

Nearest Railway Station St. David's, Exeter

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 7 ~~160~~ ft. 0 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·01	0·00	0·10	0·15	0·00	0·20	0·00	0·00	0·03	0·01	0·04	0·00	1
2	0·00	0·00	0·00	0·10	0·00	0·05	0·00	0·56	0·00	0·00	0·00	0·00	2
3	0·03	0·00	0·00	0·06	0·00	0·00	0·71	0·06	0·00	0·12	0·93	0·01	3
4	0·00	0·00	0·90	0·00	0·00	0·00	0·08	0·00	0·02	0·37	0·00	0·00	4
5	0·16	0·05	0·34	0·31	0·00	0·31	0·02	0·03	0·03	0·35	0·03	0·00	5
6	0·01	0·00	0·29	0·00 ~~0·37~~	0·00	0·03	0·01	0·41	0·04	0·17	0·13	0·00	6
7	0·38	0·00	0·00	0·00	0·00	0·00	0·08	0·18	0·00	0·28	0·11	0·01	7
8	0·13	0·00	0·28	0·09	0·00	0·00	0·35	0·24	0·00	0·27	0·05	0·27	8
9	0·00	0·00	0·08	0·10	0·00	0·00	0·06	0·12	0·01	0·39	0·00	0·01	9
10	0·13	0·00	0·30	0·15	0·01	0·00	0·00	0·14	0·03	0·17	0·04	0·00	10
11	0·02	0·00	1·34	0·14	0·00	0·00	0·00	0·16	0·00	0·16	0·15	0·00	11
12	0·11	0·00	0·00	0·06	0·40	0·00	0·00	0·00	0·05	0·26	0·01	0·01	12
13	0·01	0·00	0·16	0·00	0·00	0·04	0·00	0·34	0·00	0·01	0·01	0·00	13
14	0·00	0·00	0·00	0·05	0·00	0·00	0·02	0·19	0·04	0·12	0·00	0·01	14
15	0·00	0·00	0·00	0·04	0·00	0·00	0·09	0·11	0·04	0·13	0·00	0·34	15
16	0·00	0·00	0·00	0·01	0·00	0·00	0·01	0·02	0·00	0·14	0·01	0·18	16
17	0·00	0·00	0·00	0·10	0·00	0·00	0·19	0·03	0·01	0.06	0·00	0·00	17
18	0·00	0·10	0·00	0·01	0·26	0·00	0·14	0·00	0·29	0·03	0·00	0·00	18
19	0·00	0·35	0·15	0·00	0·00	0·02	0·00	0·00	0·56	0·00	0·01	0·00	19
20	0·00	0·05	0·00	0·00	0·54	0·00	0·00	0·46	0·05	0·00	0·05	0·03	20
21	0·00	0·00	0·05	0·00	0·00	0·00	0·00	0·00	0·00	0·00	0·02	0·00	21
22	0·00	0·00	0·00	0·00	0·02	0·12	0·00	0·64	0·00	0·03	0·00	0·00	22
23	0·00	0·00	0·00	0·00	0·17	0·02	0·00	0·08	0·00	0·19	0·00	0·00	23
24	0·00	0·15	0·00	0·00	0·00	0·00	0·42	0·03	0·00	0·12	0·00	0·00	24
25	0·00	0·00	0·08	0·00	0·00	0·12	0·00	0·13	0·01	0·11	0·03	0·00	25
26	0·00	0·09	0·00	0·00	0·25	0·00	0·01	0·23	0·07	0·08	0·02	0·00	26
27	0·00	0·00	0·00	0·00	0·04	0·08	0·00	0·81	0·00	0·03	0·01	0·00	27
28	0·00	0·00	0·09	0·00	0·05	0·42	0·00	0·31	0·00	0·00	0·00	0·04	28
29	0·00	0·10	0·04	0·00	0·00	0·88	0·01	0·07	0·00	0·40	0·00	0·02	29
30	0·00	X	0·08	0·00	0·00	0·22	0·07	0·07	0·00	0·02	0·00	0·00	30
31	0·00	X	0·04	X	0·05	X	0·00	0·00	X	0·27	X	0·01	31
Total	0·99	0·89	~~1~~ 4·32	1·37	1·79	2·51	2·27	5·42	1·28	4·29	1·65	0·94	YEAR'S TOTAL 27·72
Rain Days.	10	7	16	14	10	13	16	24	15	26	17	12	180

W. 8,000. X. 15.

28.11.19

Cpd by new stats

108

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

1.19

Kept at Hele's School, Exeter

in the County of S Devon

by Senior Boys.

Lat. Long.

Time of Observation 9 a.m. Greenwich Time

Nearest Railway Station See forms for previous year

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.07	0.00	0.16	0.01	0.00	0.00	0.95	0.00	0.05	1.35	0.11	1
2	0.00	0.10	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	2
3	0.00	0.20	0.00	0.20	0.06	0.00	0.00	0.00	0.30	0.04	0.05	0.04	3
4	0.20	0.08	0.00	0.00	0.00	0.00	0.00	0.16	0.37	0.00	0.57	0.00	4
5	0.20	0.01	0.23	0.02	0.42	0.00	0.00	0.34	0.00	0.07	0.01	0.24	5
6	0.23	0.02	0.00	0.11	0.00	0.00	0.00	0.03	0.19	0.13	0.00	0.06	6
7	0.00	0.08	0.00	0.02	0.13	0.03	0.00	0.00	0.00	0.05	0.35	0.17	7
8	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.34	0.01	0.12	8
9	0.18	0.01	0.00	0.06	0.00	0.00	0.14	0.00	0.25	0.00	0.00	0.01	9
10	0.07	0.00	0.00	0.23	0.00	0.00	0.69	0.00	0.30	0.12	0.00	0.26	10
11	0.02	0.00	0.05	0.01	0.00	0.00	0.08	0.00	0.06	0.06	0.06	0.58	11
12	0.00	0.04	0.12	0.00	0.15	0.00	0.09	0.00	0.18	0.00	0.00	0.05	12
13	0.13	0.01	0.00	0.00	0.07	0.00	0.24	0.00	0.16	0.10	0.00	0.00	13
14	0.13	0.00	0.00	0.00	0.01	0.02	0.09	0.00	0.07	0.05	0.00	0.04	14
15	1.08	0.00	0.00	0.02	0.02	0.00	0.30	0.00	0.08	0.06	0.00	0.02	15
16	0.57	0.00	0.02	0.38	0.00	0.10	0.03	0.00	0.28	0.01	0.00	0.11	16
17	0.13	0.00	0.00	0.13	0.00	0.00	0.03	0.00	0.16	0.01	0.00	0.30	17
18	0.72	0.00	0.00	0.00	0.00	0.35	0.42	0.00	1.20	0.12	0.00	0.12	18
19	0.00	0.02	0.03	0.00	0.00	0.00	0.15	0.04	0.02	0.00	0.00	0.42 ~~0.16~~	19
20	0.43	0.10	0.00	0.28	0.00	0.00	0.52	0.00	0.12	0.01	0.00	0.01	20
21	0.08	0.02	0.00	0.00	0.00	0.00	0.01	0.00	0.26	0.06	0.00	0.37	21
22	0.01	0.00	0.00	0.00	0.00	0.00	0.61	0.01	0.16	0.06	0.00	0.10	22
23	0.01	0.00	0.00	0.00	0.15	0.00	0.24	0.02	0.12	0.00	0.00	0.31	23
24	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.05	0.14	0.00	0.02	0.20	24
25	0.00	0.00	0.00	0.00	0.16	0.00	0.07	0.31	0.00	0.04	0.11	0.01	25
26	0.00	0.14	0.00	0.01	0.00	0.00	0.24	0.20	0.00	0.00	0.20	0.05	26
27	0.00	0.09	0.04	0.00	0.00	0.00	0.01	0.11	0.33	0.01	0.02	0.00	27
28	0.00	0.14	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.26	0.00	28
29	0.00		0.03	0.00	0.00	0.00	0.00	0.00	(1.46)	0.00	0.03	0.02	29
30	0.00	X	0.37	0.20	0.00	0.00	0.00	0.00	0.06	0.03	0.01	0.01	30
31	0.00	X	0.07	X	0.00	X	0.00	0.02	X	0.03	X	0.02	31
Total	4.19	1.46	1.07	1.88	1.18	0.50	3.96	2.24	(6.35)	1.49	3.05	3.75	YEAR'S TOTAL (31.12) (30.12)
Rain Days.	16	18	10	15	10	4	18	12	23	23	14	26	189

W. 8,000, IX. 17.

~~18 Edgerton~~
Hele's School
Exeter

11-4-19

Dear Sir,-

In reply to your query as to amount of rainfall observed at Hele's School on Sept. 29th 1918, I have made enquiries but have not been able to trace the name of the boy who actually made the observation. It is certainly entered as 0·46 on our chart, but I think your suggestion that the reading should be 1·46 is an extremely likely one.

Yours truly
W. Littler

Fo 87

1661

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Hele's School, Exeter

in the County of Devon

by Senior Boys.

Lat. 50° 43·6′ N Long. 3° 32·2′ W.

Time of Observation 9 a.m. Greenwich time = 9.14 a.m. local –

Nearest Railway Station St. David's, G.W.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 7 ft. 0 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·45	0·00	~~12~~·11 0~~·00~~	0·01	0·03	0·00	0·16		0·02	0·32	0·00	0·84	1
2	0·09	0·00	0·00	0·00	0·00	0·00	0·09		0·00	0·12	0·00	0·02	2
3	0·31	0·00	35 0·~~00~~	0·00	0·03	0·00	0·00		0·07		0·05	0·06	3
4	0·60	0·00	·39 0~~·35~~	0·00	0·00	0·03	0·21	·02	0·50		0·03	0·04	4
5	0·05	0·71	1·25 ~~0·39~~	0·00	0·02	0·00	0·01		0·25		0·09	0·09	5
6	0·80	0·36	0·05 ~~1·25~~	0·00	0·00	0·00	0·00		0·00	0·00	0·00	0·28	6
7	0·40	0·49	0·11 ~~0·05~~	0·08	0·00	0·00	0·00		0·01		0·00	0·20	7
8	0·30	0·00	0·24 ~~0·11~~	0·00	0·00	0·00	0·00		0·00		0·05		8
9	0·10	0·00	0·00 ~~0·24~~	0·22	0·05	0·00	0·07		0·01		0·38	0·00	9
10	0·10	0·00	0·11 ~~0·00~~	0·00	0·03	0·00	0·00		0·01	0·02	0·00	0·33	10
11	0·02	0·00	0·31 ~~0·11~~	0·02	0·13	0·00	0·00				0·00	0·15	11
12	0·20	0·00	0·00 ~~0·31~~	0·02	0·00	0·00	0·05			0·04	0·10	0·02	12
13	0·02	0·00	0·16 ~~0·00~~	0·31	0·00	0·00				0·09	0·00	0·06	13
14	0·12	0·12	0·00 ~~0·16~~	0·58	0·36	0·00			0·00	0·11	0·00	0·36	14
15	0·09	0·00	0·00	0·06	0·00	0·00	0·00			0·09	0·00	0·29	15
16	0·06	0·92	0·00	0·00	0·00	0·00					0·12	0·04	16
17	0·03	0·00	0·00	0·00	0·00	0·00		0·04	~~0·02~~		0·11	0·00	17
18	0·00	0·19	0·65	0·00	0·00	0·00	0·14		0·02 ~~0·26~~		0·13	0·00	18
19	0·00	0·29	0·18	0·00	0·00	0·07	0·54	0·30	0·26 ~~0·13~~	0·00	0·10	0·04	19
20	0·33	0·34	0·05	0·00	0·00	0·20		0·11	0·13 ~~0·06~~		0·15	0·00	20
21	0·65	·65 0~~·00~~	0·00	0·00	0·00	0·00		0·03	0·06 ~~0·10~~		0·01	0·09	21
22	0·00	·00 0~~·65~~	0·00	0·00	0·00	0·00			0·10		0·00	0·00	22
23	0·00	0·00	0·00	0·00	0·00	0·00		0·16		0·58	0·03	0·03	23
24	0·00	0·00	0·00	0·00	0·00	0·20		0·12	0·00	0·22 ~~0·58~~	0·09	0·28	24
25	0·08	0·35	0·00	0·00	0·00	0·03	0·00	0·35		~~0·22~~	0·07	0·05	25
26	·17 0~~·03~~	0·00	0·08	0·05	0·00	0·00			0·04	0·03	0·14	0·16	26
27	·32 0~~·19~~	0·00	0·00	0·20	0·00	0·00		1·45		~~0·03~~	0·00 ~~0·50~~	0·02	27
28	·013 0~~·32~~	0·00	0·25	0·03	0·00	0·00		0·06	0·00		0·50	0·39	28
29	·01 0~~·03~~		0·00	0·06	0·00	0·05		0·08		0·15	0·00	0·03	29
30	0·00	X	0·02	0·05	0·00	0·09		0·02	0·02	0·00 ~~0·15~~	0·43	0·40	30
31	0·00	X	0·03	X	0·00	X		0·26	X	~~0·00~~	X	0·38	31
Total	5·33	4·42	4·34	1·69	0·65	0·67	1·27	3·00	1·50 ~~1·48~~	1·77	2·58	4·65	YEAR'S TOTAL 31·87
Rain Days.	24	10	17	13	7	7	8	13	~~13~~14	11	18	25	167

W. 8,000, VIII. 16

1575

6 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hele's School, Exeter
in the County of Devon
by Senior Boys

Lat. 50° 43·6′ Long. 3° 32·2′ W.
Time of Observation 9.14 a.m. Greenwich time =9.0 a.m. Local time.
Nearest Railway Station St. David's, Exeter
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 7 ft. 0 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
—

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·03	0·00	0·03	0·05	·30 0~~·00~~		0·30	0·01	0·05	0·04	0·02 ~~0·59~~	0·70	1
2	0·26	0·00	0·01	0·11	0·04 ~~0·30~~		0·08	0·42	0·04	0·03 ~~0·80~~	0·00	0·25	2
3	0·03	0·02	0·00	0·04	0·0~~4~~0		0·05	0·00		0·77 ~~0·80~~		0·19	3
4	0·02		0·03	0·00	0·00	0·00	0·02	0·20		0·21			4
5	0·00		0·15	0·12	0·04		0·31	0·02		0·25		0·00	5
6	0·02	0·00	0·28	0·13	0·09		0·12			0·15			6
7	0·01		0·02	0·30	0·05		0·55			0·02	0·01		7
8	0·10	0·04	0·00	0·21	0·03		0·22			0·03		0·15	8
9	0·66	0·00		0·02		0·44	0·12		0·00				9
10	0·56	0·02	0·02	0·01	0·00	0·39	0·15	0·00		0·00	0·00	0·00	10
11	0·13		0·07	0·57	0·20	0·03	0·17					0·01	11
12	0·07	0·00	0·05	0·37		0·11	0·03			0·03	0·02	0·09	12
13	0·19		0·48	0·02	0·00	0·01	0·01			0·12	0·00	0·10	13
14	0·05	0·03	0·29	0·74					0·05	0·00	0·12	0·02	14
15	0·01	0·13	0·02	0·24	0·04	0·00	0·00		0·01	0·59	0·00		15
16	0·00.	0·02		0·10	0·00	0·02			0·16	0·03 ~~0·03~~	0·03		16
17	0·	0·01	0·00	0·02	0·14	0·15		~~18~~·19	0·43	~~0·10~~	0·00	0·00	17
18	0·03	0·02	0·01	0·04	0·07	0·10	0·03		0·03	0·00	0·01		18
19	0·06	0·05		0·28	0·17	0·47							19
20	0·01			0·34	0·13	0·12	0·00	0·00		0·03		0·16	20
21	0·00		0·00	0·03			0·05			0·10	0·00	0·11	21
22	0·01	0·00		0·05			0·00	0·15		0·02		0·43	22
23	0·00		0·01	0·00	0·00		0·31 ~~0·00~~	0·04	0·00	0·00		0·18	23
24	0·00		0·10	0·00		0·00				0·01	0·14	0·03	24
25	0·02	0·01	0·09	0·00	0·02		0·48			0·00	0·01	0·03	25
26	0·16	0·00	0·19	0·00	0·01		0·00 ~~0·79~~				0·30	0·08	26
27	0·64	0·05	0·12	0·09	0·01	0·13	0·07	0·00		0·01	0·54	0·43	27
28	0·64	0·01	0·06	0·06 ~~0·06~~		0·01	0·02				0·01	0·02	28
29	0·34	0·00	0·62	0·08 ~~0·06~~	0·00	0·04	0·00				0·08	0·08	29
30	0·04	╳	0·00	0·00 ~~0·08~~	0·01	0·10	0·00		0·58	0·00	0·45	0·16	30
31	0·04	╳	0·27	╳	0·00	╳	0·03		╳	0·57	╳	0·03	31
TOTAL	4·13	0·41	2·92	4·02	1·35	2·12	3·12	1·03	1·35	3·01 ~~3·24~~	1·74 ~~2·31~~	3·25	YEAR'S TOTAL 28·45 ✓
Days with ·01 in. or more	25	12	21	24	16	14	20 ~~7~~	7	8	~~17~~18	13	20	198 ✓
	15	4	13	19	11	10	14	5	6	9	6	14	126

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DL

FORM A.
BRITISH RAINFALL.
28 JAN 1914

REGIST

DEVON.

EXETER

"THE CLOSE"

1913 — 1920

Kept at The Close,

in the County of Devonsh

by J. McLaren

in.

Ground ft. in.

Sea Level ft.

IMPORTANT NOTE.—R the result entered to the previous day. If an Observer ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									·09	·17	·10		1
2							·03			·20	·07		2
3									·01	·10		·25	3
4									·17	·45	·30	·31	4
5							·02		·59		·23	·47	5
6							·04			1·09	·03	·14	6
7							·11			·23	·14	·02	7
8							·07	·02		·02			8
9							·08	·04			·56	·02	9
10								·03		·09	·03		10
11										·08	·83		11
12											·49	·05	12
13								·05	·10		·08		13
14									·01		·19		14
15									·11		·02		15
16								·03	·20				16
17													17
18											·04		18
19							·02		·20	·09			19
20									·02	·07	·09		20
21										·07	·30		21
22							·04		·09			·19	22
23								·02			·12	·70	23
24								·01			·02		24
25									·06	·05			25
26								·05	·01			·19	26
27										·30		·02	27
28										·47		·12	28
29								·01		·32			29
30									·09	·54	·02		30
31								·56					31
Total							·41	·82	1·75	4·34	3·66	2·48	YEAR'S TOTAL
Rain Days.							8	10	14	17	19	12	

W. 7,500, XI. '12

JL

FORM A.
BRITISH RAINFALL.
28 JAN 1914

REGISTE [redacted]

Kept at The Close, ~~Exeter~~

in the County of Devonshire

by J. McLaren

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									·09	·17	·10		1
2							·03			·20	·07		2
3									·01	·10		·25	3
4									·17	·45	·30	·31	4
5							·02		·59		·23	·47	5
6							·04			1·09	·03	·14	6
7							·11			·23	·14	·02	7
8							·07	·02		·02			8
9							·08	·04			·56	·02	9
10								·03		·09	·03		10
11										·08	·83		11
12											·49	·05	12
13								·05	·10		·08		13
14									·01		·19		14
15									·11		·02		15
16								·03	·20				16
17													17
18											·04		18
19							·02		·20	·09			19
20									·02	·07	·09		20
21										·07	·30		21
22							·04		·09			·19	22
23								·02			·12	·70	23
24								·01			·02		24
25									·06	·05			25
26								·05	·01			·19	26
27										·30		·02	27
28										·47		·12	28
29								·01		·32			29
30									·09	·54	·02		30
31								·56					31
Total							·41	·82	1·75	4·34	3·66	2·48	YEAR'S TOTAL
Rain Days.							8	10	14	17	19	12	

W. 7,500, XI. 12

81 ~~22.III.15~~ [illegible] 20.III.15 309

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at The Close Exeter
in the County of S. Devonshire S6
by Rev Canon D. McLaren

Lat. ………… Long. …………
Time of Observation …………
Nearest Railway Station …………
Diameter of Rain Gauge ………… in.
Height of top of Gauge above Ground ………… ft. ………… in.
" " " " Sea Level ………… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08		·04	·11		·09	·07	·16			·34	·04	1
2			·02		·02		·33				·07	·41	2
3	·01		·17	·21	·42			·02			·01	·05	3
4	·17		·02	·17	·06		·40	·16			·52	·66	4
5	·17		·04	·20	·01				·06		·01	·05	5
6		·05	·09	·07	·02		·07	·05			·04	·31	6
7	·04	1·01	·06	·04	·09		·20	·03	·09		·02	·14	7
8	·03		·48	·04	·07	·38			·02			·03	8
9		·01	·51	·26	·04	·40		·07	1·81				9
10	·03	·52	·06	·15	·04	·04			·34			·06	10
11		·10	·20		·03	·19					·05	·79	11
12		·32	·14						·11		·04	·61	12
13		·15	·45						·16	·29	·21	·18	13
14		·16	·35			·07		·39	·01	·06	·20	·06	14
15			·10				·01	·83		·06	·13	·20	15
16			·03						·06			·03	16
17		·12	·30				·01					·39	17
18		·07	·05						·09	·01		·24	18
19		·07	·63				2·01		·05		·07	·03	19
20			·25			·20		·04				·19	20
21		1·15				·03				·33		·10	21
22			·02		·19					·13			22
23		·03	·25		·05		·03			·25			23
24		·10	·02		·34			·04		·01	·05		24
25	·10		·33		·02		·05	·18		·26	·02	·11	25
26	·10		·12				·30	·02		·01	·08	·67	26
27	·04	·03					·02			·10	·07	·19	27
28		·02	·25		·07		·01			·18	·17	·96	28
29			·16		·12					·14	·43	·02	29
30			·06							·20	·30	1·15	30
31	·05						·23			·97		·43	31
Total	·82	3·91	5·20 5·20	1·25	1·59	1·40	3·74	1·99	2·80	3·00	2·83	8·10	YEAR'S TOTAL 36·63
Rain Days.	11	17	25	9	16	8	14	12	11	15	20	27	188

W.7,000, XI. 13

8l ✓

1890
~~305~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at 6 The Close, Exeter

in the County of S. Devonshire

by D. McLaren

56

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·43	·18						·57	·31			·07	1
2	·21	·11	·23			·18		·19	·11	·53		·52	2
3	·01	·18	·03	·02	·21					·06		·48	3
4	·04	·11			·06		·62					·24	4
5	·01	·63		·06				·06				·57	5
6	·77	·07		·11			·39	·01				·20	6
7	·35	·30		·10			·13			·01	·03	·18	7
8	·11	·36					·02	·11			·03	·09	8
9		·01		·11				·02			·33	·52	9
10	·17	·35		·06				·05		·17	·09	·06	10
11	·17	·30	·04		·02		·04	·10		·16	·68	·05	11
12	·10	·72		·05	·55			·10		·06	·21		12
13	·01	·73			·30			·58			·17	·03	13
14							·11	·18	·09	·25		·51	14
15	·11				·25		·12		·03	·05	·04	·21	15
16	·02	·90			·13		·56		·01	·01		·08	16
17		·17			·12								17
18		·15			·01								18
19		·02			·33		·13						19
20	·19			·11		·11				·27		·07	20
21	·43	·06			·01		·12			·17		·09	21
22	·08	·02	·16	·09		·09	·24			·05		·35	22
23		·04	·02			·01	·02		·04	1·03		·54	23
24				·02			·06		·07	·21		·30	24
25	·07		·02	·02		·78	·04		·07		·02	·29	25
26		·02				·28	·02		·03			·68	26
27						·39	·11		·01	·51		·01	27
28		·09				·18			·34	·17	·01	·09	28
29						·16			·03		·14	·22	29
30	·11	╳				·01			·02	·92	·28	·39	30
31		╳		╳		╳	·14		╳	·72	╳	·27	31
													YEAR'S TOTAL
Total	3·39	5·52	·50	·75	1·99	2·19	2·87	1·97	1·16	5·35	2·03	7·11	34·83
Rain Days.	19	22	6	11	11	10	17	11	13	18	12	27	177

W. 8,000. X. 14.

+t 8L and for mth

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at The Close, Exeter
in the County of S. Devonshire
by Rev. Canon D. McLaren

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·13		·05		·35		·03		·05	·23	·13		1
2	·06	·06	·05		·02				·03	·19	}		2
3		1·19			·35		·36			·41	·73 }		3
4	·06	·11			·12	·13	·05		·03	·07	·98		4
5		·01	·08		·08	·19				·06	·20		5
6	·02	·06	·02		·06	·03	·37			·04	·76		6
7	·10	·17	·18		·10	·03	·04			·02	·78	·10	7
8		·25	·28		·15	·03					·19	·11	8
9		·06	·01		·03	·05	·07			·08	·05	·16	9
10		·54		·06	·04	·01	·02		·01			·12	10
11		·02	·02	·03									11
12	·06	·02	·42	·03			·05	·03		·01			12
13		·17	·15	·01	·11			·55	·02	·01			13
14		·50	·24	·02				·02		·01			14
15		·10	·12	·11						·07		·15	15
16	·10	·06		·09			·16	1·02		·12			16
17	·06	·15		·03					·19	·20	1·15		17
18	·06	·23	·43	·08					·27	·03		·08	18
19	·11	·24	·19	·09							·12	·03	19
20	·11	·69	·28								·08	1·10	20
21	·03	·19	·19	·04	·11	·04							21
22						·06		·03		·39		·65	22
23		·04				·14		·22		·23	·06	·15	23
24		·20	·02		·30			·04		·59		·39	24
25		·34	·20			·06		·37	·01	·01	·34	·03	25
26	·04	·13	·09		·01	·25		·26	1·05	1·07	·03		26
27			1·52			·25		·38	·83	·45			27
28		·11	·01			·01		·10	·09	·49		·12	28
29		·35	·02			·18		1·70		·12		·22	29
30		X		·02						·24			30
31		X		X		X		·02	X	·34	X	·03	31
Total	·94	5·99	4·57	·61	1·83	1·46	1·15	4·74	2·58	5·48 5·48	5·60	3·44	Year's Total 38·39 38·29
Rain Days.	13	26	22	12	14	15	9	13	11	25	15	15	190

W. 8,000. X. 15.

8h

1769
2355

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at The Close, Exeter

in the County of S. Devonshire

by D. McLaren

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·11	·17		·19		·61	·04	·02	·03		1
2	·01			·13		·05							2
3	·02			·08			·73	·04		·10	·93		3
4		·05	·80				·02		·03	·31			4
5	·15		·38	·37		·28		·02	·03	·16	·04		5
6			·29			·03		·40	·14	·01	·12		6
7	·32						·10	·18		·23	·11	·01	7
8	·12		·40	·13			·43	·26	·03	·30	·05	·27	8
9			·09	·12	·01		·12	·12	·02	·37	·23		9
10	·13		·31	·18				·14		·17	·03		10
11	·02		1·28	·17				·14	·02	·18	·15		11
12	·09			·08	·42					·27			12
13			·17					·25	·04	·10		·03	13
14				·04			·01	·24	·04				14
15				·04	·01		·07	·12		·13		·31	15
16		·04		·02						·14		·17	16
17		·06	·02	·12			·20	·04	·29	·06			17
18		·05		·02	·21	·05	·13	·03	·53	·01			18
19		·36	·14			·17		·02	·07				19
20	·01	·04	·03		·52	·02		·32	·11		·01	·03	20
21			·04			·03		·01			·03		21
22								·56		·04			22
23	·02	·17			·21			·08		·22			23
24						·04	·46	·03		·12	·02		24
25		·05	·07					·13	·03	·12	·05		25
26					·26	·05		·37		·09	·02		26
27					·05	·39		·85	·06	·02	·02		27
28		·09	·10		·05	·79		·28				·04	28
29			·04		·01	·13	·01	·07		·43		·13	29
30			·08				·04	·07		·02			30
31			·04		·05			·01		·27		·02	31
													YEAR'S TOTAL
Total	·91	·91	4·39	1·67	1·80	2·22	2·32	5·39 ✓	1·48	3·89 ✓	1·84	1·01	27·83 ✓
Rain Days.	11	9	18	14	11	13	12	27	15	25	15	9	179

W. 8,000, VIII. 16

70

8L ~~80 82~~ 106 ~~239~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at The Close, Exeter
in the County of S. Devonshire
by D. McLaren

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·08	·01	·16	·02			·90		·03	1·22		1
2		·10		·05				·08				·03	2
3		·25		·18	·06					·04	·02		3
4		·04						·08	·24		·63	·25	4
5			·24		·32			·39	·42	·08		·06	5
6	·23	·03		·13				·04		·10		·21	6
7		·08		·02	·17	·05			·17	·05	·36	·12	7
8	·05	·25							·12	·33			8
9	·16	·04		·07		·14	·14		·28			·23	9
10	·07			·25			·88		·17	·08		·53	10
11	·02	·05	·06	·01			·08		·22		·06	·05	11
12			·15		·15		·08		·05				12
13	·08				·07		·21		·17	·27		·01	13
14	·16				·02	·06	·12		·17	·07		·12	14
15	1·07			·02	·02	·12	·45		·01	·06		·19	15
16	·54		·02	·41		·02	·05		·42			·32	16
17	·17			·12			·28		·16			·12	17
18	·80					·46	·14		1·11	·11		·15	18
19	·17	·01	·07				·16	·02	·02			·48	19
20	·32	·09		·28			·49		·12	·01			20
21	·08	·03							·30	·05		·42	21
22					·15		·54		·10	·04		·12	22
23	·01						·30	·02	·13		·03		23
24		·19					·09	·03	·11		·15	·52	24
25					·20		·24	·39		·05	·21		25
26		·14						·01			·02	·05	26
27		·10	·07					·06	·33		·24		27
28		·15	·11							·02	·04		28
29			·09						1·29				29
30		✕	·30	·22				·03		·03		·08	30
31		✕	·04	✕		✕			✕	·02	✕	·04	31
Total	3·93	1·63	1·16	1·92	1·18	·85	4·25	2·05	6·11	1·44	2·98	4·10	YEAR'S TOTAL 31·60
Rain Days.	15	16	11	13	10	6	16	12	22	19	11	22	173

W. 8 000, IX. 17.

82

1659

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at The Close, Exeter

in the County of S. Devonshire

by D. McLaren

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·53	·02	·14		·03		·17		·02	·34		·81	1
2	·09				·02		·18			·15			2
3	·30		·35		·02				·08	·01	·11	·08	3
4	·87	·73	·41		·02	·06	·21	·04	·53	·01	·02	·04	4
5	·06	·38	1·25						·28		·10	·10	5
6	·83	·41	·05									·31	6
7	·43		·14	·10								·01	7
8	·22		·24			·02					·03		8
9	·13			·22	·04					·01	·40		9
10	·06		·14	·01	·03					·01		·35	10
11	·02		·34	·03	·17	·01	·10			·03		·15	11
12	·19		(04)	·04	·01		·03					·01	12
13	·04	·12	·14	·37			·07			·06		·06	13
14	·14	·20		·62	·37					·14		·33	14
15	·12	·11		·08						·11		·31	15
16	·08	·81						·03		·11	·11		16
17	·02	·82									·14	·01	17
18	·04	·16	·61				·15		·02		·13		18
19	·27	·42	·21			·09	·64	·29	·30		·11	·06	19
20	·65		·05			·22		·13	·12		·13		20
21		·66					·04	·02	·06			·11	21
22							·05		·11		·02	·01	22
23								·18		·54	·02		23
24						·21		·08		·23	·08	·30	24
25	·06					·01		·32			·07	·07	25
26	·22	·04	·11	·02				·02	·03	·04	·16	·18	26
27	·32	·01		·26				1·30				·02	27
28	·02		·26	·07				·05			·51	·39	28
29	·02		·01	·07				·07		·12		·03	29
30		×		·05		·08		·24	·02		·46	·46	30
31		×	·02	×		×			×		×		31
Total	5·73	4·89	4·49	1·94	·71	·70	1·64	2·77	1·57	1·91	2·60	4·40	YEAR'S TOTAL 33·35
Rain Days.	25	14	18	13	9	8	10	13	11	15	17	23	176

W, 6,500, VII. 18. w w c

281 ✓ W and pr autts 1573

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Exeter, The Close

in the County of S. Devonshire

by D. McLaren

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·06	·32				·06	·02	·02	·74	1
2	·30			·11	·01				·02	·05		·08	2
3	·03	·03		·05						·86		·25	3
4			·05							·21			4
5			·15	·14	·02					·21			5
6			·33	·13	·09					·15			6
7			·01	·35	·03								7
8	·16	·02		·25	·04					·02		·20	8
9	·66			·03									9
10	·61	·02		·02									10
11	·20		·10	·63									11
12	·11		·06	·30	·18							·10	12
13	·23	·01	·57	·02							·03	·10	13
14	·03	·04	·30	·74					·06	·20	·12		14
15	·03	·12	·01	·33	·04				·02	·61	·02		15
16		·01	·01	·07	·14				·20	·03	·04		16
17			·01	·04	·05				·30				17
18	·03			·04	·13				·17				18
19		·04		·30	·11				·01				19
20	·02			·37						·03		·18	20
21				·02						·11		·12	21
22				·05								·39	22
23			·01								·16	·17	23
24			·13									·02	24
25	·02	·03	·09								·01	·02	25
26	·18				·01						·32	·06	26
27	·78	·05	·07	·10							·48	·38	27
28	·64		·60	·05								·02	28
29	·43			·08	·01						·08	·10	29
30	·06	X							·61	·08	·43	·18	30
31	·04	X	·29	X		X			X	·55	X	·03	31
TOTAL	4·56	·37	2·76	4·28	1·18		N.O.		1·45	3·13	1·71	3·14 ~~3·34~~	YEAR'S TOTAL
Days with ·01 in. or more	19	10	18	24	14				9	14 ~~13~~	11	18	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

cnd w M.W.D

REGISTE

DEVON

EXETER

FRANKLYN

1916-17, 1919

FORM A.
BRITISH RAINFALL.

2 JAN 1917

1844

Kept at Exeter

in the County of Devon

by E. H. Snow

auge .... in.

Ground .... ft. .... in.

Sea Level .... ft.

IMPORTANT NOTE.—Ra ... he result entered to the previous day. If an Observer ... almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10		.07		.34						.35		1
2	.05	.09	.03		.06				.06	.25	.25		2
3		1.35			.40	.04				.20	.55		3
4	.08	.14	.07		.05	.11	0.55			.45	.21		4
5		.03		05	.10	.21	.02			.06	1.25		5
6		.13	.02		.08						.10		6
7	.16	.17	.17		.12		.38			.08	.85		7
8		.38	.24		.14						.80	.11	8
9		.13					.09				.12	.15	9
10		.58	.37							.05	.10	.20	10
11					.07				.02			.25	11
12	.06	.03	.36		.06		.07						12
13		.15	.16		.02								13
14		.55	.26					.40					14
15		.08	.20	.04			.16	.02					15
16	.10	.10		.15				1.21				.14	16
17	.07	.12	.56	.04						.15			17
18	.06	.23		.12					.20	.20	1.25		18
19	.17	.22	.23						.35			.10	19
20	.08	.86	.30	.07							.17		20
21	.02	.18	.16		.12	.03					.12	1.20	21
22						.09						.25	22
23		.03		.08		.13				.55		.72	23
24		.25	.03	.02	.32			.25		.30	.10	.15	24
25		.36	.23			.04				.70		.30	25
26		.06	.09			.26		.50			.30		26
27			1.45			.21		.30	1.14	1.42	.05		27
28		.15						.45	1.09	.35			28
29		.38	.04			.18		.12	.13	.55		.20	29
30		✕		.05				1.70	.09	.15		.25	30
31		✕		✕		✕			✕	.30	✕		31
Total	0.95	6.75	5.04	0.62	1.88	1.30	1.27	4.95	- 3.08	.35 ~~5.76~~ 6.11	- ~~6.57~~ 6.22	(-) 4.02	YEAR'S TOTAL 42.19
Rain Days.	11	25	20	9	13	10	6	9	8	17	15	13	156

W. 8,000, VIII. 16

2 ✓

[illegible]

REGISTE

FORM A.
BRITISH RAINFALL.

2 JAN 1911

Kept at Exeter

in the County of Devon

by E.H. Snow

Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(−)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10		.07		.34						.35		1
2	.05	.09	.03		.06				.06	.25	.25		2
3		1.35			.40	.04	}			.20	.55		3
4	.08	.14	.07		.05	.11	0.55			.45	.21		4
5		.03		.05	.10	.21	.02			.06	1.25		5
6		.13	.02		.08						.10		6
7	.16	.17	.17		.12		.38			.08	.85		7
8		.38	.24		.14						.80	.11	8
9		.13					.09				.12	.15	9
10		.58	.37							.05	.10	.20	10
11					.07				.02			.25	11
12	.06	.03	.36		.06		.07	}					12
13		.15	.16		.02								13
14		.55	.26					.40					14
15		.08	.20	.04			.16	.02					15
16	.10	.10	-	.15				1.21				.14	16
17	.07	.12	.56	.04						.15			17
18	.06	.23		.12					.20	.20	1.25		18
19	.17	.22	.23						.35			.10	19
20	.08	.86	.30	.07							.17		20
21	02	.18	.16		.12	.03					.12	1.20	21
22						.09						.25	22
23		.03		.08		.13				.55		.72	23
24		.25	.03	.02	.32			.25		.30	.10	.15	24
25		.36	.23			.04				.70		.30	25
26		.06	.09			.26		.50			.30		26
27			1.45			.21		.30	1.14	1.42	.05		27
28		.15						.45	1.09	.35			28
29		.38	.04			.18		.12	.13	.55		.20	29
30		X		.05				1.70	.09	.15		.25	30
31		X		X		X			X	.30	X		31
Total	0.95	6.75	5.04	0.62	1.88	1.30	1.27	4.95	- 3.08	.35 ~~5.76~~ 6.11	- ~~4.57~~ 6.22	(−) 4.02	YEAR'S TOTAL 42.19
Rain Days.	11	25	20	9	13	10	6	9	8	17	16	13	156

W. 8,000, VIII. 16

Cont'd in WD

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at "Franklyn" Exeter

in the County of Devon.

by Edmund M. Snow.

Lat. Long.

Time of Observation 9 a.m. daily.

Nearest Railway Station St. Davids (G.W.Rly) Exeter

Diameter of Funnel of Rain Gauge 9" in.

Height of top of Gauge above Ground 1 ft. 6" in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.15			.05					.30		1
2			.07	.20		.25		.60	.02		.05		2
3	.05			.14		.03	.75						3
4				.10				.05		.15	.87		4
5			1.15							.35			5
6	.20		.35	.40		.54					.05		6
7								.15	.06		.16		7
8	4 .55		.30				.05	.20		.30	.10		8
9	.22		.28	.12			.45	.25	.05	.32	.05	.30	9
10			.25	.05			.10			.45	.27	.34	10
11	.16		.30	.25				.17		.15	.04		11
12			1.75	.22				.15		.18	.15		12
13	.14			.05	.35								13
14								.37	.05	.30			14
15			.20					.27		.12			15
16							.08	.03	.03	.14			16
17		.10						.02		.13		.30	17
18				.20			.22		.35	.12			18
19					.34	.10	.10		.60	.02			19
20		.15	.15			.15			.10				20
21		.38			.60	.05		.26	.15				21
22								.75			.04		22
23			.08					1.12		.05			23
24		.15			.25					.26			24
25						.03	.55			.12			25
26		.05	.09					.12		.15			26
27					.25			.50	.10	.07	.07		27
28						.45				.04			28
29			.08		.05	.75		.92				.06	29
30		╳				.17				.53			30
31		╳	.16	╳		╳	.03	.11	╳		╳	.10	31
Total	1.22	.15 ~~.83~~ .98	~~5.46~~ 5.31	1.73	.05 ~~1.84~~ 1.89	~~2.57~~ 2.59	2.33	6.04	1.51	.30 ~~3.95~~ 4.25	~~2.15~~ 1.85	1.10	YEAR'S TOTAL 30.73
Rain Days.	6	5	15	10	6	11	9	18	10	20	12	5	127

W. 8,000, IX. 17.

M. Made

~~H~~ [illegible]

104

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.
9. 1. 19

Kept at Frankleyn – Exeter
in the County of S Devon
by E. N. Snow Esq –

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	10	15	nil	15	nil	nil	nil	80	nil	4	121	nil	1
2	nil	14	"	nil	10	"	"	nil	"	2	3	6	2
3	"	30	"	"	nil	"	"	10	"	2	12	1	3
4	"	nil	"	"	"	"	"	70	37	nil	·56 ~~55·5~~	25	4
5	"	5	24	"	45	"	"	nil	47	·10 ·09·5	·01 ~~·01·5~~	10	5
6	25	nil	nil	15	nil	"	"	"	nil	·10 ·10·5	nil	16	6
7	nil	10	"	nil	20	"	"	"	21	·06 ·05·5	33	16	7
8	nil	27	"	"	nil	"	"	"	4	34	nil	2	8
9	20	nil	"	8	"	15	19	"	31	1	nil	27	9
10	12	"	"	30	"	nil	87	"	19	7	nil	57	10
11	nil	"	7	nil	"	"	12	"	26	4	9	5	11
12	6	6	14	"	20	"	8	"	4	nil	nil	nil	12
13	nil	nil	nil	"	10	"	27	"	15	10	"	6	13
14	28	"	"	"	nil	5	4	"	18	·04 ·04·5	"	7	14
15	110	"	"	"	"	nil	43	"	3	16	"	24	15
16	75	"	"	42	"	10	4	"	29	nil	"	26	16
17	25	"	"	20	"	nil	30	"	30	nil	"	13	17
18	95	"	"	nil	"	55	14	"	78	15	"	19	18
19	23	"	10	"	"	nil	18	2	5	nil	"	44	19
20	38	10	nil	38	"	"	62	nil	13	nil	"	nil	20
21	15	nil	"	nil	"	"	nil	"	34	12	"	42	21
22	nil	"	"	"	22	"	53	"	16	3	2	9	22
23	"	"	"	"	nil	"	34	"	11	nil	8	31	23
24	"	15	"	"	20	"	nil	25	11	"	10	20	24
25	"	nil	"	"	nil	"	11	nil	nil	"	20	nil	25
26	"	15	"	"	"	"	17	40	"	4	3	4	26
27	"	10	5	"	"	"	nil	5	27	nil	20	nil	27
28	"	16	15	"	"	"	"	nil	9	3	4	2	28
29	"	✓	5	"	"	"	"	"	125	nil	nil	3	29
30	"	✕	35	25	"	"	"	7	nil	3	11	5	30
31	"	✕	10	✕	"	✕	9	nil	✕	20	✕	13	31
Total	4·82	1·78 70	1·25	1·93	1·47 ~~1·57~~	·85	4·52	2·39	6·13	1·70	3·44	4·27 ~~4·38~~	YEAR'S TOTAL 34·20 34·41
Rain Days	13	12	9	8	7	4	17	8	23	20	15	26	162

W. 6,500, VII. 18. w w c

✓

REGIS

DEVON.

EXMOUTH.

"BEVERLEY"

1915-1917

FORM A.
BRITISH RAINFALL.
6. JAN 1916

Kept at "Beverley" Dagmar … a m.
… Exmouth
in the County of Devon … ain Gauge 5 in.
… bove Ground 1 ft. 6 in.
by P.C. Thurgood. … " Sea Level abou 60 ft.

IMPORTANT NOTE.- … nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.08

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19	.14	.04					.47	.01	.48	.01		1
2	.19							.15	.24	.05		.75	2
3		.21		.06	.33	.06			.04			.56	3
4	.04	.17			.03		.01	.02				.26	4
5		.35		.07				.27					5
6	.46	.25		.15	.52		.44					.63	6
7	.19	.26											7
8	.08	.35					.13	.08			.18	.58	8
9	.02		.03								.09	.64	9
10		.30	.02							.08	.05	.10	10
11		.33	.09					.09			.90		11
12	.13	.47	.07	.06			.01	.26			.28		12
13					.37			.01			.13		13
14							.27	.39	.05			.63	14
15	.20				.26		.10				.05	.20	15
16		.76			.38		.53						16
17				.03	.02								17
18	.60	.05											18
19		.22			.35		.11	.01					19
20	.18	.05		.13		.10				.50		.17	20
21	.21	.07				.03	.19						21
22	.05		.32		.06	.09	.29			.33			22
23			.02			.04	.09			1.31		.58	23
24							.04					.37	24
25		.02				.38						.18	25
26	.02	.06				.01	.16		.04			.85	26
27						.59	.14		.33				27
28		.08				.16			.13		.06	.09	28
29						.21	.15				.14	.11	29
30	.17	X								.80	.58	.37	30
31		X		X		X	.15		X	1.07	X	.24	31
Total	2.73	4.14	.59	.50	2.32	1.67	2.81	1.75	.84	4.62	2.47	8.31	YEAR'S TOTAL 32.75 32.75
Rain Days.	15	18	7	6	9	10	16	10	7	8	11	18	135

W. 8,000. X. 15.

5 made

Exd C.F.S.

183

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at "Beverley" Dagmar Road Exmouth

in the County of Devon.

by P. C. Thurgood

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Exmouth

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.08		.02		.44				.16	.26	.08		1
2	[illegible]	.04	.27						.11	.35	.40		2
3		1.08			.41	.04				.48	.18		3
4	.15	.09				.06				.17	.52		4
5		.02	.09			.03				.03	.05		5
6	.01	.06			.16	.02	.52			.11	.67		6
7		.17	.07				.09			.03	.62	.09	7
8		.29	.34		.26	.10					.06	.15	8
9					.02		.02				.06	.25	9
10		.44			.02					.03		.04	10
11		.43	.12	.02	.03				.01				11
12					.14		.05	.12		.01			12
13	.06	.14	.35	.02				.15	.01				13
14		.55	.21					.15					14
15		.23					.23	.23		.05		.28	15
16		.07		.05		.14				.07			16
17		.06	.46						.13	.17	1.07		17
18		.11							.20			.10	18
19		.19	.27						.04			.08	19
20	.20	1.06	.27								.15	1.15	20
21			.07		.09							.18	21
22		.06				.06				.26		.62	22
23		.05		.02		.11		.57		.11		.06	23
24			.03		.31			.08		1.11	.09		24
25			.05			.04		.26			.16		25
26					.09	.49		.15	1.29	1.78			26
27			1.35			.29		.03	1.18	.12			27
28		.02				.01		.15	.06	.29		.15	28
29		.49				.23		2.33	.12	.06		.27	29
30										.72			30
31								.03		.22			31
Total	.50 ✓	5.65 ✓	3.97 ✓	.11 ✓	1.97 ✓	1.62 ✓	.91 ✓	4.25 ✓	3.29 ✓	6.43 ✓	4.11 ✓	3.42 ✓	YEAR'S TOTAL 36.23 ✓
Rain Days.	5 ✓	21 ✓	15 ✓	4 ✓	11 ✓	13	5 ✓	12 ✓	11 ✓	21 ✓	13 ✓	13 ✓	144 ✓

W. 8,000, VIII. 16

Encd 4/5

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
5. JAN 1918

Kept at "Beverley" [illegible] Road Exmouth

in the County of Devon

by E. C. Thurgood

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Exmouth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level About 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.13	.23		.20		.36		.07	.03		1
2			.03	.13		.21							2
3	.03		.58	.04			.56			.12	.63		3
4			.22						.03	.28			4
5	.12			.09		.20		.02	.03	.09	.03		5
6			.46			.04				.02	.08		6
7	.32		.06				.03	.18		.12	.01		7
8				.13			.48	.31	.03	.24	.07	.34	8
9	.08			.03				.10		.22	.04		9
10	.15		.51	.26	.02		.10	.24		.08			10
11		.09	.53	.07			.04	.08	.06	.15			11
12				.04	.44					.10	.07		12
13			.28	.02		.02		.40	.02	.02	.02	.01	13
14				.09			.52					.02	14
15							.05	.13		.11		.39	15
16				.06				.17	.02			.19	16
17				.02		~~.14~~	.15	.05	.34	.04			17
18		.41			.19		.03		.39				18
19		.13				.17			.14		.01		19
20			.05		.43	.03					.02		20
21								.02	.01				21
22	.03	.05			.03	.02		.13		.11			22
23		.10			.22			.11		.05			23
24						.01	.30	.01	.05	.05			24
25			.07					.10	.01	.05	.02		25
26					.41	.09	.06	.53					26
27						.34		.60				.05	27
28			.18			.48		.40				.03	28
29		.12	.04		.02	.25				.38		.09	29
30		X	.26				.02	.16		.02			30
31	.73	X	.05	X	.02	X			X	.24	X		31
Total	1.46 ✓	.90 ✓	3.45 ✓	1.21 ✓	1.78 ✓	2.06 ✓	2.34 ✓	4.10 ✓	1.13 ✓	2.56 ✓	1.03 ✓	1.12 ✓	YEAR'S TOTAL 23.14 ✓
Rain Days.	7 ✓	6 ✓	15 ✓	13 ✓	9 ✓	13 ✓	12 ✓	20 ✓	12 ✓	21 ✓	12 ✓	8 ✓	148 ✓

W. 8,000, IX. 17.

B. made

96

FORM A.
BRITISH RAINFALL.
16. 1. 19

REG

EXMOUTH

DOUGLAS AVENUE

DEVON

1918.

Kept at Vernham Dea … x·m;
in the County of S. Devon … xmouth. 1 mile.
by Mrs S. G. Gillum. (wife o …
… Gauge 5 in.
… e Ground ft. 10 in.
… Sea Level about 80 ft.

IMPORTANT NOT … the result entered to the previous day. If an Ob … ersal rule, he is earnestly requested to add the read … r in the space provided for it at the end of this … ment of rain, the selection and placing … itish Rainfall Organization are given in … application to Dr. H. R. Mill, 62, Cam …

Jan. 1, following.
1918.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3	20		6	2			80			66	1	1
2		14		2				3		1	1	11	2
3		10		28	5			·		1	2	·	3
4		2		1				8	33	·	78	14	4
5			12	3	28			45	77	14	1	2	5
6	19	5						4	·	10	·	17	6
7		8		10	10				18	11	34	8	7
8		11							6	30	1	1	8
9	10	1				7	39		29	1	1	27	9
10	2			3			22		25	16	5	32	10
11				26			43		20	7		1	11
12		3	10	8	15		8		3	2		·	12
13	6	1	15		19		38		14	5		·	13
14	20				2	8	2		14	5		13	14
15	145			2	8		37		1	16		16	15
16	52			18		6	2		11	2		14	16
17	27			21			39		1	·		15	17
18	75			·		59	6		39	1		30	18
19	15			1			10	1	5	1		22	19
20	7	3	10	31			6		12	4		·	20
21	4	4					·		25	9		35	21
22	5				6	2	48		10	4		15	22
23	3				4		38	3	8	1	2	5	23
24		9					29	2	9	·	11	34	24
25	1			15	9		17	48	·	2	21	·	25
26		1					19	·	·	1	2	8	26
27	3	3						5	8	2	10	1	27
28		15						·	3	2	1	3	28
29			21						142	·	2	2	29
30		X	34	1					10	3	14	4	30
31		X	10	X		X			X	6	X	1	31
Total	3·77	1·10	1·12	1·75	1·08	·82	4·03	1·99	5·23	1·57	2·52	~~3·22~~ 3·32	YEAR'S TOTAL 28·51 ~~28·41~~
Rain Days.	17	16	7	16	11	5	17	10	24	26	17	26	192

W. 8,000, IX. 17.

96

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.
16. 1. 19

Kept at Vernham Dean. Exmouth.
in the County of S Devonshire
by Mrs S.G. Gillum, (wife of the late Revd S.G. Gillum.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Exmouth. 1 mile.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level about 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
1918.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3	20		6	2			80			66	1	1
2		14		2				3		1	1	11	2
3		10		28	5			·		1	2	·	3
4		2		1				8	33	~~4~~ ·	78	14	4
5			12	3	28			45	77	14	1	2	5
6	19	5						4	·	10	·	17	6
7		8		10	10				18	11	34	8	7
8		11							6	30	1	1	8
9	10	1				7	39		29	1	1	27	9
10	2			3			22		25	16	5	32	10
11				26			43		20	7		1	11
12		3	10	8	15		8		3	2		·	12
13	6	1	15		19		38		14	5		·	13
14	20				2	8	2		14	5		13	14
15	145			2	8		37		1	16		16	15
16	52			18		6	2		11	2		14	16
17	27			21			39		1	·		15	17
18	75			·		59	6		39	1		30	18
19	15			1			10	1	5	1		22	19
20	7	3	10	31			6		12	4		·	20
21	4	4					·		25	9		35	21
22	5				6	2	48		10	4		15	22
23	3				4		38	3	8	1	2	5	23
24		9					29	2	9	·	11	34	24
25	1			15	9		17	48	·	2	21	·	25
26		1					19	·	·	1	2	8	26
27	3	3						5	8	2	10	1	27
28		15						·	3	2	1	3	28
29			21						142	·	2	2	29
30		✕	34	1					10	3	14	4	30
31		✕	10	✕		✕			✕	6	✕	1	31
Total	3·77	1·10	1·12	1·75	1·08	·82	4·03	1·99	5·23	1·57	2·52	3·$\overset{3}{\cancel{4}}$2	YEAR'S TOTAL 26·91 ~~28·41~~
Rain Days.	17	16	7	16	11	5	17	10	24	26	17	26	192

W. 8,000, IX. 17.

✓

REC

FORM A.
BRITISH RAINFALL.
19 JAN 1914

EXMOUTH

FILTERS. SALTERTON ROAD

DEVON

1913 —

Kept at Exmouth

in the County of S

by S. Hutton

7. 30 am

Littleham L. S. W.

8 in.

ove Ground 8 ft. 6 in.

Sea Level 195 ft.

IMPORTANT NO … d the result entered to the previous day. If an … iversal rule, he is earnestly requested to add the re… ear in the space provided for it at the end of t… ement of rain, the selection and placi… British Rainfall Organization are given … application to Dr. H. R. Mill, 62, C…

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·16	·15	·02	·16	—	—	—	·09	·12	·20	—	1
2	·12	·16	·01	·09	·15	—	·04	—	—	—	·07	—	2
3	·50	—	·01	—	·33	—	—	—	—	—	—	·31	3
4	1·14	—	·02	—	·09	·03	·07	—	·17	·42	·07	·12	4
5	·09	·08	·04	—	·19	·06	—	—	·84	—	·25	·40	5
6	·04	·11	·11	—	·03	·10	·12	—	—	1·38	·03	·08	6
7	—	·49	·12	—	·47	·02	·37	—	—	·15	·18	·02	7
8	·05	·13	—	—	·36	—	·06	—	—	—	—	—	8
9	—	·62	—	—	·17	—	·20	·08	—	—	·32	—	9
10	·42	·01	—	—	·07	—	—	·05	—	·16	·07	—	10
11	·86	—	—	·04	·37	·05	—	—	—	·07	1·12	—	11
12	·04	—	—	—	·33	·01	—	—	·01	·01	·37	·02	12
13	·17	—	·02	—	·01	—	—	·06	·13	—	·10	—	13
14	·38	·02	·13	·07	·25	—	—	—	—	·01	·11	—	14
15	·28	·02	·47	·37	—	—	—	—	·12	—	—	—	15
16	·16	—	·38	·07	—	·02	·01	·02	·25	—	—	—	16
17	·06	—	·05	·03	—	—	—	—	—	—	—	—	17
18	·04	—	·23	·04	·02	—	—	—	·01	—	·09	—	18
19	·53	—	·05	—	—	·02	—	—	·35	·01	—	—	19
20	·16	—	·25	·28	—	·01	—	—	—	·10	·17	—	20
21	—	—	·19	·19	·05	—	—	—	—	·02	·39	—	21
22	·25	—	·61	·02	—	·04	—	·01	·08	·08	—	·14	22
23	—	—	·01	—	—	·05	—	—	—	—	·12	·77	23
24	—	·06	—	·05	·01	—	—	—	—	—	—	—	24
25	—	—	—	·20	—	—	—	—	·02	·05	—	—	25
26	—	—	—	1·25	—	—	—	·15	·01	·01	—	·15	26
27	·33	—	·18	·59	·03	—	—	—	—	·44	—	·03	27
28	·46	—	·07	·24	—	—	—	—	—	·31	—	·08	28
29	·17		·41	·24	—	—	—	—	—	·10	—	·08	29
30	·50		—	—	—	—	—	·53	·45	·49	—	—	30
31	·10		·15		·03			·50		·02		—	31
Total	6·65	1·26	3·66	3·79	3·12	·41	·87	1·40	2·53	3·95	3·66	2·20	YEAR'S TOTAL 33·50
Rain Days.	23	11	22	17	19	11	7	8	13	19	16	12	178

Samuel Hutton

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.

19 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Exmouth (Low Level Filter Beds)

in the County of S Devon 6

by S. Hutton Surveyor & Engineer

Lat. ……… Long. ………

Time of Observation 7·30 am

Nearest Railway Station Littleham L. S. W.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 8 ft. 6 in.

" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·16	·15	·02	·16	–	–	–	·09	·12	·20	–	1
2	·12	·16	·01	·09	·15	–	·04	–	–	–	·07	–	2
3	·50	–	·01	–	·33	–	–	–	–	–	–	·31	3
4	1·14	–	·02	–	·09	·03	·07	–	·17	·42	·07	·12	4
5	·09	·08	·04	–	·19	·06	–	–	·84	–	·25	·40	5
6	·04	·11	·11	–	·03	·10	·12	–	–	1·38	·03	·08	6
7	–	·49	·12	–	·47	·02	·37	–	–	·15	·18	·02	7
8	·05	·13	–	–	·36	–	·06	–	–	–	–	–	8
9	–	·62	–	–	·17	–	·20	·08	–	–	·32	–	9
10	·42	·01	–	–	·07	–	–	·05	–	·16	·07	–	10
11	·86	–	–	·04	·37	·05	–	–	–	·07	1·12	–	11
12	·04	–	–	–	·33	·01	–	–	·01	·01	·37	·02	12
13	·17	–	·02	–	·01	–	–	·06	·13	–	·10	–	13
14	·38	·02	·13	·07	·25	–	–	–	–	·01	·11	–	14
15	·28	·02	·47	·37	–	–	–	–	·12	–	–	–	15
16	·16	–	·38	·07	–	·02	·01	·02	·25	–	–	–	16
17	·06	–	·05	·03	–	–	–	–	–	–	–	–	17
18	·04	–	·23	·04	·02	–	–	–	·01	–	·09	–	18
19	·53	–	·05	–	–	·02	–	–	·35	·01	–	–	19
20	·16	–	·25	·28	–	·01	–	–	–	·10	·17	–	20
21	–	–	·19	·19	·05	–	–	–	–	·02	·39	–	21
22	·25	–	·61	·02	–	·04	–	·01	·08	·08	–	·14	22
23	–	–	·01	–	–	·05	–	–	–	–	·12	·77	23
24	–	·06	–	·05	·01	–	–	–	–	–	–	–	24
25	–	–	–	·20	–	–	–	–	·02	·05	–	–	25
26	–	–	–	1·25	–	–	–	·15	·01	·01	–	·15	26
27	·33	–	·18	·59	·03	–	–	–	–	·44	–	·03	27
28	·46	–	·07	·24	–	–	–	–	–	·31	–	·08	28
29	·17		·41	·24	–	–	–	–	–	·10	–	·08	29
30	·50		–	–	–	–	–	·53	·45	·49	–	–	30
31	·10		·15		·03			·50		·02	–	–	31
Total	6·65	1·26	3·66	3·79	3·12	·41	·87	1·40	2·53	3·95	3·66	2·20	YEAR'S TOTAL 33·50
Rain Days.	23	11	22	17	19	11	7	8	13	19	16	12	178

W.7,000, XI. 13

Samuel Hutton

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at = Exmouth (Filter beds)

in the County of Devonshire

by George Pareford. Deputy Water Engineer

Lat. 50° 36' Long. 3° 24' west.
Time of Observation 7·00.
Nearest Railway Station ~~Exmo~~ Littleham
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground - ft. 12 in.
" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—		·20	·23		·17		·40		·01	·06		1
2	—		·03	·10		·22				·02			2
3	·03			·10			·55	·02		·05	·78		3
4		Snow ·10	·54					·01	·04	·37			4
5	·10		·27	·11		·29			·03	·13	·07		5
6	—		·15								·10		6
7	·35						·14	·18		·17	·03	·01	7
8	·09		Snow ·19	·11			·75	·37	·05	·26	·05	·29	8
9			·10		·01		·04	·22	·02	·20	·07		9
10	·17		·34	·36				·22	·03	·10	·01		10
11	·07		1·07	·09				·14	·08	·13	·13		11
12	·06		·01	·04	·49					·21	·01		12
13			·29	·02		·01		·20	·03	·05		·01	13
14				·11			·58	·15	·03	·02			14
15	·01						·05	·14		·13		·13	15
16		·13		·05				·03		·19		·45	16
17		·03		·03			·18	·06	·43	·05			17
18		·14			·18		·05	·04	·44	·02			18
19		·44	·05			·16			·23				19
20		·09	·03		·44	·03		·03	·07			·01	20
21						·03					·02		21
22			·04					·13		·04			22
23	Snow ·01	·13			·24			·15		·16		·02	23
24		·01				·02	·31	·02		·05			24
25			·05				·17	·05	·04	·06	·05		25
26					·38	·03		·85	·10				26
27					·12	·40		·65					27
28		·09	·12		·03	·40		·41				·03	28
29			·03			·37			·01	·46		·10	29
30			·23				·08	·20					30
31			·03		·03					·28			31
Total	·89	1·16	3·47	1·35	1·92	2·13	2·90	4·67	1·63	3·16	1·38	1·05	YEAR'S TOTAL 26·01
Rain Days.	9	9	19	12	9	12	11	23	15	23	12	9	163

W. 8,000, IX. 17.

?100

FORM A.
BRITISH RAINFALL.

4.1.19

REGISTER OF RAINFALL IN 1918

Kept at Exmouth (Low Level Filter Beds

in the County of S Devon.

by Geo Ponsford Deputy Surveyor.

Lat. 50'-36 Long. 3' 24 W

Time of Observation 8.00

Nearest Railway Station Exmouth

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. 12 in.

" " " " Sea Level 150. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
								↓1·81	–				
1	·01	·21	–	(·01)	·03	–	–	·01	–	–	·82	·03	1
2	–	·15	–	·05	–	~~22~~	–	·05	↓·01	·02	–	·13	2
3	–	·13	–	·34	·06	–	–	·10	·18	–	–	–	3
4	–	·02	–	·02	–	–	–	·42	·75	–	·95	·18	4
5	–	–	·13	–	·28	–	–	·07	·18	·15	–	·04	5
6	·17	·06	–	·10	–	–	–	–	·11	–	–	·22	6
7	–	·09	–	·01	·12	–	–	–	15	·20	·35	·10	7
8	Snow ·01	·15	–	–	–	–	–	–	·38	·23	–	·01	8
9	·10	–	·01	·03	–	·03 ·06}	·40	–	·25	·08	–	·30	9
10	·03	–	·01	·25	–	–	·19	–	·17	·17	·02	·38	10
11	·01	–	·04	·08	–	–	·49	–	·02	·04	·05	·02	11
12	–	·04	·19	–	·17	–	·11	–	·17	·06	–	·01	12
13	·05	·01	–	–	·12	–	·27	–	·16	·06	–	–	13
14	·24	–	–	–	·05	·14	·07	–	–	·14	–	·15	14
15	1·40	–	–	–	·10	–	·42	–	·14	·10	–	·16	15
16	·51	–	–	·23	–	·03	·02	–	·01	·02	–	·14	16
17	·31	–	·03	·21	–	–	·37	–	·41	–	–	·18	17
18	·83	–	–	–	–	·69	·10	–	09	·02	–	·28	18
19	·13	–	·11	–	–	–	·13	·03	·17	–	–	·21	19
20	·11	·07	–	·37	–	–	·12	–	·27	·03	–	–	20
21	·05	–	·01	–	–	·03	–	–	·13	·12	–	·40	21
22	·05	–	·01	–	·08	–	·41	–	·09	·06	–	·10	22
23	·05	·01	–	–	·06	–	·44	·04	·11	–	·04	·08	23
24	–	·09	–	–	–	–	·19	–	–	–	·13	·33	24
25	·02	–	–	·16	·10	–	·13	·55	–	·05	·22	–	25
26	–	·03	–	–	–	–	·14	–	·10	·02	·03	·08	26
27	·02	·03	·03	–	–	–	–	·06	–	·03	·13	–	27
28	–	·17	·20	–	–	–	–	–	1·27	·02	·01	·03	28
29	–		·05	–	–	–	–	–	·22	·02	·02	·03	29
30	·03		·27	–	–		–	–		·05	·16	·03	30
31	·03		·10				–	·03		·05		–	31
Total	4·16	1·26	1·19	1·86	1·17	·98	4·00	2·17	5·54	1·74	2·93	3·62	YEAR'S TOTAL 30·62
Rain Days.	21	15	14	13	11	6	17	11	24	23	13	25	193

W, 6,500, VII. 18. w w c

1762

FORM A.
BRITISH RAINFALL.

10 JAN

DEVON

EXMOUTH

"MANOR GROUNDS"

1917–1920

REGIS

Kept at Exmout

in the County of Devon

by Geo Pensford. D

g. 3° 24′ w′

9 a.m.

Exmouth.

ain Gauge 5 in.

bove Ground – ft. 12 in.

Sea Level 12 ft.

IMPORTANT NOTE. … and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·13	·30	-	·20	.	-	.	.	·04	-	1
2	-	-	·05	·14	.	·24	-	-	.	-	.	-	2
3	-	-	.	·04	.	-	·58	·03	-	·04	·65	-	3
4	-	·06	·55	-	-	-	-	-	.	·37	·01	-	4
5	·04	-	·22	·11	-	·18	-	-	.	·07	·05	-	5
6	·01	-	·21	-	-	·08	-	·01	.	·02	·08	-	6
7	·35	-	-	-	.	-	·01	·22	-	·12	-	·01	7
8	·08	-	·38	·12	-	.	·60	·18	-	·23	·05	-	8
9	-	-	·12	·05	·02	.	·03	·11	-	·24	·07	-	9
10	·17	-	·35	·37	-	-	-	·24	-	·06	-	-	10
11	·01	-	1·02	·09	-	-	-	·05	·06	·12	·10	-	11
12	·05	-	·01	·05	·47	-	-	.	-	·18	·01	-	12
13	·01	-	·30	·01	-	-	-	·44	·02	·02	-	-	13
14		-	.	·10	-	-	·48	10 ~~·08~~	.	-	-	-	14
15	Slight Snow.	-	-	-	-	-	·05	·16	-	·14	-	·43	15
16	Slight Snow	·08	-	·06	-	-	-	·01	-	·15	-	·18	16
17	-	·05	-	·02	·02	-	·14	·05	·32	·05	-	-	17
18	-	·09	-		·18	·09	·11	·03	·40	.	-	-	18
19	-	·43	·05		-	·08	-	-	·24	.	-	-	19
20	-	·06	-		·44	·04	-	-	·07	.	-	-	20
21	-	·01	·05		-	·02	-	-	-	.	·01	-	21
22	Slight Snow.	-	·02		·05	-	-	·12	-	·03	-	-	22
23	Slight Snow: 08	·10	-		·20	-	-	·14	-	·06	-	-	23
24		·01	-		·01	·02	·36	·01	-	·05	·02	-	24
25		-	·04		·01	-	·05	·03	·03	·04	·03	-	25
26	-	-	-		·40	·12	-	·39	·07	-	-	-	26
27	-	-	-		·09	·32	-	·63	-	-	-	-	27
28	-	·14	·18		·02	·68	-	·41	-	-	-	-	28
29	-	-	·04		-	·11	-	.	-	·40	-	·09	29
30	-	×	·30		-	-	-	·20	-	·01	-	-	30
31	-	×	·05	×	·05	×	-	-	×	·25	×		31
Total	·80	1·03	3·99	1·46	1·96	2·18	2·41	3·56	1·21	2·65	1·12	·71	YEAR'S TOTAL 23·08
Rain Days.	9	10	19	13	13	13	10	21	8	21	12	4	153

W. 8,000, IX. 17.

1762

REGIS

FORM A.
BRITISH RAINFALL.

10 [illegible]

Kept at Exmou [illegible]
in the County of Devon
by Geo Pinsford. Deputy Water Engineer & Surveyor.

3°24' w'
Time of Observation 9 a.m.
Nearest Railway Station Exmouth.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 12 in.
" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·13	·30	-	·20	.	-	.	.	·04	-	1
2	-	-	·05	·14	.	·24	-	-	.	-	.	-	2
3	-	-	.	·04	.	-	·58	·03	.	·04	·65	-	3
4	-	·06	·55	-	-	-	-	-	.	·37	·01	-	4
5	·04	-	·22	·11	-	·18	-	-	.	·07	·05	-	5
6	·01	-	·21	-	-	·08	-	·01	-	·02	·08	-	6
7	·35	-	-	-	.	-	·01	·22	-	·12	-	·01	7
8	·08	-	·38	·12	-	.	·60	·18	-	·23	·05	-	8
9	-	-	·12	·05	·02	.	·03	·11	-	·24	·07	-	9
10	·17	-	·35	·37	-	-	-	·24	-	·06	-	-	10
11	·01	-	1·02	·09	-	-	-	·05	·06	·12	·10	.	11
12	·05	-	·01	·05	·47	-	-	.	-	·18	·01	-	12
13	·01	-	·30	·01	.	-	-	·44	·02	·02	-	-	13
14		-	-	·10	-	-	·48	~~·08~~ 10	-	.	-	-	14
15	Slight snow.	-	-	-	-	-	·05	·16	-	·14	-	·43	15
16	Slight snow	·08	-	·06	-	-	-	·01	-	·15	-	·18	16
17	-	·05	-	·02	·02	-	·14	·05	·32	·05	-	-	17
18	-	·09	-		·18	·09	·11	·03	·40	.	-	-	18
19	-	·43	·05		-	·08	-	-	·24	.	-	-	19
20	-	·06	-		·44	·04	-	-	·07	.	-	-	20
21	-	·01	·05		-	·02	-	-	-	.	·01	-	21
22	Slight snow.	-	·02		·05	-	-	·12	-	·03	-	-	22
23	Slight snow: 08	·10	-		·20	-	-	·14	-	·06	-	-	23
24	-	·01	-		·01	·02	·36	·01	-	·05	·02	-	24
25	-	-	·04		·01	-	·05	·03	·03	·04	·03	-	25
26	-	-	-		·40	·12	-	·39	·07	-	-	-	26
27	-	.	-		·09	·32	-	·63	-	-	-	-	27
28	-	·14	·18		·02	·68	-	·41	-	-	-	-	28
29	-	-	·04		-	·11	-	.	-	·40	-	·09	29
30	-	X	·30		-	-	-	·20	-	·01	-	-	30
31	-	X	·05	X	·05	X	-	-	X	·25	X		31
Total	·80	1·03	3·99	1·46	1·96	2·18	2·41	3·56	1·21	2·65	1·12	·71	YEAR'S TOTAL 23·08
Rain Days.	9	10	19	13	13	13	10	21	8	21	12	4	153

W. 8,000, IX. 17.

99

FORM A.
BRITISH RAINFALL.

4. I. 19

REGISTER OF RAINFALL IN 1918

Kept at Exmouth (Manor Gdn)

in the County of S Devon.

by Geo Pousford Deputy Surveyor.

Lat. 50° 36′ Long. 3° 24′ W

Time of Observation 9 a.m.

Nearest Railway Station Exmouth

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground - ft. 12 in.

" " " " Sea Level 12 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	-												
1	-	0-10	-	0.05	0.02	-	-	0.78	-	-	.76	-	1
2	0.01	0.12	-	0.01	-		-	-	-	-	-	0.08	2
3	-	0.11	-	0.29	0.05		-	-	-	0.01	.15	0.01	3
4	-	0.01	-	-	-		-	0.73	0.40	-	.55	0.16	4
5	0.01	-	0.10	0.01	0.27		-	0.40	0.76	-	-	-	5
6	0.16	0.04	0.01	0.08	-		-	0.01	0.11	-	.28	0.18	6
7	-	0.06	-	0.02	0.05		-	-	0-12	0.67	-	-	7
8	0.01	0.12	-	-			-		0.10	0.26	-	-	8
9	0.05	-	-	0.05		0.03	0.47		0.35	-	-	0.26	9
10	0.02	-	-	0.25		0.02	0.11		0.34	0.14	-	0.36	10
11	-	-	0.08	0.05			0.56		0.13	-		0.01	11
12	-	0.01	0.06	-	0.18		0.11		-	-	.04	-	12
13	0.05	-	-	-			0.30		0.16	-		-	13
14	0.26	-	-	-			0.02		-	0.03		-	14
15	1.06	-	-	-	0.06	0.02	0.35		0.13	0.01		0.15	15
16	0.33	-	0.02	0.18			0.02		0.04	-		0.11	16
17	0.20	-	0.01	0.21			0.33		0.20	-		0.10	17
18	0.78	0.01	0.05	-		0.50	0.11		0.50	-		0.26	18
19	0.28	0.03	-	-			0.12	0.02	0.04	-		0.20	19
20	0.03	-	0.02	0.27			0.20		0.16	0.05		-	20
21	0.04	0.01	0.01	-		0.01	0.20		0.28	0.09		0.40	21
22	0.03	-	0.01	-			0.60	0.02	0.08	0.02	.02	0.10	22
23	0.03	0.01		-			0.04		0.07	-	.01	0.10	23
24	-	-	-	-			0.32		0.11	-	.10	0.21	24
25	-	-	-	0.17			0.19	0.50	0.23	0.01	.22	-	25
26	-	0.06	-	-			0.14	0.02	-	-	.03	0.05	26
27	-	-	0.13	-			-	0.03	0.12	-	.09	0.10	27
28	-	0.15	0.10	0.15			-		0.02	-	.02	0.01	28
29	-		0.09				-		1.37	0.03	.03	0.02	29
30	-	×	0.22				-		0.18	-	.13	0.05	30
31	-	×	0.13	×		×	-		×	0.05	×	.02	31
Total	3.35	0.84	1.04	1.79	0.63	0.58	4.19	2.51	6.00	1.37	2.43	2.94	YEAR'S TOTAL 27.67
Rain Days.	17	14	15	14	6	5	18	9	24	12	14	22	170

W. 6,500, VII. 18. w w c

B. Made

marked ~~not~~ estimated by M.O.

RR

1651

22 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Exmouth (M.O.)
in the County of Devon
by

Lat. 50° 36′ N Long. 3° 24′ W
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.43	-	(·10)	-	-	-	0.29	-	0.01	0.13	-	0.85	1
2	0.26	-		-	-	-	0.37	-	0.09	0.10	-	0.01	2
3	0.34	-	0.40	-	0.01	-	-	-	0.20	-	0.03	0.03	3
4	0.53	0.64	0.40	-	-	0.16	-	0.01	0.18		0.04	0.05	4
5	0.02	0.32	0.58	-	-	-	-	-	0.48	-	0.02	0.04	5
6	0.15	1.13	-	-	-	-	-	-	-	-	-	0.18	6
7	0.18	-	0.30	·14	-	-	-	-	-	-	-	0.02	7
8	0.34	-	0.22	-	-	-	-	-	-	-	0.05	-	8
9	0.10	-	-	0.13	0.07	-	-	-	-	-	0.33	-	9
10	0.10	-	0.28	-	-	-	-	-	-	-	-	0.20	10
11	0.02	-	0.28	0.06	0.18	-	0.09	-	-	0.02	-	0.27	11
12	0.09	-	0.02	-	-	-		-	0.03	0.01	0.11	0.02	12
13	0.04	0.10	0.20	0.23	-	-	-	-	-	0.05	-	0.04	13
14	0.33	0.20	-	0.46	0.40	-	0.04	-	0.09	0.04	-	0.24	14
15	0.15	0.12	-	-	-	-	-	-	-	0.05	-	0.21	15
16	0.05	0.72	-	-	-	-	-	-	-	-	0.03	0.02	16
17	0.03	0.52	-	-	-	-	-	-	-	-	0.05	-	17
18	0.08	0.50	0.46	-	-	-	0.11	-	-	-	0.07	-	18
19	0.45	0.59	0.19	-	-	-	0.69	0.22	0.08	-	0.04	0.04	19
20	0.18	0.02	0.12	-	-	0.39	-	0.13	0.07	-	0.05	0.02	20
21	-	0.75	-	-	-	-	-	-	0.04	-	-	0.05	21
22	-	0.01	-	-	-	-	0.02	-	0.09	-	-	-	22
23	-	-	-	-	-	-	-	0.14	0.05	0.48	0.02	0.08	23
24	-	-	-	-	-	0.19	-	0.14	-	0.15	0.20	0.21	24
25	0.07	0.02	-	002	-	0.06	-	0.33	-	-	0.01	0.04	25
26	0.18	0.02	0.01	006	-	-	-	-	-	0.01	0.08	0.22	26
27	0.20		-	0.14	-	-	0.08	1.02	-	-	-	0.04	27
28	-		0.19	003	-	-	-	0.04	-	-	0.68	0.29	28
29	0.01		0.02	005	-	-	-	0.11	-	0.03	-	0.06	29
30	-		-	004	-	0.07	-	0.15	-	-	0.37	0.44	30
31	-		-		-		-	-		-		0.48	31
TOTAL	4.33	5.66	(3.77)	1.36	0.66	0.87	1.69	2.29	1.41	1.07	2.18	4.15	YEAR'S TOTAL 29.44
Days with ·01 in. or more	24	15	15	10	4	5	8	10	12	11	17	26	158

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203.

ext gs.

1566

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at EXMOUTH (Manor Grounds)
in the County of DEVON
by S. HUTTON, ENGINEER & SURVEYOR

Lat. 50° 36' Long. 3° 24' W.
Time of Observation 9 AM
Nearest Railway Station EXMOUTH
Diameter of Funnel of Rain Gauge ....in. 12
Height of top of Gauge above Ground ....ft. 12 in.
" " " " Sea Level 15 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·06	·26	—	30	—	·04	·05	·04	·48	1
2	·22	—	—	·14	—	—	·03	·06	·04	·04	—	·10	2
3	·02	·02	—	·09	—	—	·01	—	—	·19	—	·14	3
4	—	—	·02	·04	—	—	—	·19	—	·11	—	—	4
5	—	—	·12	·04	·01	—	·21	·05	—	·21	—	—	5
6	—	—	·23	·02	·10	—	·11	—	—	·06	—	—	6
7	—	—	·01	·08	·04	—	36	—	—	—	—	·02	7
8	·03	·03	—	·20	·02	—	9	—	—	01	—	·12	8
9	·45	·02	—	·03	—	·33	12	—	—	—	—	—	9
10	·64	·03	·02	—	—	·24	14	—	—	—	—	—	10
11	·20	—	·13	·23	·26	·04	14	—	—	—	—	—	11
12	·09	·02	·09	·05	—	·10	03	—	—	02	·06	—	12
13	·16	—	·41	·03	—	·01	—	—	—	03	—	·10	13
14	·02	·02	·12	·31	—	—	02	—	·06	22	·14	·40	14
15	—	·09	·02	·26	·05	—	—	—	·08	42	—	·02	15
16	—	·02	—	—	—	·04	·13	—	·15	03	·04	·02	16
17	—	—	—	·13	·22	·25	·03	—	·14	—	—	—	17
18	·04	·03	—	·11	·03	·19	·04	·18	·02	—	—	—	18
19	01	·04	—	·44	—	·20	—	·02	—	—	—	—	19
20	—	·03	—	·18	—	·20	—	—	—	02	—	·18	20
21	·01	—	—	·04	—	—	·03	—	—	04	—	·14	21
22	—	—	—	·04	—	—	·01	—	—	—	—	·26	22
23	—	—	—	—	—	—	·16	·04	—	—	—	·24	23
24	—	—	·12	—	—	—	—	—	—	—	·25	05	24
25	—	·06	·08	—	·03	—	·52	—	—	—	·02	·02	25
26	20	—	·19	—	—	—	·04	—	—	—	·14	·13	26
27	·43	·05	·14	·04	—	·04	·05	—	—	—	·44	·22	27
28	·54	·03	~~·40~~	—	—	·01	—	—	—	—	—	·10	28
29	·41	·02	·~~10~~ 61	·10	—	—	—	—	—	—	·14	·16	29
30	·10	✕	—	—	·02	·04	·04	—	·34	·02	·36	45	30
31	·05	✕	·24	✕	—	✕	—	—	✕	·43	✕	05	31
TOTAL	3·45	·51	2·68	2·69	1·04	1·45	2·61	·54	·93	1·96	1·42	3·46	YEAR'S TOTAL 22·94
Days with ·01 in. or more	19	15	17	22	11	13	22	6	8	16	10	21	180 ~~50~~
Days with ·04 in. or more	14	4	13	19	6	11	15	5	4	10	9	14	130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Exmouth (M.O)
in the County of Devon
by S. Hutton

Lat. 50°36′N Long. 3°24′W
Time of Observation 9h G.M.T
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 13 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07	-	-	0.06	0.26	-	0.30	-	0.07	0.05	0.04	0.78	1
2	0.22	-	-	0.14	-	-	0.03	0.06	0.04	0.07	-	0.10	2
3	0.02	0.02	-	0.09	-	-	0.01	-	-	0.19	-	0.17	3
4	–	-	0.02	0.04	-	-	-	0.19	-	0.11	-	–	4
5	–	-	0.12	0.04	0.01	-	0.21	0.05	-	0.21	-	-	5
6	–	-	0.23	0.02	0.10	-	0.11	-	-	0.06	-	–	6
7	–	-	0.01	0.08	0.07	-	0.36	–	-	–	-	0.02	7
8	0.03	0.03	-	0.20	0.02	-	0.09	-	-	0.01	-	0.12	8
9	0.45	0.02	-	0.03	-	0.33	0.12	-	-	–	-	–	9
10	0.67	0.03	0.02	-	-	0.27	0.14	-	-	–	–	–	10
11	0.20	-	0.13	0.23	0.26	0.04	0.14	-	-	–	-	-	11
12	0.09	0.02	0.09	0.05	-	0.10	0.03	-	-	0.02	0.06	-	12
13	0.16	-	0.41	0.03	-	0.01	-	-	-	0.03	-	0.10	13
14	0.02	0.02	0.12	0.31	-	-	0.02	-	0.06	0.22	0.17	0.40	14
15	–	0.09	0.02	0.26	0.05	-	-	-	0.05	0.42	-	0.02	15
16	–	0.02	-	-	-	0.04	0.13	-	0.15	0.03	0.07	0.02	16
17	–	-	-	0.13	0.22	0.25	0.03	-	0.17	–	-	–	17
18	0.04	0.03	-	0.11	0.03	0.19	0.04	0.18	0.02	–	-	–	18
19	0.01	0.04	-	0.44	-	0.20	-	0.02	-	–	-	–	19
20	–	0.03	-	0.18	-	0.20	-	-	-	0.02	-	0.18	20
21	0.01	-	-	0.04	-	-	0.03	-	-	0.07	-	0.17	21
22	–	-	-	0.07	-	-	0.01	-	-	-	-	0.26	22
23	–	-	-	-	-	-	0.16	0.04	-	-	-	0.24	23
24	–	-	0.12	-	-	-	–	-	-	-	0.25	0.05	24
25	–	0.06	0.08	-	0.03	-	0.52	-	-	-	0.02	0.02	25
26	0.20	-	0.19	-	-	-	0.04	-	-	-	0.17	0.13	26
27	0.43	0.05	0.14	0.04	-	0.07	0.05	-	-	-	0.44	0.22	27
28	0.57	0.03	0.10	-	-	0.01	-	-	-	-	-	0.10	28
29	0.41	0.02	0.61	0.10	-	-	-	-	-	-	0.14	0.16	29
30	0.10	✕	-	-	0.02	0.04	0.04	-	0.37	0.02	0.36	0.45	30
31	0.05	✕	0.27	✕	-	✕	-	-	✕	0.43	✕	0.05	31
TOTAL	3.75	0.51	2.68	2.69	1.07	1.75	2.61	0.54	0.93	1.96	1.72	3.76	YEAR'S TOTAL 23.97
Days with ·01 in. or more	19	15	17	22	11	13	22	6	8	16	10	21	180
	14	4	13	14	6	11	15	5	7	10	9	17	130

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M.O 3203

DEVON

EXMOUTH

"MARPOOL HALL"

1911 - 1914

FORM A2.
BRITISH RAINFALL.
6 JAN 1912

R 1911

Negretti & Zambra

Kept at Marpool Ha of top 5 in.

op above Ground 1 ft. —

in the County of D „ „ Sea Level 87 ft.

n 9 a.m.

by Gardener

Nearest Railway Station
Name Exmouth
Distance 1 m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.. 0 -

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	... in.	... in.	... in.	0.07 in.	0.02 in.	... in.	... in.	... in.	... in.	... in.	... in.	0.01 in.	1
2	...	...	...	...	0.36	...	...	0.16	...	0.08	0.13	0.30	2
3	...	...	...	...	0.12	...	...	...	0.01	...	0.05	0.05	3
4	...	...	0.05	...	0.01	...	...	0.02	...	...	0.05	0.47	4
5	0.15	...	0.11	...	...	...	...	0.16	...	0.04	0.08	...	5
6	0.29	...	0.36	...	...	...	...	...	...	...	0.05	1.13	6
7	0.02	...	...	...	...	...	...	...	...	...	0.40	0.04	7
8	...	...	0.09	...	...	...	...	...	...	...	0.04	0.59	8
9	...	...	...	...	...	...	...	...	...	...	0.37	0.67	9
10	0.01	0.01	0.25	...	0.05	...	...	...	...	...	0.01	0.20	10
11	0.19	...	...	...	...	...	...	...	...	...	0.83	0.05	11
12	...	...	0.71	...	...	...	...	...	0.04	...	0.02	0.09	12
13	...	...	...	...	...	...	...	...	0.28	...	...	0.31	13
14	...	0.10	...	...	...	...	...	...	...	0.10	...	0.95	14
15	...	0.02	0.04	...	...	0.01	...	...	...	...	0.25	0.03	15
16	...	...	0.01	...	...	0.46	...	...	...	...	0.58	0.63	16
17	...	...	0.53	0.01	...	0.16	...	...	...	...	0.19	0.56	17
18	...	0.15	0.25	0.20	...	0.18	...	...	...	0.13	0.18	0.50	18
19	...	0.01	0.01	0.03	...	0.59	...	...	0.35	0.27	0.08	0.36	19
20	0.02	0.03	0.21	0.01	...	0.03	...	0.01	0.03	0.37	...	0.63	20
21	...	0.04	0.00	0.02	...	...	...	...	0.05	0.57	...	0.04	21
22	0.30	...	...	0.01	...	...	...	...	0.18	0.13	...	0.51	22
23	0.01	0.11	0.02	...	...	0.08	...	0.00	0.04	0.18	0.07	0.26	23
24	...	0.06	...	...	...	0.69	...	0.01	...	0.28	...	0.23	24
25	...	...	...	...	...	0.05	...	0.14	0.08	0.20	...	0.09	25
26	...	0.11	...	0.19	...	...	...	0.04	...	0.41	0.02	0.16	26
27	...	0.20	0.03	0.01	...	...	...	0.05	0.10	0.58	0.02	0.15	27
28	...	0.19	0.04	0.35	...	...	...	0.05	...	...	0.01	0.01	28
29	...		...	0.28	0.44	0.15	0.74	...	0.11	0.18	...	0.02	29
30	...		...	...	...	0.02	0.01	...	0.02	0.14	0.07	...	30
31	...		...		...		0.02	...		0.01		...	31
~~Total~~	.99	1.03	2.71	1.18	1.00	2.42	0.77	0.64	1.29 1.29	3.67 3.67	3.50	9.04	TOTAL for year 28.24
No. of Rain Days	8	12	15	11	6	11	3	9	12	16	21	28	28.24 152

9,000, IX. '10.

R 1911

egretti & Zambra

FORM A2. BRITISH RAINFALL.

6 JAN 1912

Kept at Marpool Hall, Exmouth.

in the County of Devon. S 6

by Gardener

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. —
" " " Sea Level 87 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Exmouth
Distance 1 m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .. 0 -

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	...	...	0.07	0.02	...	...	...	...	...	...	0.01	1
2	...	...	...	...	0.36	...	...	0.16	...	0.08	0.13	0.30	2
3	...	...	...	...	0.12	...	...	...	0.01	...	0.05	0.05	3
4	...	...	0.05	...	0.01	...	...	0.02	...	...	0.05	0.47	4
5	0.15	...	0.11	...	...	...	...	0.16	...	0.04	0.08	...	5
6	0.29	...	0.36	...	...	...	...	...	...	...	0.05	1.13	6
7	0.02	...	...	...	...	...	...	...	...	...	0.40	0.04	7
8	...	...	0.09	...	...	...	...	...	...	...	0.04	0.59	8
9	...	...	...	...	...	...	...	...	...	...	0.37	0.67	9
10	0.01	0.01	0.25	...	0.05	...	...	...	...	...	0.01	0.20	10
11	0.19	...	...	...	...	...	...	...	...	...	0.83	0.05	11
12	...	...	0.71	...	...	...	...	...	0.04	...	0.02	0.09	12
13	...	...	...	...	...	...	...	...	0.28	...	...	0.31	13
14	...	0.10	...	...	...	...	...	...	...	0.10	...	0.95	14
15	...	0.02	0.04	...	...	0.01	...	...	...	...	0.25	0.03	15
16	...	...	0.01	...	...	0.46	...	...	...	...	0.58	0.63	16
17	...	...	0.53	0.01	...	0.16	...	...	...	...	0.19	0.56	17
18	...	0.15	0.25	0.20	...	0.18	...	...	...	0.13	0.18	0.50	18
19	...	0.01	0.01	0.03	...	0.59	...	...	0.35	0.27	0.08	0.36	19
20	0.02	0.03	0.21	0.01	...	0.03	...	0.01	0.03	0.37	...	0.63	20
21	...	0.04	0.00	0.02	...	...	...	...	0.05	0.57	...	0.04	21
22	0.30	...	...	0.01	...	...	...	...	0.18	0.13	...	0.51	22
23	0.01	0.11	0.02	...	...	0.08	...	0.00	0.04	0.18	0.07	0.26	23
24	...	0.06	...	...	...	0.69	...	0.01	...	0.28	...	0.23	24
25	...	...	...	...	...	0.05	...	0.14	0.08	0.20	...	0.09	25
26	...	0.11	...	0.19	...	...	...	0.04	...	0.41	0.02	0.16	26
27	...	0.20	0.03	0.01	...	...	...	0.05	0.10	0.58	0.02	0.15	27
28	...	0.19	0.04	0.35	...	...	...	0.05	...	...	0.01	0.01	28
29	...		...	0.28	0.44	0.15	0.74	...	0.11	0.18	...	0.02	29
30	...		...	...	...	0.02	0.01	...	0.02	0.14	0.07	...	30
31	...		...		...		0.02	...		0.01		...	31
~~Total~~	.99	1.03	2.71	1.18	1.00	2.42	0.77	0.64	1.29 1.29	3.67 3.67	3.50	9.04	TOTAL for year 28.24
No. of Rain Days	8	12	15	11	6	11	3	9	12	16	21	28	28.24 153

9,000, IX. '10.

[illegible]

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

9 - JAN 1913

Kept at Marpool Hall
in the County of Devon S. 6
by Alice Chichester

Lat. Long.
Time of Observation 9. A. M.
Nearest Railway Station Exmouth
Diameter of Rain Gauge ~~4~~ 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	.12	—	—	.45	.02	.01	.06	.25	~~.04~~	.30	1
2	—	—	.15	.03	—	.66	.02	—	—	.66	—	—	2
3	—	—	.19	—	—	.18	.11	1.11	—	.01	—	.02	3
4	.14	—	.53	—	—	.46	—	.10	—	—	.25	—	4
5	.39	.35	.19	—	—	.47	—	.20	—	—	—	—	5
6	.21	.12	—	—	.25	.17	.06	.36	—	—	—	.20	6
7	.05	.77	.18	—	.06	.91	—	.08	—	—	—	—	7
8	.45	.14	.45	.01	—	.63	.01	—	—	—	—	.25	8
9	.05	.05	.01	.02	—	.16	.02	.09	—	—	—	—	9
10	.14	.07	.10	—	—	.02	—	.05	—	—	.05	.23	10
11	.06	.03	.02	—	—	—	—	.03	—	—	.10	.25	11
12	—	.43	.06	—	—	—	.09	.47	—	—	—	.40	12
13	.08	.07	.40	—	—	.02	.13	—	—	—	—	.03	13
14	.05	.06	—	—	.15	—	—	.12	—	—	—	—	14
15	.52	—	—	—	.38	.26	—	—	—	—	—	—	15
16	.30 .30	—	.26	—	—	.01	—	.02	—	—	—	.09	16
17	.13	—	.20	—	.02	.11	—	.64	—	—	—	—	17
18	.01	.02	.10	—	—	—	—	.17	—	—	—	.03	18
19	.02	.03	.24	—	—	.02	.06	.07	—	—	—	.03	19
20	.07	.05	.38	—	.17	—	—	.28	—	—	—	.01	20
21	—	.11	.20	—	.29	—	.02	.07	—	.11	.03	—	21
22	.40	.26	.15	—	.01	—	.08	.07	—	.10	—	—	22
23	.49	.27	.13	—	—	.01	.10	.33	—	.13	.08	.10	23
24	.07	.02	—	—	—	.28	—	.03	—	.03	—	.25	24
25	.21	—	—	—	—	.02	—	.61	—	—	.14	.15	25
26	—	—	—	—	—	—	.01	.05	—	.35	.40	.40	26
27	—	—	—	—	—	.35	.41	.13	—	.20	—	.40	27
28	—	.09	—	—	—	.05	.05	.46	—	1.20	—	.45	28
29	—	.57	—	—	—	.12	.14	.04	.11	.42	.30	.02	29
30	—		.02	—	—	.12	.10	.07	.50	.70	—	.20	30
31	—		.18		—		.44	—		.23			31
Total	3.84	3.51.	4.26	.06	1.33	5.48	1.87.	5.66.	.67	4.43 ~~4.39~~	1.35 ~~1.39~~	3.79	YEAR'S TOTAL 36.25
Rain Days.	20	19.	22.	3	8	22.	18	26	3	13+	8	20.	183

W. 7,500, XI. 12

cnd for W.D. 30.iii.14 Ex. D.L.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

8- JAN 1914

Kept at Marpool Hall Exmouth
in the County of Devon 6
by Alice Chichester

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Exmouth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (-)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·10	-	·13	-	-	-	-	·40	-	-	-	1
2	-	·15	·10	·02	·15	-	-	-	-	-	·15	-	2
3	·13	·13	·03	·06	·20	-	-	-	-	-	·06	-	3
4	·50	-	·01	-	·20	-	-	-	-	-	-	·25	4
5	·90	-	-	-	·08	-	·06	-	-	-	·05	·10	5
6	·08	·07	·05	-	·20	-	·10	-	·20	-	·25	·35	6
7	·03	·10	·10	-	·08	-	·03	-	·80	-	-	·15	7
8	-	·42	·10	-	·62	-	·40	-	-	-	·20	-	8
9	·04	·10	-	-	·20	-	-	-	-	-	·04	·12	9
10	-	-	-	-	·10	-	·06	-	-	-	-	·40	10
11	·59	-	-	-	·08	-	·10	-	-	-	·20	-	11
12	·66	-	-	·02	·60	-	.	-	-	-	·80	-	12
13	·02	-	-	-	·05	-	.	-	-	-	·35	-	13
14	-	-	·02	-	·26	-	-	-	·20	-	·14	-	14
15	·50	-	·08	·04	-	-	-	-	-	-	·03	-	15
16	·25	-	·38	·30	-	-	-	·04	·10	-	-	-	16
17	·15	-	·30	·04	-	-	-	·03	-	-	-	-	17
18	·05	-	·06	-	-	-	.	.	-	-	-	-	18
19	·03	-	·20	·04	-	-	-	-	-	-	-	-	19
20	·50	-	·03	-	-	-	-	·07	·40	-	-	-	20
21	·10	-	·17	·35	-	-	-	-	-	-	·20	-	21
22	·01	-	·30	·10	-	-	-	-	-	-	-	·15	22
23	·25	-	·47	-	-	-	-	-	-	-	-	-	23
24	-	-	-	-	-	-	-	-	-	-	-	·40	24
25	-	·05	-	-	-	-	-	-	-	-	-	-	25
26	-	-	-	·30	-	-	-	-	-	-	-	-	26
27	-	-	-	1·15	-	-	-	-	-	-	-	·10	27
28	·45	-	·18	·50	-	-	-	-	-	·40	-	-	28
29	·30		·05	·25	-	-	-	-	·10	·25	-	-	29
30	·17		·42	·25	-	-	-	·10	·40	·20	-	-	30
31	·25		-		-		-	·10		·50		-	✓ 31
	·10	-	·13	-	-	-	-	·10	-	-	-	(-)	YEAR'S TOTAL
Total	~~5·99~~	~~1·12~~	~~3·05~~	~~3·55~~	~~2·82~~	~~0~~	~~0·45~~	~~0·34~~	~~2·90~~	~~1·65~~	~~2·50~~	~~2·62~~	~~24·29~~
Rain Days.	23	8	19	15	13	0	6	5	8	4	12	9	~~122~~
	6·06	1·02	3·18	3·42	2·82	·00	·75	1·04	2·20	1·65	2·50	2·62	27·26

W.7,000, XI. 13

W.D. Informed 20.iii.15 Bad. Ex AM cod for WD 31. iii. 15

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at Marpool Hall, Exmouth

in the County of Devon S6

by Gardener

Lat. Long.
Time of Observation 9. A. m.
Nearest Railway Station Exmouth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·25

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.10	—	—	—	.10	.05	.25	—	—	.75	.40	1
2	—	—	—	—	—	—	.25	—	—	—	.10	.08	2
3	—	—	.10	.15	—	.20	.25	—	—	—	.60	.35	3
4	—	—	—	.08	—	—	—	—	—	—	.03	.04	4
5	—	—	.05	.25	—	—	.50	.12	—	—	.50	.60	5
6	.20	—	—	.10	—	.15	—	—	.05	—	—	—	6
7	.05	.05	—	.10	—	.04	.25	—	—	—	—	.50	7
8	.02	?	.15	.15	—	.20	—	.04	.10		—	—	8
9	—	—	.45	.05	—	—	—	—	.05	—	—	.45	9
10	—	—	.40	.15	—	.05?	—	.20	1.10	—	—	—	10
11	—	.50	.25	.10	—	—	—	—	.80	—	—	.90	11
12	—	—	.10	—	—	—	.05	—	.05	—	.10	.18	12
13	—	.08	—	—	—	—	—	—	.10	—	.15	.20	13
14	—	.20	.30	—	—	.25	—	—	—	.05	—	—	14
15	—	.27	.20	—	—	.10	—	.80	.30	.20	.40	.15	15
16	—	.20	—	—	—	—	—	—	—	.10	.20	.10	16
17	—	—	—	—	—	—	—	—	—	.10	—	.05	17
18	—	—	.20	—	—	—	—	—	—	—	—	.50	18
19	—	—	.18	—	—	—	.08	—	.10	—	—	.15	19
20	—	.15	.60	—	.03	—	1.85	—	—	—	—	—	20
21	—	.35	.25	—	—	—	—	—	.10	—	.05	.25	21
22	—	.08	—	—	.05	—	—	.10	—	.30	—	—	22
23	—	—	—	—	—	—	—	—	—	.15	.05	.30	23
24	—	—	.22	—	—	—	—	—	—	.35	—	—	24
25	—	—	—	—	.10	—	—	—	—	—	—	—	25
26	—	—	.20	—	—	—	.05	—	—	.30	.10	.65	26
27	—	—	.05	—	—	—	.08	.10	—	—	—	.25	27
28	.05	.05	—	—	.08	—	—	—	—	.10	—	—	28
29	.05		.30	—	—	—	.20	.10	—	.12	.25	.75	29
30	.10	╳	.18	—	—	—	—	—	—	.15	52	.03	30
31		╳	.10	╳	.20	╳	—	—	╳	—	╳	.75	31
	.10	—	—	—	.10	.05	.25	—	—	.75	.40	.25	YEAR'S TOTAL
Total	.47	2.05?	4.28	1.13	.46?	1.09?	3.61	1.71	2.75	1.92	3.80	8.23	31.48?
Rain Days.	6	11	19	9	5	8	11	8	10	11	14	22	~~134~~ Bad
	.57	1.93?	4.28	1.13	.56?	1.04?	3.81	1.46	2.75	2.67	3.45	8.08	31.73?

W. 8,000. X. 14.

31 MAR 1915

Marpool Hall

March 30

Dear Sir,

I am enclosing you the record for the rainfall 1914 Feb 7th 8th & 9th of four different gauges kept by the Surveyor — from which it is very evident a great mistake in our rainfall record has been made. I very much regret that this should have been so, as our record for 1914 is not correct. I have hitherto trusted it to the gardener — I fear he must have forgotten to take the guage. I —

Leaflet for June 12th 1915
is marked as ·25·
Apologising for giving so much
trouble
I remain
Very Truly Yours
Alice Chichester

21 MAR. 1913

	Specimen	High Filter	Low Filter
24 hrs ending 7·30 am Feby. 7th	·07	·07	·07
do " Feby 8th	·93	·80	1·00
do " " 9	·02	nil	nil

Memorandum

24 hrs. ending 9 o'clock am

Feby 7th	·06
Feby. 8	1·04
Feby. 9	nil

EXMOUTH

NIDDERDALE

DEVON

1911 12 1913 - 1920

1911- 20

RI

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Nidd

in the County of D

by Mrs Herbe

in.

Ground 1 ft. — in.

Sea Level 5-1 ft.

a.m

Name Exmouth

Distance Direction

IMPORTANT NO … the result entered to the previous day. If an … ersal rule, he is earnestly requested to add the re … r in the space provided for it at the end of t … ent of rain, the selection and plac … tish Rainfall Organization are given i … pplication to Dr. H. R. Mill, 62, Ca

Jan. 1, following.

Date.	Jan.	Feb.	Mar							Oct.	Nov.	Dec.	Date
	in.	in.	in.							in.	in.	in.	
1	—	—	0·01	0·05	—					—	—	—	1
2	—	—	—	—	0·32	—	—	0·10	—	0·07	0·15	0·24	2
3	—	—	—	—	0·10	—	—	—	—	—	0·04	0·06	3
4	—	—	0·04	—	—	—	—	—	—	—	0·05	0·37	4
5	0·04	—	0·15	—	—	—	—	0·12	—	0·04	0·11	—	5
6	0·31	—	0·30	—	—	—	—	—	—	0·01	0·05	0·81	6
7	0·01	—	—	—	—	—	—	—	—	—	0·42	0·02	7
8	0·01	—	0·08	—	—	—	—	—	—	—	0·05	0·43	8
9	—	—	—	—	—	—	—	—	—	—	0·42	0·50	9
10	0·01	—	0·19	—	0·04	—	—	—	—	—	—	0·22	10
11	0·13	—	—	—	—	—	—	—	—	—	0·77	0·05	11
12	—	—	0·67	—	—	—	—	—	—	—	0·02	0·09	12
13	—	—	0·01	—	—	—	—	—	0·25	—	—	0·31	13
14	—	0·09	—	—	—	—	—	—	—	0·07	—	0·90	14
15	—	0·02	0·01	—	—	—	—	—	—	—	0·22	0·03	15
16	—	—	0·01	—	—	0·31	—	—	—	—	0·56	0·49	16
17	—	—	0·62	—	—	0·13	—	—	—	—	0·21	0·40	17
18	—	0·19	0·17	0·17	—	0·18	—	—	—	0·12	0·15	0·30	18
19	—	0·03	—	0·03	—	0·40	—	—	0·30	0·23	0·07	0·32	19
20	0·01	0·03	0·21	0·01	—	0·02	—	—	—	0·57	0·01	0·57	20
21	—	0·07	—	0·02	—	—	—	—	0·09	0·31	—	0·02	21
22	0·25	0·01	0·01	0·01	—	0·01	—	—	0·13	0·17	—	0·53	22
23	0·01	0·16	0·02	—	—	0·07	—	—	0·02	0·21	0·06	0·17	23
24	—	0·06	—	—	—	0·69	—	—	—	0·23	—	0·22	24
25	—	0·04	—	0·02	—	0·04	—	—	0·05	0·14	—	0·11	25
26	—	0·05	—	0·18	—	—	—	0·06	—	0·50	0·01	0·13	26
27	—	0·26	0·05	0·02	—	—	—	—	0·10	0·30	0·02	0·14	27
28	—	0·09	—	0·38	—	—	—	0·10	—	—	0·02	0·01	28
29	—		—	0·31	0·24	0·15	0·60	—	0·10	0·17	—	—	29
30	—		—	—	—	0·03	—	—	—	0·14	0·04	0·02	30
31	—		—		—		0·12	—		0·01		—	31
Total	0·78	1·10	2·55	1·20	0·70	2·03	0·72	0·38	1·04	3·23	3·45	7·46	TOTAL for year 24·64
No. of Rain Days	9	13	16	11	4	11	2	4	8	17	21	27	143

9,000, IX. '10.

R

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

Kept at Niddesdale. Exmouth
in the County of Devon
by Mrs. Herbert Stewart.

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 51 ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Exmouth
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0·01	0·05	—	—	—	—	—	—	—	—	1
2	—	—	—	—	0·32	—	—	0·10	—	0·07	0·15	0·24	2
3	—	—	—	—	0·10	—	—	—	—	—	0·04	0·06	3
4	—	—	0·04	—	—	—	—	—	—	—	0·05	0·37	4
5	0·04	—	0·15	—	—	—	—	0·12	—	0·04	0·11	—	5
6	0·31	—	0·30	—	—	—	—	—	—	0·01	0·05	0·81	6
7	0·01	—	—	—	—	—	—	—	—	—	0·42	0·02	7
8	0·01	—	0·08	—	—	—	—	—	—	—	0·05	0·43	8
9	—	—	—	—	—	—	—	—	—	—	0·42	0·50	9
10	0·01	—	0·19	—	0·04	—	—	—	—	—	—	0·22	10
11	0·13	—	—	—	—	—	—	—	—	—	0·77	0·05	11
12	—	—	0·67	—	—	—	—	—	—	—	0·02	0·09	12
13	—	—	0·01	—	—	—	—	—	0·25	—	—	0·31	13
14	—	0·09	—	—	—	—	—	—	—	0·07	—	0·90	14
15	—	0·02	0·01	—	—	—	—	—	—	—	0·22	0·03	15
16	—	—	0·01	—	—	0·31	—	—	—	—	0·56	0·49	16
17	—	—	0·62	—	—	0·13	—	—	—	—	0·21	0·40	17
18	—	0·19	0·17	0·17	—	0·18	—	—	—	0·12	0·15	0·30	18
19	—	0·03	—	0·03	—	0·40	—	—	0·30	0·23	0·07	0·32	19
20	0·01	0·03	0·21	0·01	—	0·02	—	—	—	0·51	0·01	0·57	20
21	—	0·07	—	0·02	—	—	—	—	0·09	0·31	—	0·02	21
22	0·25	0·01	0·01	0·01	—	0·01	—	—	0·13	0·17	—	0·53	22
23	0·01	0·16	0·02	—	—	0·07	—	—	0·02	0·21	0·06	0·17	23
24	—	0·06	—	—	—	0·69	—	—	—	0·23	—	0·22	24
25	—	0·04	—	0·02	—	0·04	—	—	0·05	0·14	—	0·11	25
26	—	0·05	—	0·18	—	—	—	0·06	—	0·50	0·01	0·13	26
27	—	0·26	0·05	0·02	—	—	—	—	0·10	0·30	0·02	0·14	27
28	—	0·09	—	0·38	—	—	—	0·10	—	—	0·02	0·01	28
29	—		—	0·31	0·24	0·15	0·60	—	0·10	0·17	—	—	29
30	—		—	—	—	0·03	—	—	—	0·14	0·04	0·02	30
31	—		—		—		0·12	—		0·01		—	31
Total	0·78	1·10	2·55	1·20	0·70	2·03	0·72	0·38	1·04	3·23	3·45	7·46	TOTAL for year 24·64
No. of Rain Days	9	13	16	11	4	11	2	4	8	17	21	27	143

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

20 JAN 1913

REGISTER OF RAINFALL IN 1912

Ex DS

Kept at Nidderdale. Exmouth
in the County of Devon S.6
by Mrs. Herbert Stewart

Lat. .... Long. ....
Nearest Railway Station Exmouth
Time of Observation 9 a m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " Sea Level 51 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0·11	—	—	0·32	0·01	—	0·06	0·70	—	0·27	1
2	—	—	0·12	0·03	—	0·62	0·02	—	—	0·02	—	0·02	2
3	—	—	0·22	~~0·03~~	—	0·16	0·12	0·98	—	—	—	0·01	3
4	0·13	~~0·09~~	0·29	—	—	0·43	—	0·13	—	—	0·22	—	4
5	0·34	0·33	0·20	—	—	0·25	—	0·44	—	—	0·01	0·21	5
6	0·29	0·05	—	—	0·24	0·28	0·05	0·08	—	—	—	0·01	6
7	0·10	0·74	0·12	—	0·06	0·70	—	0·06	—	—	—	0·17	7
8	0·38	0·07	0·50	0·08	—	0·47	0·01	—	—	—	—	—	8
9	0·01	0·04	0·01	0·03	—	0·15	0·02	0·08	—	—	—	0·22	9
10	0·18	0·05	0·07	0·01	—	0·02	—	0·22	—	—	0·05	0·27	10
11	0·01	0·45	0·02	—	—	—	0·04	0·04	—	—	0·04	0·40	11
12	—	0·40	0·06	—	—	—	0·03	0·41	—	—	—	0·06	12
13	0·08	—	0·01	—	—	0·04	0·17	0·04	—	—	—	0·02	13
14	0·04	~~0·10~~	0·38	—	0·13	—	—	0·11	—	—	—	-	14
15	0·48	0·00	0·01	—	0·37	0·25	—	—	—	—		0·07	15
16	0·20	0·01	0·23	—	0·09	0·03	—	0·04	—	—	0·02	—	16
17	0·12	—	0·22	—	0·02	0·07	—	0·64	—	—	—	0·04	17
18	—	~~0·03~~	0·06	—	—	—	—	0·15	—	—	—	0·05	18
19	0·03	0·03	0·22	—	—	0·03	0·05	0·14	—	—	—	0·01	19
20	0·06	0·04	0·33	—	0·09	—	0·02	0·34	—	0·17	0·03	—	20
21	—	0·18	0·26	—	0·26	—	—	0·18	—	0·09	—	—	21
22	0·41	0·24	0·24	—	0·02	—	0·07	0·07	—	0·19	—	0·10	22
23	0·41	0·25	0·07	—	—	0·02	0·06	0·37	—	—	0·06	0·25	23
24	0·07	0·02	—	—	—	0·20	—	0·02	—	—	—	0·15	24
25	0·15	~~0·01~~	—	—	—	0·01	—	0·55	—	0·37	0·18	0·12	25
26	—	0·01	—	—	—	—	0·02	0·04	0·02	0·14	0·40	0·65	26
27	—	—	—	—	—	0·32	0·43	0·12	—	1·01	—	0·22	27
28	—	0·08	—	—	—	0·05	0·05	0·39	0·19	0·40	0·27	0·45	28
29	—	0·42	—	—	—	0·09	0·12	0·25	0·38	0·69	—	0·03	29
30	—		0·06	—	—	0·05	0·14	0·04	0·24	0·40	—	—	30
31	—		0·16		—		0·32	—		0·04		0·03	31
Total	3·49	3·10	4·23	0·15	1·28	4·76	1·75	5·93	0·89	4·22	1·28	3·83	34·91 TOTAL for year
No. of Rain Days.	19	20	24	4	9	22	19	26	5	12	10	24	194

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
-2 FEB 1914

Kept at Nidderdale Exmouth
in the County of Devon 6
by Mrs Herbert Stewart

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 51 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0·13	0·10	0·02	0·16	—	—	—	0·08	0·17	0·13	—	1
2	0·17	0·16	—	0·06	0·15	—	—	—	—	0·07	0·06	—	2
3	0·42	0·01	—	0·01	0·33	—	—	—	—	0·03	0·01	0·26	3
4	0·82	—	—	—	0·09	—	0·08	—	—	0·36	0·05	0·10	4
5	0·06	0·05	0·03	—	0·19	0·15	—	—	0·15	0·23	0·24	0·35	5
6	0·01	0·09	0·08	—	0·03	—	—	—	0·65	1·12	0·02	0·10	6
7	—	0·31	0·09	—	0·47	—	0·35	—	—	0·13	0·10	0·01	7
8	0·04	0·09	—	—	0·36	—	0·04	—	—	0·01	—	—	8
9	—	—	—	—	0·17	—	0·12	—	—	—	0·26	—	9
10	0·69	—	—	—	0·07	—	—	—	—	0·11	0·06	—	10
11	0·41	—	—	0·01	0·37	—	—	—	—	0·97	0·98	—	11
12	0·04	—	—	—	0·33	—	—	—	—	—	0·32	—	12
13	0·20	—	0·01	0·06	0·01	—	—	0·14	0·17	—	0·11	—	13
14	0·27	—	0·14		0·25	—	—	—	0·02	0·01	0·10	—	14
15	0·29	—	0·47	0·23	—	—	—	—	0·25	—	0·01	—	15
16	0·14	—	0·35	0·02	0·02	—	—	0·04	0·16	—	—	—	16
17	0·05	—	0·02	0·03	—	—	—	—	—	—	—	—	17
18	0·02	—	0·16	0·03		—	—	—	0·01	—	0·05	—	18
19	0·45	—	0·03	—		—	—	—	0·33	0·02	0·01	—	19
20	0·12	—	0·22	0·28		—	—	—	—	0·11	0·21	—	20
21	0·01	—	0·31	0·19	0·05	—	—	—	—	0·01	0·23	—	21
22	0·22	—	0·42	0·02	—	0·10	—	—	0·08	0·07	—	0·29	22
23	—	—	0·01	—	—	—	—	0·05	—	—	0·08	0·64	23
24	—	0·04	—	0·05	0·01	—	—	—	0·01	0·01	—	—	24
25	—	—	—	0·20	—	—	—	—	0·02	0·03	—	—	25
26	—	—	—	1·25	—	—	—	—	—	—	—	0·13	26
27	0·42	—	0·16	0·39	0·03	—	—	—	—	0·53	0·01	0·02	27
28	0·30	—	0·04	0·24	—	—	—	—	—	0·27	—	0·12	28
29	0·17		0·39	0·24	—	—	—	—	—	0·23	—	—	29
30	0·23		—	—	—	—	—	0·04	0·48	0·35	—	—	30
31	0·09		0·14		0·03		—	0·70		0·02		—	31
Total	5·64	0·88	3·17	3·53	3·12	0·25	0·59	0·97	2·41	4·16	3·04	2·02	YEAR'S TOTAL 29·78
Rain Days.	24	8	19	18	19	2	4	5	13	22	20	10	164

W.7,000, XI. 13

Pc. M 9.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at Nidderdale. Exmouth
in the County of Devon S 6
by Mrs Herbert Stewart

Lat. Long.
Time of Observation 9. a m
Nearest Railway Station ½ mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 51 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0·03	0·01	—	0·06	0·32	0·39	—	—	0·07	0·09	1
2	—	—	0·02	0·16	0·03	—	0·25	0·01	—	—	0·38	0·31	2
3	—	—	0·07	0·19	0·55	—	—	0·01	—	—	0·03	0·05	3
4	0·09	—	0·01	0·18	0·11	—	0·41	0·10	—	—	0·49	0·60	4
5	0·06	—	0·03	0·11	0·03	—	0·01	0·01	0·05	—	—	0·04	5
6	—	0·01	0·01	0·14	0·09	—	0·01	—	—	—	0·02	0·38	6
7	0·02	0·68	0·13	0·18	0·05	0·01	0·22	0·03	0·13	—	—	0·43	7
8	0·02	—	0·36	0·04	0·01	0·21	—	0·01	0·08	—	—	0·08	8
9	—	0·05	0·35	0·13	0·04	0·70	—	0·21	1·02	—	—	—	9
10	0·02	0·30	0·04	0·10	0·02	0·06	—	—	0·63	—	—	0·07	10
11	—	0·08	0·25	—	0·01	0·12	0·03	—	—	—	0·04	0·80	11
12	—	0·15	0·08	—	—	—	—	—	0·12	0·07	0·02	0·60	12
13	—	0·23	0·25	—	—	—	0·04	—	0·10	0·21	0·27	0·19	13
14	—	0·17	0·25	—	—	0·12	0·01	0·78	—	0·04	0·26	0·19	14
15	—	—	0·07	—	—	—	0·01	0·14	—	0·13	0·20	0·08	15
16	—	—	0·02	—	—	—	—	—	0·22	—	—	0·01	16
17	—	0·15	0·18	—	—	—	—	—	—	—	—	0·42	17
18	—	0·02	0·16	—	—	—	0·08	—	0·12	—	—	0·20	18
19	—	0·03	0·68	—	—	—	1·78	—	—	—	0·04	0·04	19
20	—	0·32	0·17	—	—	0·04	—	—	—	—	—	0·20	20
21	—	0·42	—	—	—	0·01	—	—	—	0·26	—	0·04	21
22	—	0·02	—	—	0·23	0·01	—	0·01	—	0·11	—	—	22
23	—	0·07	0·21	—	0·03	—	—	—	—	0·32	—	—	23
24	—	0·04	—	—	0·31	—	0·01	0·10	—	0·01	—	—	24
25	0·10	—	0·18	—	0·04	—	0·06	0·22	—	0·26	—	0·27	25
26	0·05	—	0·04	—	—	—	0·05	0·02	—	0·02	0·16	0·34	26
27	0·01	0·01	—	—	—	—	0·02	—	—	0·02	0·24	0·25	27
28	—	0·02	0·25	—	—	—	—	—	—	0·04	0·21	0·81	28
29	0·05		0·14	—	—	—	—	—	—	0·10	0·51	0·01	29
30	0·01	╳	0·08	0·03	0·12	—	—	—	—	0·20	0·35	0·49	30
31	0·04	╳	—	╳		╳	0·43	—	╳	0·52	╳	0·16	31
Total	0·47	2·77	4·06	1·27	1·67	1·34	3·74	2·04	2·47	2·31	3·49	7·15	YEAR'S TOTAL 32·78
Rain Days.	11	18	26	11	15	10	17	14	9	15	16	27	189

W. 8,000. X. 14.

✓ cnd 15.111.16 ~~I~~ R.N. 1880

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
7 - JAN 1916

Kept at Nidderdale, Exmouth
in the County of Devon 56
by Mrs Herbert Stewart

Lat. Long.
Time of Observation 9. a m
Nearest Railway Station Exmouth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 51 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·19	0·15	—	—	—	—	—	0·38	0·15	0·52	—	0·11	1
2	0·17	0·16	0·03	—	—	0·05	—	0·20	0·12	0·03	—	0·67	2
3	—	0·06	0·02	0·05	0·28	—	—	—	—	—	—	0·52	3
4	0·03	0·04	—	—	0·03	—	—	0·01	—	—	—	0·22	4
5	0·01	0·48	—	0·12	—	—	—	0·24	—	—	—	0·52	5
6	0·52	0·05	—	0·16	—	—	0·41	0·01	—	—	—	0·17	6
7	0·19	0·35	—	0·05	—	—	0·12	—	—	—	0·01	0·31	7
8	0·08	0·41	—	—	—	—	0·03	0·09	—	0·01	0·05	0·20	8
9	—	0·05	—	—	—	—	—	—	—	—	0·19	0·68	9
10	0·12	0·32	0·07	0·04	—	—	—	—	—	0·07	0·04	0·08	10
11	0·11	0·33	0·09	—	0·10	—	—	0·08	—	0·01	0·78	0·03	11
12	0·06	0·36	0·01	0·09	0·50	—	—	0·22	—	0·01	0·25	—	12
13	—	0·31	—	—	0·36	—	—	0·04	—	—	0·15	—	13
14	—	—	—	—	—	—	0·25	0·38	—	0·08	0·02	0·52	14
15	0·10	—	—	—	0·26	—	0·10	0·01	—	0·03	0·01	0·10	15
16	—	0·70	—	—	0·34	—	0·53	—	—	—	—	0·05	16
17	—	0·36	—	—	0·03	—	—	—	—	—	—	0·05	17
18	—	0·11	—	—	—	—	—	—	—	—	—	—	18
19	0·01	0·02	—	—	0·32	—	0·11	0·01	—	—	—	—	19
20	0·15	0·02	—	0·11	—	0·09	—	—	—	0·44	—	0·06	20
21	0·22	0·09	—	—	—	0·03	0·18	—	—	0·12	—	0·03	21
22	0·04	—	0·31	—	0·06	0·08	0·58	—	0·12	0·04	—	0·18	22
23	—	0·02	0·02	—	—	0·04	—	—	0·10	1·64	—	0·33	23
24	—	—	0·01	0·04	—	—	0·39	—	—	0·09	—	0·32	24
25	—	—	—	0·03	—	0·36	0·05	—	—	0·01	0·02	0·21	25
26	0·05	0·05	—	—	—	0·02	0·11	—	—	—	—	0·74	26
27	—	0·03	—	—	—	0·59	0·05	—	—	0·36	—	0·01	27
28	—	0·09	—	—	—	0·15	—	—	—	0·09	0·02	0·07	28
29	—		—	—	—	0·22	0·03	—	0·02	—	0·13	0·10	29
30	0·17	✕	—	—	—	0·01	0·08	—	—	0·47	0·50	0·26	30
31	0·02	✕	—	✕	—	✕	0·14	—	✕	1·00	✕	0·19	31
Total	2·24	4·56	0·56	0·69	2·28	1·64	3·16	1·67	0·51	5·02	2·17	6·73	YEAR'S TOTAL 31·24
Rain Days.	18	23	8	9	10	1·64 11	16	12	5	18	13	27	31·23 170

W. 8,000. X. 15.

Esc DL

1838

FORM A.
BRITISH RAINFALL.

19 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Nidderdale. Exmouth

in the County of Devon

by Mrs Herbert Stewart.

Lat. Long.

Time of Observation 9. a m

Nearest Railway Station nearly a mile

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04	—	0·04	—	0·42	—	—	—	0·17	0·25	0·10	—	1
2	0·07	—	—	—	—	—	—	—	0·11	0·36	0·22	—	2
3	—	0·70	—	—	0·44	0·03	0·03	—	0·01	0·49	0·20	—	3
4	0·10	—	—	—	0·05	0·07	—	—	0·01	0·15	0·43	—	4
5	0·01	—	0·09	—	—	0·05	—	—	—	0·04	0·06	—	5
6	—	0·15	0·01	—	—	—	0·49	—	—	0·13	0·55	—	6
7	0·04	0·08	0·06	—	0·15	0·04	0·08	—	—	0·03	0·65	0·07	7
8	—	0·12	0·37	—	0·12	0·07	—	—	—	—	0·05	0·17	8
9	—	0·02	0·01	—	—	0·02	0·02	—	—	—	0·06	0·22	9
10	—	0·40	—	—	—	—	—	—	—	0·03	—	0·08	10
11	—	—	—	—	—	0·01	—	—	—	—	—	—	11
12	0·03	0·02	0·37	0·02	0·18	—	0·04	0·11	—	0·01	—	—	12
13	—	0·11	0·07	—	—	—	0·01	0·17	0·01	—	—	0·02	13
14	—	0·46	0·21	—	0·02	—	—	0·25	—	0·01	—	—	14
15	—	0·22	0·17	0·08	—	—	—	0·06	—	0·03	—	0·27	15
16	0·12	0·06	—	0·07	—	—	0·23	0·23	—	0·09	—	0·11	16
17	0·11	0·05	0·01	0·02	—	—	—	0·02	0·12	0·15	0·99	—	17
18	0·03	0·11	0·30	0·02	—	—	—	—	0·19	0·04	—	0·11	18
19	0·12	0·18	0·27	0·02	—	—	—	—	0·02	—	0·13	0·08	19
20	0·08	1·02	0·23	—	—	—	0·01	—	—	—	0·04	1·25	20
21	0·01	0·06	0·08	—	0·07	0·01	—	—	—	—	—	0·08	21
22	—	0·01	—	—	—	0·07	—	0·12	—	0·15	—	0·64	22
23	—	0·02	—	—	—	0·09	—	0·18	—	0·14	0·06	0·04	23
24	—	0·05	0·01	—	0·30	0·03	—	0·08	—	0·58	0·01	0·37	24
25	—	0·34	0·03	—	0·09	0·02	—	0·23	0·02	—	0·14	0·01	25
26	—	0·09	0·04	—	0·02	0·42	—	0·15	2·12	0·56	—	—	26
27	—	0·01	1·36	—	—	0·35	—	0·02	0·27	0·15	—	0·01	27
28	—	0·09	—	—	—	—	—	0·14	0·06	0·23	—	0·15	28
29	—	0·28	0·02	—	—	0·22	—	1·99	0·12	0·06	—	0·27	29
30	—	×	—	—	—	0·01	—	—	—	0·73	—	—	30
31	—	×	—	×	—	×	—	0·02	×	0·23	×	0·01	31
Total	0·76	4·65	3·75	0·23	1·86	1·51	0·91	3·77	3·23	4·64	3·69	3·96	YEAR'S TOTAL 32·96
Rain Days.	12	24	20	6	11	16	8	15	13	23	15	19	182

W. 8,000. X. 15.

End W

1761

FORM A.
BRITISH RAINFALL.

25 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Nidderdale Exmouth
in the County of Devon
by [illegible]

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~~0·04~~	—	0·10	0·23	—	0·22	—	0·30	—	—	0·05	—	1
2	~~0·07~~	—	0·03	0·15	—	0·23	—	0·02	—	0·02	—	—	2
3	0·03	[illegible]	—	0·04	—	—	0·58	—	—	0·20	0·64	—	3
4	~~0·40~~	0·07	0·53	—	—	—	0·01	—	—	0·19	—	—	4
5	0·11	—	0·23	0·09	—	0·19	—	—	0·06	0·08	0·04	—	5
6	—	~~0·15~~	0·21	—	—	0·03	—	0·30	0·02	0·01	0·09	—	6
7	0·34	~~0·08~~	—	—	—	—	0·03	0·33	0·04	0·14	0·01	—	7
8	0·07	~~0·42~~	0·24	0·12	—	—	0·55	0·12	—	0·25	0·04	0·28	8
9	—	~~0·02~~	0·13	0·03	0·01	—	0·03	0·25	—	0·24	0·06	—	9
10	0·45	~~0·40~~	0·24	0·31	—	—	—	0·46	—	0·04	0·01	—	10
11	—	—	1·01	0·07	—	—	—	0·16	—	0·11	0·12	—	11
12	0·06	~~0·07~~	0·01	0·04	0·43	—	—	0·20	0·05	0·13	—	—	12
13	0·02	~~0·11~~	0·28	0·02	—	—	—	0·10	—	0·03	—	—	13
14	—	~~0·46~~	—	0·11	—	—	0·55	0·03	—	—	—	—	14
15	0·02	~~0·22~~	—	—	—	—	0·04	0·05	0·02	0·12	—	0·40	15
16	~~0·12~~	0·11	—	0·06	—	—	0·01	0·06	0·02	0·10	—	0·17	16
17	~~0·11~~	0·02	—	0·03	—	—	0·15	—	0·42	0·04	—	—	17
18	~~0·03~~	0·12	—	—	0·19	0·08	0·04	0·07	0·49	0·01	—	—	18
19	~~0·12~~	0·48	0·06	—	—	0·07	—	—	0·18	—	—	—	19
20	~~0·08~~	0·05	0·02	—	0·44	0·03	—	0·04	0·08	—	—	0·04	20
21	~~0·01~~	~~0·06~~	0·04	—	0·01	0·02	—	—	—	—	0·01	—	21
22	0·02	~~0·01~~	0·02	—	0·04	—	—	0·11	—	0·03	—	—	22
23	—	0·10	—	—	0·20	—	—	—	—	0·01	—	—	23
24	—	~~0·05~~	—	—	0·01	—	0·31	0·02	—	0·04	—	—	24
25	—	~~0·34~~	0·03	—	—	—	0·06	0·05	0·03	0·04	0·01	—	25
26	—	~~0·09~~	—	—	0·40	0·09	—	0·58	0·04	0·01	—	—	26
27	—	~~0·01~~	—	—	0·06	0·36	—	0·66	—	—	—	—	27
28	—	0·16	0·18	—	0·02	0·61	—	0·50	—	—	—	0·03	28
29	—	0·22	0·02	—	—	0·07	—	0·65	—	0·26	—	0·08	29
30		X	0·29	—	—	—	0·01	—	—	0·01	—	—	30
31	—	X	0·02	X	0·03	X	—	—	X	0·23	X	0·01	31
Total	0·82	1·06	3·69	1·30	1·86	2·00	2·37	5·06	1·45	2·34	1·08	1·01	YEAR'S TOTAL 24·04
Rain Days.	9	8	20	13	12	12	13	22	12	24	11	7	163

163

W. 8,000, IX. 17.

98

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

29 1 18

Kept at Nidderdale. Exmouth
in the County of S Devon
by Mrs Herbert Stewart.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station 1/4 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 51 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·02	0·20	—	0·06	—	—	—	0·82	—	0·01	0·53	0·01	1
2	—	0·12	—	—	—	—	—	0·03	—	0·01	—	0·08	2
3	—	0·09	—	0·31	0·06	—	—	—	—	—	0·13	0·01	3
4	—	—	—	0·01	—	—	—	0·16	0·41	—	0·55	0·10	4
5	—	0·02	0·11	0·03	0·28	—	—	0·45	0·49	0·10	—	0·02	5
6	0·17	0·04	—	0·07	—	—	—	—	0·03	0·15	—	0·16	6
7	—	0·07	—	0·01	0·06	—	—	—	0·06	0·06	0·31	0·05	7
8	—	0·13	—	—	—	—	—	—	0·15	0·28	—	—	8
9	0·09	0·01	—	0·05	—	0·06	0·32	—	0·40	0·01	—	0·28	9
10	0·02	—	—	0·24	—	0·01	0·15	—	0·48	0·12	—	0·33	10
11	—	—	0·09	0·10	—	—	0·49	—	0·15	0·07	0·05	0·02	11
12	0·06	0·02	0·11	—	0·26	—	0·09	—	0·05	0·01	—	—	12
13	—	—	—	—	0·17	—	0·30	—	0·18	0·07	—	—	13
14	0·21	—	—	—	0·03	0·09	0·02	—	0·13	0·04	—	0·12	14
15	1·31	—	—	0·07	0·08	0·03	0·38	—	0·06	0·19	—	0·15	15
16	0·60	—	—	0·10	—	0·13	0·02	—	0·17	0·03	—	0·11	16
17	0·17	—	0·02	0·19	—	—	0·36	—	0·02	—	—	0·11	17
18	0·71	—	0·06	—	—	0·47	0·11	—	0·48	0·01	—	0·30	18
19	0·16	0·03	0·05	0·01	—	—	0·07	0·01	0·05	—	—	0·16	19
20	0·04	—	—	0·29	—	—	0·07	—	0·14	0·03	—	—	20
21	0·04	0·03	—	0·01	—	0·02	0·02	—	0·22	0·09	—	0·31	21
22	0·04	—	0·01	—	0·11	—	0·55	—	0·12	0·04	—	0·10	22
23	0·02	—	—	—	0·03	—	0·17	—	0·15	—	—	0·15	23
24	0·01	0·07	—	—	—	—	0·29	—	0·08	—	0·12	0·22	24
25	—	—	—	0·15	0·09	—	0·17	—	0·01	0·03	0·23	—	25
26	—	—	—	—	—	—	0·19	—	—	0·01	0·03	0·08	26
27	0·01	—	0·11	—	—	—	—	0·49	0·07	0·01	0·08	0·01	27
28	—	0·14	0·08	0·01	—	—	—	0·03	0·06	0·03	0·03	0·03	28
29	—	—	0·05	—	—	—	—	—	1·38	—	—	0·03	29
30	—	X	0·25	—	—	—	—	—	0·05	0·02	0·13	0·04	30
31	—	X	0·11	X	—	X	—	—	X	0·05	X	—	31
Total	3·68	0·97	1·05	1·71	1·17	0·81	3·77	1·99	5·59	1·47	2·19	2·98	YEAR'S TOTAL 27·38
Rain Days	17	13	12	17	10	7	18	7	26	24	11	25	187

W. 6,500, VII. 18. W W C

1650

G+RR

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

15 JAN 20

Kept at Nidderdale Exmouth
in the County of Devonshire
by Mrs Herbert Stewart

Lat. .... Long. ....
Time of Observation 9. a. m
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ...... in.
" " " " Sea Level 57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·43	—	0·12	—	0·02	—	0·14	—	0·02	0·14	—	0·81	1
2	0·18	—	0·01	—	—	—	0·44	—	0·11	0·14	—	0·01	2
3	0·36	—	0·33	—	0·02	—	—	—	0·21	—	0·02	0·01	3
4	0·54	0·65	0·45	—	—	—	—	0·01	0·32	—	0·04	0·06	4
5	—	0·25	0·31	—	—	0·16	—	—	0·54	—	—	0·02	5
6	0·20	1·02	0·06	0·04	—	—	—	—	0·01	—	—	0·23	6
7	0·18	—	0·22	0·11	—	—	—	—	—	—	—	0·01	7
8	0·28	—	0·27	—	—	—	—	—	—	—	0·04	—	8
9	0·14	—	0·02	0·10	0·06	—	—	—	—	—	0·34	—	9
10	0·12	—	0·25	0·01	—	—	—	—	—	—	0·01	0·17	10
11	0·02	—	0·27	0·06	0·23	—	0·08	—	—	—	—	0·31	11
12	0·12	—	0·01	0·09	—	0·02	—	—	—	0·03	0·11	0·11	12
13	0·04	0·11	0·17	0·38	—	—	—	—	—	0·04	—	0·06	13
14	0·26	0·25	—	0·43	0·44	—	0·06	—	0·09	0·04	—	0·23	14
15	0·17	0·17	—	—	—	—	—	—	0·01	0·06	—	0·18	15
16	0·08	0·91	—	0·02	—	—	—	—	—	—	0·03	0·01	16
17	0·01	0·63	—	—	—	—	—	—	—	—	0·04	0·01	17
18	0·07	0·23	0·57	—	—	—	0·10	—	—	—	0·07	—	18
19	0·42	0·31	0·20	—	—	0·11	0·69	0·22	0·11	—	0·04	0·03	19
20	0·15	0·03	0·13	—	—	0·35	—	0·18	0·07	—	0·05	0·01	20
21	0·01	0·82	—	—	—	—	0·02	0·01	0·03	—	—	0·04	21
22	—	—	—	—	—	—	0·03	—	0·11	—	—	0·01	22
23	—	—	0·03	—	—	—	—	0·14	—	0·38	0·02	0·08	23
24	—	0·02	—	—	—	0·23	0·01	0·18	—	0·16	0·10	0·20	24
25	0·06	0·01	—	0·02	—	0·03	—	0·35	—	—	—	0·02	25
26	0·21	—	0·02	0·06	—	—	—	—	0·02	—	0·08	0·26	26
27	0·21	—	—	0·17	—	—	0·13	1·33	—	—	—	0·04	27
28	0·01	—	0·19	0·04	—	—	—	0·05	—	—	0·72	0·39	28
29	—		0·02	0·05	—	—	—	0·11	—	0·02	—	0·06	29
30	—		0·01	0·03	—	0·05	—	0·19	—	—	0·55	0·52	30
31	—		—		—		—	—		—		0·60	31
TOTAL	4·27	5·41	3·86	1·61	0·77	0·95	1·70	2·77	1·65	1·21	2·26	4·49	YEAR'S TOTAL 30·95
Days with ·01 in. or more	24	14	21	15	5	7	10	11	13	9	16	28	173

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

1535

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Nidderdale Exmouth
in the County of Devon
by Mrs Herbert Stewart

Lat. Long.
Time of Observation 9. a m.
Nearest Railway Station 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
„ „ „ „ Sea Level 31 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·10	—	—	0·09	0·46	—	0·24	—	0·07	0·04	0·03	0·78	1
2	0·27	—	—	0·16	—	—	0·03	0·07	0·03	0·[illegible]7	—	0·11	2
3	0·02	0·02	—	0·10	—	—	0·02	—	—	0·33	—	0·17	3
4	—	—	—	—	—	—	0·01	0·35	—	0·13	—	—	4
5	—	—	0·13	0·06	—	—	0·23	0·08	—	0·19	—	—	5
6	—	—	0·26	0·02	0·13	—	0·13	0·01	—	0·07	—	—	6
7	—	—	0·01	0·08	0·07	—	0·42	—	—	—	—	—	7
8	0·03	0·04	—	0·23	0·02	—	0·11	—	—	0·02	—	0·13	8
9	0·52	—	—	0·03	—	0·31	0·11	—	—	—	—	—	9
10	0·59	—	0·01	0·01	—	0·29	0·23	—	—	—	—	—	10
11	0·34	0·02	0·14	0·40	0·28	0·04	0·16	—	—	—	—	—	11
12	0·11	0·02	0·06	0·06	—	0·09	0·02	—	—	0·04	0·07	0·46	12
13	0·10	—	0·44	0·03	—	0·01	—	—	—	—	—	0·12	13
14	0·02	0·03	0·31	0·62	—	—	0·02	—	0·06	0·19	0·20	0·01	14
15	—	0·08	0·01	0·28	0·07	—	—	—	—	0·56	0·01	—	15
16	—	0·02	—	0·01	—	0·04	0·12	—	0·20	0·03	0·06	—	16
17	—	—	—	0·13	0·24	0·36	0·02	—	0·17	—	—	—	17
18	0·04	0·01	—	0·15	0·03	0·22	0·04	0·20	0·02	—	—	—	18
19	0·04	—	—	0·58	—	0·29	—	0·02	—	—	—	—	19
20	—	0·07	—	0·15	—	0·22	—	—	—	0·02	—	0·27	20
21	—	—	—	1·10	—	—	0·02	—	—	0·15	—	0·17	21
22	—	—	—	0·04	—	—	0·02	—	—	—	—	0·35	22
23	—	—	—	—	—	—	0·18	0·06	—	—	—	0·38	23
24	—	—	0·18	—	—	—	—	—	—	—	0·23	0·06	24
25	0·02	0·05	0·07	—	0·03	—	0·35	—	—	—	—	0·03	25
26	0·25	—	0·24	—	—	0·02	0·03	—	—	—	0·24	0·15	26
27	0·67	0·10	0·15	0·04	—	0·08	0·05	—	—	—	0·53	0·28	27
28	0·69	0·02	0·16	0·01	—	0·01	0·02	—	—	—	—	0·12	28
29	0·50	0·01	0·62	0·08	0·03	—	—	—	—	—	0·18	0·19	29
30	0·12	×	—	—	—	0·04	0·04	—	0·52	0·02	0·36	0·46	30
31	0·06	×	0·27	×	—	×	—	—	×	0·53	×	0·05	31
TOTAL	4·49	0·49	3·06	4·46	1·36	2·02	2·82	0·79	1·[illegible]7	2·39	1·91	4·29	YEAR'S TOTAL 29·15
Days with ·01 in. or more	19	13	16	24	10	14	24	7	7	15	10	19	178
Days with ·04 in. or more	15	5	13	18	6	11	14	5	5	11	8	17	128

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.